

Louisa G Sylvia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4259445/publications.pdf>

Version: 2024-02-01

82
papers

1,711
citations

331670

21
h-index

330143

37
g-index

84
all docs

84
docs citations

84
times ranked

2569
citing authors

#	ARTICLE	IF	CITATIONS
1	Lithium plus antipsychotics or anticonvulsants for bipolar disorder: Comparing clinical response and metabolic changes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 93-103.	2.3	3
2	Cardiometabolic risk markers during mood-stabilizing treatment: Correlation with drug-specific effects, depressive symptoms and treatment response. <i>Journal of Affective Disorders</i> , 2022, 300, 41-49.	4.1	6
3	Estimating the symptom structure of bipolar disorder via network analysis: Energy dysregulation as a central symptom.. , 2022, 131, 86-97.		18
4	Reports of the demise of CBT for bipolar disorder have been greatly exaggerated: a response to SamamÃ©. <i>Bipolar Disorders</i> , 2022, 24, 472-473.	1.9	0
5	Childhood trauma and treatment outcomes during mood-stabilising treatment with lithium or quetiapine among outpatients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 615-627.	4.5	9
6	Resilient Family : A Pilot Study of a Stress Management Program for Military-Connected Families. <i>Psychiatric Annals</i> , 2022, 52, 179-185.	0.1	0
7	Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. <i>Depression and Anxiety</i> , 2021, 38, 114-123.	4.1	5
8	Launching a resiliency group program to assist frontline clinicians in meeting the challenges of the COVID-19 pandemic: Results of a hospital-based systems trial. <i>General Hospital Psychiatry</i> , 2021, 68, 111-112.	2.4	10
9	A surrogate measure for patient reported symptom remission in administrative data. <i>BMC Psychiatry</i> , 2021, 21, 121.	2.6	4
10	Psychotic symptoms during bipolar depressive episodes and suicidal ideation. <i>Journal of Affective Disorders</i> , 2021, 282, 1241-1246.	4.1	4
11	An online intervention for increasing physical activity in individuals with mood disorders at risk for cardiovascular disease: Design considerations. <i>Journal of Affective Disorders</i> , 2021, 291, 102-109.	4.1	7
12	Illness stage and predominant polarity in bipolar disorder: Correlation with burden of illness and moderation of treatment outcome. <i>Journal of Psychiatric Research</i> , 2021, 140, 205-213.	3.1	5
13	Moderators of a resiliency group intervention for frontline clinicians during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021, 293, 373-378.	4.1	4
14	Response and remission rates during 24 weeks of mood-stabilizing treatment for bipolar depression depending on early non-response. <i>Psychiatry Research</i> , 2021, 305, 114194.	3.3	1
15	Cigarette smokers with a mood symptom history enrolled in a physical activity trial. <i>Bipolar Disorders</i> , 2021, 23, 842-843.	1.9	0
16	The impact of binge eating behavior on lithium- and quetiapine-associated changes in body weight, body mass index, and waist circumference during 6 months of treatment: Findings from the bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2020, 266, 772-781.	4.1	13
17	A pilot study of a mind-body stress management program for student veterans. <i>Complementary Therapies in Clinical Practice</i> , 2020, 40, 101221.	1.7	6
18	Call to action regarding the vascular-bipolar link: A report from the Vascular Task Force of the International Society for Bipolar Disorders. <i>Bipolar Disorders</i> , 2020, 22, 440-460.	1.9	66

#	ARTICLE	IF	CITATIONS
19	Bipolar disorder as a condition of heterogeneity: Embracing an adaptive psychosocial approach. <i>Bipolar Disorders</i> , 2020, 22, 416-417.	1.9	0
20	Preliminary findings on topiramate for addressing health behaviors in comorbid bipolar disorder and alcohol use disorder. <i>Psychiatry Research</i> , 2020, 289, 113037.	3.3	0
21	Understanding the Bariatric Patient Perspective in the National Patient-Centered Clinical Research Network (PCORnet) Bariatric Study. <i>Obesity Surgery</i> , 2020, 30, 1837-1847.	2.1	4
22	Collaborative Songwriting Intervention for Veterans with Post-Traumatic Stress Disorder. <i>Journal of Alternative and Complementary Medicine</i> , 2020, 26, 198-203.	2.1	8
23	An evaluation of suicidal risk in bipolar patients with comorbid posttraumatic stress disorder. <i>Journal of Affective Disorders</i> , 2020, 266, 49-56.	4.1	7
24	Acceptability of an adjunct equine-assisted activities and therapies program for veterans with posttraumatic stress disorder and/or traumatic brain injury. <i>Journal of Integrative Medicine</i> , 2020, 18, 169-173.	3.1	13
25	Familial severe psychiatric history in bipolar disorder and correlation with disease severity and treatment response. <i>Journal of Affective Disorders</i> , 2020, 273, 131-137.	4.1	7
26	Complex polypharmacy in bipolar disorder: Side effect burden, adherence, and response predictors. <i>Journal of Affective Disorders</i> , 2019, 257, 17-22.	4.1	26
27	Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. <i>Journal of Affective Disorders</i> , 2019, 259, 164-172.	4.1	13
28	Correlation between white blood cell count and mood-stabilising treatment response in two bipolar disorder trials. <i>Acta Neuropsychiatrica</i> , 2019, 31, 230-234.	2.1	2
29	Pilot study of a lifestyle intervention for bipolar disorder: Nutrition exercise wellness treatment (NEW Tx). <i>Journal of Affective Disorders</i> , 2019, 250, 278-283.	4.1	24
30	Predictive modeling for response to lithium and quetiapine in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 428-436.	1.9	15
31	Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. <i>Journal of Affective Disorders</i> , 2019, 246, 126-131.	4.1	11
32	Deficits in frontoparietal activation and anterior insula functional connectivity during regulation of cognitive-affective interference in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 244-258.	1.9	43
33	Substance use comorbidity in bipolar disorder: A qualitative review of treatment strategies and outcomes. <i>American Journal on Addictions</i> , 2018, 27, 188-201.	1.4	28
34	Peroxisome Proliferator-Activated Receptor Gamma Coactivator-1 Alpha as a Novel Target for Bipolar Disorder and Other Neuropsychiatric Disorders. <i>Biological Psychiatry</i> , 2018, 83, 761-769.	1.3	64
35	Treatment outcomes of acute bipolar depressive episode with psychosis. <i>Depression and Anxiety</i> , 2018, 35, 402-410.	4.1	9
36	Sleep disturbance may impact treatment outcome in bipolar disorder: A preliminary investigation in the context of a large comparative effectiveness trial. <i>Journal of Affective Disorders</i> , 2018, 225, 563-568.	4.1	18

#	ARTICLE	IF	CITATIONS
37	Clinically relevant and simple immune system measure is related to symptom burden in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2018, 30, 297-305.	2.1	10
38	Decreased activation and subsyndromal manic symptoms predict lower remission rates in bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 994-1002.	2.3	3
39	MoodNetwork. <i>Medical Care</i> , 2018, 56, S48-S52.	2.4	13
40	Patterns of changes in bipolar depressive symptoms revealed by trajectory analysis among 482 patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 21, 350-360.	1.9	5
41	Military and Veteran Caregiversâ€™ Perspectives of Stressors and a Mind-Body Program. <i>Issues in Mental Health Nursing</i> , 2018, 39, 850-857.	1.2	8
42	The impact of substance use disorders on recovery from bipolar depression: Results from the Systematic Treatment Enhancement Program for Bipolar Disorder psychosocial treatment trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 847-855.	2.3	9
43	Prevalence and predictors of physician recommendations for medication adjustment in bipolar disorder treatment. <i>Journal of Affective Disorders</i> , 2018, 238, 666-673.	4.1	4
44	White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 355-365.	2.3	22
45	Nonsteroidal anti-inflammatory drugs (NSAIDs) and paracetamol do not affect 6-month mood-stabilizing treatment outcome among 482 patients with bipolar disorder. <i>Depression and Anxiety</i> , 2017, 34, 281-290.	4.1	12
46	Bipolar mixed features â€“ Results from the comparative effectiveness for bipolar disorder (Bipolar) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	4.1	10
47	Transdiagnostic treatment of bipolar disorder and comorbid anxiety using the Unified Protocol for Emotional Disorders: A pilot feasibility and acceptability trial. <i>Journal of Affective Disorders</i> , 2017, 219, 209-221.	4.1	44
48	Clinical correlates of acute bipolar depressive episode with psychosis. <i>Journal of Affective Disorders</i> , 2017, 217, 29-33.	4.1	19
49	Poor quality of life and functioning in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 10.	2.2	63
50	Integrative Therapy Approaches for Posttraumatic Stress Disorder: A Special Focus on Treating Veterans. <i>Focus (American Psychiatric Publishing)</i> , 2017, 15, 390-398.	0.8	5
51	Trajectories of suicidal ideation over 6 months among 482 outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 223, 146-152.	4.1	18
52	Physical Exercise for Treatment of Mood Disorders: A Critical Review. <i>Current Behavioral Neuroscience Reports</i> , 2016, 3, 350-359.	1.3	97
53	Empirically supported psychosocial interventions for bipolar disorder: Current state of the research. <i>Journal of Affective Disorders</i> , 2016, 201, 203-214.	4.1	63
54	Tracking medication changes to assess outcomes in comparative effectiveness research: A bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2016, 205, 159-164.	4.1	7

#	ARTICLE	IF	CITATIONS
55	Cognitive Remediation and Bias Modification Strategies in Mood and Anxiety Disorders. <i>Current Behavioral Neuroscience Reports</i> , 2016, 3, 340-349.	1.3	8
56	A cluster analytic approach to identifying predictors and moderators of psychosocial treatment for bipolar depression: Results from STEP-BD. <i>Journal of Affective Disorders</i> , 2016, 203, 152-157.	4.1	9
57	Medical burden, body mass index and the outcome of psychosocial interventions for bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 667-677.	2.3	16
58	A randomized, placebo-controlled proof-of-concept trial of adjunctive topiramate for alcohol use disorders in bipolar disorder. <i>American Journal on Addictions</i> , 2016, 25, 94-98.	1.4	24
59	Patient perceptions of physical health and bipolar symptoms: The intersection of mental and physical health. <i>Journal of Affective Disorders</i> , 2016, 189, 203-206.	4.1	18
60	A tool to predict suicidal ideation and behavior in bipolar disorder: The Concise Health Risk Tracking Self-Report. <i>Journal of Affective Disorders</i> , 2016, 192, 212-218.	4.1	22
61	Getting to wellness: The potential of the athletic model of marginal gains for the treatment of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1207-1214.	2.3	21
62	Resilient Warrior: A Stress Management Group to Improve Psychological Health in Service Members. <i>Global Advances in Health and Medicine</i> , 2015, 4, 38-42.	1.6	28
63	Medical burden in bipolar disorder: findings from the Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder study (Bipolar <sc>CHOICE</sc>). <i>Bipolar Disorders</i> , 2015, 17, 212-223.	1.9	77
64	Psychotherapy use in bipolar disorder: Association with functioning and illness severity. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 453-461.	2.3	21
65	Eating behavior and obesity in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 566-572.	2.3	17
66	A brief review of exercise, bipolar disorder, and mechanistic pathways. <i>Frontiers in Psychology</i> , 2015, 6, 147.	2.1	54
67	An exploratory study of responses to low-dose lithium in African Americans and Hispanics. <i>Journal of Affective Disorders</i> , 2015, 178, 224-228.	4.1	9
68	A clinical measure of suicidal ideation, suicidal behavior, and associated symptoms in bipolar disorder: Psychometric properties of the Concise Health Risk Tracking Self-Report (CHRT-SR). <i>Journal of Psychiatric Research</i> , 2015, 71, 126-133.	3.1	32
69	The effect of personalized guideline-concordant treatment on quality of life and functional impairment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 169, 144-148.	4.1	15
70	A novel application of the <i>Intent to Attend</i> assessment to reduce bias due to missing data in a randomized controlled clinical trial. <i>Clinical Trials</i> , 2014, 11, 494-502.	1.6	9
71	A Novel Home Sleep Monitoring Device and Brief Sleep Intervention for Bipolar Disorder: Feasibility, Tolerability, and Preliminary Effectiveness. <i>Cognitive Therapy and Research</i> , 2014, 38, 55-61.	1.9	11
72	Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: Results from the Bipolar CHOICE trial. <i>Journal of Affective Disorders</i> , 2014, 161, 30-35.	4.1	18

#	ARTICLE	IF	CITATIONS
73	Correlates of real world executive dysfunction in bipolar I disorder. Journal of Psychiatric Research, 2014, 53, 87-93.	3.1	27
74	Association of exercise with quality of life and mood symptoms in a comparative effectiveness study of bipolar disorder. Journal of Affective Disorders, 2013, 151, 722-727.	4.1	76
75	An Adjunct Exercise Program for Serious Mental Illness: Who Chooses to Participate and is it Feasible?. Community Mental Health Journal, 2013, 49, 213-219.	2.0	3
76	Nutrient-Based Therapies for Bipolar Disorder: A Systematic Review. Psychotherapy and Psychosomatics, 2013, 82, 10-19.	8.8	46
77	Nutrition, Exercise, and Wellness Treatment in bipolar disorder: proof of concept for a consolidated intervention. International Journal of Bipolar Disorders, 2013, 1, 24.	2.2	65
78	Sleep disturbance in euthymic bipolar patients. Journal of Psychopharmacology, 2012, 26, 1108-1112.	4.0	104
79	Methods to limit attrition in longitudinal comparative effectiveness trials: lessons from the Lithium Treatment "Moderate dose Use Study (LiTMUS) for bipolar disorder. Clinical Trials, 2012, 9, 94-101.	1.6	11
80	Development of an Integrated Psychosocial Treatment to Address the Medical Burden Associated with Bipolar Disorder. Journal of Psychiatric Practice, 2011, 17, 224-232.	0.7	41
81	Exercise Treatment for Bipolar Disorder: Potential Mechanisms of Action Mediated through Increased Neurogenesis and Decreased Allostatic Load. Psychotherapy and Psychosomatics, 2010, 79, 87-96.	8.8	51
82	Does Exercise Impact Mood? Exercise Patterns of Patients in a Psychiatric Partial Hospital Program. Journal of Psychiatric Practice, 2009, 15, 70-78.	0.7	12