

# Paolo Lo Meo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/42637/publications.pdf>

Version: 2024-02-01

79  
papers

2,057  
citations

218677

26  
h-index

265206

42  
g-index

90  
all docs

90  
docs citations

90  
times ranked

1903  
citing authors

#	ARTICLE	IF	CITATIONS
1	Differentiation among dairy products by combination of fast field cycling NMR relaxometry data and chemometrics. <i>Magnetic Resonance in Chemistry</i> , 2022, 60, 369-385.	1.9	6
2	Changes in Physicochemical Properties of Biochar after Addition to Soil. <i>Agriculture (Switzerland)</i> , 2022, 12, 320.	3.1	8
3	Fast field cycling NMR relaxometry as a tool to monitor Parmigiano Reggiano cheese ripening. <i>Food Research International</i> , 2021, 139, 109845.	6.2	14
4	Recent Developments in Understanding Biochar's Physical Chemistry. <i>Agronomy</i> , 2021, 11, 615.	3.0	37
5	Heuristic Algorithm for the Analysis of Fast Field Cycling (FFC) NMR Dispersion Curves. <i>Analytical Chemistry</i> , 2021, 93, 8553-8558.	6.5	6
6	Evaluation of adsorption ability of cyclodextrin-calixarene nanosponges towards Pb <sup>2+</sup> ion in aqueous solution. <i>Carbohydrate Polymers</i> , 2021, 267, 118151.	10.2	25
7	Nanosponges for the protection and release of the natural phenolic antioxidants quercetin, curcumin and phenethyl caffeate. <i>Materials Advances</i> , 2020, 1, 2501-2508.	5.4	11
8	Straightforward preparation of highly loaded MWCNT-polyamine hybrids and their application in catalysis. <i>Nanoscale Advances</i> , 2020, 2, 4199-4211.	4.6	8
9	Nuclear Magnetic Resonance with Fast Field-Cycling Setup: A Valid Tool for Soil Quality Investigation. <i>Agronomy</i> , 2020, 10, 1040.	3.0	13
10	Water Dynamics at the Solid-Liquid Interface to Unveil the Textural Features of Synthetic Nanosponges. <i>Journal of Physical Chemistry B</i> , 2020, 124, 1847-1857.	2.6	17
11	Reconsidering TOF calculation in the transformation of epoxides and CO <sub>2</sub> into cyclic carbonates. <i>Journal of CO<sub>2</sub> Utilization</i> , 2020, 38, 132-140.	6.8	20
12	Unexpected Substituent Effects in the Iso-Heterocyclic Boulton-Katritzky Rearrangement of 3-Aroylamino-5-methyl-1,2,4-oxadiazoles: A Mechanistic Study. <i>Journal of Physical Chemistry A</i> , 2019, 123, 10004-10010.	2.5	2
13	Cyclodextrin-Calixarene Nanosponges as Potential Platforms for pH-Dependent Delivery of Tetracycline. <i>ChemistrySelect</i> , 2019, 4, 9743-9747.	1.5	15
14	Synergistic Activity of Silver Nanoparticles and Polyaminocyclodextrins in Nanosponge Architectures. <i>ChemistrySelect</i> , 2019, 4, 873-879.	1.5	16
15	Effect of pH Variations on the Properties of Cyclodextrin-Calixarene Nanosponges. <i>ChemistrySelect</i> , 2019, 4, 6155-6161.	1.5	11
16	Polyaminoazide mixtures for the synthesis of pH-responsive calixarene nanosponges. <i>Beilstein Journal of Organic Chemistry</i> , 2019, 15, 633-641.	2.2	9
17	Hyper-reticulated calixarene polymers: a new example of entirely synthetic nanosponge materials. <i>Beilstein Journal of Organic Chemistry</i> , 2018, 14, 1498-1507.	2.2	13
18	Convenient Photochemical Synthesis of Silver-Polyaminocyclodextrin Nanocomposites: The Role of the Light Source from a Mechanistic Viewpoint. <i>ChemistrySelect</i> , 2018, 3, 3048-3055.	1.5	2

#	ARTICLE	IF	CITATIONS
19	Pre- and post-modification of mixed cyclodextrin-calixarene co-polymers: A route towards tunability. <i>Carbohydrate Polymers</i> , 2017, 157, 1393-1403.	10.2	36
20	Binding abilities of polyaminocyclodextrins: polarimetric investigations and biological assays. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 2751-2763.	2.2	9
21	Binding abilities of a chiral calix[4]resorcinarene: a polarimetric investigation on a complex case of study. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 2698-2709.	2.2	9
22	Polyaminocyclodextrin nanosponges: synthesis, characterization and pH-responsive sequestration abilities. <i>RSC Advances</i> , 2016, 6, 49941-49953.	3.6	38
23	Chemical and pharmaceutical evaluation of the relationship between triazole linkers and pore size on cyclodextrin-calixarene nanosponges used as carriers for natural drugs. <i>RSC Advances</i> , 2016, 6, 50858-50866.	3.6	28
24	Photosynthesized silver-polyaminocyclodextrin nanocomposites as promising antibacterial agents with improved activity. <i>RSC Advances</i> , 2016, 6, 40090-40099.	3.6	19
25	Dual drug-loaded halloysite hybrid-based glycocluster for sustained release of hydrophobic molecules. <i>RSC Advances</i> , 2016, 6, 87935-87944.	3.6	53
26	Silver nanoparticles stabilized by a polyaminocyclodextrin as catalysts for the reduction of nitroaromatic compounds. <i>Journal of Molecular Catalysis A</i> , 2015, 408, 250-261.	4.8	23
27	Binding abilities of new cyclodextrin-cucurbituril supramolecular hosts. <i>Supramolecular Chemistry</i> , 2015, 27, 233-243.	1.2	4
28	Functionalized halloysite multivalent glycocluster as a new drug delivery system. <i>Journal of Materials Chemistry B</i> , 2014, 2, 7732-7738.	5.8	77
29	Ionic liquid binary mixtures: Promising reaction media for carbohydrate conversion into 5-hydroxymethylfurfural. <i>Applied Catalysis A: General</i> , 2014, 482, 287-293.	4.3	48
30	Cyclodextrin-calixarene co-polymers as a new class of nanosponges. <i>Polymer Chemistry</i> , 2014, 5, 4499-4510.	3.9	58
31	Sequential Suzuki/Asymmetric Aldol and Suzuki/Knoevenagel Reactions Under Aqueous Conditions. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 2635-2642.	2.4	23
32	Synthesis and characterization of new polyamino-cyclodextrin materials. <i>Carbohydrate Research</i> , 2012, 347, 32-39.	2.3	15
33	Microwave-assisted synthesis of novel cyclodextrin-cucurbituril complexes. <i>Supramolecular Chemistry</i> , 2011, 23, 819-828.	1.2	15
34	Binding properties of heptakis-(2,6-di-O-methyl)- $\beta$ -cyclodextrin and mono-(3,6-anhydro)- $\beta$ -cyclodextrin: a polarimetric study. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011, 71, 121-127.	1.6	9
35	Advances towards Highly Active and Stereoselective Simple and Cheap Proline-Based Organocatalysts. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 5696-5704.	2.4	63
36	A Study of the Influence of Ionic Liquids Properties on the Kemp Elimination Reaction. <i>Chemistry - A European Journal</i> , 2009, 15, 7896-7902.	3.3	36

#	ARTICLE	IF	CITATIONS
37	Binding properties of mono-(6-deoxy-6-amino)- $\beta$ -cyclodextrin towards p-nitroaniline derivatives: a polarimetric study. <i>Tetrahedron</i> , 2009, 65, 10413-10417.	1.9	16
38	Binding equilibria between $\beta$ -cyclodextrin and p-nitro-aniline derivatives: the first systematic study in mixed water-methanol solvent systems. <i>Tetrahedron</i> , 2009, 65, 2037-2042.	1.9	26
39	The effect of some amines and alcohols on the organized structure of [bmim][BF <sub>4</sub> ] investigated by <sup>1</sup> H NMR spectroscopy. <i>Arkivoc</i> , 2009, 2009, 30-46.	0.5	0
40	First Evidence of Proline Acting as a Bifunctional Catalyst in the Baylis-Hillman Reaction Between Alkyl Vinyl Ketones and Aryl Aldehydes. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 1589-1596.	2.4	22
41	New Simple Hydrophobic Proline Derivatives as Highly Active and Stereoselective Catalysts for the Direct Asymmetric Aldol Reaction in Aqueous Medium. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 2747-2760.	4.3	108
42	On the behaviour of the (Z)-phenylhydrazones of some 5-alkyl-3-benzoyl-1,2,4-oxadiazoles in solution and in the gas phase: kinetic and spectrometric evidence in favour of self-assembly. <i>Tetrahedron</i> , 2008, 64, 733-740.	1.9	11
43	Hydrophobically Directed Aldol Reactions: Polystyrene-Supported $\beta$ -Proline as a Recyclable Catalyst for Direct Asymmetric Aldol Reactions in the Presence of Water. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 4688-4698.	2.4	150
44	Host-guest interactions involving cyclodextrins: useful complementary insights achieved by polarimetry. <i>Tetrahedron</i> , 2007, 63, 9163-9171.	1.9	28
45	Mononuclear rearrangements of heterocycles in water/ $\beta$ -CD: information on the real site of reaction from structural modifications of substrates and from proton concentration dependence of the reactivity. <i>Tetrahedron</i> , 2007, 63, 10260-10268.	1.9	15
46	Oxidative degradation properties of Co-based catalysts in the presence of ozone. <i>Applied Catalysis B: Environmental</i> , 2007, 75, 281-289.	20.2	34
47	Chiral recognition of protected amino acids by means of fluorescent binary complex pyrene/heptakis-(6-amino)-(6-deoxy)- $\beta$ -cyclodextrin. <i>Tetrahedron</i> , 2006, 62, 4323-4330.	1.9	17
48	Lipase-catalyzed resolution of $\beta$ -hydroxy selenides. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 2713-2721.	1.8	13
49	Polarimetry as a useful tool for the determination of binding constants between cyclodextrins and organic guest molecules. <i>Tetrahedron Letters</i> , 2006, 47, 9099-9102.	1.4	19
50	Lipase-catalyzed resolution of anti-6-substituted 1,3-dioxepan-5-ols. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 3128-3134.	1.8	2
51	Supported Ionic Liquids. New Recyclable Materials for the L-Proline-Catalyzed Aldol Reaction. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 82-92.	4.3	143
52	A spectrofluorimetric study of binary fluorophore-cyclodextrin complexes used as chiral selectors. <i>Tetrahedron</i> , 2005, 61, 4577-4583.	1.9	15
53	Diastereoselective Synthesis of 2-Phenylselenenyl-1,3-anti-Diols and 2-Phenylselenenyl-1,3-anti-Azido-Alcohols via Hydroxyand Azido-Selenenylation Reactions. <i>Molecules</i> , 2005, 10, 383-393.	3.8	10
54	Oxidative cyclization of aldehyde thiosemicarbazones induced by potassium ferricyanide and by tris(p-bromophenyl)amino hexachloroantimoniate. A joint experimental and computational study. <i>Arkivoc</i> , 2005, 2005, 114-129.	0.5	11

#	ARTICLE	IF	CITATIONS
55	Diastereoselective Synthesis of Substituted 2-Phenyltetrahydropyrans as Useful Precursors of Aryl C-Glycosides via Selenoetherification. <i>Heterocycles</i> , 2004, 63, 681.	0.7	7
56	Supported Ionic Liquid Asymmetric Catalysis. A New Method for Chiral Catalysts Recycling. The Case of Proline-Catalyzed Aldol Reaction.. <i>ChemInform</i> , 2004, 35, no.	0.0	2
57	Short and efficient chemoenzymatic synthesis of goniothalamine. <i>Tetrahedron Letters</i> , 2004, 45, 83-85.	1.4	38
58	Supported ionic liquid asymmetric catalysis. A new method for chiral catalysts recycling. The case of proline-catalyzed aldol reaction. <i>Tetrahedron Letters</i> , 2004, 45, 6113-6116.	1.4	136
59	Stability and stoichiometry of some binary fluorophore-cyclodextrin complexes. <i>Tetrahedron</i> , 2004, 60, 5309-5314.	1.9	11
60	Thermodynamics of binding between $\alpha$ - and $\beta$ -cyclodextrins and some p-nitro-aniline derivatives: reconsidering the enthalpy-entropy compensation effect. <i>Tetrahedron</i> , 2004, 60, 9099-9111.	1.9	45
61	Studies on the Stereoselective Selenolactonization, Hydroxy and Methoxy Selenenylation of $\alpha$ - and $\beta$ -Hydroxy Acids and Esters. Synthesis of $\alpha$ - and $\beta$ -Lactones.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
62	Studies on the stereoselective selenolactonization, hydroxy and methoxy selenenylation of $\alpha$ - and $\beta$ -hydroxy acids and esters. Synthesis of $\alpha$ - and $\beta$ -lactones. <i>Tetrahedron</i> , 2003, 59, 2241-2251.	1.9	47
63	Spectrophotometric study on the thermodynamics of binding of $\alpha$ - and $\beta$ -cyclodextrin towards some p-nitrobenzene derivatives Electronic supplementary information (ESI) available: Values of inclusion constants at different temperatures. See <a href="http://www.rsc.org/suppdata/ob/b3/b300330b/">http://www.rsc.org/suppdata/ob/b3/b300330b/</a> . <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 1584-1590.	2.8	39
64	Host-Guest Interactions between $\beta$ -Cyclodextrin and the (Z)-Phenylhydrazone of 3-Benzoyl-5-phenyl-1,2,4-oxadiazole: The First Kinetic Study of a Ring-Ring Interconversion in a Confined Environment. <i>Journal of Organic Chemistry</i> , 2002, 67, 2948-2953.	3.2	27
65	The binary pyrene/heptakis-(6-amino-6-deoxy)- $\beta$ -cyclodextrin complex: a suitable chiral discriminator. Spectrofluorimetric study of the effect of some $\alpha$ -amino acids and esters on the stability of the binary complex. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 1755-1760.	1.8	13
66	Spectrophotometric determination of binding constants between some aminocyclodextrins and nitrobenzene derivatives at various pH values. <i>Tetrahedron</i> , 2002, 58, 6039-6045.	1.9	23
67	Stereoselective Synthesis of Substituted Tetrahydropyran Rings via 6-exo and 6-endo Selenoetherification. <i>Heterocycles</i> , 2002, 57, 293.	0.7	4
68	Protonation equilibria of some ortho-substituted and annelated aryl and thiophen-2-yl and -3-yl ketones. <i>Perkin Transactions II RSC</i> , 2001, , 2043-2046.	1.1	1
69	The question of exo vs endo cyclisation. A joint experimental and ab initio study on the stereoselective synthesis of tetrahydrofurans and tetrahydropyrans via seleniranium ions. <i>Tetrahedron</i> , 2001, 57, 1819-1826.	1.9	28
70	Spectrophotometric determinations of binding constants between cyclodextrins and aromatic nitrogen substrates at various pH values. <i>Tetrahedron</i> , 2001, 57, 6823-6827.	1.9	19
71	A joint experimental and ab initio study on the reactivity of several hydroxy selenides. Stereoselective synthesis of cis-disubstituted tetrahydrofurans via seleniranium ions. <i>Tetrahedron</i> , 2001, 57, 6815-6822.	1.9	18
72	Stereoselective synthesis of tetrahydrofurans and tetrahydropyrans by acid-catalyzed cyclization of hydroxy selenides and hydroxy sulfides. <i>Tetrahedron</i> , 1999, 55, 14097-14110.	1.9	20

#	ARTICLE	IF	CITATIONS
73	Regiochemical control in the synthesis of tetrahydrofurans by acid-catalyzed cyclization of hydroxy selenides and hydroxy sulfides. <i>Tetrahedron</i> , 1999, 55, 4769-4782.	1.9	31
74	A quantitative study of substituent effects on oxidative cyclization of some 2-aryl-substituted aldehyde thiosemicarbazones induced by ferric chloride and cupric perchlorate. <i>Journal of Heterocyclic Chemistry</i> , 1999, 36, 667-674.	2.6	37
75	Protonation of Some 5-Substituted Di(2-thienyl) Ketones in Sulfuric Acid. A Comparison with Other 2-Thienyl and Phenyl Ketones. <i>Collection of Czechoslovak Chemical Communications</i> , 1999, 64, 1893-1901.	1.0	5
76	A quantitative study of substituent effects on oxidative cyclization of some 2-methylsubstituted aldehydes. Thiosemicarbazones induced by ferric chloride. <i>Journal of Heterocyclic Chemistry</i> , 1996, 33, 863-872.	2.6	23
77	NMR analysis of restricted internal rotation in 2,3-dihydro-4-tolyl(chlorophenyl)quinazolinones. <i>Journal of Heterocyclic Chemistry</i> , 1996, 33, 1067-1071.	2.6	2
78	A study of the mechanism of the oxidative cyclization of benzaldehyde semicarbazones induced by cupric perchlorate in acetonitrile. <i>Journal of Heterocyclic Chemistry</i> , 1995, 32, 1277-1282.	2.6	16
79	Oxidative cyclization of some aldehyde semicarbazones induced by metallic salts. <i>Journal of Heterocyclic Chemistry</i> , 1993, 30, 765-770.	2.6	29