

Michael D Mcclean

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4264350/publications.pdf>

Version: 2024-02-01

158
papers

12,376
citations

23544

58
h-index

27389

106
g-index

162
all docs

162
docs citations

162
times ranked

13661
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk factors for head and neck cancer in more and less developed countries: Analysis from the INHANCE consortium. <i>Oral Diseases</i> , 2023, 29, 1565-1578.	1.5	9
2	DNA methylation-derived systemic inflammation indices and their association with oropharyngeal cancer risk and survival. <i>Head and Neck</i> , 2022, 44, 904-913.	0.9	2
3	Correlates of urinary concentrations of phthalate and phthalate alternative metabolites among reproductive-aged Black women from Detroit, Michigan. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021, 31, 461-475.	1.8	13
4	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021, 27, 73-93.	1.5	31
5	Brominated flame retardants and organochlorine pesticides and incidence of uterine leiomyomata. <i>Environmental Epidemiology</i> , 2021, 5, e127.	1.4	4
6	Urinary concentrations of phenols, parabens, and triclocarban in relation to uterine leiomyomata incidence and growth. <i>Fertility and Sterility</i> , 2021, 116, 1590-1600.	0.5	6
7	Infection with Human Papilloma Virus (HPV) and risk of subsites within the oral cancer. <i>Cancer Epidemiology</i> , 2021, 75, 102020.	0.8	16
8	A Prospective Ultrasound Study of Plasma Polychlorinated Biphenyl Concentrations and Incidence of Uterine Leiomyomata. <i>Epidemiology</i> , 2021, 32, 259-267.	1.2	7
9	Correlates of exposure to phenols, parabens, and triclocarban in the Study of Environment, Lifestyle and Fibroids. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2020, 30, 117-136.	1.8	33
10	A magnetic resonance spectroscopy investigation in symptomatic former NFL players. <i>Brain Imaging and Behavior</i> , 2020, 14, 1419-1429.	1.1	39
11	Duration of American Football Play and Chronic Traumatic Encephalopathy. <i>Annals of Neurology</i> , 2020, 87, 116-131.	2.8	136
12	Chrysotile fibers in tissue adjacent to laryngeal squamous cell carcinoma in cases with a history of occupational asbestos exposure. <i>Modern Pathology</i> , 2020, 33, 228-234.	2.9	3
13	Risk Prediction Models for Head and Neck Cancer in the US Population From the INHANCE Consortium. <i>American Journal of Epidemiology</i> , 2020, 189, 330-342.	1.6	19
14	Urinary Metals Concentrations and Biomarkers of Autoimmunity among Navajo and Nicaraguan Men. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5263.	1.2	14
15	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020, 123, 1456-1463.	2.9	65
16	Firefighter occupation is associated with increased risk for laryngeal and hypopharyngeal squamous cell carcinoma among men from the Greater Boston area. <i>Occupational and Environmental Medicine</i> , 2020, 77, 381-385.	1.3	2
17	Dietary glycaemic index, glycaemic load and head and neck cancer risk: a pooled analysis in an international consortium. <i>British Journal of Cancer</i> , 2020, 122, 745-748.	2.9	3
18	Correlates of plasma concentrations of brominated flame retardants in a cohort of U.S. Black women residing in the Detroit, Michigan metropolitan area. <i>Science of the Total Environment</i> , 2020, 714, 136777.	3.9	10

#	ARTICLE	IF	CITATIONS
19	Prenatal exposure to per- and polyfluoroalkyl substances and maternal and neonatal thyroid function in the Project Viva Cohort: A mixtures approach. <i>Environment International</i> , 2020, 139, 105728.	4.8	94
20	Kidney Function, Self-Reported Symptoms, and Urine Findings in Nicaraguan Sugarcane Workers. <i>Kidney360</i> , 2020, 1, 1042-1051.	0.9	4
21	Association of White Matter Rarefaction, Arteriolosclerosis, and Tau With Dementia in Chronic Traumatic Encephalopathy. <i>JAMA Neurology</i> , 2019, 76, 1298.	4.5	67
22	Age at start of using tobacco on the risk of head and neck cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium (INHANCE). <i>Cancer Epidemiology</i> , 2019, 63, 101615.	0.8	12
23	Predictors of plasma polychlorinated biphenyl concentrations among reproductive-aged black women. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 1001-1010.	2.1	9
24	Joint effects of intensity and duration of cigarette smoking on the risk of head and neck cancer: A bivariate spline model approach. <i>Oral Oncology</i> , 2019, 94, 47-57.	0.8	32
25	Prevalence and Risk Factors for CKD Among Brickmaking Workers in La Paz Centro, Nicaragua. <i>American Journal of Kidney Diseases</i> , 2019, 74, 239-247.	2.1	35
26	Failure to detect an association between self-reported traumatic brain injury and Alzheimer's disease neuropathology and dementia. <i>Alzheimer's and Dementia</i> , 2019, 15, 686-698.	0.4	52
27	Age of first exposure to tackle football and chronic traumatic encephalopathy. <i>Annals of Neurology</i> , 2018, 83, 886-901.	2.8	106
28	Meta-analysis of self-reported health symptoms in 1990-1991 Gulf War and Gulf War-era veterans. <i>BMJ Open</i> , 2018, 8, e016086.	0.8	54
29	White matter signal abnormalities in former National Football League players. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 56-65.	1.2	57
30	Maternal Plasma per- and Polyfluoroalkyl Substance Concentrations in Early Pregnancy and Maternal and Neonatal Thyroid Function in a Prospective Birth Cohort: Project Viva (USA). <i>Environmental Health Perspectives</i> , 2018, 126, 027013.	2.8	59
31	Racial differences in the relationship between tobacco, alcohol, and the risk of head and neck cancer: pooled analysis of US studies in the INHANCE Consortium. <i>Cancer Causes and Control</i> , 2018, 29, 619-630.	0.8	24
32	Acute Kidney Injury in Sugarcane Workers at Risk for Mesoamerican Nephropathy. <i>American Journal of Kidney Diseases</i> , 2018, 72, 475-482.	2.1	62
33	Cumulative Head Impact Exposure Predicts Later-Life Depression, Apathy, Executive Dysfunction, and Cognitive Impairment in Former High School and College Football Players. <i>Journal of Neurotrauma</i> , 2017, 34, 328-340.	1.7	425
34	Exposure to multiple chemicals in a cohort of reproductive-aged Danish women. <i>Environmental Research</i> , 2017, 154, 73-85.	3.7	41
35	<i>Leptospira</i> seropositivity as a risk factor for Mesoamerican Nephropathy. <i>International Journal of Occupational and Environmental Health</i> , 2017, 23, 1-10.	1.2	39
36	Associations between urinary diphenyl phosphate and thyroid function. <i>Environment International</i> , 2017, 101, 158-164.	4.8	106

#	ARTICLE	IF	CITATIONS
37	Immune Response to HPV16 E6 and E7 Proteins and Patient Outcomes in Head and Neck Cancer. JAMA Oncology, 2017, 3, 178.	3.4	25
38	Clinicopathological Evaluation of Chronic Traumatic Encephalopathy in Players of American Football. JAMA - Journal of the American Medical Association, 2017, 318, 360.	3.8	771
39	Dietary fiber intake and head and neck cancer risk: A pooled analysis in the International Head and Neck Cancer Epidemiology consortium. International Journal of Cancer, 2017, 141, 1811-1821.	2.3	29
40	JP8 exposure and neurocognitive performance among US Air Force personnel. NeuroToxicology, 2017, 62, 170-180.	1.4	4
41	The Effect of Traumatic Brain Injury History with Loss of Consciousness on Rate of Cognitive Decline Among Older Adults with Normal Cognition and Alzheimer's Disease Dementia. Journal of Alzheimer's Disease, 2017, 59, 251-263.	1.2	23
42	Polybrominated Diphenyl Ether Exposure and Thyroid Function Tests in North American Adults. Environmental Health Perspectives, 2016, 124, 420-425.	2.8	72
43	Volatile Organic Compounds in Blood as Biomarkers of Exposure to JP-8 Jet Fuel Among US Air Force Personnel. Journal of Occupational and Environmental Medicine, 2016, 58, 24-29.	0.9	10
44	Polybrominated diphenyl ether exposure and reproductive hormones in North American men. Reproductive Toxicology, 2016, 62, 46-52.	1.3	21
45	Identification of Biomarkers of Exposure to FTOHs and PAPs in Humans Using a Targeted and Nontargeted Analysis Approach. Environmental Science & Technology, 2016, 50, 10216-10225.	4.6	40
46	Urinary biomarkers of flame retardant exposure among collegiate U.S. gymnasts. Environment International, 2016, 94, 362-368.	4.8	25
47	Characterization of Mesoamerican Nephropathy in a Kidney Failure Hotspot in Nicaragua. American Journal of Kidney Diseases, 2016, 68, 716-725.	2.1	47
48	Smokeless Tobacco Use and the Risk of Head and Neck Cancer: Pooled Analysis of US Studies in the INHANCE Consortium. American Journal of Epidemiology, 2016, 184, 703-716.	1.6	78
49	Carotenoid intake and head and neck cancer: a pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. European Journal of Epidemiology, 2016, 31, 369-383.	2.5	42
50	Field data and numerical modeling: A multiple lines of evidence approach for assessing vapor intrusion exposure risks. Science of the Total Environment, 2016, 556, 291-301.	3.9	13
51	Biomarkers of Kidney Injury Among Nicaraguan Sugarcane Workers. American Journal of Kidney Diseases, 2016, 67, 209-217.	2.1	97
52	Urine biomarkers of kidney injury among adolescents in Nicaragua, a region affected by an epidemic of chronic kidney disease of unknown aetiology. Nephrology Dialysis Transplantation, 2016, 31, 424-432.	0.4	56
53	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. International Journal of Epidemiology, 2016, 45, 835-845.	0.9	40
54	Relation of allium vegetables intake with head and neck cancers: Evidence from the INHANCE consortium. Molecular Nutrition and Food Research, 2015, 59, 1641-1650.	1.5	12

#	ARTICLE	IF	CITATIONS
55	CpG island methylation profile in non-invasive oral rinse samples is predictive of oral and pharyngeal carcinoma. <i>Clinical Epigenetics</i> , 2015, 7, 125.	1.8	19
56	A Coding Variant in TMC8 (EVER2) Is Associated with High Risk HPV Infection and Head and Neck Cancer Risk. <i>PLoS ONE</i> , 2015, 10, e0123716.	1.1	9
57	Age of first exposure to football and later-life cognitive impairment in former NFL players. <i>Neurology</i> , 2015, 84, 1114-1120.	1.5	218
58	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 case-control studies from 27 countries. <i>International Journal of Cancer</i> , 2015, 136, 1125-1139.	2.3	112
59	Changes in kidney function among Nicaraguan sugarcane workers. <i>International Journal of Occupational and Environmental Health</i> , 2015, 21, 241-250.	1.2	103
60	Age at First Exposure to Football Is Associated with Altered Corpus Callosum White Matter Microstructure in Former Professional Football Players. <i>Journal of Neurotrauma</i> , 2015, 32, 1768-1776.	1.7	150
61	Natural vitamin C intake and the risk of head and neck cancer: A pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2015, 137, 448-462.	2.3	46
62	Folate intake and the risk of oral cavity and pharyngeal cancer: A pooled analysis within the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2015, 136, 904-914.	2.3	55
63	Exposure to Polybrominated Diphenyl Ethers in the Indoor Environment. <i>Fire Technology</i> , 2015, 51, 85-95.	1.5	5
64	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015, 44, 169-185.	0.9	128
65	Human papillomavirus serology and tobacco smoking in a community control group. <i>BMC Infectious Diseases</i> , 2015, 15, 8.	1.3	17
66	Obesity and head and neck cancer risk and survival by human papillomavirus serology. <i>Cancer Causes and Control</i> , 2015, 26, 111-119.	0.8	24
67	Temporal Variability of Polybrominated Diphenyl Ether (PBDE) Serum Concentrations over One Year. <i>Environmental Science & Technology</i> , 2014, 48, 14642-14649.	4.6	25
68	Urinary Polycyclic Aromatic Hydrocarbon (OH-PAH) Metabolite Concentrations and the Effect of GST Polymorphisms Among US Air Force Personnel Exposed to Jet Fuel. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 465-471.	0.9	15
69	High-risk HPV types and head and neck cancer. <i>International Journal of Cancer</i> , 2014, 135, 1653-1661.	2.3	97
70	Adult height and head and neck cancer: a pooled analysis within the INHANCE Consortium. <i>European Journal of Epidemiology</i> , 2014, 29, 35-48.	2.5	66
71	Novel DNA methylation targets in oral rinse samples predict survival of patients with oral squamous cell carcinoma. <i>Oral Oncology</i> , 2014, 50, 1072-1080.	0.8	20
72	Association of Marijuana Smoking with Oropharyngeal and Oral Tongue Cancers: Pooled Analysis from the INHANCE Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 160-171.	1.1	67

#	ARTICLE	IF	CITATIONS
73	Exposure to flame retardant chemicals on commercial airplanes. <i>Environmental Health</i> , 2013, 12, 17.	1.7	44
74	Investigating a Novel Flame Retardant Known as V6: Measurements in Baby Products, House Dust, and Car Dust. <i>Environmental Science & Technology</i> , 2013, 47, 4449-4454.	4.6	83
75	Predictors of tris(1,3-dichloro-2-propyl) phosphate metabolite in the urine of office workers. <i>Environment International</i> , 2013, 55, 56-61.	4.8	146
76	Gastric Reflux Is an Independent Risk Factor for Laryngopharyngeal Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1061-1068.	1.1	62
77	Associations between PBDEs in office air, dust, and surface wipes. <i>Environment International</i> , 2013, 59, 124-132.	4.8	71
78	Periodontal disease and mouthwash use are risk factors for head and neck squamous cell carcinoma. <i>Cancer Causes and Control</i> , 2013, 24, 1315-1322.	0.8	48
79	Personal Breathing Zone Exposures among Hot-Mix Asphalt Paving Workers; Preliminary Analysis for Trends and Analysis of Work Practices That Resulted in the Highest Exposure Concentrations. <i>Journal of Occupational and Environmental Hygiene</i> , 2013, 10, 663-673.	0.4	15
80	Flame Retardant Exposure among Collegiate United States Gymnasts. <i>Environmental Science & Technology</i> , 2013, 47, 13848-13856.	4.6	56
81	An epidemic of chronic kidney disease in Central America: an overview. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 1-3.	2.0	79
82	An epidemic of chronic kidney disease in Central America: an overview. <i>Postgraduate Medical Journal</i> , 2013, 89, 123-125.	0.9	29
83	Polyfluorinated compounds in dust from homes, offices, and vehicles as predictors of concentrations in office workers' serum. <i>Environment International</i> , 2013, 60, 128-136.	4.8	123
84	A case-control study of paternal occupational exposures and the risk of childhood sporadic bilateral retinoblastoma. <i>Occupational and Environmental Medicine</i> , 2013, 70, 372-379.	1.3	21
85	The Central American Epidemic of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 504-511.	2.2	91
86	Occupational asbestos exposure is associated with pharyngeal squamous cell carcinoma in men from the greater Boston area. <i>Occupational and Environmental Medicine</i> , 2013, 70, 858-863.	1.3	19
87	Occupational dust exposure and head and neck squamous cell carcinoma risk in a population-based case-control study conducted in the greater Boston area. <i>Cancer Medicine</i> , 2013, 2, 978-986.	1.3	21
88	Smokeless tobacco and risk of head and neck cancer: Evidence from a case-control study in New England. <i>International Journal of Cancer</i> , 2013, 132, 1911-1917.	2.3	55
89	Postural Sway and Exposure to Jet Propulsion Fuel 8 Among US Air Force Personnel. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 446-453.	0.9	5
90	Characterization of Inhalation Exposure to Jet Fuel among U.S. Air Force Personnel. <i>Annals of Occupational Hygiene</i> , 2012, 56, 736-45.	1.9	13

#	ARTICLE	IF	CITATIONS
91	Using Urinary Biomarkers of Polycyclic Aromatic Compound Exposure to Guide Exposure-Reduction Strategies Among Asphalt Paving Workers. <i>Annals of Occupational Hygiene</i> , 2012, 56, 1013-24.	1.9	21
92	Temperature-Dependent Emission Concentrations of Polycyclic Aromatic Hydrocarbons in Paving and Built-Up Roofing Asphalts. <i>Annals of Occupational Hygiene</i> , 2012, 56, 148-60.	1.9	13
93	Predictors of Airborne Exposures to Polycyclic Aromatic Compounds and Total Organic Matter among Hot-Mix Asphalt Paving Workers and Influence of Work Conditions and Practices. <i>Annals of Occupational Hygiene</i> , 2012, 56, 138-147.	1.9	34
94	Urinary biomarkers of occupational jet fuel exposure among air force personnel. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012, 22, 35-45.	1.8	17
95	Biomarkers of HPV in Head and Neck Squamous Cell Carcinoma. <i>Cancer Research</i> , 2012, 72, 5004-5013.	0.4	122
96	Regular dental visits are associated with earlier stage at diagnosis for oral and pharyngeal cancer. <i>Cancer Causes and Control</i> , 2012, 23, 1821-1829.	0.8	49
97	Predictors of Tetrabromobisphenol-A (TBBP-A) and Hexabromocyclododecanes (HBCD) in Milk from Boston Mothers. <i>Environmental Science & Technology</i> , 2012, 46, 12146-12153.	4.6	84
98	Identification of an Epigenetic Profile Classifier That Is Associated with Survival in Head and Neck Cancer. <i>Cancer Research</i> , 2012, 72, 2728-2737.	0.4	42
99	Excretion Profiles and Half-Lives of Ten Urinary Polycyclic Aromatic Hydrocarbon Metabolites after Dietary Exposure. <i>Chemical Research in Toxicology</i> , 2012, 25, 1452-1461.	1.7	168
100	Impact of Dust from Multiple Microenvironments and Diet on PentaBDE Body Burden. <i>Environmental Science & Technology</i> , 2012, 46, 1192-1200.	4.6	68
101	Rodent Thyroid, Liver, and Fetal Testis Toxicity of the Monoester Metabolite of Bis-(2-ethylhexyl) Tetrabromophthalate (TBPH), a Novel Brominated Flame Retardant Present in Indoor Dust. <i>Environmental Health Perspectives</i> , 2012, 120, 1711-1719.	2.8	66
102	Polyfluorinated Compounds in Serum Linked to Indoor Air in Office Environments. <i>Environmental Science & Technology</i> , 2012, 46, 1209-1215.	4.6	99
103	Gene-environment interactions of novel variants associated with head and neck cancer. <i>Head and Neck</i> , 2012, 34, 1111-1118.	0.9	24
104	Vitamin or mineral supplement intake and the risk of head and neck cancer: pooled analysis in the INHANCE consortium. <i>International Journal of Cancer</i> , 2012, 131, 1686-1699.	2.3	27
105	Allergies and risk of head and neck cancer. <i>Cancer Causes and Control</i> , 2012, 23, 1317-1322.	0.8	20
106	The Relationship Between Rural Status, Individual Characteristics, and Self-Reported Health in the Behavioral Risk Factor Surveillance System. <i>Journal of Rural Health</i> , 2012, 28, 327-338.	1.6	40
107	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012, 23, 69-88.	0.8	116
108	Pilot Study for the Investigation of Personal Breathing Zone and Dermal Exposure Using Levels of Polycyclic Aromatic Compounds (PAC) and PAC Metabolites in the Urine of Hot-Mix Asphalt Paving Workers. <i>Polycyclic Aromatic Compounds</i> , 2011, 31, 173-200.	1.4	5

#	ARTICLE	IF	CITATIONS
109	Predictors of Dermal Exposures to Polycyclic Aromatic Compounds Among Hot-Mix Asphalt Paving Workers. <i>Annals of Occupational Hygiene</i> , 2011, 56, 125-37.	1.9	15
110	Exposure to PBDEs in the Office Environment: Evaluating the Relationships Between Dust, Handwipes, and Serum. <i>Environmental Health Perspectives</i> , 2011, 119, 1247-1252.	2.8	180
111	The Occupational JP8 Exposure Neuroepidemiology Study (OJENES): Repeated workday exposure and central nervous system functioning among US Air Force personnel. <i>NeuroToxicology</i> , 2011, 32, 799-808.	1.4	13
112	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333.	1.5	158
113	A case-control study of asphalt and tar exposure and lung cancer in minorities. <i>American Journal of Industrial Medicine</i> , 2011, 54, 811-818.	1.0	9
114	A Sex-Specific Association between a 15q25 Variant and Upper Aerodigestive Tract Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 658-664.	1.1	14
115	Global Hypomethylation Identifies Loci Targeted for Hypermethylation in Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 3579-3589.	3.2	75
116	Study Design and Methods to Investigate Inhalation and Dermal Exposure to Polycyclic Aromatic Compounds and Urinary Metabolites from Asphalt Paving Workers: Research Conducted through Partnership. <i>Polycyclic Aromatic Compounds</i> , 2011, 31, 243-269.	1.4	16
117	Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. <i>International Journal of Epidemiology</i> , 2010, 39, 166-181.	0.9	322
118	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. <i>International Journal of Epidemiology</i> , 2010, 39, 182-196.	0.9	210
119	Mature MicroRNA Sequence Polymorphism in <i>MIR196A2</i> Is Associated with Risk and Prognosis of Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 3713-3720.	3.2	122
120	Inhalation Exposure to Jet Fuel (JP8) Among U.S. Air Force Personnel. <i>Journal of Occupational and Environmental Hygiene</i> , 2010, 7, 563-572.	0.4	20
121	Biomarker variance component estimation for exposure surrogate selection and toxicokinetic inference. <i>Toxicology Letters</i> , 2010, 199, 247-253.	0.4	37
122	Coffee and Tea Intake and Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1723-1736.	1.1	74
123	Genetic and Epigenetic Somatic Alterations in Head and Neck Squamous Cell Carcinomas Are Globally Coordinated but Not Locally Targeted. <i>PLoS ONE</i> , 2010, 5, e9651.	1.1	38
124	A let-7 microRNA-binding site polymorphism in the KRAS 3' UTR is associated with reduced survival in oral cancers. <i>Carcinogenesis</i> , 2009, 30, 1003-1007.	1.3	185
125	Genetic variation in the vitamin C transporter, SLC23A2, modifies the risk of HPV16-associated head and neck cancer. <i>Carcinogenesis</i> , 2009, 30, 977-981.	1.3	53
126	Personal Exposure, Behavior, and Work Site Conditions as Determinants of Blood Lead Among Bridge Painters. <i>Journal of Occupational and Environmental Hygiene</i> , 2009, 7, 80-87.	0.4	19

#	ARTICLE	IF	CITATIONS
127	Diet Contributes Significantly to the Body Burden of PBDEs in the General U.S. Population. <i>Environmental Health Perspectives</i> , 2009, 117, 1520-1525.	2.8	116
128	Investigation of PAH Biomarkers in the Urine of Workers Exposed to Hot Asphalt. <i>Annals of Occupational Hygiene</i> , 2009, 53, 551-60.	1.9	50
129	Comparing Urinary Biomarkers of Airborne and Dermal Exposure to Polycyclic Aromatic Compounds in Asphalt-Exposed Workers. <i>Annals of Occupational Hygiene</i> , 2009, 53, 561-71.	1.9	39
130	Epigenetic profiling reveals etiologically distinct patterns of DNA methylation in head and neck squamous cell carcinoma. <i>Carcinogenesis</i> , 2009, 30, 416-422.	1.3	99
131	Smoking modifies the relationship between <i>XRCC1</i> haplotypes and HPV16-negative head and neck squamous cell carcinoma. <i>International Journal of Cancer</i> , 2009, 124, 2690-2696.	2.3	31
132	A Population-Based Case-Control Study of Marijuana Use and Head and Neck Squamous Cell Carcinoma. <i>Cancer Prevention Research</i> , 2009, 2, 759-768.	0.7	57
133	Identifying Transfer Mechanisms and Sources of Decabromodiphenyl Ether (BDE 209) in Indoor Environments Using Environmental Forensic Microscopy. <i>Environmental Science & Technology</i> , 2009, 43, 3067-3072.	4.6	198
134	Participant experiences in a breastmilk biomonitoring study: A qualitative assessment. <i>Environmental Health</i> , 2009, 8, 4.	1.7	25
135	Interaction between Tobacco and Alcohol Use and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 541-550.	1.1	908
136	MicroRNA expression in head and neck cancer associates with alcohol consumption and survival. <i>Carcinogenesis</i> , 2009, 30, 2059-2063.	1.3	141
137	Dairy products, leanness, and head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2008, 30, 1193-1205.	0.9	22
138	Beryllium sensitization and lung function among former workers at the Nevada Test Site. <i>American Journal of Industrial Medicine</i> , 2008, 51, 512-523.	1.0	13
139	Measurement of Polybrominated Diphenyl Ethers on Hand Wipes: Estimating Exposure from Hand-to-Mouth Contact. <i>Environmental Science & Technology</i> , 2008, 42, 3329-3334.	4.6	208
140	Alternate and New Brominated Flame Retardants Detected in U.S. House Dust. <i>Environmental Science & Technology</i> , 2008, 42, 6910-6916.	4.6	471
141	Critical factors in assessing exposure to PBDEs via house dust. <i>Environment International</i> , 2008, 34, 1085-1091.	4.8	216
142	Response to Comment on "Alternate and New Brominated Flame Retardants Detected in U.S. House Dust". <i>Environmental Science & Technology</i> , 2008, 42, 9455-9456.	4.6	6
143	Linking PBDEs in House Dust to Consumer Products using X-ray Fluorescence. <i>Environmental Science & Technology</i> , 2008, 42, 4222-4228.	4.6	161
144	Human Papillomavirus-16 Modifies the Association between Fruit Consumption and Head and Neck Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3419-3426.	1.1	18

#	ARTICLE	IF	CITATIONS
145	Lack of Association of Alcohol and Tobacco with HPV16-Associated Head and Neck Cancer. Journal of the National Cancer Institute, 2007, 99, 1801-1810.	3.0	223
146	Physical and Chemical Characterization of Asphalt (Bitumen) Paving Exposures. Journal of Occupational and Environmental Hygiene, 2007, 4, 209-216.	0.4	23
147	Human Exposure to PBDEs: Associations of PBDE Body Burdens with Food Consumption and House Dust Concentrations. Environmental Science & Technology, 2007, 41, 1584-1589.	4.6	409
148	Global DNA Methylation Level in Whole Blood as a Biomarker in Head and Neck Squamous Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 108-114.	1.1	269
149	Personal Exposure to Polybrominated Diphenyl Ethers (PBDEs) in Residential Indoor Air. Environmental Science & Technology, 2007, 41, 4574-4579.	4.6	200
150	Human papillomavirus 16 and head and neck squamous cell carcinoma. International Journal of Cancer, 2007, 120, 2386-2392.	2.3	107
151	Dietary folate is associated with p16INK4A methylation in head and neck squamous cell carcinoma. International Journal of Cancer, 2006, 119, 1553-1557.	2.3	53
152	Epigenetic inactivation of the SFRP genes is associated with drinking, smoking and HPV in head and neck squamous cell carcinoma. International Journal of Cancer, 2006, 119, 1761-1766.	2.3	111
153	Duration but not Intensity of Alcohol and Tobacco Exposure Predicts p16INK4A Homozygous Deletion in Head and Neck Squamous Cell Carcinoma. Cancer Research, 2006, 66, 4512-4515.	0.4	19
154	Glutathione S-Transferase Polymorphisms and the Synergy of Alcohol and Tobacco in Oral, Pharyngeal, and Laryngeal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2196-2202.	1.1	70
155	The ADH1C Polymorphism Modifies the Risk of Squamous Cell Carcinoma of the Head and Neck Associated with Alcohol and Tobacco Use. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 476-482.	1.1	81
156	An Unrecognized Source of PCB Contamination in Schools and Other Buildings. Environmental Health Perspectives, 2004, 112, 1051-1053.	2.8	173
157	Beryllium Exposure Control Program at the Cardiff Atomic Weapons Establishment in the United Kingdom. Journal of Occupational and Environmental Hygiene, 2001, 16, 619-630.	0.5	27
158	Beryllium Exposure Control Program at the Cardiff Atomic Weapons Establishment in the United Kingdom. , 0, .		5