
Mathilde Bourdon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4273666/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Relationship between the magnetic resonance imaging appearance of adenomyosis and endometriosis phenotypes. Human Reproduction, 2017, 32, 1393-1401.	0.9	184
2	Prognostic factors for assisted reproductive technology in women with endometriosis-related infertility. American Journal of Obstetrics and Gynecology, 2017, 216, 280.e1-280.e9.	1.3	68
3	Endometriosis-related infertility: assisted reproductive technology hasÂno adverse impact on pain or quality-of-life scores. Fertility and Sterility, 2016, 105, 978-987.e4.	1.0	60
4	Immunological changes associated with adenomyosis: a systematic review. Human Reproduction Update, 2021, 27, 108-129.	10.8	59
5	Focal adenomyosis is associated with primary infertility. Fertility and Sterility, 2020, 114, 1271-1277.	1.0	49
6	Adenomyosis of the inner and outer myometrium are associated with different clinical profiles. Human Reproduction, 2021, 36, 349-357.	0.9	49
7	Prolonged estrogen (E2) treatment prior to frozen-blastocyst transfer decreases the live birth rate. Human Reproduction, 2018, 33, 905-913.	0.9	43
8	Adenomyosis: An update regarding its diagnosis and clinical features. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 102228.	1.3	35
9	Endometriosis and ART: A prior history of surgery for OMA is associated with a poor ovarian response to hyperstimulation. PLoS ONE, 2018, 13, e0202399.	2.5	29
10	Focal adenomyosis of the outer myometrium and deep infiltrating endometriosis severity. Fertility and Sterility, 2020, 114, 818-827.	1.0	26
11	The freeze-all strategy after IVF: which indications?. Reproductive BioMedicine Online, 2021, 42, 529-545.	2.4	25
12	The interval between oocyte retrieval and frozen-thawed blastocyst transfer does not affect the live birth rate and obstetrical outcomes. PLoS ONE, 2018, 13, e0206067.	2.5	19
13	Infertility in women with bowel endometriosis: first-line assisted reproductive technology results in satisfactory cumulative live-birth rates. Fertility and Sterility, 2021, 115, 692-701.	1.0	19
14	Presence of adenomyosis at MRI reduces live birth rates in ART cycles for endometriosis. Human Reproduction, 2022, 37, 1470-1479.	0.9	18
15	The Ovarian Response After Follicular Versus Luteal Phase Stimulation with a Double Stimulation Strategy. Reproductive Sciences, 2020, 27, 204-210.	2.5	15
16	Assisted reproduction technique outcomes for fresh versus deferred cryopreserved day-2 embryo transfer: a retrospective matched cohort study. Reproductive BioMedicine Online, 2017, 34, 248-257.	2.4	13
17	Female genital mutilation: an evaluation of the knowledge of French general and specialized travel medicine practitioners. Journal of Travel Medicine, 2018, 25, .	3.0	13
18	The Disease Phenotype of Adenomyosis-Affected Women Correlates With Specific Serum Cytokine Profiles. Reproductive Sciences, 2019, 26, 198-206.	2.5	13

MATHILDE BOURDON

#	Article	IF	CITATIONS
19	Imaging for evaluation of endometriosis and adenomyosis. Minerva Obstetrics and Gynecology, 2021, 73, 290-303.	1.0	13
20	Immune cells and Notch1 signaling appear to drive the epithelial to mesenchymal transition in the development of adenomyosis in mice. Molecular Human Reproduction, 2021, 27, .	2.8	12
21	Deep Infiltrating Endometriosis: a Previous History of Surgery for Endometriosis May Negatively Affect Assisted Reproductive Technology Outcomes. Reproductive Sciences, 2020, 27, 545-554.	2.5	11
22	Does GnRH Agonist Triggering Control Painful Symptom Scores During Assisted Reproductive Technology? A Retrospective Study. Reproductive Sciences, 2017, 24, 1325-1333.	2.5	10
23	Oligo-anovulation is not a rarer feature in women with documented endometriosis. Fertility and Sterility, 2018, 110, 941-948.	1.0	10
24	Low serum progesterone affects live birth rate in cryopreserved blastocyst transfer cycles using hormone replacement therapy. Reproductive BioMedicine Online, 2022, 44, 469-477.	2.4	8
25	Adenomyosis is associated with specific proton nuclear magnetic resonance (1H-NMR) serum metabolic profiles. Fertility and Sterility, 2021, 116, 243-254.	1.0	7