Adriano M C Pimenta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4274784/publications.pdf

Version: 2024-02-01

89 papers 2,716 citations

172457 29 h-index 206112 48 g-index

95 all docs 95 docs citations 95 times ranked 3035 citing authors

#	Article	IF	CITATIONS
1	Discovery and Characterization of Alamandine. Circulation Research, 2013, 112, 1104-1111.	4.5	323
2	Moving pieces in a proteomic puzzle: mass fingerprinting of toxic fractions from the venom of Tityus serrulatus (Scorpiones, Buthidae). Rapid Communications in Mass Spectrometry, 2001, 15, 1562-1572.	1.5	101
3	Comparison of the partial proteomes of the venoms of Brazilian spiders of the genus Phoneutria. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2006, 142, 173-187.	2.6	87
4	Supramolecular self-assembly of \hat{l}^2 -cyclodextrin: an effective carrier of the antimicrobial agent chlorhexidine. Carbohydrate Research, 2007, 342, 2286-2296.	2.3	84
5	Moving pieces in a taxonomic puzzle: Venom 2D-LC/MS and data clustering analyses to infer phylogenetic relationships in some scorpions from the Buthidae family (Scorpiones). Toxicon, 2006, 47, 628-639.	1.6	82
6	Small peptides, big world: biotechnological potential in neglected bioactive peptides from arthropod venoms. Journal of Peptide Science, 2005, 11 , 670-676.	1.4	80
7	Tityus serrulatus Hypotensins: A new family of peptides from scorpion venom. Biochemical and Biophysical Research Communications, 2008, 371, 515-520.	2.1	77
8	Individual variability inTityus serrulatus (Scorpiones, Buthidae) venom elicited by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2003, 17, 413-418.	1.5	68
9	Isolation and structural characterization of a new fibrin(ogen)olytic metalloproteinase from Bothrops moojeni snake venom. Toxicon, 2008, 51, 574-584.	1.6	65
10	Tx2-6 toxin of the Phoneutria nigriventer spider potentiates rat erectile function. Toxicon, 2008, 51, 1197-1206.	1.6	59
11	Tityus serrulatus venom peptidomics: Assessing venom peptide diversity. Toxicon, 2008, 52, 611-618.	1.6	58
12	Enzymes with gelatinolytic activity can be found in Tityus bahiensis and Tityus serrulatus venoms. Toxicon, 2002, 40, 1041-1045.	1.6	57
13	LyeTx I, a potent antimicrobial peptide from the venom of the spider Lycosa erythrognatha. Amino Acids, 2010, 39, 135-144.	2.7	55
14	Electrospray ionization quadrupole time-of-flight and matrix-assisted laser desorption/ionization tandem time-of-flight mass spectrometric analyses to solve micro-heterogeneity in post-translationally modified peptides fromPhoneutria nigriventer (Aranea, Ctenidae) venom. Rapid Communications in Mass Spectrometry, 2005, 19, 31-37.	1.5	54
15	New insights into the chemical structure and composition of the pentavalent antimonial drugs, meglumine antimonate and sodium stibogluconate. Journal of Inorganic Biochemistry, 2008, 102, 656-665.	3.5	54
16	Venomic analyses of Scolopendra viridicornis nigra and Scolopendra angulata (Centipede,) Tj ETQq0 0 0 rgBT /O	verlock 10) Tf _{.53} 0 142 Td
17	A combined approach for comparative exoproteome analysis of Corynebacterium pseudotuberculosis. BMC Microbiology, 2011, 11, 12.	3.3	52
18	Moving Pieces in a Venomic Puzzle: Unveiling Post-translationally Modified Toxins from <i>Tityus serrulatus</i> . Journal of Proteome Research, 2013, 12, 3460-3470.	3.7	52

#	Article	IF	Citations
19	Venomic analysis and evaluation of antivenom cross-reactivity of South American Micrurus species. Journal of Proteomics, 2011, 74, 1810-1825.	2.4	51
20	Physicochemical study of floranol, its copper(II) and iron(III) complexes, and their inhibitory effect on LDL oxidation. Journal of Inorganic Biochemistry, 2007, 101, 935-943.	3.5	45
21	Structure–function studies of Tityus serrulatus Hypotensin-I (TsHpt-I): A new agonist of B2 kinin receptor. Toxicon, 2010, 56, 1162-1171.	1.6	43
22	Peptide fingerprinting of the neurotoxic fractions isolated from the secretions of sea anemones Stichodactyla helianthus and Bunodosoma granulifera. New members of the APETx-like family identified by a 454 pyrosequencing approach. Peptides, 2012, 34, 26-38.	2.4	41
23	Synthesis, characterization and radiolabeling of polymeric nano-micelles as a platform for tumor delivering. Biomedicine and Pharmacotherapy, 2017, 89, 268-275.	5.6	41
24	Purification, amino-acid sequence and partial characterization of two toxins with anti-insect activity from the venom of the South American scorpion Tityus bahiensis (Buthidae). Toxicon, 2001, 39, 1009-1019.	1.6	40
25	Peptides of arachnid venoms with insecticidal activity targeting sodium channels. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2007, 146, 264-279.	2.6	40
26	Enhanced oral delivery of antimony from meglumine antimoniate \hat{I}^2 -cyclodextrin nanoassemblies. International Journal of Pharmaceutics, 2008, 347, 102-108.	5.2	39
27	Mode of action of \hat{I}^2 -cyclodextrin as an absorption enhancer of the water-soluble drug meglumine antimoniate. International Journal of Pharmaceutics, 2006, 325, 39-47.	5.2	37
28	Biochemical and Electrophysiological Characterization of Two Sea Anemone Type 1 Potassium Toxins from a Geographically Distant Population of Bunodosoma caissarum. Marine Drugs, 2013, 11, 655-679.	4.6	32
29	Î-Ctenitoxin-Pn1a, a Peptide from Phoneutria nigriventer Spider Venom, Shows Antinociceptive Effect Involving Opioid and Cannabinoid Systems, in Rats. Toxins, 2016, 8, 106.	3.4	31
30	Novel structural class of four disulfide-bridged peptides from Tityus serrulatus venom. Biochemical and Biophysical Research Communications, 2003, 301, 1086-1092.	2.1	30
31	A potent vasoactive cytolysin isolated from Scorpaena plumieri scorpionfish venom. Toxicon, 2010, 56, 487-496.	1.6	28
32	LyeTxI-b, a Synthetic Peptide Derived From Lycosa erythrognatha Spider Venom, Shows Potent Antibiotic Activity in Vitro and in Vivo. Frontiers in Microbiology, 2018, 9, 667.	3.5	28
33	PnTx4-3, a new insect toxin from Phoneutria nigriventer venom elicits the glutamate uptake inhibition exhibited by PhTx4 toxic fraction. Toxicon, 2003, 42, 793-800.	1.6	27
34	New insights on arthropod toxins that potentiate erectile function. Toxicon, 2013, 69, 152-159.	1.6	27
35	New cassane diterpenes from Caesalpinia echinata. Fìtoterapìâ, 2011, 82, 969-975.	2.2	26
36	Greater binding affinity of trivalent antimony to a CCCH zinc finger domain compared to a CCHC domain of kinetoplastid proteins. Metallomics, 2012, 4, 433.	2.4	26

#	Article	IF	Citations
37	Another record of significant regional variation in toxicity of Tityus serrulatus venom in Brazil: A step towards understanding the possible role of sodium channel modulators. Toxicon, 2013, 73, 33-46.	1.6	26
38	Structural and Functional Elucidation of Peptide Ts11 Shows Evidence of a Novel Subfamily of Scorpion Venom Toxins. Toxins, 2016, 8, 288.	3.4	26
39	Purification and molecular characterization of antibacterial compounds produced by Lactobacillus murinus strain L1. Journal of Applied Microbiology, 2005, 99, 649-656.	3.1	25
40	Isolation and structural characterization of microcystin-LR and three minor oligopeptides simultaneously produced by Radiocystis feernandoi (Chroococcales, Cyanobacteriae): A Brazilian toxic cyanobacterium. Toxicon, 2006, 47, 560-566.	1.6	25
41	Proteomic analysis of human mesenchymal stromal cells derived from adipose tissue undergoing osteoblast differentiation. Cytotherapy, 2010, 12, 478-490.	0.7	24
42	Profiles of toxic and non-toxic oligopeptides of Radiocystis fernandoii (Cyanobacteria) exposed to three different light intensities. Microbiological Research, 2012, 167, 413-421.	5.3	24
43	Functional expression and purification of recombinant Tx1, a sodium channel blocker neurotoxin from the venom of the Brazilian "armed―spider, Phoneutria nigriventer. Protein Expression and Purification, 2006, 50, 18-24.	1.3	23
44	The proteomic profile of Stichodactyla duerdeni secretion reveals the presence of a novel O-linked glycopeptide. Journal of Proteomics, 2013, 87, 89-102.	2.4	23
45	Characterization of reactions of antimoniate and meglumine antimoniate with a guanine ribonucleoside at different pH. BioMetals, 2006, 19, 573-581.	4.1	22
46	Peptidomic dissection of the skin secretion of Phasmahyla jandaia (Bokermann and Sazima, 1978) (Anura, Hylidae, Phyllomedusinae). Toxicon, 2011, 57, 35-52.	1.6	22
47	Omics profiles used to evaluate the gene expression of Exiguobacterium antarcticum B7 during cold adaptation. BMC Genomics, 2014, 15, 986.	2.8	21
48	Identification of 11 new exoproteins in Corynebacterium pseudotuberculosis by \hat{A} comparative analysis of the exoproteome. Microbial Pathogenesis, 2013, 61-62, 37-42.	2.9	19
49	Covalent structure and some pharmacological features of native and cleaved ?-KTx12?1, a four disulfide-bridged toxin fromTityus serrulatus venom. Journal of Peptide Science, 2003, 9, 132-140.	1.4	17
50	Functional expression of a recombinant toxin – rPnTx2-6 – active in erectile function in rat. Toxicon, 2010, 56, 1172-1180.	1.6	17
51	The synthetic peptide PnPP-19 induces peripheral antinociception via activation of NO/cGMP/KATP pathway: Role of eNOS and nNOS. Nitric Oxide - Biology and Chemistry, 2017, 64, 31-38.	2.7	17
52	Chromobacterium violaceum: Important Insights for Virulence and Biotechnological Potential by Exoproteomic Studies. Current Microbiology, 2013, 67, 100-106.	2.2	16
53	Ts14 from Tityus serrulatus boosts angiogenesis and attenuates inflammation and collagen deposition in sponge-induced granulation tissue in mice. Peptides, 2017, 98, 63-69.	2.4	16
54	Differential Exoproteome Analysis of Two Corynebacterium pseudotuberculosis Biovar Ovis Strains Isolated from Goat (1002) and Sheep (C231). Current Microbiology, 2013, 67, 460-465.	2.2	15

#	Article	IF	Citations
55	Potassium channel blockers from the venom of the Brazilian scorpion Tityus serrulatus (). Toxicon, 2016, 119, 253-265.	1.6	15
56	Novel components of Tityus serrulatus venom: A transcriptomic approach. Toxicon, 2021, 189, 91-104.	1.6	15
57	A spider derived peptide, PnPP-19, induces central antinociception mediated by opioid and cannabinoid systems. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2016, 22, 34.	1.4	14
58	Chemical constituents of Habenaria petalodes Lindl. (Orchidaceae). Journal of the Brazilian Chemical Society, 2008, 19, 1098-1104.	0.6	13
59	The synthetic peptide LyeTxI-b derived from Lycosa erythrognatha spider venom is cytotoxic to U-87 MG glioblastoma cells. Amino Acids, 2019, 51, 433-449.	2.7	13
60	Antinociceptive effect of PnTx4(5-5), a peptide from Phoneutria nigriventer spider venom, in rat models and the involvement of glutamatergic system. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2019, 25, e20190022.	1.4	13
61	Quantitative Proteomic Analysis Reveals Changes in the Benchmark Corynebacterium pseudotuberculosis Biovar Equi Exoproteome after Passage in a Murine Host. Frontiers in Cellular and Infection Microbiology, 2017, 7, 325.	3.9	12
62	Leftward Shift in the Voltage-Dependence for Ca2+ Currents Activation Induced by a New Toxin from Phoneutria reidyi (Aranae, Ctenidae) Venom. Cellular and Molecular Neurobiology, 2007, 27, 129-146.	3.3	11
63	Spatial cognitive deficits in an animal model of Wernicke–Korsakoff syndrome are related to changes in thalamic VDAC protein concentrations. Neuroscience, 2015, 294, 29-37.	2.3	11
64	A New Family of Small (4kDa) Neurotoxins from the Venoms of Spiders of the Genus Phoneutria. Protein and Peptide Letters, 2008, 15, 700-708.	0.9	10
65	Moving pieces in a cryptomic puzzle: Cryptide from Tityus serrulatus Ts3 Nav toxin as potential agonist of muscarinic receptors. Peptides, 2017, 98, 70-77.	2.4	10
66	Tityus serrulatus (Scorpion): From the Crude Venom to the Construction of Synthetic Peptides and Their Possible Therapeutic Application Against Toxoplasma gondii Infection. Frontiers in Cellular and Infection Microbiology, 2021, 11, 706618.	3.9	10
67	Complete amino-acid sequence, crystallization and preliminary X-ray diffraction studies of leucurolysin-a, a nonhaemorrhagic metalloproteinase fromBothrops leucurussnake venom. Acta Crystallographica Section F: Structural Biology Communications, 2009, 65, 798-801.	0.7	9
68	From the Stretcher to the Pharmacys Shelf: Drug Leads from Medically Important Brazilian Venomous Arachnid Species. Inflammation and Allergy: Drug Targets, 2011, 10, 411-419.	1.8	9
69	$\hat{1}\frac{1}{4}$ -Theraphotoxin-An1a: Primary structure determination and assessment of the pharmacological activity of a promiscuous anti-insect toxin from the venom of the tarantula Acanthoscurria natalensis (Mygalomorphae, Theraphosidae). Toxicon, 2013, 70, 123-134.	1.6	8
70	Shortened derivatives from native antimicrobial peptide LyeTx I: <i>In vitro</i> and <i>in vivo</i> biological activity assessment. Experimental Biology and Medicine, 2021, 246, 414-425.	2.4	8
71	Tityus serrulatus scorpion venom as a potential drug source for Chagas' disease: Trypanocidal and immunomodulatory activity. Clinical Immunology, 2021, 226, 108713.	3.2	6
72	Venoms, toxins and derivatives from the Brazilian fauna: valuable sources for drug discovery. Acta Physiologica Sinica, 2015, 67, 261-70.	0.5	6

#	Article	IF	CITATIONS
73	Evaluation of Post-Surgical Cognitive Function and Protein Fingerprints in the Cerebro-Spinal Fluid Utilizing Surface-Enhanced Laser Desorption/Ionization Time-of-Flight Mass-Spectrometry (SELDI-TOF) Tj ETQq1 New Syndrome. Current Medicinal Chemistry, 2011, 18, 1019-1037.	1 0,78431 ₉	4 rgBT /Ov <mark>er</mark> l
74	Exposure to an extremely low-frequency electromagnetic field only slightly modifies the proteome of Chromobacterium violaceum ATCC 12472. Genetics and Molecular Biology, 2015, 38, 227-230.	1.3	5
75	\hat{I}^2 / \hat{I} -PrIT1, a highly insecticidal toxin from the venom of the Brazilian spider Phoneutria reidyi (F.O.) Tj ETQq1 1 0.3	784314 rg	BT ₅ /Overlock
76	Antimicrobial Peptides in Spider Venoms., 2016,, 361-377.		5
77	PnTx2-6 (or Î-CNTX-Pn2a), a toxin from Phoneutria nigriventer spider venom, releases l-glutamate from rat brain synaptosomes involving Na+ and Ca2+ channels and changes protein expression at the blood-brain barrier. Toxicon, 2018, 150, 280-288.	1.6	5
78	Tx1, from Phoneutria nigriventer spidervenom, interacts with dihydropyridine sensitive-calcium channels in GH3 cells. Journal of Radioanalytical and Nuclear Chemistry, 2006, 269, 585-589.	1.5	4
79	Identification of metal-binding to proteins in seed samples using RF-HPLC-UV, GFAAS and MALDI-TOF-MS. Food Chemistry, 2016, 211, 910-915.	8.2	4
80	Moving Pieces in a Cellular Puzzle: A Cryptic Peptide from the Scorpion Toxin Ts14 Activates AKT and ERK Signaling and Decreases Cardiac Myocyte Contractility via Dephosphorylation of Phospholamban. Journal of Proteome Research, 2020, 19, 3467-3477.	3.7	4
81	Synthetic Peptides Derived From Lycosa Erythrognatha Venom: Interaction With Phospholipid Membranes and Activity Against Resistant Bacteria. Frontiers in Molecular Biosciences, 2021, 8, 680940.	3.5	4
82	Expressed sequence tags in venomous tissue of Scorpaena plumieri (Scorpaeniformes: Scorpaenidae). Neotropical Ichthyology, 2014, 12, 871-878.	1.0	2
83	Determination of Metal Associated with Proteins of Wheat Seed Samples After Sequential Extraction Procedure. Journal of the Brazilian Chemical Society, 2013, , .	0.6	2
84	PRODIS: a proteomics data management system with support to experiment tracking. BMC Genomics, 2011, 12, S15.	2.8	1
85	Determinação de Cu, Fe, Mn, Zn e do teor de proteÃna total em amostras de trigo e soja após procedimento de extração sequencial. Quimica Nova, 2012, 35, 1922-1926.	0.3	1
86	Polypeptides secreted from the columnar vesicles of the sea anemoneBunodosoma cangicumand their in vivo effects onCaenorhabditis elegans. Cell Biology International, 2019, 43, 429-436.	3.0	1
87	GiTx1(\hat{I}^2/\hat{I}^2 -theraphotoxin-Gi1a), a novel toxin from the venom of Brazilian tarantula Grammostola iheringi (Mygalomorphae, Theraphosidae): Isolation, structural assessments and activity on voltage-gated ion channels. Biochimie, 2020, 176, 138-149.	2.6	1
88	In vitro and in vivo antimicrobial activity of peptides derived from the venom of the spider Lycosa erythrognatha. Toxicon, 2020, 177, S21.	1.6	0
89	Toxin Tx2â€6 from the spider "Phoneutria nigriventer―improves the impaired erectile function in DOCAâ€Salt hypertensive rats. FASEB Journal, 2007, 21, A881.	0.5	O