Joanna Mazur

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4281054/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	What One Gets Is Not Always What One Wants—Young Adults' Perception of Sexuality Education in Poland. International Journal of Environmental Research and Public Health, 2022, 19, 1366.	2.6	6
2	The Effect of the COVID-19 Pandemic on the Assessment of Sexual Life—Repeated Cross-Sectional Surveys among Polish Adults in 2017, 2020 and 2021. International Journal of Environmental Research and Public Health, 2022, 19, 4110.	2.6	2
3	What Factors Do Young People Define as Determinants of Their Well-Being? Findings from the Improve the Youth Project Medycyna Wieku Rozwojowego, 2022, , .	0.2	1
4	Expectations for Engagement in Community Issues as Perceived by Young People Medycyna Wieku Rozwojowego, 2022, , .	0.2	0
5	Point of view Medycyna Wieku Rozwojowego, 2022, , .	0.2	0
6	Relationships between Body Weight Status and Serum Levels of Adipokine, Myokine and Bone Metabolism Parameters in Healthy Normal Weight and Thin Children. Journal of Clinical Medicine, 2022, 11, 4013.	2.4	4
7	Radar plots facilitate differential diagnosis of acute promyelocytic leukemia and NPM1+ acute myeloid leukemia by flow cytometry. Cytometry Part B - Clinical Cytometry, 2021, 100, 409-420.	1.5	14
8	Making the best out of youth—The <i>Improve the Youth</i> project. Journal of Community Psychology, 2021, 49, 2071-2085.	1.8	2
9	Changes in mental well-being of adult Poles in the early period of the COVID-19 pandemic with reference to their occupational activity and remote work. International Journal of Occupational Medicine and Environmental Health, 2021, 34, 251-262.	1.3	10
10	Does a Vegetarian Diet Affect the Levels of Myokine and Adipokine in Prepubertal Children?. Journal of Clinical Medicine, 2021, 10, 3995.	2.4	4
11	Influence of Oxidative Stress Generated by Smoking during Pregnancy on Glutathione Status in Mother-Newborn Pairs. Antioxidants, 2021, 10, 1866.	5.1	6
12	Trends in multiple health complaints in Polish adolescents in light of data from 30 European countries and Canada (2002-2018). Medycyna Wieku Rozwojowego, 2021, 25, 25-34.	0.2	0
13	Active Transport to School May Reduce Psychosomatic Symptoms in School-Aged Children: Data from Nine Countries. International Journal of Environmental Research and Public Health, 2020, 17, 8709.	2.6	22
14	Importance of Self-Efficacy in Eating Behavior and Physical Activity Change of Overweight and Non-Overweight Adolescent Girls Participating in Healthy Me: A Lifestyle Intervention with Mobile Technology. Nutrients, 2020, 12, 2128.	4.1	17
15	Psychosocial determinants of sexual norms and their impact on sexual debut in Polish adolescents. International Journal of Public Health, 2020, 65, 1393-1401.	2.3	4
16	Associations between Maternal and Fetal Levels of Total Adiponectin, High Molecular Weight Adiponectin, Selected Somatomedins, and Birth Weight of Infants of Smoking and Non-Smoking Mothers. International Journal of Environmental Research and Public Health, 2020, 17, 4781.	2.6	4
17	Changes in physical activity of adolescent girls in the context of their perception of the Healthy Me programme. European Journal of Public Health, 2020, 30, 433-437.	0.3	2
18	A Comparative Study on Adolescents' Health Literacy in Europe: Findings from the HBSC Study. International Journal of Environmental Research and Public Health, 2020, 17, 3543.	2.6	55

#	Article	IF	CITATIONS
19	Childhood Obesity Surveillance Initiative (COSI) in Poland: Implementation of Two Rounds of the Study in the Context of International Methodological Assumptions. Medycyna Wieku Rozwojowego, 2020, 24, 2-12.	0.2	6
20	Social and Behavioral Predictors of Adolescents' Positive Attitude towards Life and Self. International Journal of Environmental Research and Public Health, 2019, 16, 4404.	2.6	18
21	Physical Activity, Sedentary Behaviours and Duration of Sleep as Factors Affecting the Well-Being of Young People against the Background of Environmental Moderators. International Journal of Environmental Research and Public Health, 2019, 16, 915.	2.6	25
22	The cross-national measurement invariance of the health literacy for school-aged children (HLSAC) instrument. European Journal of Public Health, 2019, 29, 432-436.	0.3	33
23	Social Inequality in Adolescent Life Satisfaction: Comparison of Measure Approaches and Correlation with Macro-level Indices in 41 Countries. Social Indicators Research, 2019, 141, 1055-1079.	2.7	17
24	Family, school and neighborhood factors moderating the relationship between physical activity and some aspects of mental health in adolescents. International Journal of Occupational Medicine and Environmental Health, 2019, 32, 423-439.	1.3	7
25	The Polish version of the short scale measuring health literacy in adolescence. Medycyna Wieku Rozwojowego, 2019, 23, 190-198.	0.2	0
26	Influence of Active Exposure to Tobacco Smoke on Nitric Oxide Status of Pregnant Women. International Journal of Environmental Research and Public Health, 2018, 15, 2719.	2.6	10
27	Response to Letter to the Editor: "Comment on "Serum Hepcidin and Soluble Transferrin Receptor in the Assessment of Iron Metabolism in Children on a Vegetarian Dietâ€â€• Biological Trace Element Research, 2018, 186, 608-608.	3.5	0
28	What does the Cantril Ladder measure in adolescence?. Archives of Medical Science, 2018, 1, 182-189.	0.9	68
29	The Association Between Physical Activity and General Life Satisfaction in Lower Secondary School Students: The Role of Individual and Family Factors. Community Mental Health Journal, 2018, 54, 1245-1252.	2.0	28
30	Determinants of Bullying at School Depending on the Type of Community: Ecological Analysis of Secondary Schools in Poland. School Mental Health, 2017, 9, 132-142.	2.1	4
31	Serum Hepcidin and Soluble Transferrin Receptor in the Assessment of Iron Metabolism in Children on a Vegetarian Diet. Biological Trace Element Research, 2017, 180, 182-190.	3.5	27
32	Family and individual predictors and mediators of adolescent physical activity. Health Psychology Report, 2017, 4, 333-344.	0.9	7
33	Cord Blood Adiponectin and Visfatin Concentrations in relation to Oxidative Stress Markers in Neonates Exposed and Nonexposed <i>In Utero</i> to Tobacco Smoke. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-10.	4.0	3
34	Serum pregnancy-associated plasma protein A levels in the first, second and third trimester of pregnancy: relation to newborn anthropometric parameters and maternal tobacco smoking. Archives of Medical Science, 2016, 6, 1256-1262.	0.9	6
35	The Relationship between Multiple Substance Use, Perceived Academic Achievements, and Selected Socio-Demographic Factors in a Polish Adolescent Sample. International Journal of Environmental Research and Public Health, 2016, 13, 1264.	2.6	14
36	Developmental patterns of adolescent spiritual health in six countries. SSM - Population Health, 2016, 2, 294-303.	2.7	41

#	Article	IF	CITATIONS
37	Psychometric Validation of the Revised Family Affluence Scale: a Latent Variable Approach. Child Indicators Research, 2016, 9, 771-784.	2.3	273
38	External evaluation of the school and academic achievements in relation to alcohol drinking and delinquent behaviour among secondary school students. Alkoholizm I Narkomania, 2016, 29, 183-208.	0.1	4
39	Patterns of Socioeconomic Inequality in Adolescent Health Differ According to the Measure of Socioeconomic Position. Social Indicators Research, 2016, 127, 1169-1180.	2.7	60
40	Subjective health of adolescents from families in receipt of social assistance. Public Health, 2016, 137, 106-112.	2.9	3
41	Semantics bias in cross-national comparative analyses: is it good or bad to have "fair―health?. Health and Quality of Life Outcomes, 2016, 14, 70.	2.4	12
42	Social support and family communication as factors protecting adolescents against multiple recurrent health complaints related to school stress. Medycyna Wieku Rozwojowego, 2016, 20, 27-39.	0.2	6
43	Trends in self-rated health in European and North-American adolescents from 2002 to 2010 in 32 countries. European Journal of Public Health, 2015, 25, 13-15.	0.3	46
44	Trends in multiple recurrent health complaints in 15-year-olds in 35 countries in Europe, North America and Israel from 1994 to 2010. European Journal of Public Health, 2015, 25, 24-27.	0.3	36
45	Drinking Motives Mediate Cultural Differences but Not Gender Differences in Adolescent Alcohol Use. Journal of Adolescent Health, 2015, 56, 323-329.	2.5	74
46	Trends in health complaints from 2002 to 2010 in 34 countries and their association with health behaviours and social context factors at individual and macro-level. European Journal of Public Health, 2015, 25, 83-89.	0.3	54
47	Trends in life satisfaction in European and North-American adolescents from 2002 to 2010 in over 30 countries. European Journal of Public Health, 2015, 25, 80-82.	0.3	46
48	Supportive communication with parents moderates the negative effects of electronic media use on life satisfaction during adolescence. International Journal of Public Health, 2015, 60, 189-198.	2.3	53
49	Is the vignette method used to assess quality of life in practice?. Current Issues in Pharmacy and Medical Sciences, 2015, 28, 8-12.	0.4	2
50	Changes in family socio-economic status as predictors of self-efficacy in 13-year-old Polish adolescents. International Journal of Public Health, 2014, 59, 107-115.	2.3	22
51	Drinking Motives and Links to Alcohol Use in 13 European Countries. Journal of Studies on Alcohol and Drugs, 2014, 75, 428-437.	1.0	130
52	Effect of tobacco smoking on the maternal and fetal adipokine axis in relation to newborn birth weight and length. Przeglad Lekarski, 2014, 71, 567-71.	0.1	7
53	Examining Trends in Parent-Child Communication in Europe Over 12 Years. Journal of Early Adolescence, 2012, 32, 26-54.	1.9	27
54	Self-efficacy, self-esteem and body image as psychological determinants of 15-year-old adolescents' physical activity levels. Human Movement, 2012, 13, 264-270.	0.9	26

#	Article	IF	CITATIONS
55	Reliability, construct and criterion validity of the KIDSCREEN-10 score: a short measure for children and adolescents' well-being and health-related quality of life. Quality of Life Research, 2010, 19, 1487-1500.	3.1	455
56	The contribution of club participation to adolescent health: evidence from six countries. Journal of Epidemiology and Community Health, 2010, 64, 89-95.	3.7	64
57	CD34+ cell subpopulations detected by 8-color flow cytometry in bone marrow and in peripheral blood stem cell collections: application for MRD detection in leukemia patients. International Journal of Hematology, 2009, 90, 292-302.	1.6	15
58	Cell death induced by dexamethasone in lymphoid leukemia is mediated through initiation of autophagy. Cell Death and Differentiation, 2009, 16, 1018-1029.	11.2	192
59	Quality Control of Flow Cytometry Data Analysis for Evaluation of Minimal Residual Disease in Bone Marrow From Acute Leukemia Patients During Treatment. Journal of Pediatric Hematology/Oncology, 2009, 31, 406-415.	0.6	20
60	Overexpression of CD123 correlates with the hyperdiploid genotype in acute lymphoblastic leukemia. Haematologica, 2009, 94, 1016-1019.	3.5	86
61	The KIDSCREEN-52 Quality of Life Measure for Children and Adolescents: Psychometric Results from a Cross-Cultural Survey in 13 European Countries. Value in Health, 2008, 11, 645-658.	0.3	636
62	Expression patterns of CD33 and CD15 predict outcome in patients with acute myeloid leukemia. Leukemia and Lymphoma, 2008, 49, 1279-1291.	1.3	7
63	Dexamethasone-induced apoptosis in acute lymphoblastic leukemia involves differential regulation of Bcl-2 family members. Haematologica, 2007, 92, 1460-1469.	3.5	55
64	CHOICE IN A SUCCESSIVEâ€ENCOUNTERS PROCEDURE AND HYPERBOLIC DECAY OF REINFORCEMENT. Journal of the Experimental Analysis of Behavior, 2007, 88, 73-85.	1.1	10
65	Dendritic Cell Regeneration in the Bone Marrow of Children Treated for Acute Lymphoblastic Leukaemia. Scandinavian Journal of Immunology, 2007, 66, 572-583.	2.7	14
66	The KIDSCREEN-27 quality of life measure for children and adolescents: psychometric results from a cross-cultural survey in 13 European countries. Quality of Life Research, 2007, 16, 1347-1356.	3.1	489
67	Testing the structural and cross-cultural validity of the KIDSCREEN-27 quality of life questionnaire. Quality of Life Research, 2007, 16, 1335-1345.	3.1	163
68	Prognostic significance of biochemical heterogeneity of catecholaminergic clones in neuroblastoma. Journal of Pediatric Surgery, 2006, 41, 1506-1512.	1.6	8
69	The epidemiology of non-fatal injuries among 11-, 13- and 15-year old youth in 11 countries: findings from the 1998 WHO-HBSC cross national survey. International Journal of Injury Control and Safety Promotion, 2006, 13, 205-211.	2.0	41
70	The effect of allogeneic stem cell transplantation on outcome in younger acute myeloid leukemia patients with minimal residual disease detected by flow cytometry at the end of post-remission chemotherapy. Haematologica, 2006, 91, 833-6.	3.5	46
71	Factors affecting exclusive breastfeeding in Poland: cross-sectional survey of population-based samples. International Journal of Public Health, 2005, 50, 52-59.	2.6	23
72	Cross-national Study of Fighting and Weapon Carrying as Determinants of Adolescent Injury. Pediatrics, 2005, 116, e855-e863.	2.1	151

#	Article	IF	CITATIONS
73	KIDSCREEN-52 quality-of-life measure for children and adolescents. Expert Review of Pharmacoeconomics and Outcomes Research, 2005, 5, 353-364.	1.4	551
74	Cross national study of injury and social determinants in adolescents. Injury Prevention, 2005, 11, 213-218.	2.4	132
75	Analysis of minimal residual disease in childhood acute lymphoblastic leukemia: comparison between RQ-PCR analysis of Ig/TcR gene rearrangements and multicolor flow cytometric immunophenotyping. Leukemia, 2004, 18, 1630-1636.	7.2	78
76	Flow cytometric follow-up of minimal residual disease in bone marrow gives prognostic information in children with acute lymphoblastic leukemia. Leukemia, 2003, 17, 138-148.	7.2	102
77	Multiple Risk Behavior and Injury. JAMA Pediatrics, 2002, 156, 786.	3.0	126
78	Effect of early skin-to-skin contact after delivery on duration of breastfeeding: a prospective cohort study. Acta Paediatrica, International Journal of Paediatrics, 2002, 91, 1301-1306.	1.5	35
79	Flow cytometry and allele-specific oligonucleotide PCR are equally effective in detection of minimal residual disease in ALL. Leukemia, 2001, 15, 716-727.	7.2	37
80	BIOMED-1 Concerted Action report: Flow cytometric characterization of CD7+ cell subsets in normal bone marrow as a basis for the diagnosis and follow-up of T cell acute lymphoblastic leukemia (T-ALL). Leukemia, 2000, 14, 816-825.	7.2	104
81	Conflict in Networks. Sociological Perspectives, 1998, 41, 49-66.	2.3	4
82	Prognostic significance of proliferative and apoptotic fractions in low grade follicle center cell-derived non-Hodgkin's lymphomas. Cancer, 1996, 77, 1180-1188.	4.1	35