

# Ayman El-Faham

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4287557/publications.pdf>

Version: 2024-02-01

251  
papers

7,778  
citations

76196

40  
h-index

66788

78  
g-index

272  
all docs

272  
docs citations

272  
times ranked

6270  
citing authors

#	ARTICLE	IF	CITATIONS
1	Peptide Coupling Reagents, More than a Letter Soup. <i>Chemical Reviews</i> , 2011, 111, 6557-6602.	23.0	922
2	Advantageous applications of azabenzotriazole (triazolopyridine)-based coupling reagents to solid-phase peptide synthesis. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 201.	2.0	329
3	Oxyma: An Efficient Additive for Peptide Synthesis to Replace the Benzotriazole-Based HOBt and HOAt with a Lower Risk of Explosion <sup>[1]</sup> . <i>Chemistry - A European Journal</i> , 2009, 15, 9394-9403.	1.7	326
4	COMU: A Safer and More Effective Replacement for Benzotriazole-Based Uronium Coupling Reagents. <i>Chemistry - A European Journal</i> , 2009, 15, 9404-9416.	1.7	260
5	Tetramethylfluoroformamidinium Hexafluorophosphate: A Rapid-Acting Peptide Coupling Reagent for Solution and Solid Phase Peptide Synthesis. <i>Journal of the American Chemical Society</i> , 1995, 117, 5401-5402.	6.6	256
6	Use of Onium Salt-Based Coupling Reagents in Peptide Synthesis <sup>1</sup> . <i>Journal of Organic Chemistry</i> , 1998, 63, 9678-9683.	1.7	245
7	Racemization studies during solid-phase peptide synthesis using azabenzotriazole-based coupling reagents. <i>Tetrahedron Letters</i> , 1994, 35, 2279-2282.	0.7	199
8	The Uronium/Guanidinium Peptide Coupling Reagents: Finally the True Uronium Salts. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 441-445.	7.2	194
9	Efficiency in Peptide Coupling: 1-Hydroxy-7-azabenzotriazole vs 3,4-Dihydro-3-hydroxy-4-oxo-1,2,3-benzotriazine. <i>Journal of Organic Chemistry</i> , 1995, 60, 3561-3564.	1.7	192
10	Effect of Tertiary Bases on O-Benzotriazolyluronium Salt-Induced Peptide Segment Coupling. <i>Journal of Organic Chemistry</i> , 1994, 59, 695-698.	1.7	162
11	Stepwise Automated Solid Phase Synthesis of Naturally Occurring Peptaibols Using Fmoc Amino Acid Fluorides. <i>Journal of Organic Chemistry</i> , 1995, 60, 405-410.	1.7	127
12	The diisopropylcarbodiimide/ 1-hydroxy-7-azabenzotriazole system: Segment coupling and stepwise peptide assembly. <i>Tetrahedron</i> , 1999, 55, 6813-6830.	1.0	126
13	Choosing the Right Coupling Reagent for Peptides: A Twenty-Five-Year Journey. <i>Organic Process Research and Development</i> , 2018, 22, 760-772.	1.3	108
14	Recent development in peptide coupling reagents. <i>Journal of Saudi Chemical Society</i> , 2012, 16, 97-116.	2.4	101
15	COMU: A third generation of uronium-type coupling reagents. <i>Journal of Peptide Science</i> , 2010, 16, 6-9.	0.8	97
16	Peptide Coupling in the Presence of Highly Hindered Tertiary Amines. <i>Journal of Organic Chemistry</i> , 1996, 61, 2460-2465.	1.7	89
17	Green Solid-Phase Peptide Synthesis 2. 2-Methyltetrahydrofuran and Ethyl Acetate for Solid-Phase Peptide Synthesis under Green Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6809-6814.	3.2	85
18	Synthesis and Biological Evaluation of a Teixobactin Analogue. <i>Organic Letters</i> , 2015, 17, 6182-6185.	2.4	77

#	ARTICLE	IF	CITATIONS
19	Aspartimide formation in peptide chemistry: occurrence, prevention strategies and the role of N-hydroxylamines. <i>Tetrahedron</i> , 2011, 67, 8595-8606.	1.0	76
20	The 1,1-Dioxobenzo[b]thiophene-2-ylmethyloxycarbonyl (Bsmoc)â€Amino-Protecting Group. <i>Journal of Organic Chemistry</i> , 1999, 64, 4324-4338.	1.7	73
21	Peptide synthesis beyond DMF: THF and ACN as excellent and friendlier alternatives. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 2393-2398.	1.5	69
22	2-Methyltetrahydrofuran and cyclopentyl methyl ether for green solid-phase peptide synthesis. <i>Amino Acids</i> , 2016, 48, 419-426.	1.2	69
23	Green Transformation of Solid-Phase Peptide Synthesis. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 3671-3683.	3.2	67
24	Morpholine-Based Immonium and Halogenoamidinium Salts as Coupling Reagents in Peptide Synthesis<sup>1</sup>. <i>Journal of Organic Chemistry</i> , 2008, 73, 2731-2737.	1.7	61
25	Green solid-phase peptide synthesis 4. $\hat{3}$ -Valerolactone and N -formylmorpholine as green solvents for solid phase peptide synthesis. <i>Tetrahedron Letters</i> , 2017, 58, 2986-2988.	0.7	61
26	Exploring new selective 3-benzylquinoxaline-based MAO-A inhibitors: Design, synthesis, biological evaluation and docking studies. <i>European Journal of Medicinal Chemistry</i> , 2015, 93, 308-320.	2.6	59
27	Wound healing of different molecular weight of hyaluronan; in-vivo study. <i>International Journal of Biological Macromolecules</i> , 2016, 89, 582-591.	3.6	56
28	Design and synthesis of new s-triazine polymers and their application as nanoparticulate drug delivery systems. <i>New Journal of Chemistry</i> , 2016, 40, 9565-9578.	1.4	56
29	The Solid State and Solution Structure of HAPyUâ€€â€§. <i>Journal of Organic Chemistry</i> , 2001, 66, 5245-5247.	1.7	52
30	Green Solid-Phase Peptide Synthesis (GSPPS) 3. Green Solvents for Fmoc Removal in Peptide Chemistry. <i>Organic Process Research and Development</i> , 2017, 21, 365-369.	1.3	52
31	Lysine Scanning of Arg<sub>10</sub>â€€Teixobactin: Deciphering the Role of Hydrophobic and Hydrophilic Residues. <i>ACS Omega</i> , 2016, 1, 1262-1265.	1.6	51
32	New Family of Base- and Nucleophile-Sensitive Amino-Protecting Groups. A Michael-Acceptor-Based Deblocking Process. Practical Utilization of the 1,1-Dioxobenzo[b]thiophene-2-ylmethyloxycarbonyl (Bsmoc)â€€Group. <i>Journal of the American Chemical Society</i> , 1997, 119, 9915-9916.	6.6	48
33	Comparison of the Effects of 5- and 6-HOAt on Model Peptide Coupling Reactions Relative to the Cases for the 4- and 7-Isomers,. <i>Organic Letters</i> , 2000, 2, 2253-2256.	2.4	48
34	Microwave irradiation and COMU: a potent combination for solid-phase peptide synthesis. <i>Tetrahedron Letters</i> , 2009, 50, 6200-6202.	0.7	48
35	Novel pyrazolyl-s-triazine derivatives, molecular structure and antimicrobial activity. <i>Journal of Molecular Structure</i> , 2017, 1145, 244-253.	1.8	45
36	Bis(BOC) amino acid fluorides as reactive peptide coupling reagents. <i>Journal of Organic Chemistry</i> , 1993, 58, 4162-4164.	1.7	43

#	ARTICLE	IF	CITATIONS
37	Enhancing the Antifungal Activity of Griseofulvin by Incorporation a Green Biopolymer-Based Nanocomposite. <i>Polymers</i> , 2021, 13, 542.	2.0	43
38	Protected amino acid chlorides vs protected amino acid fluorides: Reactivity comparisons. <i>Tetrahedron Letters</i> , 1998, 39, 241-244.	0.7	42
39	Converting Teixobactin into a Cationic Antimicrobial Peptide (AMP). <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7476-7482.	2.9	42
40	Evaluation of clay-ionene nanocomposite carriers for controlled drug delivery: Synthesis, in vitro drug release, and kinetics. <i>Materials Chemistry and Physics</i> , 2019, 225, 122-132.	2.0	42
41	PyOxP and PyOxB: the Oxyma-based novel family of phosphonium salts. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 3665.	1.5	41
42	Ultrasonic promoted synthesis of novel s -triazine-Schiff base derivatives; molecular structure, spectroscopic studies and their preliminary anti-proliferative activities. <i>Journal of Molecular Structure</i> , 2016, 1125, 121-135.	1.8	41
43	<i>N</i> -methylation in amino acids and peptides: Scope and limitations. <i>Biopolymers</i> , 2018, 109, e23110.	1.2	41
44	Teixobactin as a scaffold for unlimited new antimicrobial peptides: SAR study. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 2788-2796.	1.4	40
45	Bis(tetramethylene)fluoroformamidinium Hexafluorophosphate(BTFFH): A Convenient Coupling Reagent for Solid Phase Peptide Synthesis. <i>Chemistry Letters</i> , 1998, 27, 671-672.	0.7	39
46	Novel Proton Acceptor Immonium-Type Coupling Reagents: Application in Solution and Solid-Phase Peptide Synthesis. <i>Organic Letters</i> , 2007, 9, 4475-4477.	2.4	39
47	Organophosphorus and Nitro-Substituted Sulfonate Esters of 1-Hydroxy-7-azabenzotriazole as Highly Efficient Fast-Acting Peptide Coupling Reagents. <i>Journal of Organic Chemistry</i> , 2004, 69, 62-71.	1.7	38
48	Use of Oxyma as pH modulatory agent to be used in the prevention of base-driven side reactions and its effect on 2-chlorotrityl chloride resin. <i>Biopolymers</i> , 2012, 98, 89-97.	1.2	38
49	Design and synthesis of mono-and di-pyrazolyl-s-triazine derivatives, their anticancer profile in human cancer cell lines, and in vivo toxicity in zebrafish embryos. <i>Bioorganic Chemistry</i> , 2019, 87, 457-464.	2.0	37
50	Physico-Chemical and Biological Evaluation of PLCL/SF Nanofibers Loaded with Oregano Essential Oil. <i>Pharmaceutics</i> , 2019, 11, 386.	2.0	35
51	Substituted Guanidines: Introducing Diversity in Combinatorial Chemistry. <i>Organic Letters</i> , 2000, 2, 3539-3542.	2.4	34
52	Re-evaluation of the N-terminal substitution and the D-residues of teixobactin. <i>RSC Advances</i> , 2016, 6, 73827-73829.	1.7	34
53	Greening the Solid-Phase Peptide Synthesis Process. 2-MeTHF for the Incorporation of the First Amino Acid and Precipitation of Peptides after Global Deprotection. <i>Organic Process Research and Development</i> , 2018, 22, 1809-1816.	1.3	33
54	A Novel Family of Onium Salts Based Upon Isonitroso Meldrum's Acid Proves Useful as Peptide Coupling Reagents. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3641-3649.	1.2	32

#	ARTICLE	IF	CITATIONS
55	s-Triazine: A Privileged Structure for Drug Discovery and Bioconjugation. <i>Molecules</i> , 2021, 26, 864.	1.7	31
56	Exploring the Orthogonal Chemoselectivity of 2,4,6-Trichloro-1,3,5-Triazine (TCT) as a Trifunctional Linker With Different Nucleophiles: Rules of the Game. <i>Frontiers in Chemistry</i> , 2018, 6, 516.	1.8	30
57	Complex Polyfluoride Additives in Fmoc-Amino Acid Fluoride Coupling Processes. Enhanced Reactivity and Avoidance of Stereomutation. <i>Organic Letters</i> , 2003, 5, 975-977.	2.4	29
58	K <sup>+</sup> Oxyma: a Strong Acylation-Promoting, 2 <sup>+</sup> CTC Resin-Friendly Coupling Additive. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 6372-6378.	1.2	29
59	Oxyma-B, an excellent racemization suppressor for peptide synthesis. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 8379-8385.	1.5	28
60	Synthesis, characterization and evaluation of 1,3,5-triazine aminobenzoic acid derivatives for their antimicrobial activity. <i>Chemistry Central Journal</i> , 2017, 11, 39.	2.6	28
61	Synthesis, structure and biological activity of zinc(II) pincer complexes with 2,4-bis(3,5-dimethyl-1H-pyrazol-1-yl)-6-methoxy-1,3,5-triazine. <i>Inorganica Chimica Acta</i> , 2020, 508, 119627.	1.2	28
62	3-Hydroxy-4-oxo-3,4-dihydro-5-azabenzotriazine. <i>Journal of Organic Chemistry</i> , 2004, 69, 54-61.	1.7	27
63	Synthesis and Application of <i>N</i> -Hydroxylamine Derivatives as Potential Replacements for HOBt. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 1499-1501.	1.2	27
64	sym-Trisubstituted 1,3,5-Triazine Derivatives as Promising Organic Corrosion Inhibitors for Steel in Acidic Solution. <i>Molecules</i> , 2016, 21, 436.	1.7	27
65	Eco-friendly method for silver nanoparticles immobilized decorated silica: Synthesis & characterization and preliminary antibacterial activity. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 95, 324-331.	2.7	26
66	Peptide assembly in the absence of base via Fmoc amino acid fluorides. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 669.	2.0	25
67	NEW SYNTHESSES OF <i>bis</i> (TETRAMETHYLENE)FLUOROFORMAMIDINIUM HEXAFLUOROPHOSPHATE ( <i>BTFH</i> ) AND 1,3-DIMETHYL-2-FLUORO-4,5-DIHYDRO-1H-IMIDAZOLIUM HEXAFLUOROPHOSPHATE ( <i>DFIH</i> ). UTILITY IN PEPTIDE COUPLING REACTIONS. <i>Organic Preparations and Procedures International</i> , 1998, 30, 477-481.	0.6	25
68	1-Hydroxybenzotriazole (HOBt) acidity, formation constant with different metals and thermodynamic parameters: Synthesis and characterization of some HOBt metal complexes. Crystal structures of two polymers: [Cu <sub>2</sub> (H <sub>2</sub> O) <sub>5</sub> (OBt) <sub>2</sub> ( <sup>1</sup> / <sub>4</sub> -OBt) <sub>2</sub> ]·2H <sub>2</sub> O·EtOH (1A) and [Cu( <sup>1</sup> / <sub>4</sub> -OBt)(HOBt)(OBt)(EtOH)] (1B). <i>Inorganica Chimica Acta</i> , 2009, 362, 3526-3540.	1.2	25
69	Synthesis and evaluation of quinazoline amino acid derivatives as mono amine oxidase (MAO) inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 3574-3585.	1.4	25
70	Synthesis and Preliminary Biological Evaluation of 1,3,5-Triazine Amino Acid Derivatives to Study Their MAO Inhibitors. <i>Molecules</i> , 2015, 20, 15976-15988.	1.7	24
71	Silver-embedded epoxy nanocomposites as organic coatings for steel. <i>Progress in Organic Coatings</i> , 2018, 123, 209-222.	1.9	24
72	Addition of HOAt dramatically improves the effectiveness of pentafluorophenyl-based coupling reagents. <i>Tetrahedron Letters</i> , 1999, 40, 2045-2048.	0.7	23

#	ARTICLE	IF	CITATIONS
73	Design and Synthesis of New Immonium-Type Coupling Reagents. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 1563-1573.	1.2	23
74	Hydrazino-methoxy-1,3,5-triazine Derivatives <sup>â€™</sup> Excellent Corrosion Organic Inhibitors of Steel in Acidic Chloride Solution. <i>Molecules</i> , 2016, 21, 714.	1.7	23
75	1,3,5-â€™Triazino Peptide Derivatives: Synthesis, Characterization, and Preliminary Antileishmanial Activity. <i>ChemMedChem</i> , 2018, 13, 725-735.	1.6	23
76	One pot synthesis of two Mn(II) perchlorate complexes with s -triazine NNN -pincer ligand; molecular structure, Hirshfeld analysis and DFT studies. <i>Journal of Molecular Structure</i> , 2018, 1164, 344-353.	1.8	23
77	<i>s</i>-triazine pincer ligands: Synthesis of their metal complexes, coordination behavior, and applications. <i>Applied Organometallic Chemistry</i> , 2021, 35, e6317.	1.7	23
78	EDCÂ·HCl and Potassium Salts of Oxyma and Oxyma <sup>â€™</sup> as Superior Coupling Cocktails for Peptide Synthesis. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 3116-3120.	1.2	22
79	Synthesis and characterization of novel dimeric<i>s</i>-triazine derivatives as potential anti-bacterial agents against MDR clinical isolates. <i>New Journal of Chemistry</i> , 2018, 42, 10676-10688.	1.4	22
80	Synthesis, characterization, and structural studies of two heteroleptic Mn(II) complexes with tridentate <i>N,N,N</i>-pincer type ligand. <i>Journal of Coordination Chemistry</i> , 2018, 71, 2373-2388.	0.8	22
81	Bis-pyrazolyl-s-triazine Ni(II) pincer complexes as selective gram positive antibacterial agents; synthesis, structural and antimicrobial studies. <i>Journal of Molecular Structure</i> , 2019, 1195, 315-322.	1.8	22
82	Utilization of N,N,N <sup>â€²</sup> ,N <sup>â€²</sup> -Tetramethylfluoroformamidinium Hexafluoro <sup>â€™</sup> phosphate (TFFH) in Peptide and Organic Synthesis. <i>Synlett</i> , 2009, 2009, 886-904.	1.0	21
83	Synthesis, Characterization, and Anti-Cancer Activity of Some New N <sup>â€²</sup> -(2-Oxoindolin-3-ylidene)-2-propylpentane hydrazide-hydrazones Derivatives. <i>Molecules</i> , 2015, 20, 14638-14655.	1.7	21
84	Two heptacoordinated manganese(II) complexes of giant pentadentate s -triazine bis -Schiff base ligand: Synthesis, crystal structure, biological and DFT studies. <i>Inorganica Chimica Acta</i> , 2018, 479, 275-285.	1.2	21
85	Modified triazine decorated with Fe <sub>3</sub> O <sub>4</sub> and Ag/Ag <sub>2</sub> O nanoparticles for self-healing of steel epoxy coatings in seawater. <i>Progress in Organic Coatings</i> , 2018, 121, 247-262.	1.9	21
86	Barbiturate- and Thiobarbiturate-Based <i>s</i>-Triazine Hydrazone Derivatives with Promising Antiproliferative Activities. <i>ACS Omega</i> , 2020, 5, 15805-15811.	1.6	21
87	OxymaPure/DIC: An Efficient Reagent for the Synthesis of a Novel Series of 4-[2-(2-Acetylamino-phenyl)-2-oxo-acetylamino] Benzoyl Amino Acid Ester Derivatives. <i>Molecules</i> , 2013, 18, 14747-14759.	1.7	20
88	Microwave Synthesis, Characterization, and Antimicrobial Activity of Some Novel Isatin Derivatives. <i>Journal of Chemistry</i> , 2015, 2015, 1-8.	0.9	20
89	Investigation of the N-Terminus Amino Function of Arg10-Teixobactin. <i>Molecules</i> , 2017, 22, 1632.	1.7	20
90	Chloroformamidinium salts: Efficient reagents for preparation of 2-aminobenzimidazole, 2-aminobenzoxazole, and 2-aminobenzothiazole derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2006, 43, 599-606.	1.4	19

#	ARTICLE	IF	CITATIONS
91	Synthesis, structural and biological studies of two new Co(III) complexes with tridentate hydrazone ligand derived from the antihypertensive drug hydralazine. <i>Inorganica Chimica Acta</i> , 2017, 466, 16-29.	1.2	19
92	β-Valerolactone (GVL): An eco-friendly anchoring solvent for solid-phase peptide synthesis. <i>Tetrahedron Letters</i> , 2019, 60, 151058.	0.7	19
93	Synthesis, Molecular and Supramolecular Structures of New Cd(II) Pincer-Type Complexes with s-TriazineCore Ligand. <i>Crystals</i> , 2019, 9, 226.	1.0	19
94	Synthesis, X-ray structure, and DFT studies of five- and eight-coordinated Cd(II) complexes with s-triazine N-pincer chelate. <i>Journal of Coordination Chemistry</i> , 2019, 72, 1621-1636.	0.8	19
95	Multi-Functional Cardanol Triazine Schiff Base Polyimine Additives for Self-Healing and Super-Hydrophobic Epoxy of Steel Coating. <i>Coatings</i> , 2020, 10, 327.	1.2	19
96	Reaction of phthalaldehydic acid with different substituted aniline as well as hydrazine derivatives. <i>Journal of Heterocyclic Chemistry</i> , 2007, 44, 617-626.	1.4	18
97	Dicyclopropylmethyl Peptide Backbone Protectant. <i>Organic Letters</i> , 2009, 11, 3718-3721.	2.4	18
98	Microwave irradiation: A facile, scalable and convenient method for synthesis of N-phthaloylamino acids. <i>Arabian Journal of Chemistry</i> , 2012, 5, 285-289.	2.3	18
99	Study of antileishmanial activity of 2-aminobenzoyl amino acid hydrazides and their quinazoline derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 918-921.	1.0	18
100	Re-evaluating the stability of COMU in different solvents. <i>Journal of Peptide Science</i> , 2017, 23, 763-768.	0.8	18
101	Synthesis, crystal structure, evaluation of urease inhibition potential and the docking studies of cobalt(III) complex based on barbituric acid Schiff base ligand. <i>Inorganica Chimica Acta</i> , 2020, 503, 119405.	1.2	18
102	Facile method for the synthesis of silver nanoparticles using 3-hydrazino-isatin derivatives in aqueous methanol and their antibacterial activity. <i>International Journal of Nanomedicine</i> , 2014, 9, 1167.	3.3	17
103	Di- and tri-substituted s-triazine derivatives: Synthesis, characterization, anticancer activity in human breast-cancer cell lines, and developmental toxicity in zebrafish embryos. <i>Bioorganic Chemistry</i> , 2020, 94, 103397.	2.0	17
104	Syntheses, structure, Hirshfeld analysis and antimicrobial activity of four new Co(II) complexes with s-triazine-based pincer ligand. <i>Inorganica Chimica Acta</i> , 2020, 510, 119753.	1.2	17
105	Synthesis and characterisation of thiobarbituric acid enamine derivatives, and evaluation of their α-glucosidase inhibitory and anti-glycation activity. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2020, 35, 692-701.	2.5	17
106	Oxime Carbonates: Novel Reagents for the Introduction of Fmoc and Alloc Protecting Groups, Free of Side Reactions. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3275-3280.	1.2	16
107	1,3,5-Triazine-based polymer: synthesis, characterization and application for immobilization of silver nanoparticles. <i>Journal of Polymer Research</i> , 2017, 24, 1.	1.2	16
108	Synthesis, X-Ray Crystal Structures, and Preliminary Antiproliferative Activities of New s-Triazine-hydroxybenzylidene Hydrazone Derivatives. <i>Journal of Chemistry</i> , 2019, 2019, 1-10.	0.9	16



#	ARTICLE	IF	CITATIONS
109	Synthesis and Antimicrobial Activity of a New Series of Thiazolidine-2,4-diones Carboxamide and Amino Acid Derivatives. <i>Molecules</i> , 2020, 25, 105.	1.7	16
110	Understanding Tetrahydropyranyl as a Protecting Group in Peptide Chemistry. <i>ChemistryOpen</i> , 2017, 6, 168-177.	0.9	15
111	Synthesis and structure diversity of high coordination number Cd(II) complexes of large s-triazine bis-Schiff base pincer chelate. <i>Inorganica Chimica Acta</i> , 2019, 488, 131-140.	1.2	15
112	Novel one-dimensional polymeric Cu(II) complexes via Cu(II)-assisted hydrolysis of the 2,4-bis(3,5-dimethyl-1H-pyrazol-1-yl)-6-methoxy-1,3,5-triazine pincer ligand: Synthesis, structure, and antimicrobial activities. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5941.	2.0	15
113	Preparation and Characterization of Nanofibrous Scaffolds of Ag/Vanadate Hydroxyapatite Encapsulated into Polycaprolactone: Morphology, Mechanical, and In Vitro Cells Adhesion. <i>Polymers</i> , 2021, 13, 1327.	0.9	14
114	Screening of <i>N</i> -Alkyl-Cyanoacetamido Oximes as Substitutes for <i>N</i> -Hydroxysuccinimide. <i>ChemistryOpen</i> , 2012, 1, 147-152.	1.8	14
115	Microwave-assisted synthesis, structural elucidation and biological assessment of 2-(2-acetamidophenyl)-2-oxo-N phenyl acetamide and N-(2-(2-oxo-2(phenylamino)acetyl)phenyl)propionamide derivatives. <i>Journal of Molecular Structure</i> , 2012, 1013, 163-167.	4.2	14
116	Production and physicochemical assessment of new stevia amino acid sweeteners from the natural stevioside. <i>Food Chemistry</i> , 2015, 173, 979-985.	0.7	14
117	Solid-phase synthesis of homodetic cyclic peptides from Fmoc-MeDbz-resin. <i>Tetrahedron Letters</i> , 2018, 59, 1779-1782.	2.4	14
118	Amide Formation: Choosing the Safer Carbodiimide in Combination with OxymaPure to Avoid HCN Release. <i>Organic Letters</i> , 2021, 23, 6900-6904.	0.5	14
119	Biological Screening of Novel Derivatives of Valproic Acid for Anticancer and Antiangiogenic Properties. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 7785-7792.	1.6	14
120	Synthesis and Antiproliferative Activity of a New Series of Mono- and Bis(dimethylpyrazolyl)-s-triazine Derivatives Targeting EGFR/PI3K/AKT/mTOR Signaling Cascades. <i>ACS Omega</i> , 2022, 7, 24858-24870.	0.6	13
121	Synthesis of Some Pyridazinylacetic Acid Derivatives as a Novel Class of Monoamine Oxidase-A Inhibitors. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1717-1721.	1.0	13
122	±-Ketoamino acid ester derivatives as promising MAO inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 70-74.	2.0	13
123	One pot synthesis, molecular structure and spectroscopic studies (X-ray, IR, NMR, UV-Vis) of novel 2-(4,6-dimethoxy-1,3,5-triazin-2-yl) amino acid ester derivatives. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016, 159, 184-198.	0.6	13
124	Synthesis of Novel Class of <i>N</i> -Alkyl-isatin-3-iminobenzoic Acid Derivatives and Their Biological Activity in Zebrafish Embryos and Human Cancer Cell Lines. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 350-359.	0.2	13
125	CHAPTER 18. Solid-Phase Peptide Synthesis, the State of the Art: Challenges and Opportunities. <i>RSC Drug Discovery Series</i> , 0, , 518-550.	0.6	12
126	Synthesis, Characterization and Anti-proliferation Activities of Novel Cyano Oximino Sulfonate Esters. <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 373-378.		



#	ARTICLE	IF	CITATIONS
127	Molecular structure and DFT investigations on new cobalt(II) chloride complex with superbase guanidine type ligand. <i>Journal of Chemical Sciences</i> , 2015, 127, 2137-2149.	0.7	12
128	Ultrasonic Irradiation: Synthesis, Characterization, and Preliminary Antimicrobial Activity of Novel Series of 4,6-Disubstituted-1,3,5-triazine Containing Hydrazone Derivatives. <i>Journal of Chemistry</i> , 2016, 2016, 1-9.	0.9	12
129	Exploiting the Thiobarbituric Acid Scaffold for Antibacterial Activity. <i>ChemMedChem</i> , 2018, 13, 1923-1930.	1.6	12
130	Synthesis, characterization, thermal stability and kinetics of thermal degradation of novel polymers based-s-triazine Schiff base. <i>Journal of Polymer Research</i> , 2020, 27, 1.	1.2	12
131	Straightforward Regio- and Diastereoselective Synthesis, Molecular Structure, Intermolecular Interactions and Mechanistic Study of Spirooxindole-Engrafted Rhodanine Analogs. <i>Molecules</i> , 2021, 26, 7276.	1.7	12
132	A versatile synthetic route to chiral quinoxaline derivatives from amino acids precursors. <i>International Journal of Peptide Research and Therapeutics</i> , 2002, 9, 49-54.	0.1	11
133	A NOVEL AND DIRECT METHOD FOR THE PREPARATION OF 4-AMINO-1,1,3,3-TETRASUBSTITUTED GUANIDINES AND OF [1,2,4]TRIAZOLO-FUSED HETEROCYCLIC DERIVATIVES. <i>Organic Preparations and Procedures International</i> , 2004, 36, 121-127.	0.6	11
134	Use of N-Methylpiperazine for the Preparation of Piperazine-Based Unsymmetrical Bis-Ureas as Anti-HIV Agents. <i>ChemMedChem</i> , 2008, 3, 1034-1037.	1.6	11
135	TOMBU and COMBU as Novel Uronium-Type Peptide Coupling Reagents Derived from Oxyma-B. <i>Molecules</i> , 2014, 19, 18953-18965.	1.7	11
136	Pseudo-Wang Handle for the Preparation of Fully Protected Peptides. Synthesis of Liraglutide by Fragment Condensation. <i>Organic Letters</i> , 2019, 21, 2459-2463.	2.4	11
137	Synthesis, crystal structure, DFT and biological activity of E-pyrene-1-carbaldehyde oxime and E-2-naphthaldehyde oxime. <i>Journal of Molecular Structure</i> , 2020, 1207, 127848.	1.8	11
138	Tetramethylfluoroformamidinium hexafluorophosphate (TFFH)/benzyltriphenylphosphonium dihydrogen trifluoride (PTF): a unique reagent for the conversion of carboxylic acids to the corresponding alcohols as well as hydroxamic acids. <i>Arkivoc</i> , 2006, 2006, 57-63.	0.3	11
139	On the use of novel coupling reagents for solid-phase peptide synthesis. <i>Techniques in Protein Chemistry</i> , 1996, , 515-523.	0.3	10
140	TFFH AS A USEFUL REAGENT FOR THE CONVERSION OF CARBOXYLIC ACIDS TO ANILIDES, HYDRAZIDES AND AZIDES. <i>Organic Preparations and Procedures International</i> , 2003, 35, 369-374.	0.6	10
141	Cyanoacetamide-based oxime carbonates: an efficient, simple alternative for the introduction of Fmoc with minimal dipeptide formation. <i>Tetrahedron</i> , 2012, 68, 3056-3062.	1.0	10
142	A Facile and Eco-Friendly Method for the Synthesis of Sulfonamide and Sulfonate Carboxylic Acid Derivatives—X-ray Structure, Hirshfeld Analysis and Spectroscopic Characterizations. <i>Crystals</i> , 2019, 9, 35.	1.0	10
143	Synthesis, molecular structure and DFT studies of two heteroleptic nickel(II) s-triazine pincer type complexes. <i>Journal of Molecular Structure</i> , 2019, 1185, 461-468.	1.8	10
144	Synthesis and Characterization of New Series of 1,3-5-Triazine Hydrazone Derivatives with Promising Antiproliferative Activity. <i>Molecules</i> , 2020, 25, 2708.	1.7	10

#	ARTICLE	IF	CITATIONS
145	Synthesis, Structure and In Vitro Anticancer Activity of Pd(II) Complex of Pyrazolyl-s-Triazine Ligand; A New Example of Metal-Mediated Hydrolysis of s-Triazine Pincer Ligand. <i>Crystals</i> , 2021, 11, 119.	1.0	10
146	Synthesis and Aminolysis of N,N-Diethyl Carbamic Ester of HOBt Derivatives. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 75-81.	1.0	10
147	Synthesis and Morpholinolysis of N,N-diethyl Carbamate Derivatives of 4- HOAt, 7-HOAt and HOBt. <i>Journal of Chemical Research</i> , 2007, 2007, 247-251.	0.6	9
148	Synthesis and Biological Activity of Schiff Base Series of Valproyl, &N-Valproyl Glycyl, and &N-Valproyl-4-aminobenzoyl Hydrazide Derivatives. <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 591-599.	0.6	9
149	Synthesis, Characterization, and Antimicrobial Studies of Novel Series of 2,4-Bis(hydrazino)-6-substituted-1,3,5-triazine and Their Schiff Base Derivatives. <i>Journal of Chemistry</i> , 2018, 2018, 1-13.	0.9	9
150	Investigating Triorthogonal Chemoselectivity. Effect of Azide Substitution on the Triazine Core. <i>Organic Letters</i> , 2019, 21, 7888-7892.	2.4	9
151	Spectral Characterization of Some Phenylazodihydroxy Naphthalene Derivatives. <i>Spectroscopy Letters</i> , 1996, 29, 1047-1065.	0.5	8
152	BOP-oxym, BOP-OBt, and BOP-OAt: novel organophosphinic coupling reagents useful for solution and solid-phase peptide synthesis. <i>Journal of Peptide Science</i> , 2014, 20, 1-6.	0.8	8
153	Bypassing Osmotic Shock Dilemma in a Polystyrene Resin Using the Green Solvent Cyclopentyl methyl Ether (CPME): A Morphological Perspective. <i>Polymers</i> , 2019, 11, 874.	2.0	8
154	Optimized Stepwise Synthesis of the API Liraglutide Using BAL Resin and Pseudoprolines. <i>ACS Omega</i> , 2019, 4, 8674-8680.	1.6	8
155	Novel 4,6-Disubstituted s-Triazin-2-yl Amino Acid Derivatives as Promising Antifungal Agents. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 237.	1.5	8
156	Synthesis, Anti-proliferative Activity, and Molecular Docking Study of New Series of 1,3,5-Triazine Schiff Base Derivatives. <i>Molecules</i> , 2020, 25, 4065.	1.7	8
157	Fe(III) Complexes Based on Mono- and Bis-pyrazolyl-s-triazine Ligands: Synthesis, Molecular Structure, Hirshfeld, and Antimicrobial Evaluations. <i>Molecules</i> , 2020, 25, 5750.	1.7	8
158	Mono- and penta-nuclear self-assembled silver(I) complexes of pyrazolyl s-triazine ligand; synthesis, structure and antimicrobial studies. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5603.	1.7	8
159	Minimizing side reactions during amide formation using DIC and oxymapure in solid-phase peptide synthesis. <i>Tetrahedron Letters</i> , 2021, 85, 153462.	0.7	8
160	Synthesis, Structure and Biological Evaluations of Zn(II) Pincer Complexes Based on S-Triazine Type Chelator. <i>Molecules</i> , 2022, 27, 3625.	1.7	8
161	Title is missing!. <i>International Journal of Peptide Research and Therapeutics</i> , 2000, 7, 113-121.	0.1	7
162	Synthesis and characterization of new polyamides derived from alanine and valine derivatives. <i>Chemistry Central Journal</i> , 2012, 6, 128.	2.6	7

#	ARTICLE	IF	CITATIONS
163	Synthesis, structure, theoretical calculations and biological activity of sulfonate active ester new derivatives. <i>Journal of Molecular Structure</i> , 2013, 1046, 147-152.	1.8	7
164	Physico-chemical and sensory characteristics of steviolbioside synthesized from stevioside and its application in fruit drinks and food. <i>Journal of Food Science and Technology</i> , 2017, 54, 185-195.	1.4	7
165	Synthesis, Characterization, and Tautomerism of 1,3-Dimethyl Pyrimidine-2,4,6-Trione s-Triazinyl Hydrazine/Hydrazone Derivatives. <i>Journal of Chemistry</i> , 2017, 2017, 1-10.	0.9	7
166	Bacteria Hunt Bacteria through an Intriguing Cyclic Peptide. <i>ChemMedChem</i> , 2018, 14, 24-51.	1.6	7
167	Three Multi-Components Reaction: Synthesis and X-Ray Single-Crystal of Hydroacridinone-Based Hydrazino-S-Triazine Derivative as a New Class of Urease Inhibitor. <i>Crystals</i> , 2020, 10, 14.	1.0	7
168	A class of carbonic anhydrase IX/XII "selective carboxylate inhibitors. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2020, 35, 549-554.	2.5	7
169	Carpino's protecting groups, beyond the Boc and the Fmoc. <i>Peptide Science</i> , 2020, 112, e24164.	1.0	7
170	The Antiproliferative and Apoptotic Effect of a Novel Synthesized S-Triazine Dipeptide Series, and Toxicity Screening in Zebrafish Embryos. <i>Molecules</i> , 2021, 26, 1170.	1.7	7
171	Synthesis, X-ray structure, Hirshfeld analysis, and DFT studies of a new Pd(II) complex with an anionic s-triazine NNO donor ligand. <i>Journal of Molecular Structure</i> , 2020, 1217, 128463.	1.8	7
172	Synthesis, X-ray Structure and Biological Studies of New Self-Assembled Cu(II) Complexes Derived from s-Triazine Schiff Base Ligand. <i>Molecules</i> , 2022, 27, 2989.	1.7	7
173	Synthesis of 2-(4,6-Dimethoxy-1,3,5-triazin-2-yloxyimino) Derivatives: Application in Solution Peptide Synthesis. <i>Molecules</i> , 2010, 15, 9403-9417.	1.7	6
174	Synthesis and Aminolysis of 2,4-Dinitrophenyl and 5-Nitropyridine <i>N</i> -Hydroxy Oxime Derivatives. <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 633-639.	2.0	6
175	Microwave synthesis and thermal properties of polyacrylate derivatives containing itaconic anhydride moieties. <i>Chemistry Central Journal</i> , 2012, 6, 85.	2.6	6
176	An Efficient and Mild Method for the Synthesis and Hydrazinolysis of <i>N</i> -Glyoxylamino Acid Esters. <i>Journal of Chemistry</i> , 2013, 2013, 1-6.	0.9	6
177	Aminolysis of Isatin and <i>N</i> -Acetyl Isatin in Acetonitrile and Mixed Acetonitrile-Water Solvents. <i>Asian Journal of Chemistry</i> , 2014, 26, 8029-8038.	0.1	6
178	Synthesis, Crystal Structure and DFT Studies of 1,3-Dimethyl-5-propionylpyrimidine-2,4,6(1H,3H,5H)-trione. <i>Crystals</i> , 2017, 7, 31.	1.0	6
179	Synthesis and structural DFT studies of Ni(II) and Co(II) complexes with s-triazine-based di-compartmental ligand. <i>Polyhedron</i> , 2019, 165, 162-170.	1.0	6
180	Simple Approaches for the Synthesis of AgNPs in Solution and Solid Phase Using Modified Methoxypolyethylene Glycol and Evaluation of Their Antimicrobial Activity. <i>International Journal of Nanomedicine</i> , 2020, Volume 15, 2353-2362.	3.3	6

#	ARTICLE	IF	CITATIONS
181	A Novel Centrosymmetric Fe(III) Complex with Anionic Bis-pyrazolyl-s-triazine Ligand; Synthesis, Structural Investigations and Antimicrobial Evaluations. <i>Symmetry</i> , 2021, 13, 1247.	1.1	6
182	OxymaPure Coupling Reagents: Beyond Solid-Phase Peptide Synthesis. <i>Synthesis</i> , 2020, 52, 3189-3210.	1.2	6
183	Synthesis, Characterization of Novel Morpholino-1, 3, 5-Triazinyl Amino Acid Ester Derivatives and their Anti-Proliferation Activities. <i>Letters in Organic Chemistry</i> , 2015, 12, 753-758.	0.2	6
184	Understanding OxymaPure as a Peptide Coupling Additive: A Guide to New Oxyma Derivatives. <i>ACS Omega</i> , 2022, 7, 6007-6023.	1.6	6
185	Co (II) Complexes Based on the Bis-Pyrazol-S-Triazine Pincer Ligand: Synthesis, X-ray Structure Studies, and Cytotoxic Evaluation. <i>Crystals</i> , 2022, 12, 741.	1.0	6
186	X-ray Structure Analyses and Biological Evaluations of a New Cd(II) Complex with S-Triazine Based Ligand. <i>Crystals</i> , 2022, 12, 861.	1.0	6
187	Coupling reactions of hydralazine with amino acids and their adducts for antihypertensive activities. <i>Journal of Heterocyclic Chemistry</i> , 2004, 41, 387-392.	1.4	5
188	Synthesis and Thermal Properties of Novel Polyamides Containing $\hat{\pm}$ -Amino Acid Moieties: Structure-Property Relationship. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2012, 49, 41-54.	1.2	5
189	Microwave irradiation: synthesis and characterization of $\hat{\pm}$ -ketoamide and bis ( $\hat{\pm}$ -ketoamide) derivatives via the ring opening of N-acetylisatin. <i>Chemistry Central Journal</i> , 2014, 8, 27.	2.6	5
190	Oxyma-T, expanding the arsenal of coupling reagents. <i>Tetrahedron Letters</i> , 2016, 57, 3523-3525.	0.7	5
191	Synthesis, X-ray crystal structure and DFT studies of two octahedral cobalt(II) complexes with $\langle i \rangle N,N,N \langle /i \rangle$ -tridentate triazine-type ligand. <i>Journal of Coordination Chemistry</i> , 2017, 70, 2261-2279.	0.8	5
192	Low temperature X-ray structure analyses combined with NBO studies of a new heteroleptic octa-coordinated Holmium(III) complex with N,N,N-tridentate hydrazono-phthalazine-type ligand. <i>Journal of Molecular Structure</i> , 2018, 1157, 222-229.	1.8	5
193	Synthesis, structure and in vitro anticancer activity of Pd(II) complexes of mono- and bis-pyrazolyl-s-triazine ligands. <i>Polyhedron</i> , 2020, 187, 114665.	1.0	5
194	Enamine Barbiturates and Thiobarbiturates as a New Class of Bacterial Urease Inhibitors. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 3523.	1.3	5
195	Chitosan- $\langle i \rangle S \langle /i \rangle$ -triazinyl-bis(2-aminomethylpyridine) and Chitosan- $\langle i \rangle S \langle /i \rangle$ -triazinyl-bis(8-oxyquinoline) Derivatives: New Reagents for Silver Nanoparticle Preparation and Their Effect of Antimicrobial Evaluation. <i>Journal of Chemistry</i> , 2020, 2020, 1-8.	0.9	5
196	Phenol as a Modulator in the Chemical Reactivity of 2,4,6-Trichloro-1,3,5-triazine: Rules of the Game II. <i>Australian Journal of Chemistry</i> , 2020, 73, 352.	0.5	5
197	Syntheses and Structural Investigations of Penta-Coordinated Co(II) Complexes with Bis-Pyrazolo-S-Triazine Pincer Ligands, and Evaluation of Their Antimicrobial and Antioxidant Activities. <i>Molecules</i> , 2021, 26, 3633.	1.7	5
198	Preparation of Multifunctional Plasma Cured Cellulose Fibers Coated with Photo-Induced Nanocomposite toward Self-Cleaning and Antibacterial Textiles. <i>Polymers</i> , 2021, 13, 3664.	2.0	5

#	ARTICLE	IF	CITATIONS
199	Synthesis, structure, X-ray photoelectron spectroscopy (XPS), and antimicrobial, anticancer, and antioxidant activities of Co (III) complexes based on the antihypertensive hydralazine. <i>Applied Organometallic Chemistry</i> , 2022, 36, .	1.7	5
200	A New Pt(II) Complex with Anionic s-Triazine Based NNO-Donor Ligand: Synthesis, X-ray Structure, Hirshfeld Analysis and DFT Studies. <i>Molecules</i> , 2022, 27, 1628.	1.7	5
201	Coordination chemistry of the ligand 7-aza-1-hydroxy-benzotriazole. Crystal structures and antimicrobial activity of the catena-poly-[1/4-chlorido(1/4-7-aza-1-oxy-1,2N:O-benzotriazolyl-1N)]cobalt(II)methanol coordination polymer and of a new polymorph of the free ligand 3H-[1,2,3]triazolo[4,5-b]pyridin-3-ol. <i>Polyhedron</i> , 2010, 29, 2029-2032.	1.0	4
202	Tetrahydropyranyl: A Non-aromatic, Mildly Acid-Labile Group for Hydroxyl Protection in Solid-Phase Peptide Synthesis. <i>ChemistryOpen</i> , 2017, 6, 206-210.	0.9	4
203	Crystal structure, spectroscopic studies and theoretical studies of thiobarbituric acid derivatives: understanding the hydrogen-bonding patterns. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018, 74, 1703-1714.	0.2	4
204	Functionalization of Silica with Triazine Hydrazide to Improve Corrosion Protection and Interfacial Adhesion Properties of Epoxy Coating and Steel Substrate. <i>Coatings</i> , 2020, 10, 351.	1.2	4
205	Microwave-Assisted Synthesis of Cross-Linked Co-poly(itaconic anhydride-methyl methacrylate): The Effects of the Molar Ratio and Cross-Linking Agent on the Thermal Stability. <i>International Journal of Polymer Science</i> , 2020, 2020, 1-11.	1.2	4
206	Synthesis, Characterization of sym-2,4,6-trisubstituted-s-Triazine Derivatives and Their Effects on Flame Retardancy of Polypropylene Composites. <i>Processes</i> , 2020, 8, 581.	1.3	4
207	A versatile synthetic route to chiral quinoxaline derivatives from amino acids precursors. <i>International Journal of Peptide Research and Therapeutics</i> , 2002, 9, 49-54.	0.1	3
208	Synthesis, crystallographic characterization, DFT and TD-DFT studies of Oxyma-sulfonate esters. <i>Journal of Chemical Sciences</i> , 2017, 129, 1469-1481.	0.7	3
209	Fmoc-Amox, A Suitable Reagent for the Introduction of Fmoc. <i>Organic Process Research and Development</i> , 2017, 21, 1533-1541.	1.3	3
210	Formation of $N$ -terminal 2-dialkyl amino oxazoles from guanidinated derivatives under mild conditions. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 5661-5666.	1.5	3
211	Cu(II)-promoted cyclization of hydrazonophthalazine to triazolophthalazine; Synthesis and structure diversity of six novel Cu(II)-triazolophthalazine complexes. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4992.	1.7	3
212	A Simple, Efficient, and Eco-Friendly Method for the Preparation of 3-Substituted-2,3-dihydroquinazolin-4(1H)-one Derivatives. <i>Molecules</i> , 2019, 24, 4052.	1.7	3
213	Exploiting azido-dichloro-triazine as a linker for regioselective incorporation of peptides through their N, O, S functional groups. <i>Bioorganic Chemistry</i> , 2020, 104, 104334.	2.0	3
214	Synthesis, X-ray Structure, Hirshfeld Analysis of Biologically Active Mn(II) Pincer Complexes Based on s-Triazine Ligands. <i>Crystals</i> , 2020, 10, 931.	1.0	3
215	Modified Epoxy with Chitosan Triazine Dihydrazide Derivatives for Mechanical and Corrosion Protection of Steel. <i>Coatings</i> , 2020, 10, 1256.	1.2	3
216	Molecular and supramolecular structures of self-assembled Cu(II) and Co(II) complexes with 4,4'-[6-(3,5-dimethyl-1H-pyrazol-1-yl)-1,3,5-triazine-2,4-diyl]dimorpholine ligand. <i>Journal of Molecular Structure</i> , 2020, 1219, 128584.	1.8	3

#	ARTICLE	IF	CITATIONS
217	Scope and Limitations of Barbituric and Thiobarbituric Amino Acid Derivatives as Protecting Groups for Solid-Phase Peptide Synthesis: Towards a Green Protecting Group. <i>ChemistrySelect</i> , 2021, 6, 6626-6630.	0.7	3
218	Latest Advances on Synthesis, Purification, and Characterization of Peptides and Their Applications. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5593.	1.3	3
219	Molecular and Supramolecular Structures of Cd(II) Complexes with Hydralazine-Based Ligands; A New Example for Cyclization of Hydrazonophthalazine to Triazolophthalazine. <i>Crystals</i> , 2021, 11, 823.	1.0	3
220	Synthesis, characterization and comparative thermal degradation kinetics of s-Triazine based polymers. <i>Journal of Polymer Research</i> , 2021, 28, 1.	1.2	3
221	Coupling of iminodiacetic acid with amino acid derivatives in solution and solid phase. <i>International Journal of Peptide Research and Therapeutics</i> , 2000, 7, 331-345.	0.1	2
222	Hydrogen bonding chains and rings structural motifs in new series of N-phthaloyl aminocarboxylic acid derivatives. Solid state microwave synthesis, structural chemistry, computational calculations and antimicrobial activity. <i>Journal of Molecular Structure</i> , 2011, 994, 269-275.	1.8	2
223	Solvent Effects on the Kinetic and Mechanism of N-Mannich Bases of 3-Hydrazonoindole-2-one. <i>Asian Journal of Chemistry</i> , 2014, 26, 48-52.	0.1	2
224	Microwave Irradiation Assists the Synthesis of a Novel Series of bis-Arm s-Triazine Oxy-Schiff Base and Oxybenzylidene Barbiturate Derivatives. <i>Molecules</i> , 2018, 23, 2976.	1.7	2
225	Protocol for synthesis of di- and tri-substituted s-triazine derivatives. <i>MethodsX</i> , 2020, 7, 100825.	0.7	2
226	Crystal Structure and Theoretical Investigation of Thiobarbituric Acid Derivatives as Nonlinear Optical (NLO) Materials. <i>Crystals</i> , 2020, 10, 442.	1.0	2
227	1,3,5-Triazine as core for the preparation of dendrons. <i>Arkivoc</i> , 2021, 2020, 64-73.	0.3	2
228	Nitrogen containing polymers-based triazine: synthesis, characterization and its applications for scavenging of copper(II). , 0, 114, 242-250.		2
229	Diethylphosphoryl-OxymaB (DEPO-B) as a Solid Coupling Reagent for Amide Bond Formation. <i>Letters in Organic Chemistry</i> , 2018, 16, 30-33.	0.2	2
230	Synthesis, and Molecular Structure Investigations of a New s-Triazine Derivatives Incorporating Pyrazole/Piperidine/Aniline Moieties. <i>Crystals</i> , 2021, 11, 1500.	1.0	2
231	SYNTHESIS AND SPECTRAL STUDIES OF SOME ARYL SULFIDES AND SULFONES. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1996, 119, 11-26.	0.8	1
232	Coupling of iminodiacetic acid with amino acid derivatives in solution and solid phase. <i>International Journal of Peptide Research and Therapeutics</i> , 2000, 7, 331-345.	0.1	1
233	Addition of HOXt (X = A or B) improves the efficiency of phenol-based coupling reagents during peptide synthesis. <i>International Journal of Peptide Research and Therapeutics</i> , 2000, 7, 113-121.	0.1	1
234	Oxime-Based Carbonates as Useful Reagents for Both N-Protection and Peptide Coupling. <i>Molecules</i> , 2012, 17, 14361-14376.	1.7	1



#	ARTICLE	IF	CITATIONS
235	Microwave Synthesis of Copolymers Based on Itaconic Acid Moiety and Their Utility for Scavenging of Copper (II) and Lead (II). Journal of Macromolecular Science - Pure and Applied Chemistry, 2015, 52, 561-576.	1.2	1
236	Crystal structure of 4-chloro-N,N-diethyl-6-(piperidin-1-yl)-1,3,5-triazin-2-amine, C <sub>12</sub> H <sub>20</sub> ClN <sub>5</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2016, 231, 243-245.	0.1	1
237	Crystal structure of N <sup>ε</sup> -(2-phenylacetyl)thiophene-2-carbohydrazide monohydrate, C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub> S. Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 69-71.	0.1	1
238	Synthesis, Crystal Structure and Hirshfeld Topology Analysis of Polymeric Silver(I) Complex with s-Triazine-Type Ligand. Crystals, 2017, 7, 160.	1.0	1
239	A new triazoloquinoxaline ligand and its polymeric 1D silver(i) complex: synthesis, structure, and antimicrobial activity. New Journal of Chemistry, 2018, 42, 7197-7205.	1.4	1
240	Synthesis, X-ray Crystal Structure and Antimicrobial Activity of Unexpected Trinuclear Cu(II) Complex from s-Triazine-Based Di-Compartmental Ligand via Self-Assembly. Crystals, 2019, 9, 661.	1.0	1
241	Ultrasonically Assisted N-Cyanoacylation and Synthesis of Alkyl(4-(3-cyano-4,6-dimethyl-2-oxopyridin-1(2H)-yl)benzoyl)amino Acid Ester Derivatives. ACS Omega, 2020, 5, 30671-30678.	1.6	1
242	Synthesis, molecular and supramolecular structure aspects and biological evaluations of a novel [Ag <sub>2</sub> (phthalazine)(NO <sub>3</sub> ) <sub>2</sub> ] <sub>n</sub> 3D coordination polymer. Journal of Molecular Structure, 2022, 1257, 132592.	1.8	1
243	Synthesis of New S-Triazine Bishydrazino and Bishydrazido-Based Polymers and Their Application in Flame-Retardant Polypropylene Composites. Polymers, 2022, 14, 784.	2.0	1
244	Coupling Reactions of Hydralazine with Amino Acids and Their Adducts for Antihypertensive Activities.. ChemInform, 2004, 35, no.	0.1	0
245	Crystal structure of (E)-1-(2-(thiophen-2-ylmethylene)hydrazinyl)phthalazine hydrochloride ethanol (1/1), C <sub>15</sub> H <sub>17</sub> ClN <sub>4</sub> OS. Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 95-97.	0.1	0
246	Crystal structure of 1-methyl-3-(((naphthalen-2-ylsulfonyl)oxy)imino)indolin-2-one, C <sub>19</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S. Zeitschrift Fur Kristallographie - New Crystal Structures, 2017, 232, 55-57.	0.1	0
247	Structure-Activity Relationship of Arg10-Teixobactin: A Recently Discovered Antimicrobial Peptide. Proceedings (mdpi), 2017, 1, .	0.2	0
248	In situ preparation of composites based on trishydrazino-s-triazine (1,4-/1,3-) benzene dicarboxyaldehyde with reduced graphene oxide and their electrical conductivity performance. Journal of Materials Research and Technology, 2021, 10, 1280-1290.	2.6	0
249	Efficient Route for Synthesis of Enamines from 1,3-Alkyl-2-Thioxodihydropyrimidine-4,6(1H,5H)-dione Enols. Letters in Organic Chemistry, 2019, 16, 538-540.	0.2	0
250	Synthesis, X-ray Structure, Conformational Analysis, and DFT Studies of a Giant s-Triazine bis-Schiff Base. Crystals, 2021, 11, 1418.	1.0	0
251	s-Triazine: A Multidisciplinary and International Journey. Chemistry Proceedings, 2020, 3, .	0.1	0