
## Marcello Alecci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4291232/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Radio frequency magnetic field mapping of a 3 Tesla birdcage coil: Experimental and theoretical dependence on sample properties. Magnetic Resonance in Medicine, 2001, 46, 379-385.                                      | 3.0 | 127       |
| 2  | Practical design of a 4 Tesla double-tuned RF surface coil for interleaved 1H and 23Na MRI of rat brain.<br>Journal of Magnetic Resonance, 2006, 181, 203-211.   | 2.1 | 83        |
| 3  | Three-dimensional in vivo ESR imaging in rats. Magnetic Resonance Imaging, 1990, 8, 59-63.   | 1.8 | 71        |
| 4  | Simultaneous 280 MHz EPR imaging of rat organs during nitroxide free radical clearance. Biophysical<br>Journal, 1994, 67, 1274-1279.   | 0.5 | 67        |
| 5  | Whole rat electron paramagnetic resonance imaging of a nitroxide free radical by a radio frequency<br>(280 MHz) spectrometer. Biochemical and Biophysical Research Communications, 1992, 183, 829-835.                   | 2.1 | 60        |
| 6  | Targeting CXCR1 on breast cancer stem cells: signaling pathways and clinical application modelling.<br>Oncotarget, 2015, 6, 43375-43394.   | 1.8 | 58        |
| 7  | Hypoxia induces peroxisome proliferator-activated receptor α (PPARα) and lipid metabolism peroxisomal<br>enzymes in human glioblastoma cells. Journal of Cellular Biochemistry, 2011, 112, 3891-3901.                    | 2.6 | 54        |
| 8  | Electron paramagnetic resonance spectrometer for threeâ€dimensionalinvivoimaging at very low<br>frequency. Review of Scientific Instruments, 1992, 63, 4263-4270.  | 1.3 | 53        |
| 9  | The Basal Ganglia: More than just a switching device. CNS Neuroscience and Therapeutics, 2018, 24,<br>677-684.   | 3.9 | 48        |
| 10 | pH-sensitive imaging by low-frequency EPR: a model study for biological applications. Physics in<br>Medicine and Biology, 1998, 43, 1921-1930.   | 3.0 | 43        |
| 11 | A Radiofrequency (220-MHz) Fourier Transform EPR Spectrometer. Journal of Magnetic Resonance,<br>1998, 130, 272-280.   | 2.1 | 35        |
| 12 | Theory of Adaptive Acquisition Method for Image Reconstruction from Projections and Application to EPR Imaging. Journal of Magnetic Resonance Series B, 1995, 108, 50-57.  | 1.6 | 34        |
| 13 | Characterization and reduction of gradient-induced eddy currents in the RF shield of a TEM resonator. Magnetic Resonance in Medicine, 2002, 48, 404-407.   | 3.0 | 34        |
| 14 | Nitroxide free radical clearance in the live rat monitored by radio-frequency CW-EPR and PEDRI.<br>Physics in Medicine and Biology, 1998, 43, 1899-1905.   | 3.0 | 30        |
| 15 | Theoretical and experimental evaluation of detached endcaps for 3 T birdcage coils. Magnetic<br>Resonance in Medicine, 2003, 49, 363-370.  | 3.0 | 28        |
| 16 | Lipid Metabolism Impairment in Human Gliomas: Expression of Peroxisomal Proteins in Human Gliomas<br>at Different Grades of Malignancy. International Journal of Immunopathology and Pharmacology,<br>2010, 23, 235-246. | 2.1 | 27        |
| 17 | Compensating for B1 inhomogeneity using active transmit power modulation. Magnetic Resonance<br>Imaging, 2001, 19, 1349-1352.  | 1.8 | 26        |
| 18 | Post-processing noise removal algorithm for magnetic resonance imaging based on edge detection and wavelet analysis. Physics in Medicine and Biology, 2003, 48, 1987-1995.   | 3.0 | 23        |

MARCELLO ALECCI

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effects of Substantia Nigra pars compacta lesion on the behavioral sequencing in the 6-OHDA model of Parkinson's disease. Behavioural Brain Research, 2019, 362, 28-35.  | 2.2 | 22        |
| 20 | Multipolar magnet for low-frequency ESR imaging (with computer controlled power supply).<br>Measurement Science and Technology, 1991, 2, 32-37.  | 2.6 | 19        |
| 21 | Design and Optimization of an Automatic Frequency Control System for a Radiofrequency Electron<br>Paramagnetic Resonance Spectrometer. Journal of Magnetic Resonance Series A, 1995, 117, 272-277.   | 1.6 | 19        |
| 22 | New experimental procedures for in vivo L-band and radio frequency EPR spectroscopy/imaging.<br>Journal of the Chemical Society Perkin Transactions II, 1993, , 2077.  | 0.9 | 18        |
| 23 | Low Field (10 mT) Pulsed Dynamic Nuclear Polarization. Journal of Magnetic Resonance, 1999, 138, 313-319.  | 2.1 | 18        |
| 24 | PPARβ/δ and γ in a Rat Model of Parkinson's Disease: Possible Involvement in PD Symptoms. Journal of<br>Cellular Biochemistry, 2015, 116, 844-855.   | 2.6 | 18        |
| 25 | Pulsed electric fields processing of apple tissue: Spatial distribution of electroporation by means of magnetic resonance imaging and computer vision system. Innovative Food Science and Emerging Technologies, 2018, 47, 120-126.            | 5.6 | 18        |
| 26 | Versatile coil design and positioning of transverse-field RF surface coils for clinical 1.5-T MRI<br>applications. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2005, 18, 69-75.  | 2.0 | 17        |
| 27 | ï‰-Space Adaptive Acquisition Technique for Magnetic Resonance Imaging from Projections. Journal of<br>Magnetic Resonance, 2000, 143, 197-207.   | 2.1 | 14        |
| 28 | VALIDATION OF NUMERICAL APPROACHES FOR ELECTROMAGNETIC CHARACTERIZATION OF MAGNETIC RESONANCE RADIOFREQUENCY COILS. Progress in Electromagnetics Research M, 2013, 29, 121-136.  | 0.9 | 14        |
| 29 | Harnessing Surface Plasmons for Magnetic Resonance Imaging Applications. Physical Review Applied, 2019, 12, .  | 3.8 | 14        |
| 30 | Design of Distributed Spiral Resonators for the Decoupling of MRI Double-Tuned RF Coils. IEEE<br>Transactions on Biomedical Engineering, 2020, 67, 2806-2816.  | 4.2 | 14        |
| 31 | Angular Space-Domain Interpolation for Filtered Back Projection Applied to Regular and Adaptively<br>Measured Projections. Journal of Magnetic Resonance Series B, 1996, 110, 75-79.   | 1.6 | 13        |
| 32 | Numerical and Workbench Design of 2.35 T Double-Tuned (¹H/²³Na) Nested RF Birdcage Coils Suitable<br>for Animal Size MRI. IEEE Transactions on Medical Imaging, 2020, 39, 3175-3186.   | 8.9 | 13        |
| 33 | Optimization of axial RF field distribution in low-frequency EPR loop-gap resonators. Physics in<br>Medicine and Biology, 1999, 44, N69-N75.   | 3.0 | 12        |
| 34 | Design and testing of a 1.5 Tesla double-tuned (1H/31P) RF surface coil with intrinsic geometric<br>isolation. Measurement: Journal of the International Measurement Confederation, 2010, 43, 1266-1276.                                       | 5.0 | 12        |
| 35 | Modification of a whole-body NMR imager into a radio frequency EPR spectrometer suitable forin vivomeasurements. Measurement Science and Technology, 1996, 7, 1012-1018.   | 2.6 | 11        |
| 36 | Comparison between Tail Suspension Swing Test and Standard Rotation Test in Revealing Early Motor<br>Behavioral Changes and Neurodegeneration in 6-OHDA Hemiparkinsonian Rats. International Journal<br>of Molecular Sciences, 2020, 21, 2874. | 4.1 | 11        |

MARCELLO ALECCI

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Lumped parameters description of RF losses in ESR experiments on electrically conducting samples.<br>Journal of Physics E: Scientific Instruments, 1989, 22, 354-359.                            | 0.7 | 10        |
| 38 | Continuous-wave NMR imaging of solids. Magnetic Resonance Materials in Physics, Biology, and<br>Medicine, 1996, 4, 77-81.  | 2.0 | 10        |
| 39 | Two-dimensional 220 MHz Fourier transform EPR imaging. Physics in Medicine and Biology, 1998, 43, 1845-1850.   | 3.0 | 10        |
| 40 | Young investigator award presentation at the 13th annual meeting of the esmrmb, september 1996, prague. Magnetic Resonance Materials in Physics, Biology, and Medicine, 1996, 4, 187-193.        | 2.0 | 9         |
| 41 | First imaging results obtained with a multimodal apparatus combining low-field (35.7 mT) MRI and pulsed EPRI. Physics in Medicine and Biology, 2002, 47, N127-N132.                              | 3.0 | 9         |
| 42 | R.F. (280 MHz) EPR imaging of extended samples: Apparatus and preliminary results. Applied Magnetic Resonance, 1992, 3, 909-915.   | 1.2 | 8         |
| 43 | Splineâ€based deconvolution technique in electron paramagnetic resonance imaging. Review of<br>Scientific Instruments, 1994, 65, 58-62.  | 1.3 | 8         |
| 44 | Resonant inductive coupling of RF EPR resonators in the presence of electrically conducting samples.<br>Measurement Science and Technology, 1998, 9, 832-837.                                    | 2.6 | 8         |
| 45 | Switching ability of over trained movements in a Parkinson's disease rat model. Behavioural Brain<br>Research, 2013, 250, 326-333.   | 2.2 | 8         |
| 46 | In vivo electron paramagnetic resonance spectroscopy-imaging in experimental oncology: The hope and the reality. International Journal of Radiation Oncology Biology Physics, 1994, 29, 421-425. | 0.8 | 7         |
| 47 | Pulsed EPR imaging: image reconstruction using selective acquisition sequences. Physics in Medicine and Biology, 1999, 44, N137-N144.  | 3.0 | 7         |
| 48 | A theoretical and experimental study on transverse field radio frequency surface coils. Measurement:<br>Journal of the International Measurement Confederation, 2010, 43, 1503-1515.             | 5.0 | 7         |
| 49 | Automatic trimming technique for multipolar magnets. Journal of Applied Physics, 1992, 71, 3053-3055.  | 2.5 | 6         |
| 50 | Optimization of multi-element transverse field radio frequency surface coils. Measurement Science and Technology, 2006, 17, N53-N59.   | 2.6 | 5         |
| 51 | Mimicking Localized Surface Plasmons via Mie Resonances to Enhance Magnetic-Resonance-Imaging<br>Applications. Physical Review Applied, 2020, 14, .  | 3.8 | 5         |
| 52 | An open volume, high isolation, radio frequency surface coil system for pulsed magnetic resonance.<br>Journal of Magnetic Resonance, 2004, 171, 353-358.   | 2.1 | 4         |
| 53 | Sequential, co-registered fluorine and proton field-cycled Overhauser imaging at a detection field of 59 mT. Physics in Medicine and Biology, 2006, 51, N39-N45.                                 | 3.0 | 4         |
| 54 | RF coil design for low and high field MRI: Numerical methods and measurements. , 2011, , .   |     | 4         |

MARCELLO ALECCI

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A novel, cylindrical, transverse gradient coil design for magnetic resonance imaging of large samples.<br>Measurement Science and Technology, 1998, 9, 1663-1671.      | 2.6 | 3         |
| 56 | Design of an elliptical permanent magnet for surface magnetic resonance imaging. Measurement<br>Science and Technology, 2009, 20, 017002.                              | 2.6 | 3         |
| 57 | A 7T double-tuned ( <sup>1</sup> H/ <sup>31</sup> P) microstrip surface RF coil for<br>the IMAGO7 MR scanner. , 2015, , .  |     | 2         |
| 58 | Non-invasive assessment of Neuromuscular Disorders by 7 tesla Magnetic Resonance Imaging and Spectroscopy: Dedicated radio-frequency coil development. , 2015, , .     |     | 1         |
| 59 | Theory of spoof magnetic localized surface plasmons beyond effective medium approximations.<br>Journal Physics D: Applied Physics, 2021, 54, 165108.                   | 2.8 | 1         |
| 60 | Improved 1.5 T Magnetic Resonance Spectroscopy in the Human Calf with a Spatially Selective Radio Frequency Surface Coil. The Open Spectroscopy Journal, 2010, 4, 1-9. | 1.0 | 1         |
| 61 | Mobile NMR for surface analysis. , 2011, , .   |     | 0         |
| 62 | A Practical Guide to Estimating Coil Inductance for Magnetic Resonance Applications. Electronics<br>(Switzerland), 2022, 11, 1974.                                     | 3.1 | 0         |