
Vassiliki A Boussiotis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4293270/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | PD-L2 is a second ligand for PD-1 and inhibits T cell activation. Nature Immunology, 2001, 2, 261-268. | 14.5 | 2,504 |
| 2 | Molecular and Biochemical Aspects of the PD-1 Checkpoint Pathway. New England Journal of Medicine, 2016, 375, 1767-1778. | 27.0 | 1,025 |
| 3 | PD-1 alters T-cell metabolic reprogramming by inhibiting glycolysis and promoting lipolysis and fatty acid oxidation. Nature Communications, 2015, 6, 6692. | 12.8 | 834 |
| 4 | Reconstructing and Deconstructing Agonist-Induced Activation of Integrin αIIbβ3. Current Biology, 2006, 16, 1796-1806. | 3.9 | 419 |
| 5 | Selective Effects of PD-1 on Akt and Ras Pathways Regulate Molecular Components of the Cell Cycle and Inhibit T Cell Proliferation. Science Signaling, 2012, 5, ra46. | 3.6 | 411 |
| 6 | The PD1:PD-L1/2 Pathway from Discovery to Clinical Implementation. Frontiers in Immunology, 2016, 7, 550. | 4.8 | 409 |
| 7 | Maintenance of Human T Cell Anergy: Blocking of IL-2 Gene Transcription by Activated Rap1. Science, 1997, 278, 124-128. | 12.6 | 408 |
| 8 | RIAM, an Ena/VASP and Profilin Ligand, Interacts with Rap1-GTP and Mediates Rap1-Induced Adhesion. Developmental Cell, 2004, 7, 585-595. | 7.0 | 382 |
| 9 | Lamellipodin, an Ena/VASP Ligand, Is Implicated in the Regulation of Lamellipodial Dynamics. Developmental Cell, 2004, 7, 571-583. | 7.0 | 301 |
| 10 | Targeted deletion of PD-1 in myeloid cells induces antitumor immunity. Science Immunology, 2020, 5, . | 11.9 | 287 |
| 11 | Revisiting the PD-1 pathway. Science Advances, 2020, 6, . | 10.3 | 277 |
| 12 | T cell anergy and costimulation. Immunological Reviews, 2003, 192, 161-180. | 6.0 | 255 |
| 13 | Tob is a negative regulator of activation that is expressed in anergic and quiescent T cells. Nature Immunology, 2001, 2, 1174-1182. | 14.5 | 250 |
| 14 | The role of peroxisome proliferator-activated receptors (PPAR) in immune responses. Metabolism: Clinical and Experimental, 2021, 114, 154338. | 3.4 | 229 |
| 15 | p27kip1 functions as an anergy factor inhibiting interleukin 2 transcription and clonal expansion of alloreactive human and mouse helper T lymphocytes. Nature Medicine, 2000, 6, 290-297. | 30.7 | 216 |
| 16 | CD28 Costimulation Mediates Down-Regulation of p27 <i>kip1</i> and Cell Cycle Progression by Activation of the PI3K/PKB Signaling Pathway in Primary Human T Cells. Journal of Immunology, 2002, 168, 2729-2736. | 0.8 | 187 |
| 17 | CD28 Costimulation Mediates T Cell Expansion Via IL-2-Independent and IL-2-Dependent Regulation of Cell Cycle Progression. Journal of Immunology, 2000, 164, 144-151. | 0.8 | 178 |
| 18 | The Role of B7-1/B7-2:CD28/CLTA-4 Pathways in the Prevention of Anergy, Induction of Productive Immunity and Down-Regulation of the Immune Response. Immunological Reviews, 1996, 153, 5-26. | 6.0 | 153 |

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------|
| 19 | Umbilical cord blood transplantation: Basic biology and clinical challenges to immune reconstitution. Clinical Immunology, 2008, 127, 286-297. | 3.2 | 153 |
| 20 | PD-1 Increases PTEN Phosphatase Activity While Decreasing PTEN Protein Stability by Inhibiting Casein Kinase 2. Molecular and Cellular Biology, 2013, 33, 3091-3098. | 2.3 | 152 |
| 21 | Biochemical Signaling of PD-1 on T Cells and Its Functional Implications. Cancer Journal (Sudbury,) Tj ETQq1 1 0 | 784314 rş 2.0 | gBT /Overlock 146 |
| 22 | Mechanisms and consequences of agonist-induced talin recruitment to platelet integrin αIlbβ3. Journal of Cell Biology, 2008, 181, 1211-1222. | 5.2 | 145 |
| 23 | Individualized vaccination of AML patients in remission is associated with induction of antileukemia immunity and prolonged remissions. Science Translational Medicine, 2016, 8, 368ra171. | 12.4 | 140 |
| 24 | CD4+CD25+ regulatory T-cell lines from human cord blood have functional and molecular properties of T-cell anergy. Blood, 2005, 106, 3068-3073. | 1.4 | 129 |
| 25 | Ex Vivo Generation of Human Anti–Pre-B Leukemia-Specific Autologous Cytolytic T Cells. Blood, 1997, 90, 549-561. | 1.4 | 125 |
| 26 | Targeting T Cell Metabolism for Improvement of Cancer Immunotherapy. Frontiers in Oncology, 2018, 8, 237. | 2.8 | 123 |
| 27 | Immunotherapies for malignant glioma. Oncogene, 2018, 37, 1121-1141. | 5.9 | 108 |
| 28 | Clearance of CMV viremia and survival after double umbilical cord blood transplantation in adults depends on reconstitution of thymopoiesis. Blood, 2010, 115, 4111-4119. | 1.4 | 107 |
| 29 | PD-1 inhibits T cell proliferation by upregulating p27 and p15 and suppressing Cdc25A. Cell Cycle, 2012, 11, 4305-4309. | 2.6 | 103 |
| 30 | A pathway regulated by cell cycle inhibitor p27Kip1 and checkpoint inhibitor Smad3 is involved in the induction of T cell tolerance. Nature Immunology, 2006, 7, 1157-1165. | 14.5 | 96 |
| 31 | IL-1β–Mediated Signals Preferentially Drive Conversion of Regulatory T Cells but Not Conventional T Cells into IL-17–Producing Cells. Journal of Immunology, 2010, 185, 4148-4153. | 0.8 | 95 |
| 32 | A secreted PD-L1 splice variant that covalently dimerizes and mediates immunosuppression. Cancer Immunology, Immunotherapy, 2019, 68, 421-432. | 4.2 | 93 |
| 33 | Interaction of SHP-2 SH2 domains with PD-1 ITSM induces PD-1 dimerization and SHP-2 activation. Communications Biology, 2020, 3, 128. | 4.4 | 91 |
| 34 | Single-cell RNA sequencing reveals evolution of immune landscape during glioblastoma progression. Nature Immunology, 2022, 23, 971-984. | 14.5 | 79 |
| 35 | The role of IL-17-producing Foxp3+ CD4+ T cells in inflammatory bowel disease and colon cancer. Clinical Immunology, 2013, 148, 246-253. | 3.2 | 70 |
| 36 | Regulation of T Cell Differentiation and Function by EZH2. Frontiers in Immunology, 2016, 7, 172. | 4.8 | 70 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Clinical significance of T cell metabolic reprogramming in cancer. Clinical and Translational Medicine, 2016, 5, 29. | 4.0 | 69 |
| 38 | The role of the thymus in T-cell immune reconstitution after umbilical cord blood transplantation. Blood, 2014, 124, 3201-3211. | 1.4 | 63 |
| 39 | Rap1-interacting adapter molecule (RIAM) associates with the plasma membrane via a proximity detector. Journal of Cell Biology, 2012, 199, 317-329. | 5.2 | 54 |
| 40 | Immunometabolic Regulations Mediated by Coinhibitory Receptors and Their Impact on T Cell Immune Responses. Frontiers in Immunology, 2017, 8, 330. | 4.8 | 44 |
| 41 | Epigenetic regulation of cancer biology and anti-tumor immunity by EZH2. Oncotarget, 2016, 7, 85624-85640. | 1.8 | 44 |
| 42 | CD134-Allodepletion Allows Selective Elimination of Alloreactive Human T Cells without Loss of Virus-Specific and Leukemia-Specific Effectors. Biology of Blood and Marrow Transplantation, 2008, 14, 518-530. | 2.0 | 43 |
| 43 | Somatic Mutations and Immunotherapy Outcome with CTLA-4 Blockade in Melanoma. New England Journal of Medicine, 2014, 371, 2230-2232. | 27.0 | 43 |
| 44 | The adaptor molecule RIAM integrates signaling events critical for integrin-mediated control of immune function and cancer progression. Science Signaling, 2017, 10, . | 3.6 | 39 |
| 45 | Runx1 and Runx3 Are Involved in the Generation and Function of Highly Suppressive IL-17-Producing T Regulatory Cells. PLoS ONE, 2012, 7, e45115. | 2.5 | 37 |
| 46 | RIAM (Rap1-interacting adaptor molecule) regulates complement-dependent phagocytosis. Cellular and Molecular Life Sciences, 2013, 70, 2395-2410. | 5.4 | 36 |
| 47 | Rap1-GTP-interacting Adaptor Molecule (RIAM) Protein Controls Invasion and Growth of Melanoma Cells. Journal of Biological Chemistry, 2011, 286, 18492-18504. | 3.4 | 35 |
| 48 | Rap1-GTP Is a Negative Regulator of Th Cell Function and Promotes the Generation of CD4+CD103+ Regulatory T Cells In Vivo. Journal of Immunology, 2005, 175, 3133-3139. | 0.8 | 33 |
| 49 | Tob, a member of the APRO family, regulates immunological quiescence and tumor suppression. Cell Cycle, 2009, 8, 1019-1025. | 2.6 | 31 |
| 50 | The cyclin dependent kinase inhibitor (R)-roscovitine prevents alloreactive T cell clonal expansion and protects against acute GvHD. Cell Cycle, 2009, 8, 1794-1802. | 2.6 | 30 |
| 51 | CD28 Costimulation Mediates Transcription of SKP2 and CKS1, the Substrate Recognition Components of SCFSkp2 Ubiquitin Ligase That Leads p27kip1 to Degradation. Cell Cycle, 2006, 5, 2123-2129. | 2.6 | 29 |
| 52 | RIAM Regulates the Cytoskeletal Distribution and Activation of PLC-Î ³ 1 in T Cells. Science Signaling, 2009, 2, ra79. | 3.6 | 29 |
| 53 | The role of metabolic reprogramming in T cell fate and function. Current Trends in Immunology, 2016, 17, 1-12. | 4.0 | 29 |
| 54 | Molecular and functional heterogeneity of T regulatory cells. Clinical Immunology, 2011, 141, 244-252. | 3.2 | 28 |

| # | Article | IF | CITATIONS |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 55 | Physiologic regulation of central and peripheral T cell tolerance: lessons for therapeutic applications. Journal of Molecular Medicine, 2006, 84, 887-899. | 3.9 | 24 |
| 56 | PD-1+ Treg cells: a foe in cancer immunotherapy?. Nature Immunology, 2020, 21, 1311-1312. | 14.5 | 24 |
| 5 7 | Rap1 Regulation of RIAM and Cell Adhesion. Methods in Enzymology, 2006, 407, 345-358. | 1.0 | 23 |
| 58 | Blockade of 6-phosphogluconate dehydrogenase generates CD8+ effector TÂcells with enhanced anti-tumor function. Cell Reports, 2021, 34, 108831. | 6.4 | 23 |
| 59 | IL-7 and SCF Levels Inversely Correlate with T Cell Reconstitution and Clinical Outcomes after Cord Blood Transplantation in Adults. PLoS ONE, 2015, 10, e0132564. | 2.5 | 22 |
| 60 | The PDâ€∃ Interactome. Advanced Biology, 2021, 5, e2100758. | 2.5 | 21 |
| 61 | Metabolic Targets for Improvement of Allogeneic Hematopoietic Stem Cell Transplantation and Graft-vsHost Disease. Frontiers in Immunology, 2019, 10, 295. | 4.8 | 20 |
| 62 | Phosphorylation of PD-1-Y248 is a marker of PD-1-mediated inhibitory function in human T cells. Scientific Reports, 2019, 9, 17252. | 3.3 | 20 |
| 63 | Rap1A regulates generation of T regulatory cells via LFA-1-dependent and LFA-1-independent mechanisms. Cellular Immunology, 2010, 266, 7-13. | 3.0 | 16 |
| 64 | T Cell Metabolism in Cancer Immunotherapy. Immunometabolism, 2020, 2, . | 1.6 | 16 |
| 65 | Twisted gastrulation (Tsg) is regulated by Tob and enhances TGF-Î ² signaling in activated T lymphocytes. Blood, 2007, 109, 2944-2952. | 1.4 | 14 |
| 66 | The cyclin dependent kinase inhibitor (R)-roscovitine mediates selective suppression of alloreactive human T cells but preserves pathogen-specific and leukemia-specific effectors. Clinical Immunology, 2014, 152, 48-57. | 3.2 | 13 |
| 67 | Possible reactivation of chromosomally integrated human herpesvirus 6 after treatment with histone deacetylase inhibitor. Blood Advances, 2018, 2, 1367-1370. | 5.2 | 13 |
| 68 | Active Rap1, a small GTPase that induces malignant transformation of hematopoietic progenitors, localizes in the nucleus and regulates protein expression. Leukemia and Lymphoma, 2007, 48, 987-1002. | 1.3 | 12 |
| 69 | R24 anti-GD3 ganglioside antibody can induce co-stimulation and prevent the induction of alloantigen-specific T cell clonal anergy. European Journal of Immunology, 1996, 26, 2149-2154. | 2.9 | 11 |
| 70 | Cell-specific PD-L1 expression in DLBCL. Blood, 2015, 126, 2171-2172. | 1.4 | 11 |
| 71 | Reactivation of BK virus after double umbilical cord blood transplantation in adults correlates with impaired reconstitution of CD4+ and CD8+ T effector memory cells and increase of T regulatory cells. Clinical Immunology, 2019, 207, 18-23. | 3.2 | 10 |
| 72 | Effects of PD-1 Signaling on Immunometabolic Reprogramming. Immunometabolism, 2022, 4, . | 1.6 | 10 |

5

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 73 | BK polyomavirus reactivation after reduced-intensity double umbilical cord blood cell transplantation. Transplant Immunology, 2015, 32, 116-120. | 1.2 | 7 |
| 74 | Clinical Trial Evaluating DC/AML Fusion Cell Vaccination In AML Patients. Blood, 2013, 122, 3928-3928. | 1.4 | 7 |
| 75 | Phosphorylation of Tyrosine 340 in the Plekstrin Homology Domain of RIAM Is Required for Translocation of RIAM to the Plasma Membrane, Phosphorylation of RIAM-Associated PLC-g1 and LFA-1 Activation. Blood, 2014, 124, 2743-2743. | 1.4 | 5 |
| 76 | JAK3-mediated phosphorylation of EZH2: a novel mechanism of non-canonical EZH2 activation and oncogenic function. Translational Cancer Research, 2016, 5, S1208-S1211. | 1.0 | 5 |
| 77 | Angiogenic Factors Correlate with T Cell Immune Reconstitution and Clinical Outcomes after Double-Unit Umbilical Cord Blood Transplantation in Adults. Biology of Blood and Marrow Transplantation, 2017, 23, 103-112. | 2.0 | 4 |
| 78 | A phase II study of reduced intensity double umbilical cord blood transplantation using fludarabine, melphalan, and low dose total body irradiation. Bone Marrow Transplantation, 2020, 55, 804-810. | 2.4 | 3 |
| 79 | Structural, biochemical, and functional properties of the Rap1-Interacting Adaptor Molecule (RIAM). Biomedical Journal, 2021, , . | 3.1 | 3 |
| 80 | Clinical Trial Evaluating DC/AML Fusion Cell Vaccination Alone and in Conjunction with PD-1 Blockade in AML Patients Who Achieve a Chemotherapy-Induced Remission. Blood, 2011, 118, 948-948. | 1.4 | 3 |
| 81 | Blockade of PD-1 in Combination with Dendritic Cell/Myeloma Fusion Cell Vaccination Following Autologous Stem Cell Transplantation. Blood, 2012, 120, 578-578. | 1.4 | 3 |
| 82 | PD-1 Inhibits TCR Proximal Signaling By Sequestering SHP-2 Phosphatase and Facilitating Csk-Mediated Inhibitory Phosphorylation of Lck. Blood, 2015, 126, 283-283. | 1.4 | 3 |
| 83 | Feeling stressed? It might be your T cells. Nature Immunology, 2017, 18, 1281-1283. | 14.5 | 2 |
| 84 | Unraveling Key Players of Humoral Immunity: Advanced and Optimized Lymphocyte Isolation Protocol from Murine Peyer's Patches. Journal of Visualized Experiments, 2018, , . | 0.3 | 2 |
| 85 | Metabolic Reprogramming of Myeloid Cells in Response to Factors of "Emergency" Myelopoiesis By Myeloid-Specific PD-1 Ablation, Regulates Myeloid Lineage Fate Commitment and Anti-Tumor Immunity. Blood, 2018, 132, 14-14. | 1.4 | 2 |
| 86 | Rap1-GTP Promotes the Generation of Regulatory T Cells in Vivo Blood, 2004, 104, 110-110. | 1.4 | 2 |
| 87 | The E3 Ubiquitin Ligase TRIM36, a Transcriptional Target of Tob, Is Expressed in Anergic T Cells and Mediates Unresponsiveness through Proteolysis of Signaling Proteins PLC- γ1 and PKC-? Blood, 2004, 104, 113-113. | 1.4 | 2 |
| 88 | Dendritic Cell Tumor Fusion Vaccination in Conjunction with Autologous Transplantation for Multiple Myeloma Blood, 2009, 114, 783-783. | 1.4 | 2 |
| 89 | Commentary on: Combination of Metabolic Intervention and T Cell Therapy Enhances Solid Tumor Immunotherapy. Immunometabolism, 2021, 3, . | 1.6 | 2 |
| 90 | Assessment of a multi-cytokine profile by a novel biochip-based assay allows correlation of cytokine profiles with clinical outcomes in adult recipients of umbilical cord blood transplantation. Bone Marrow Transplantation, 2020, 55, 1821-1823. | 2.4 | 1 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Development of HHV-6-Specific Immunity after Cord Blood Transplantation in Adults Depends on Reconstitution of Thymopoiesis and Regeneration of CD4+ T Cells. Blood, 2019, 134, 3275-3275. | 1.4 | 1 |
| 92 | Effects of Cord Blood Cell Subset Populations in the Development of the Dominant Cord Blood Unit in Non-Myeloablative Sequential Double Cord Blood Transplantation (DCBT) Blood, 2006, 108, 3148-3148. | 1.4 | 1 |
| 93 | Targeting Acute Myeloid Leukemia Stem Cells by MUC1-C Subunit Inhibition. Blood, 2010, 116, 848-848. | 1.4 | 1 |
| 94 | Interaction of Both SH2 Domains of SHP-2 with a PD-1 Homodimer Is Required for PD-1-Mediated Inhibition of T Cell Responses. Blood, 2016, 128, 859-859. | 1.4 | 1 |
| 95 | CD4+CD25+ Regulatory T Cells from Cord Blood Have Functional and Molecular Properties of T Cell Anergy Blood, 2004, 104, 316-316. | 1.4 | 1 |
| 96 | The Rap1-RIAM Pathway Regulates the Expression of Integrins αEβ7(CD103) and α4β7, Which Guide T Cell Homing to Intestinal Compartments. Blood, 2018, 132, 864-864. | 1.4 | 1 |
| 97 | Flow Cytometric Analysis for Identification of the Innate and Adaptive Immune Cells of Murine Lung. Journal of Visualized Experiments, 2021, , . | 0.3 | 1 |
| 98 | Pparα Ablation Suppresses T Cell Responses and Anti-Tumor Immunity By Compromising the Antigen-Presenting Properties of Tumor-Associated Macrophages. Blood, 2021, 138, 438-438. | 1.4 | 1 |
| 99 | IMMU-31. DRIVER GENE MUTATIONS DICTATE THE COMPOSITION OF THE IMMUNE LANDSCAPE OF GLIOBLASTOMA AND CONFER SELECTIVE RESPONSE TO IMMUNOTHERAPY. Neuro-Oncology, 2019, 21, vi125-vi125. | 1.2 | 0 |
| 100 | RIAM, a New Rap1 Effector, Functions Downstream of Rap1 and Regulates Rap1 Localization at the Plasma Membrane and Rap1-Induced Adhesion Blood, 2004, 104, 510-510. | 1.4 | 0 |
| 101 | RIAM Regulate Spatio-Temporal Distribution of PLC-Î ³ 1 and Calcium Mobilization during T Cell Activation. Blood, 2008, 112, 673-673. | 1.4 | Ο |
| 102 | Development of CMV-SPECIFIC Immunity after Cord Blood Transplantation in Adults Depends on Reconstitution of Thymopoiesis and Regeneration of NAII `VE CD8+ T Cells. Blood, 2008, 112, 1167-1167. | 1.4 | 0 |
| 103 | Roscovitine Prevents Alloreactive T Cell Expansion and TNF-a-Mediated Proinflammatory Gene Expression and Protects against GvHD Blood, 2008, 112, 2341-2341. | 1.4 | 0 |
| 104 | RIAM and RapL Regulate Distinct Signaling Events and Functional Outcomes Upon TCR-Mediated Activation Blood, 2009, 114, 3683-3683. | 1.4 | 0 |
| 105 | Rap1-GTP Augments Activation of Smad and p38 Mediated Signaling Downstream of TGF-β Receptor In T Lymphocytes. Blood, 2010, 116, 956-956. | 1.4 | 0 |
| 106 | RIAM. The AFCS-nature Molecule Pages, 0, , . | 0.2 | 0 |
| 107 | Addition of Clofarabine to TLI/ATG Conditioning: Impact on Immune Reconstitution and Clinical Outcomes,. Blood, 2011, 118, 4066-4066. | 1.4 | 0 |
| 108 | Immune Reconstitution After Cord Blood Transplantation in Adults Depends on Activity of Thymic Epithelial Cells and Vascular Endothelial Elements,. Blood, 2011, 118, 4075-4075. | 1.4 | 0 |

| # | Article | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Targeting Leukemia Initiating Cells by MUC1-C Subunit Inhibition. Blood, 2012, 120, 3583-3583. | 1.4 | Ο |
| 110 | BK Virus Reactivation After Double Umbilical Cord Blood Transplantation in Adults Correlates with Tregs and Delayed Reconstitution of CD4+ and CD8+ T Effector Cells. Blood, 2012, 120, 4174-4174. | 1.4 | 0 |
| 111 | Inhibition Of Cdk2 Promotes The Generation Of Inducible CD8+ T Regulatory Cells By Modulating The Epigenetic Regulator EZH2. Blood, 2013, 122, 138-138. | 1.4 | Ο |
| 112 | Prognostic Value of TREC, IL-7 and SCF Levels on Clinical Outcomes after Double Umbilical Cord Blood Transplantation in Adults. Blood, 2014, 124, 2488-2488. | 1.4 | 0 |
| 113 | Delayed Platelet Engraftment after Umbilical Cord Blood Transplant: Relationship to Circulating Levels of Thrombopoietin. Blood, 2014, 124, 3862-3862. | 1.4 | 0 |
| 114 | RIAM Interacts with the Hematopoietic-Specific Adaptor Protein Gads and Forms a LAT-Independent Node of Signal Integration That Regulates Activation of PLC-γ1. Blood, 2014, 124, 4138-4138. | 1.4 | 0 |
| 115 | Rap1-GTP Augments TGF-b-Mediated Signaling in T Lymphocytes Via a Mechanism Dependent on the b Chain of LFA-1 Integrin. Blood, 2015, 126, 3422-3422. | 1.4 | 0 |
| 116 | RIAM (Rap1-Interactive Adaptor Molecule). , 2016, , 1-10. | | 0 |
| 117 | Prostaglandin E2 Alters the Differentiation and Function of Antigen-Specific T Cells By Targeting the Metabolic Gene Regulatory Network Downstream of mTORC1. Blood, 2016, 128, 552-552. | 1.4 | Ο |
| 118 | RIAM (Rap1-Interactive Adaptor Molecule). , 2018, , 4700-4709. | | 0 |
| 119 | The Two SH2 Domains of SHP-2 Bridge Two PD-1 Molecules Resulting in SHP-2 Activation and PD-1-Mediated Inhibition. Blood, 2018, 132, 862-862. | 1.4 | Ο |
| 120 | Myeloid-Specific SHP-2 Ablation Induces Robust Anti-Tumor Immunity That Is Not Further Enhanced By PD-1 Blockade. Blood, 2020, 136, 25-26. | 1.4 | 0 |