

Marija Z SljiviÄ-IvanoviÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/429336/publications.pdf>

Version: 2024-02-01

43
papers

706
citations

566801

15
h-index

552369

26
g-index

43
all docs

43
docs citations

43
times ranked

934
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Novel approach for strontium preconcentration from seawater and rapid determination of ^{89,90} Sr in emergency situations. <i>Talanta</i> , 2022, 250, 123722. | 2.9 | 1 |
| 2 | Influence of bentonite and zeolite on Cs ⁺ and Co ²⁺ cement matrix leaching phenomena. <i>Nuclear Technology and Radiation Protection</i> , 2021, 36, 60-65. | 0.3 | 0 |
| 3 | Efficient separation of strontium radionuclides from high-salinity wastewater by zeolite 4A synthesized from Bayer process liquids. <i>Scientific Reports</i> , 2021, 11, 1738. | 1.6 | 12 |
| 4 | Selenate Adsorption from Water Using the Hydrous Iron Oxide-Impregnated Hybrid Polymer. <i>Metals</i> , 2020, 10, 1630. | 1.0 | 8 |
| 5 | Utilization of C&D waste in radioactive waste treatment – Current knowledge and perspectives. , 2020, , 475-500. | | 7 |
| 6 | Radionuclide Immobilization by Sorption onto Waste Concrete and Bricks – Experimental Design Methodology. <i>Water, Air, and Soil Pollution</i> , 2019, 230, 1. | 1.1 | 3 |
| 7 | Interactions of acidic soil near copper mining and smelting complex and waste-derived alkaline additives. <i>Geoderma</i> , 2019, 352, 241-250. | 2.3 | 8 |
| 8 | Cadmium retention and distribution in contaminated soil: effects and interactions of soil properties, contamination level, aging time and in situ immobilization agents. <i>Ecotoxicology and Environmental Safety</i> , 2019, 174, 305-314. | 2.9 | 51 |
| 9 | Utilization of waste materials in heavy metals and radionuclides immobilization by sorption. <i>Tehnika</i> , 2019, 74, 337-344. | 0.0 | 0 |
| 10 | Leaching kinetics of Cs ⁺ and Co ²⁺ under dynamic conditions. <i>Nuclear Technology and Radiation Protection</i> , 2019, 34, 243-248. | 0.3 | 0 |
| 11 | Estimation of Cadmium uptake by tobacco plants from laboratory leaching tests. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018, 53, 352-361. | 0.9 | 4 |
| 12 | The applicability of construction and demolition waste components for radionuclide sorption. <i>Journal of Cleaner Production</i> , 2018, 171, 322-332. | 4.6 | 24 |
| 13 | Experimental and theoretical consideration of the factors influencing cationic pollutants retention by seashell waste. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 1477-1487. | 1.6 | 9 |
| 14 | Amendment Type and Dose Effects onto Coexisting Copper, Lead, and Nickel Ions Distribution in Soil. <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1. | 1.1 | 1 |
| 15 | Exploring innovative solutions for aged concrete utilization: treatment of liquid radioactive waste. <i>Clean Technologies and Environmental Policy</i> , 2018, 20, 1343-1354. | 2.1 | 8 |
| 16 | Leaching kinetics of Co(II) and Sr(II) contaminated soil via chemical extraction method. <i>Nuclear Technology and Radiation Protection</i> , 2018, 33, 252-259. | 0.3 | 0 |
| 17 | Sorption and mobility of Co(II) in relation to soil properties. <i>Geoderma</i> , 2017, 297, 38-47. | 2.3 | 14 |
| 18 | Utilization of waste ceramics and roof tiles for radionuclide sorption. <i>Chemical Engineering Research and Design</i> , 2017, 105, 348-360. | 2.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The application of experimental design methodology for the investigation of liquid radioactive waste treatment. Nuclear Technology and Radiation Protection, 2017, 32, 281-287. | 0.3 | 4 |
| 20 | Effect of experimental variables onto Co ²⁺ and Sr ²⁺ sorption behavior in red mud-water suspensions. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2016, 51, 1-12. | 0.9 | 2 |
| 21 | Chemical speciation of metals in unpolluted soils of different types: Correlation with soil characteristics and an ANN modelling approach. Journal of Geochemical Exploration, 2016, 165, 71-80. | 1.5 | 26 |
| 22 | Ni(II) immobilization by bio-apatite materials: Appraisal of chemical, thermal and combined treatments. Chemical Industry and Chemical Engineering Quarterly, 2016, 22, 117-126. | 0.4 | 4 |
| 23 | Evaluation study of cobalt(II) and strontium(II) sorption-desorption behavior for selection of soil remediation technology. International Journal of Environmental Science and Technology, 2015, 12, 3853-3862. | 1.8 | 15 |
| 24 | Concurrent Co ²⁺ and Sr ²⁺ sorption from binary mixtures using aluminum industry waste: Kinetic study. Russian Journal of Physical Chemistry A, 2015, 89, 2461-2465. | 0.1 | 2 |
| 25 | Correlation of Sr ²⁺ retention and distribution with properties of different soil types. Geoderma, 2015, 253-254, 21-29. | 2.3 | 24 |
| 26 | Study of Simultaneous Radionuclide Sorption by Mixture Design Methodology. Industrial & Engineering Chemistry Research, 2015, 54, 11212-11221. | 1.8 | 17 |
| 27 | Evaluation of the effects of treatment factors on the properties of bio-apatite materials. Journal of Materials Science, 2015, 50, 354-365. | 1.7 | 9 |
| 28 | Effect of acid treatment on red mud properties with implications on Ni(II) sorption and stability. Chemical Engineering Journal, 2014, 242, 27-35. | 6.6 | 72 |
| 29 | Speciation of ⁹⁰ Sr and other metal cations in artificially contaminated soils: the influence of bone sorbent addition. Journal of Soils and Sediments, 2013, 13, 383-393. | 1.5 | 18 |
| 30 | The influence of citrate anion on Ni(II) removal by raw red mud from aluminum industry. Chemical Engineering Journal, 2013, 214, 327-335. | 6.6 | 30 |
| 31 | Analysis and comparison of mass transfer phenomena related to Cu ²⁺ sorption by hydroxyapatite and zeolite. Chemical Engineering Journal, 2013, 223, 833-843. | 6.6 | 20 |
| 32 | Analysis of factors influencing Cu(II) sorption by clinoptilolite. Hemijska Industrija, 2013, 67, 739-745. | 0.3 | 0 |
| 33 | Evaluation of factors influencing Co ²⁺ removal by calcinated bone sorbent using experimental design methodology. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2012, 47, 896-908. | 0.9 | 2 |
| 34 | Study of factors affecting Ni ²⁺ immobilization efficiency by temperature activated red mud. Chemical Engineering Journal, 2011, 168, 610-619. | 6.6 | 23 |
| 35 | The effect of process parameters on kinetics and mechanisms of Co ²⁺ removal by bone char. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2011, 46, 1558-1569. | 0.9 | 16 |
| 36 | The role of external and internal mass transfer in the process of Cu ²⁺ removal by natural mineral sorbents. Environmental Technology (United Kingdom), 2011, 32, 933-943. | 1.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Resource recovery of animal bones: Study on sorptive properties and mechanism for Sr ²⁺ ions. Journal of Nuclear Materials, 2010, 400, 15-24. | 1.3 | 20 |
| 38 | The influence of equilibration conditions and hydroxyapatite physico-chemical properties onto retention of Cu ²⁺ ions. Chemical Engineering Journal, 2009, 148, 80-88. | 6.6 | 53 |
| 39 | Comparative study of Cu ²⁺ adsorption on a zeolite, a clay and a diatomite from Serbia. Applied Clay Science, 2009, 43, 33-40. | 2.6 | 120 |
| 40 | The batch study of Sr ²⁺ sorption by bone char. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2008, 43, 210-217. | 0.9 | 24 |
| 41 | Radioactive Contamination of the Soil: Assessments of Pollutants Mobility with Implication to Remediation Strategies. , 0, , . | | 15 |
| 42 | Separation of Cu(II) ions from synthetic solutions and waste water by raw and calcined seashell waste. , 0, 132, 205-214. | | 9 |
| 43 | Application of Copper Mining Waste in Radionuclide and Heavy Metal Immobilization. Clean - Soil, Air, Water, 0, , 2000419. | 0.7 | 1 |