

Ghenadii Korotcenkov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4298437/publications.pdf>

Version: 2024-02-01

161
papers

8,756
citations

50276

46
h-index

43889

91
g-index

173
all docs

173
docs citations

173
times ranked

7243
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal oxides for solid-state gas sensors: What determines our choice?. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007, 139, 1-23.	3.5	1,313
2	Gas response control through structural and chemical modification of metal oxide films: state of the art and approaches. <i>Sensors and Actuators B: Chemical</i> , 2005, 107, 209-232.	7.8	628
3	The role of morphology and crystallographic structure of metal oxides in response of conductometric-type gas sensors. <i>Materials Science and Engineering Reports</i> , 2008, 61, 1-39.	31.8	500
4	Metal oxide composites in conductometric gas sensors: Achievements and challenges. <i>Sensors and Actuators B: Chemical</i> , 2017, 244, 182-210.	7.8	397
5	Review of Electrochemical Hydrogen Sensors. <i>Chemical Reviews</i> , 2009, 109, 1402-1433.	47.7	390
6	Instability of metal oxide-based conductometric gas sensors and approaches to stability improvement (short survey). <i>Sensors and Actuators B: Chemical</i> , 2011, 156, 527-538.	7.8	267
7	Engineering approaches for the improvement of conductometric gas sensor parameters. <i>Sensors and Actuators B: Chemical</i> , 2013, 188, 709-728.	7.8	193
8	Peculiarities of SnO ₂ thin film deposition by spray pyrolysis for gas sensor application. <i>Sensors and Actuators B: Chemical</i> , 2001, 77, 244-252.	7.8	155
9	The influence of film structure on In ₂ O ₃ gas response. <i>Thin Solid Films</i> , 2004, 460, 315-323.	1.8	155
10	Grain Size Effects in Sensor Response of Nanostructured SnO ₂ - and In ₂ O ₃ -Based Conductometric Thin Film Gas Sensor. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2009, 34, 1-17.	12.3	149
11	Handbook of Gas Sensor Materials. <i>Integrated Analytical Systems</i> , 2013, , .	0.4	140
12	Structural stability of indium oxide films deposited by spray pyrolysis during thermal annealing. <i>Thin Solid Films</i> , 2005, 479, 38-51.	1.8	137
13	Conductometric gas sensors based on metal oxides modified with gold nanoparticles: a review. <i>Mikrochimica Acta</i> , 2016, 183, 1033-1054.	5.0	135
14	Influence of surface Pd doping on gas sensing characteristics of SnO ₂ thin films deposited by spray pyrolysis. <i>Thin Solid Films</i> , 2003, 436, 119-126.	1.8	133
15	Thin film SnO ₂ -based gas sensors: Film thickness influence. <i>Sensors and Actuators B: Chemical</i> , 2009, 142, 321-330.	7.8	131
16	Silicon Porosification: State of the Art. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2010, 35, 153-260.	12.3	128
17	In ₂ O ₃ films deposited by spray pyrolysis as a material for ozone gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2004, 99, 297-303.	7.8	117
18	Practical aspects in design of one-electrode semiconductor gas sensors: Status report. <i>Sensors and Actuators B: Chemical</i> , 2007, 121, 664-678.	7.8	117

#	ARTICLE	IF	CITATIONS
19	Factors influencing the gas sensing characteristics of tin dioxide films deposited by spray pyrolysis: understanding and possibilities of control. <i>Thin Solid Films</i> , 2001, 391, 167-175.	1.8	101
20	Porous Semiconductors: Advanced Material for Gas Sensor Applications. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2010, 35, 1-37.	12.3	98
21	Ozone measuring: What can limit application of SnO ₂ -based conductometric gas sensors?. <i>Sensors and Actuators B: Chemical</i> , 2012, 161, 28-44.	7.8	98
22	Kinetics of gas response to reducing gases of SnO ₂ films, deposited by spray pyrolysis. <i>Sensors and Actuators B: Chemical</i> , 2004, 98, 41-45.	7.8	96
23	The role of doping effect on the response of SnO ₂ -based thin film gas sensors: Analysis based on the results obtained for Co-doped SnO ₂ films deposited by spray pyrolysis. <i>Sensors and Actuators B: Chemical</i> , 2013, 182, 112-124.	7.8	96
24	Electrical behavior of SnO ₂ thin films in humid atmosphere. <i>Sensors and Actuators B: Chemical</i> , 1999, 54, 197-201.	7.8	95
25	Effect of air humidity on gas response of SnO ₂ thin film ozone sensors. <i>Sensors and Actuators B: Chemical</i> , 2007, 122, 519-526.	7.8	95
26	Experimental and theoretical studies of indium oxide gas sensors fabricated by spray pyrolysis. <i>Sensors and Actuators B: Chemical</i> , 2005, 106, 563-571.	7.8	94
27	Engineering approaches to improvement of conductometric gas sensor parameters. Part 2: Decrease of dissipated (consumable) power and improvement stability and reliability. <i>Sensors and Actuators B: Chemical</i> , 2014, 198, 316-341.	7.8	89
28	Ozone sensors on the base of SnO ₂ films deposited by spray pyrolysis. <i>Sensors and Actuators B: Chemical</i> , 2007, 120, 679-686.	7.8	86
29	Current Trends in Nanomaterials for Metal Oxide-Based Conductometric Gas Sensors: Advantages and Limitations. Part 1: 1D and 2D Nanostructures. <i>Nanomaterials</i> , 2020, 10, 1392.	4.1	79
30	Faceting characterization of tin dioxide nanocrystals deposited by spray pyrolysis from stannic chloride water solution. <i>Thin Solid Films</i> , 2005, 471, 310-319.	1.8	78
31	Kinetics of indium oxide-based thin film gas sensor response: The role of redox and adsorption/desorption processes in gas sensing effects. <i>Thin Solid Films</i> , 2007, 515, 3987-3996.	1.8	76
32	The role of grain size on the thermal instability of nanostructured metal oxides used in gas sensor applications and approaches for grain-size stabilization. <i>Progress in Crystal Growth and Characterization of Materials</i> , 2012, 58, 167-208.	4.0	75
33	Simulation of thin film gas sensors kinetics. <i>Sensors and Actuators B: Chemical</i> , 1999, 61, 143-153.	7.8	73
34	Influence of Cu-, Fe-, Co-, and Mn-oxide nanoclusters on sensing behavior of SnO ₂ films. <i>Thin Solid Films</i> , 2004, 467, 209-214.	1.8	73
35	In ₂ O ₃ films deposited by spray pyrolysis: gas response to reducing (CO, H ₂) gases. <i>Sensors and Actuators B: Chemical</i> , 2004, 98, 122-129.	7.8	73
36	Morphological rank of nano-scale tin dioxide films deposited by spray pyrolysis from SnCl ₄ ·5H ₂ O water solution. <i>Thin Solid Films</i> , 2002, 408, 51-58.	1.8	72

#	ARTICLE	IF	CITATIONS
37	The nature of processes controlling the kinetics of indium oxide-based thin film gas sensor response. <i>Sensors and Actuators B: Chemical</i> , 2007, 128, 51-63.	7.8	68
38	Structural and gas response characterization of nano-size SnO ₂ films deposited by SILD method. <i>Sensors and Actuators B: Chemical</i> , 2003, 96, 602-609.	7.8	62
39	Acceptor-like behavior of reducing gases on the surface of n-type In ₂ O ₃ . <i>Applied Surface Science</i> , 2004, 227, 122-131.	6.1	61
40	Gas-sensing characteristics of one-electrode gas sensors based on doped In ₂ O ₃ ceramics. <i>Sensors and Actuators B: Chemical</i> , 2004, 103, 13-22.	7.8	60
41	Possibilities of aerosol technology for deposition of SnO ₂ -based films with improved gas sensing characteristics. <i>Materials Science and Engineering C</i> , 2002, 19, 73-77.	7.3	55
42	In ₂ O ₃ - and SnO ₂ -Based Thin Film Ozone Sensors: Fundamentals. <i>Journal of Sensors</i> , 2016, 2016, 1-31.	1.1	55
43	Structural characterization of SnO ₂ gas sensing films deposited by spray pyrolysis. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2000, 77, 33-39.	3.5	53
44	Handbook of Gas Sensor Materials. <i>Integrated Analytical Systems</i> , 2014, , .	0.4	48
45	The influence of additives on gas sensing and structural properties of In ₂ O ₃ -based ceramics. <i>Sensors and Actuators B: Chemical</i> , 2007, 120, 657-664.	7.8	47
46	(Cu, Fe, Co, or Ni)-doped tin dioxide films deposited by spray pyrolysis: doping influence on film morphology. <i>Journal of Materials Science</i> , 2008, 43, 2761-2770.	3.7	47
47	(Cu, Fe, Co, or Ni)-doped tin dioxide films deposited by spray pyrolysis: Doping influence on thermal stability of the film structure. <i>Materials Chemistry and Physics</i> , 2009, 113, 756-763.	4.0	47
48	XPS and TPD study of Rh/SnO ₂ system – Reversible process of substrate oxidation and reduction. <i>Surface Science</i> , 2006, 600, 4233-4238.	1.9	46
49	The influence of gold nanoparticles on the conductivity response of SnO ₂ -based thin film gas sensors. <i>Applied Surface Science</i> , 2015, 353, 793-803.	6.1	43
50	Processes development for low cost and low power consuming SnO ₂ thin film gas sensors (TFGS). <i>Sensors and Actuators B: Chemical</i> , 1999, 54, 202-209.	7.8	41
51	Crystallographic characterization of In ₂ O ₃ films deposited by spray pyrolysis. <i>Sensors and Actuators B: Chemical</i> , 2002, 84, 37-42.	7.8	39
52	Study of Pd–In interaction during Pd deposition on pyrolytically prepared In ₂ O ₃ . <i>Applied Surface Science</i> , 2003, 205, 196-205.	6.1	38
53	Gas sensor application of Ag nanoclusters synthesized by SILD method. <i>Sensors and Actuators B: Chemical</i> , 2012, 166-167, 402-410.	7.8	37
54	Thermoelectrical properties of spray pyrolyzed indium oxide thin films doped by tin. <i>Thin Solid Films</i> , 2014, 552, 225-231.	1.8	37

#	ARTICLE	IF	CITATIONS
55	Successive ionic layer deposition (SILD) as a new sensor technology: synthesis and modification of metal oxides. <i>Measurement Science and Technology</i> , 2006, 17, 1861-1869.	2.6	36
56	Ozone sensors based on SnO ₂ films modified by SnO ₂ @Au nanocomposites synthesized by the SILD method. <i>Sensors and Actuators B: Chemical</i> , 2009, 138, 512-517.	7.8	36
57	Bulk doping influence on the response of conductometric SnO ₂ gas sensors: Understanding through cathodoluminescence study. <i>Sensors and Actuators B: Chemical</i> , 2014, 196, 80-98.	7.8	35
58	Spray pyrolysis deposition of undoped SnO ₂ and In ₂ O ₃ films and their structural properties. <i>Progress in Crystal Growth and Characterization of Materials</i> , 2017, 63, 1-47.	4.0	32
59	Ultra-low thermal conductivity of nanogranular indium tin oxide films deposited by spray pyrolysis. <i>Applied Physics Letters</i> , 2017, 110, .	3.3	32
60	In ₂ O ₃ - and SnO ₂ -based Ozone Sensors: Design and Characterization. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2018, 43, 83-132.	12.3	31
61	SnO ₂ thin films modified by the SnO ₂ @Au nanocomposites: Response to reducing gases. <i>Sensors and Actuators B: Chemical</i> , 2009, 141, 610-616.	7.8	30
62	Photoconductivity in In ₂ O ₃ nanoscale thin films: Interrelation with chemisorbed-type conductometric response towards oxygen. <i>Sensors and Actuators B: Chemical</i> , 2010, 148, 427-438.	7.8	30
63	Material Design for Metal Oxide Chemiresistive Gas Sensors. <i>Journal of Sensor Science and Technology</i> , 2013, 22, 1-17.	0.2	30
64	Synchrotron radiation photoemission study of indium oxide surface prepared by spray pyrolysis method. <i>Applied Surface Science</i> , 2005, 243, 335-344.	6.1	28
65	SnO ₂ @Au nanocomposite synthesized by successive ionic layer deposition method: Characterization and application in gas sensors. <i>Materials Chemistry and Physics</i> , 2011, 128, 433-441.	4.0	28
66	In ₂ O ₃ -Based Thermoelectric Materials: The State of the Art and the Role of Surface State in the Improvement of the Efficiency of Thermoelectric Conversion. <i>Crystals</i> , 2018, 8, 14.	2.2	28
67	Valence band and band gap photoemission study of (111) In ₂ O ₃ epitaxial films under interactions with oxygen, water and carbon monoxide. <i>Surface Science</i> , 2007, 601, 5585-5594.	1.9	26
68	Black Phosphorus-New Nanostructured Material for Humidity Sensors: Achievements and Limitations. <i>Sensors</i> , 2019, 19, 1010.	3.8	26
69	CO adsorption on Pd clusters deposited on pyrolytically prepared SnO ₂ studied by XPS. <i>Vacuum</i> , 2001, 61, 129-134.	3.5	24
70	Cathodoluminescence studies of un-doped and (Cu, Fe, and Co)-doped tin dioxide films deposited by spray pyrolysis. <i>Current Applied Physics</i> , 2010, 10, 1123-1131.	2.4	24
71	How to Improve the Performance of Porous Silicon-Based Gas and Vapor Sensors? Approaches and Achievements. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1900348.	1.8	22
72	The Ti wire functionalized with inherent TiO ₂ nanotubes by anodization as one-electrode gas sensor: A proof-of-concept study. <i>Sensors and Actuators B: Chemical</i> , 2020, 306, 127615.	7.8	22

#	ARTICLE	IF	CITATIONS
73	Electrospun Metal Oxide Nanofibers and Their Conductometric Gas Sensor Application. Part 2: Gas Sensors and Their Advantages and Limitations. <i>Nanomaterials</i> , 2021, 11, 1555.	4.1	21
74	Ag nanoclusters synthesized by successive ionic layer deposition method and their characterization. <i>Journal of Materials Science</i> , 2011, 46, 4555-4561.	3.7	20
75	Synthesis by successive ionic layer deposition (SILD) methodology and characterization of gold nanoclusters on the surface of tin and indium oxide films. <i>Pure and Applied Chemistry</i> , 2014, 86, 801-817.	1.9	20
76	Gas-sensing properties of In ₂ O ₃ films modified with gold nanoparticles. <i>Materials Chemistry and Physics</i> , 2016, 175, 188-199.	4.0	20
77	Materials Acceptable for Gas Sensor Design: Advantages and Limitations. <i>Key Engineering Materials</i> , 0, 780, 80-89.	0.4	20
78	Printing Technologies as an Emerging Approach in Gas Sensors: Survey of Literature. <i>Sensors</i> , 2022, 22, 3473.	3.8	20
79	Photoemission surface characterization of (001) In ₂ O ₃ thin film through the interactions with oxygen, water and carbon monoxide: Comparison with (111) orientation. <i>Applied Surface Science</i> , 2015, 324, 123-133.	6.1	19
80	SnO ₂ thin film gas sensors for fire-alarm systems. <i>Sensors and Actuators B: Chemical</i> , 1999, 54, 191-196.	7.8	18
81	In ₂ O ₃ -based multicomponent metal oxide films and their prospects for thermoelectric applications. <i>Solid State Sciences</i> , 2016, 52, 141-148.	3.2	18
82	Metal Oxides for Application in Conductometric Gas Sensors: How to Choose?. <i>Solid State Phenomena</i> , 0, 266, 187-195.	0.3	18
83	Comparative Study of SnO ₂ - and In ₂ O ₃ -based Ozone Sensors. <i>ECS Transactions</i> , 2008, 6, 29-41.	0.5	17
84	Distinguishing feature of metal oxide films' structural engineering for gas sensor applications. <i>Journal of Physics: Conference Series</i> , 2005, 15, 256-261.	0.4	16
85	Spray Pyrolysis of Metal Oxides SnO ₂ and In ₂ O ₃ as an Example of Thin Film Technology: Advantages and Limitations for Application in Conductometric Gas Sensors. <i>Advanced Materials Research</i> , 0, 748, 22-27.	0.3	16
86	Cathodoluminescence study of SnO ₂ powders aimed for gas sensor applications. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2006, 130, 200-205.	3.5	15
87	Electrospun Metal Oxide Nanofibers and Their Conductometric Gas Sensor Application. Part 1: Nanofibers and Features of Their Forming. <i>Nanomaterials</i> , 2021, 11, 1544.	4.1	15
88	In ₂ O ₃ :Ga and In ₂ O ₃ :P-based one-electrode gas sensors: Comparative study. <i>Ceramics International</i> , 2015, 41, 7478-7488.	4.8	14
89	Investigation of behaviour of Rh deposited onto polycrystalline SnO ₂ by means of TPD, AES and EELS. <i>Surface Science</i> , 2003, 532-535, 415-419.	1.9	13
90	Catalytically Active Filters Deposited by SILD Method for Inhibiting Sensitivity to Ozone of SnO ₂ -Based Conductometric Gas Sensors. <i>Ferroelectrics</i> , 2014, 459, 46-51.	0.6	13

#	ARTICLE	IF	CITATIONS
91	Structural characterization and phase transformations in metal oxide films synthesized by successive ionic layer deposition (SILD) method. Processing and Application of Ceramics, 2009, 3, 19-28.	0.8	13
92	Synthesis of nanolayers hydroxo-(SnxOyHz) and heteropoly-(HxPWyOz) compounds of hybrid-type on silica surfaces by successive ionic layer deposition method. Applied Surface Science, 2004, 221, 197-202.	6.1	12
93	What restricts gold clusters reactivity in catalysis and gas sensing effects: A focused review. Materials Letters, 2015, 147, 101-104.	2.6	12
94	SnO ₂ :Cu films doped during spray pyrolysis deposition: The reasons of the gas sensing properties change. Materials Chemistry and Physics, 2013, 142, 124-131.	4.0	11
95	Cathodoluminescence emission study of nanocrystalline indium oxide films deposited by spray pyrolysis. Thin Solid Films, 2007, 515, 8065-8071.	1.8	10
96	SnO ₂ Films Decorated by Au Clusters and their Gas Sensing Properties. Materials Science Forum, 2015, 827, 251-256.	0.3	10
97	Kinetic approach to receptor function in chemiresistive gas sensor modeling of tin dioxide. Steady state consideration. Sensors and Actuators B: Chemical, 2018, 259, 443-454.	7.8	10
98	Indium oxide ceramics doped by selenium for one-electrode gas sensors. Sensors and Actuators B: Chemical, 2012, 174, 586-593.	7.8	9
99	Thermoelectric properties of nano-granular indium-tin-oxide within modified electron filtering model with chemisorption-type potential barriers. Physica E: Low-Dimensional Systems and Nanostructures, 2016, 81, 49-58.	2.7	9
100	Interference effects between hydrogen and ozone in the response of SnO ₂ -based gas sensors. Sensors and Actuators B: Chemical, 2017, 243, 507-515.	7.8	9
101	XPS study of the SnO ₂ films modified with Rh. Surface and Interface Analysis, 2018, 50, 795-801.	1.8	9
102	The role of Rh dispersion in gas sensing effects observed in SnO ₂ thin films. Materials Chemistry and Physics, 2019, 232, 160-168.	4.0	8
103	Structural Features of Silica Coating Obtained from Sol Cooled to the Temperature of Liquid Nitrogen. Arabian Journal for Science and Engineering, 2017, 42, 4299-4305.	3.0	7
104	Chemical Sensors: Simulation and Modeling Vol 2: Conductometric-Type Sensors. , 2012, , .		7
105	Successive ionic layer deposition: possibilities for gas sensor applications. Journal of Physics: Conference Series, 2005, 15, 45-50.	0.4	6
106	The Role of Grain Size in Response of SnO ₂ - and In ₂ O ₃ -Based Conductometric Gas Sensors. Advanced Materials Research, 2012, 486, 153-159.	0.3	5
107	SYNTHESIS OF METAL OXIDE-BASED NANOCOMPOSITES AND MULTICOMPONENT COMPOUNDS USING LAYER-BY-LAYER METHOD AND PROSPECTS FOR THEIR APPLICATION. Jurnal Teknologi (Sciences and) Tj ETQq1 1 00784314 rgBT /Over		
108	Metal Oxide Nanocomposites: Advantages and Shortcomings for Application in Conductometric Gas Sensors. Materials Science Forum, 0, 872, 223-229.	0.3	5

#	ARTICLE	IF	CITATIONS
109	Carbon 1s photoemission line analysis of C-based adsorbate on (111)In ₂ O ₃ surface: The influence of reducing and oxidizing conditions. <i>Applied Surface Science</i> , 2016, 390, 897-902.	6.1	5
110	XPS study of Rh/In ₂ O ₃ system. <i>Surfaces and Interfaces</i> , 2021, 22, 100794.	3.0	5
111	Ozone Sensing by In ₂ O ₃ Films Modified with Rh: Dimension Effect. <i>Sensors</i> , 2021, 21, 1886.	3.8	5
112	Using of SILD technology for surface modification of SnO ₂ films for gas sensor applications. <i>Materials Research Society Symposia Proceedings</i> , 2002, 750, 1.	0.1	4
113	Radiation effects in SnO ₂ â€“Si sensor structures. <i>Radiation Effects and Defects in Solids</i> , 2006, 161, 85-89.	1.2	4
114	Semiconductors in Gas Sensors. <i>Integrated Analytical Systems</i> , 2013, , 167-195.	0.4	4
115	Chemical Sensors Simulation and Modeling Volume 4: Optical Sensors. , 2013, , .		4
116	Thermal Transport Evolution Due to Nanostructural Transformations in Ga-Doped Indium-Tin-Oxide Thin Films. <i>Nanomaterials</i> , 2021, 11, 1126.	4.1	3
117	The Role of the Film Thickness in Sensor Response of the SnO ₂ -Based Devices. <i>Sensor Letters</i> , 2011, 9, 364-368.	0.4	3
118	Control over the Surface Properties of Zinc Oxide Powders via Combining Mechanical, Electron Beam, and Thermal Processing. <i>Nanomaterials</i> , 2022, 12, 1924.	4.1	3
119	Luminescence properties of doped SnO ₂ powders and films designed for gas sensor application. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 212008.	0.6	2
120	Surface Modifiers for Metal Oxides in Conductometric Gas Sensors. <i>Integrated Analytical Systems</i> , 2013, , 273-286.	0.4	2
121	Metal Oxide-Based Nanostructures. <i>Integrated Analytical Systems</i> , 2014, , 47-71.	0.4	2
122	Material and Structural Engineering of Metal Oxides Aimed for Gas Sensor Applications. <i>Advanced Materials Research</i> , 2014, 974, 76-85.	0.3	2
123	Metal Oxide-Based Nanocomposites for Conductometric Gas Sensors. <i>Integrated Analytical Systems</i> , 2014, , 197-207.	0.4	2
124	Diffusion processes at the W - InP interface. <i>Semiconductor Science and Technology</i> , 1996, 11, 1402-1404.	2.0	1
125	Surface Plasma Treatment and Sensibilization of Tin Dioxide Films for Enhancement of Gas Sensitivity and Selectivity. <i>Materials Research Society Symposia Proceedings</i> , 2004, 828, 203.	0.1	1
126	Processes controlling the rate of In/sub 2/O/sub 3/ thin film gas sensor's response. , 0, , .		1

#	ARTICLE	IF	CITATIONS
127	SnO ₂ -Based Thin Film Gas Sensors with Functionalized Surface. Advanced Materials Research, 2010, 93-94, 145-148.	0.3	1
128	Ag nanoclusters synthesized by SILD method: Characterization and applications. , 2010, , .		1
129	Grain Size Effects in Structural Stability of SnO ₂ and In ₂ O ₃ Films Aimed for Gas Sensor Applications. , 2010, , .		1
130	Metal Oxides. Integrated Analytical Systems, 2013, , 49-116.	0.4	1
131	In ₂ O ₃ /Ga-based Ceramics: Advantages and shortcomings for application in one-electrode gas sensors. , 2013, , .		1
132	Technologies Suitable for Gas Sensor Fabrication. Integrated Analytical Systems, 2014, , 393-433.	0.4	1
133	In ₂ O ₃ -Based Thin Films Deposited by Spray Pyrolysis as Promising Thermoelectric Material. Advanced Materials Research, 2014, 1043, 40-44.	0.3	1
134	Porous Silicon Characterization and Application: General View. , 2015, , 3-26.		1
135	Thin Film SnO ₂ and In ₂ O ₃ : Ozone Sensor Design: The Film Parameters Selection. Applied Mechanics and Materials, 0, 799-800, 910-914.	0.2	1
136	Nanoscaled In ₂ O ₃ :Sn films as material for thermoelectric conversion: achievements and limitations. Bulletin of Materials Science, 2016, 39, 1349-1354.	1.7	1
137	Morphological engineering of SnO ₂ and In ₂ O ₃ films deposited by spray pyrolysis. Bulletin of Materials Science, 2019, 42, 1.	1.7	1
138	Materials for Electrochemical Gas Sensors with Liquid and Polymer Electrolytes. Integrated Analytical Systems, 2013, , 353-364.	0.4	1
139	Solid Electrolytes for Detecting Specific Gases. Integrated Analytical Systems, 2013, , 197-220.	0.4	1
140	Evoluci3n de la morfologÃa y facetaje de nanoestructuras de SnO ₂ crecidas por pirÃlisis en fase aerosol sobre sustratos de vidrio. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2004, 43, 510-513.	1.9	1
141	Device for automatically measuring the temperature dependences of electrical conductivity, Hall coefficient, and magneto-resistance of semiconductors. Measurement Techniques, 1979, 22, 196-198.	0.6	0
142	Effect of donor-acceptor complex dissociation of the properties of the surface boundary region in P-InP:Zn during its thermal oxidation. Journal of Physics and Chemistry of Solids, 1985, 46, 3-8.	4.0	0
143	Mechanism of the Oxygen Interaction with a Surface of Thin Nanosized Metal Oxide Film. Materials Research Society Symposia Proceedings, 2004, 828, 270.	0.1	0
144	Rational Synthesis and Optimization of Multifunctional Solid-State Gas Sensors. Materials Research Society Symposia Proceedings, 2004, 828, 147.	0.1	0

#	ARTICLE	IF	CITATIONS
145	Filters in Gas Sensors. Integrated Analytical Systems, 2013, , 293-303.	0.4	0
146	Spray Pyrolyzed Nanostructured Tin Dioxide Thin Films Doped by Cobalt: Correlation between Structural and Gas Sensing Characteristics. Applied Mechanics and Materials, 2013, 377, 180-185.	0.2	0
147	Silicon Porosification: Approaches to P _{Si} Parameters Control. , 2015, , 73-126.		0
148	Surface functionalization by gold nanoparticles and its prospects for application in conductometric metal oxide gas sensors. AIP Conference Proceedings, 2017, , .	0.4	0
149	Acid-base properties of the surface of zinc oxide powders subjected to milling in the attritor. Journal of Physics: Conference Series, 2020, 1658, 012042.	0.4	0
150	NANO-SIZE SnO_2 FILMS DEPOSITED BY SILD METHOD: STRUCTURAL AND GAS RESPONSE CHARACTERIZATION. , 2003, , .		0
151	Humidity-Sensitive Materials. Integrated Analytical Systems, 2013, , 389-408.	0.4	0
152	Electrodes and Heaters in MOX-Based Gas Sensors. Integrated Analytical Systems, 2013, , 255-271.	0.4	0
153	Materials for Capacitance-Based Gas Sensors. Integrated Analytical Systems, 2013, , 365-376.	0.4	0
154	The Role of Temporal and Thermal Stability in Sensing Material Selection. Integrated Analytical Systems, 2014, , 243-248.	0.4	0
155	Outlook: Sensing Material Selection Guide. Integrated Analytical Systems, 2014, , 435-440.	0.4	0
156	Bulk Doping of Metal Oxides. Integrated Analytical Systems, 2014, , 323-340.	0.4	0
157	Technological Limitations in Sensing Material Applications. Integrated Analytical Systems, 2014, , 387-392.	0.4	0
158	Instability of Metal Oxide Parameters and Approaches to Their Stabilization. Integrated Analytical Systems, 2014, , 265-300.	0.4	0
159	Temporal Stability of Porous Silicon. Integrated Analytical Systems, 2014, , 311-319.	0.4	0
160	Solid State Gas and Vapor Sensors Based on Porous Silicon. , 2015, , 3-43.		0
161	Modelling and HRTEM computer simulation of faceting of SnO ₂ nanostructures deposited by spray pyrolysis on glass substrates. , 2018, , 79-82.		0