

Johan Marinus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4300539/publications.pdf>

Version: 2024-02-01

148
papers

12,955
citations

28274

55
h-index

27406

106
g-index

151
all docs

151
docs citations

151
times ranked

12090
citing authors

#	ARTICLE	IF	CITATIONS
1	Medical and Surgical Treatment for Medication-Induced Tremor: Case Report and Systematic Review. <i>Movement Disorders Clinical Practice</i> , 2022, 9, 676-687.	1.5	1
2	Assessing walking adaptability in stroke patients. <i>Disability and Rehabilitation</i> , 2021, 43, 3242-3250.	1.8	8
3	Parkinson's Disease Subtypes: Critical Appraisal and Recommendations. <i>Journal of Parkinson's Disease</i> , 2021, 11, 395-404.	2.8	56
4	Identification of Candidate Parkinson Disease Genes by Integrating Genome-Wide Association Study, Expression, and Epigenetic Data Sets. <i>JAMA Neurology</i> , 2021, 78, 464.	9.0	95
5	Investigation of Autosomal Genetic Sex Differences in Parkinson's Disease. <i>Annals of Neurology</i> , 2021, 90, 35-42.	5.3	29
6	Genome-wide survival study identifies a novel synaptic locus and polygenic score for cognitive progression in Parkinson's disease. <i>Nature Genetics</i> , 2021, 53, 787-793.	21.4	82
7	The Cervical Radiculopathy Impact Scale: development and evaluation of a new functional outcome measure for cervical radicular syndrome. <i>Disability and Rehabilitation</i> , 2020, 42, 1894-1905.	1.8	10
8	Genetic modifiers of risk and age at onset in GBA associated Parkinson's disease and Lewy body dementia. <i>Brain</i> , 2020, 143, 234-248.	7.6	149
9	Penetrance of Parkinson's Disease in <i>LRRK2</i> p.G2019S Carriers Is Modified by a Polygenic Risk Score. <i>Movement Disorders</i> , 2020, 35, 774-780.	3.9	57
10	Selecting candidates for Deep Brain Stimulation in Parkinson's disease: the role of patients' expectations. <i>Parkinsonism and Related Disorders</i> , 2019, 66, 207-211.	2.2	16
11	Identification of novel risk loci, causal insights, and heritable risk for Parkinson's disease: a meta-analysis of genome-wide association studies. <i>Lancet Neurology</i> , The, 2019, 18, 1091-1102.	10.2	1,414
12	The Genetic Architecture of Parkinson Disease in Spain: Characterizing Population-Specific Risk, Differential Haplotype Structures, and Providing Etiologic Insight. <i>Movement Disorders</i> , 2019, 34, 1851-1863.	3.9	47
13	Regional Structural Hippocampal Differences Between Dementia with Lewy Bodies and Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2019, 9, 775-783.	2.8	8
14	The endocytic membrane trafficking pathway plays a major role in the risk of Parkinson's disease. <i>Movement Disorders</i> , 2019, 34, 460-468.	3.9	66
15	Scales to assess impulsive and compulsive behaviors in Parkinson's disease: Critique and recommendations. <i>Movement Disorders</i> , 2019, 34, 791-798.	3.9	49
16	Peripheral mitochondrial function correlates with clinical severity in idiopathic Parkinson's disease. <i>Movement Disorders</i> , 2019, 34, 1192-1202.	3.9	23
17	Intraoperative test stimulation of the subthalamic nucleus aids postoperative programming of chronic stimulation settings in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019, 65, 62-66.	2.2	12
18	Age- and disease-related cerebral white matter changes in patients with Parkinson's disease. <i>Neurobiology of Aging</i> , 2019, 80, 203-209.	3.1	31

#	ARTICLE	IF	CITATIONS
19	Parkinson's disease age at onset genome-wide association study: Defining heritability, genetic loci, and α -synuclein mechanisms. <i>Movement Disorders</i> , 2019, 34, 866-875.	3.9	258
20	Walking adaptability for targeted fall-risk assessments. <i>Gait and Posture</i> , 2019, 70, 203-210.	1.4	29
21	Sex matters in complex regional pain syndrome. <i>European Journal of Pain</i> , 2019, 23, 1108-1116.	2.8	12
22	Risk factors for non-motor symptoms in Parkinson's disease. <i>Lancet Neurology</i> , The, 2018, 17, 559-568.	10.2	225
23	Interrater Reliability of the Unified Huntington's Disease Rating Scale Total Motor Score Certification. <i>Movement Disorders Clinical Practice</i> , 2018, 5, 290-295.	1.5	10
24	Does deep brain stimulation of the subthalamic nucleus prolong survival in Parkinson's Disease?. <i>Movement Disorders</i> , 2018, 33, 947-949.	3.9	8
25	Rating scales for cognition in Huntington's disease: Critique and recommendations. <i>Movement Disorders</i> , 2018, 33, 187-195.	3.9	38
26	Are you better? A multi-centre study of patient-defined recovery from Complex Regional Pain Syndrome. <i>European Journal of Pain</i> , 2018, 22, 551-564.	2.8	22
27	F58 Assessment scales for patients with advanced huntington's disease: comparison of the UHDRS and UHDRS-FAP. , 2018, , .		1
28	Assessing Walking Adaptability in Parkinson's Disease: "The Interactive Walkway" <i>Frontiers in Neurology</i> , 2018, 9, 1096.	2.4	21
29	Clinical correlates of quantitative EEG in Parkinson disease. <i>Neurology</i> , 2018, 91, 871-883.	1.1	112
30	Cognitive-motor interference during goal-directed upper limb movements. <i>European Journal of Neuroscience</i> , 2018, 48, 3146-3158.	2.6	24
31	Assessment Scales for Patients with Advanced Huntington's Disease: Comparison of the UHDRS and UHDRS-FAP. <i>Movement Disorders Clinical Practice</i> , 2018, 5, 527-533.	1.5	5
32	Quantitative EEG reflects non-dopaminergic disease severity in Parkinson's disease. <i>Clinical Neurophysiology</i> , 2018, 129, 1748-1755.	1.5	23
33	Oral Health of Parkinson's Disease Patients: A Case-Control Study. <i>Parkinson's Disease</i> , 2018, 2018, 1-8.	1.1	33
34	Altered Whole-Brain and Network-Based Functional Connectivity in Parkinson's Disease. <i>Frontiers in Neurology</i> , 2018, 9, 419.	2.4	51
35	The terminology of akinesia, bradykinesia and hypokinesia: Past, present and future. <i>Parkinsonism and Related Disorders</i> , 2017, 37, 27-35.	2.2	34
36	Prediction of cognition in Parkinson's disease with a clinical "genetic score: a longitudinal analysis of nine cohorts. <i>Lancet Neurology</i> , The, 2017, 16, 620-629.	10.2	131

#	ARTICLE	IF	CITATIONS
37	Optical Hand Tracking: A Novel Technique for the Assessment of Bradykinesia in Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2017, 4, 875-883.	1.5	32
38	A prospective, multisite, international validation of the Complex Regional Pain Syndrome Severity Score. <i>Pain</i> , 2017, 158, 1430-1436.	4.2	73
39	Loss of integrity and atrophy in cingulate structural covariance networks in Parkinson's disease. <i>NeuroImage: Clinical</i> , 2017, 15, 587-593.	2.7	32
40	Painful swelling after a noxious event and the development of complex regional pain syndrome 1: A one-year prospective study. <i>European Journal of Pain</i> , 2017, 21, 1611-1617.	2.8	7
41	Measurement instruments to assess posture, gait, and balance in Parkinson's disease: Critique and recommendations. <i>Movement Disorders</i> , 2016, 31, 1342-1355.	3.9	212
42	Postural instability and gait are associated with severity and prognosis of Parkinson disease. <i>Neurology</i> , 2016, 86, 2243-2250.	1.1	78
43	Specifically neuropathic Gaucher's mutations accelerate cognitive decline in Parkinson's. <i>Annals of Neurology</i> , 2016, 80, 674-685.	5.3	226
44	The course of insomnia in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 33, 51-57.	2.2	52
45	Associated and predictive factors of depressive symptoms in patients with Parkinson's disease. <i>Journal of Neurology</i> , 2016, 263, 1215-1225.	3.6	25
46	The influence of age and approaching death on the course of nondopaminergic symptoms in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 24, 113-118.	2.2	15
47	Course and risk factors for excessive daytime sleepiness in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 24, 34-40.	2.2	70
48	Health-Related Quality of Life in patients with Parkinson's disease—A systematic review based on the ICF model. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 61, 26-34.	6.1	144
49	Evaluation of severity of predominantly non-dopaminergic symptoms in Parkinson's disease: The SENS-PD scale. <i>Parkinsonism and Related Disorders</i> , 2016, 25, 39-44.	2.2	16
50	Intended and unintended (sensory-motor) coupling between the affected and unaffected upper limb in complex regional pain syndrome. <i>European Journal of Pain</i> , 2015, 19, 1021-1034.	2.8	13
51	Diurnal and Nocturnal Skin Temperature Regulation in Chronic Complex Regional Pain Syndrome. <i>Journal of Pain</i> , 2015, 16, 207-213.	1.4	4
52	The significance of motor (A)symmetry in Parkinson's disease. <i>Movement Disorders</i> , 2015, 30, 379-385.	3.9	41
53	Reliability and Validity of the Range of Motion Scale (ROMS) in Patients with Abnormal Postures. <i>Pain Medicine</i> , 2015, 16, 488-493.	1.9	4
54	Motor Cortical Activity During Motor Tasks Is Normal in Patients With Complex Regional Pain Syndrome. <i>Journal of Pain</i> , 2015, 16, 87-94.	1.4	10

#	ARTICLE	IF	CITATIONS
55	Thinking about the end of life: a common issue for patients with Huntington's disease. <i>Journal of Neurology</i> , 2014, 261, 2184-2191.	3.6	24
56	Force modulation deficits in complex regional pain syndrome: A potential role for impaired sense of force production. <i>European Journal of Pain</i> , 2014, 18, 1013-1023.	2.8	16
57	The Huntington's disease dysphagia scale. <i>Movement Disorders</i> , 2014, 29, 1312-1316.	3.9	16
58	Health-related quality of life in 975 patients with complex regional pain syndrome type 1. <i>Pain</i> , 2014, 155, 629-634.	4.2	57
59	Evaluation of mirrored muscle activity in patients with Complex Regional Pain Syndrome. <i>Clinical Neurophysiology</i> , 2014, 125, 2100-2108.	1.5	4
60	Responsiveness to botulinum toxin type A in muscles of complex regional pain patients with tonic dystonia. <i>Journal of Neural Transmission</i> , 2014, 121, 761-7.	2.8	7
61	Intense Pain Soon After Wrist Fracture Strongly Predicts Who Will Develop Complex Regional Pain Syndrome: Prospective Cohort Study. <i>Journal of Pain</i> , 2014, 15, 16-23.	1.4	125
62	Importance of nondopaminergic features in evaluating disease severity of Parkinson disease. <i>Neurology</i> , 2014, 82, 412-418.	1.1	36
63	Calculating clinical progression rates in Parkinson's disease: Methods matter. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 1263-1267.	2.2	13
64	Predictors of dementia in Parkinson's disease; findings from a 5-year prospective study using the SCOPA-COG. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 980-985.	2.2	98
65	Survival in Parkinson's disease. Relation with motor and non-motor features. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 613-616.	2.2	62
66	Relation of clinical subtypes in Parkinson's disease with survival. <i>Movement Disorders</i> , 2014, 29, 150-151.	3.9	32
67	The influence of gender on phenotype and disease progression in patients with Huntington's disease. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 192-197.	2.2	96
68	Muscle hyperalgesia is widespread in patients with complex regional pain syndrome. <i>Pain</i> , 2013, 154, 2745-2749.	4.2	26
69	Motor Dysfunction of Complex Regional Pain Syndrome Is Related to Impaired Central Processing of Proprioceptive Information. <i>Journal of Pain</i> , 2013, 14, 1460-1474.	1.4	43
70	An Explanatory Study Evaluating the Muscle Relaxant Effects of Intramuscular Magnesium Sulphate for Dystonia in Complex Regional Pain Syndrome. <i>Journal of Pain</i> , 2013, 14, 1341-1348.	1.4	19
71	Muscle Hyperalgesia Correlates With Motor Function in Complex Regional Pain Syndrome Type 1. <i>Journal of Pain</i> , 2013, 14, 446-454.	1.4	17
72	Pain Relief Is Associated With Improvement in Motor Function in Complex Regional Pain Syndrome Type 1: Secondary Analysis of a Placebo-Controlled Study on the Effects of Ketamine. <i>Journal of Pain</i> , 2013, 14, 1514-1521.	1.4	15

#	ARTICLE	IF	CITATIONS
73	Deficient muscle activation in patients with Complex Regional Pain Syndrome and abnormal hand postures: An electromyographic evaluation. <i>Clinical Neurophysiology</i> , 2013, 124, 2025-2035.	1.5	11
74	Motor consequences of experimentally induced limb pain: A systematic review. <i>European Journal of Pain</i> , 2013, 17, 145-157.	2.8	103
75	Efficacy of Intrathecal Baclofen on Different Pain Qualities in Complex Regional Pain Syndrome. <i>Anesthesia and Analgesia</i> , 2013, 116, 211-215.	2.2	32
76	Better global and cognitive functioning in choreatic versus hypokinetic-rigid Huntington's disease. <i>Movement Disorders</i> , 2013, 28, 1142-1145.	3.9	29
77	Inflammation in complex regional pain syndrome. <i>Neurology</i> , 2013, 80, 106-117.	1.1	196
78	The Role of Pain Coping and Kinesiophobia in Patients With Complex Regional Pain Syndrome Type 1 of the Legs. <i>Clinical Journal of Pain</i> , 2013, 29, 563-569.	1.9	24
79	Risk factors for hallucinations in Parkinson's disease: Results from a large prospective cohort study. <i>Movement Disorders</i> , 2013, 28, 755-762.	3.9	74
80	Genetic HLA Associations in Complex Regional Pain Syndrome With and Without Dystonia. <i>Journal of Pain</i> , 2012, 13, 784-789.	1.4	70
81	Motor control in complex regional pain syndrome: A kinematic analysis. <i>Pain</i> , 2012, 153, 805-812.	4.2	54
82	Catechol-O-methyltransferase Val158Met and the risk of dyskinesias in Parkinson's disease. <i>Movement Disorders</i> , 2012, 27, 132-135.	3.9	74
83	Distribution of signs and symptoms of Complex Regional Pain Syndrome type I in patients meeting the diagnostic criteria of the International Association for the Study of Pain. <i>European Journal of Pain</i> , 2011, 15, 830.e1-8.	2.8	27
84	SPES/SCOPA and MDS-UPDRS: Formulas for converting scores of two motor scales in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 632-634.	2.2	25
85	The Lack of Efficacy of Different Infusion Rates of Intrathecal Baclofen in Complex Regional Pain Syndrome: A Randomized, Double-Blind, Crossover Study. <i>Pain Medicine</i> , 2011, 12, 459-465.	1.9	30
86	Clinical features and pathophysiology of complex regional pain syndrome. <i>Lancet Neurology</i> , The, 2011, 10, 637-648.	10.2	553
87	Thermal hypesthesia in patients with complex regional pain syndrome related dystonia. <i>Journal of Neural Transmission</i> , 2011, 118, 599-603.	2.8	11
88	Spreading of complex regional pain syndrome: not a random process. <i>Journal of Neural Transmission</i> , 2011, 118, 1301-1309.	2.8	123
89	Fixed Dystonia in Complex Regional Pain Syndrome: a Descriptive and Computational Modeling Approach. <i>BMC Neurology</i> , 2011, 11, 53.	1.8	41
90	Clinical subtypes of Parkinson's disease. <i>Movement Disorders</i> , 2011, 26, 51-58.	3.9	186

#	ARTICLE	IF	CITATIONS
91	SCOPAâ€cognition cutoff value for detection of Parkinson's disease dementia. <i>Movement Disorders</i> , 2011, 26, 1881-1886.	3.9	30
92	The M <sc>o</sc> CA: Well-suited screen for cognitive impairment in Parkinson disease. <i>Neurology</i> , 2011, 76, 1944-1945.	1.1	21
93	Peripheral trauma and movement disorders: a systematic review of reported cases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 892-898.	1.9	91
94	Systematic mutation analysis of seven dystonia genes in complex regional pain syndrome with fixed dystonia. <i>Journal of Neurology</i> , 2010, 257, 820-824.	3.6	7
95	Validation of proposed diagnostic criteria (the â€œBudapest Criteriaâ€) for Complex Regional Pain Syndrome. <i>Pain</i> , 2010, 150, 268-274.	4.2	911
96	Development of a severity score for CRPS. <i>Pain</i> , 2010, 151, 870-876.	4.2	118
97	German translation and external validation of the Radboud Skills Questionnaire in patients suffering from Complex Regional Pain Syndrome 1. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 107.	1.9	9
98	Translating the Dutch Walking Stairs, Walking Ability and Rising and Sitting Questionnaires into German and assessing their concurrent validity with VAS measures of pain and activities in daily living. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 108.	1.9	6
99	Fatigue rating scales critique and recommendations by the Movement Disorders Society task force on rating scales for Parkinson's disease. <i>Movement Disorders</i> , 2010, 25, 805-822.	3.9	193
100	The identification of Parkinson's disease subtypes using cluster analysis: A systematic review. <i>Movement Disorders</i> , 2010, 25, 969-978.	3.9	179
101	Spontaneous onset of Complex Regional Pain Syndrome. <i>European Journal of Pain</i> , 2010, 14, 510-513.	2.8	56
102	Efficacy and safety of a single intrathecal methylprednisolone bolus in chronic complex regional pain syndrome. <i>European Journal of Pain</i> , 2010, 14, 523-528.	2.8	54
103	No mutations in the voltage-gated Na_v1.7 sodium channel Î±1 subunit gene <i>SCN9A</i> in familial complex regional pain syndrome. <i>European Journal of Neurology</i> , 2010, 17, 808-814.	3.3	3
104	Autonomic symptoms in patients and pre-manifest mutation carriers of Huntingtonâ€™s disease. <i>European Journal of Neurology</i> , 2010, 17, 1068-1074.	3.3	107
105	Sleep and circadian rhythm alterations correlate with depression and cognitive impairment in Huntington's disease. <i>Parkinsonism and Related Disorders</i> , 2010, 16, 345-350.	2.2	128
106	Patterns of motor and non-motor features in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 846-850.	1.9	52
107	HLA-B62 and HLA-DQ8 are associated with Complex Regional Pain Syndrome with fixed dystonia. <i>Pain</i> , 2009, 145, 82-85.	4.2	75
108	Intrathecal glycine for pain and dystonia in complex regional pain syndrome. <i>Pain</i> , 2009, 146, 199-204.	4.2	34

#	ARTICLE	IF	CITATIONS
109	Psychotic and compulsive symptoms in Parkinson's disease. <i>Movement Disorders</i> , 2009, 24, 738-744.	3.9	33
110	Motor patterns in Parkinson's disease: A data-driven approach. <i>Movement Disorders</i> , 2009, 24, 1042-1047.	3.9	32
111	Postdural Puncture Headache in Complex Regional Pain Syndrome: A Retrospective Observational Study. <i>Pain Medicine</i> , 2009, 10, 1469-1475.	1.9	9
112	A Longitudinal Evaluation of Health-Related Quality of Life of Patients with Parkinson's Disease. <i>Value in Health</i> , 2009, 12, 392-396.	0.3	52
113	Familial occurrence of complex regional pain syndrome. <i>European Journal of Pain</i> , 2009, 13, 171-177.	2.8	74
114	Intrathecal baclofen for dystonia of complex regional pain syndrome. <i>Pain</i> , 2009, 143, 41-47.	4.2	88
115	Ketamine produces effective and long-term pain relief in patients with Complex Regional Pain Syndrome Type 1. <i>Pain</i> , 2009, 145, 304-311.	4.2	375
116	Handedness associated to side of onset of Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , 2009, 15, 546-547.	2.2	8
117	Increased Risk of Complex Regional Pain Syndrome in Siblings of Patients?. <i>Journal of Pain</i> , 2009, 10, 1250-1255.	1.4	36
118	A comprehensive model of health-related quality of life in Parkinson's disease. <i>Journal of Neurology</i> , 2008, 255, 1580-1587.	3.6	101
119	Nighttime sleep problems and daytime sleepiness in Parkinson's disease. <i>Movement Disorders</i> , 2008, 23, 35-41.	3.9	125
120	SCOPA-sleep and PDSS: Two scales for assessment of sleep disorder in Parkinson's disease. <i>Movement Disorders</i> , 2008, 23, 1681-1688.	3.9	80
121	Psychological features of patients with complex regional pain syndrome type I related dystonia. <i>Movement Disorders</i> , 2008, 23, 1551-1559.	3.9	34
122	Thinking about movement hurts: The effect of motor imagery on pain and swelling in people with chronic arm pain. <i>Arthritis and Rheumatism</i> , 2008, 59, 623-631.	6.7	157
123	Reliability of cluster results for different types of time adjustments in complex disease research. , 2008, 2008, 4601-4.		1
124	Complex regional pain syndrome 1 – the Swiss cohort study. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 92.	1.9	73
125	Development of a Symptoms Questionnaire for Complex Regional Pain Syndrome and Potentially Related Illnesses: The Trauma Related Neuronal Dysfunction Symptoms Inventory. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 1114-1120.	0.9	10
126	Evaluation of the Dutch version of the Parkinson's Disease Questionnaire 39. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 24-27.	2.2	20

#	ARTICLE	IF	CITATIONS
127	Is olfactory impairment in Parkinson disease related to phenotypic or genotypic characteristics? <i>Neurology</i> , 2008, 71, 1877-1882.	1.1	57
128	Analysis of Cerebrospinal Fluid Inflammatory Mediators in Chronic Complex Regional Pain Syndrome Related Dystonia. <i>Clinical Journal of Pain</i> , 2008, 24, 30-34.	1.9	23
129	A Scenario Implementation in R for SubtypeDiscovery Exemplified on Chemoinformatics Data. <i>Communications in Computer and Information Science</i> , 2008, , 669-683.	0.5	2
130	Patient-reported autonomic symptoms in Parkinson disease. <i>Neurology</i> , 2007, 69, 333-341.	1.1	274
131	Cognitive impairment in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 1182-1187.	1.9	204
132	Onset and progression of dystonia in Complex Regional Pain Syndrome. <i>Pain</i> , 2007, 130, 287-293.	4.2	114
133	Peripheral trauma and movement disorders. <i>Parkinsonism and Related Disorders</i> , 2007, 13, S395-S399.	2.2	17
134	Assessment of psychiatric complications in Parkinson's disease: The SCOPAâ€PC. <i>Movement Disorders</i> , 2007, 22, 2221-2228.	3.9	96
135	Diagnostic criteria for CRPS I: Differences between patient profiles using three different diagnostic sets. <i>European Journal of Pain</i> , 2007, 11, 895-902.	2.8	51
136	Clinical expression profiles of complex regional pain syndrome, fibromyalgia and a-specific repetitive strain injury: More common denominators than pain?. <i>Disability and Rehabilitation</i> , 2006, 28, 351-362.	1.8	55
137	Responsiveness of impairments and disabilities in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2006, 12, 314-318.	2.2	21
138	Reliability and validity of the Beck depression inventory in patients with Parkinson's disease. <i>Movement Disorders</i> , 2006, 21, 668-672.	3.9	184
139	Assessing comorbidity in patients with Parkinson's disease. <i>Movement Disorders</i> , 2004, 19, 824-828.	3.9	32
140	Assessment of autonomic dysfunction in Parkinson's disease: The SCOPAâ€AUT. <i>Movement Disorders</i> , 2004, 19, 1306-1312.	3.9	598
141	Clinical tests for the evaluation of postural instability in patients with parkinsonâ€™s disease11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1669-1674.	0.9	100
142	A short psychosocial questionnaire for patients with Parkinson's disease. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 61-67.	5.0	97
143	The Contribution of Somatic Symptoms to the Diagnosis of Depressive Disorder in Parkinson's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003, 15, 74-77.	1.8	60
144	Assessment of Sleep and Sleepiness in Parkinson Disease. <i>Sleep</i> , 2003, 26, 1049-1054.	1.1	226

#	ARTICLE	IF	CITATIONS
145	Activity-Based Diary for Parkinson's Disease. <i>Clinical Neuropharmacology</i> , 2002, 25, 43-50.	0.7	27
146	Evaluation of the Hospital Anxiety and Depression Scale in Patients With Parkinson's Disease. <i>Clinical Neuropharmacology</i> , 2002, 25, 318-324.	0.7	164
147	Systematic evaluation of rating scales for impairment and disability in Parkinson's disease. <i>Movement Disorders</i> , 2002, 17, 867-876.	3.9	526
148	Measuring radiation fibrosis: the interobserver reliability of two methods of determining the degree of radiation fibrosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000, 47, 1209-1217.	0.8	30