
## Matthew Hotopf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4301504/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Multidisciplinary research priorities for the COVID-19 pandemic: a call for action for mental health science. Lancet Psychiatry,the, 2020, 7, 547-560.	7.4	4,086
2	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. Lancet Psychiatry,the, 2020, 7, 883-892.	7.4	1,921
3	The prevalence of depression in rheumatoid arthritis: a systematic review and meta-analysis. Rheumatology, 2013, 52, 2136-2148.	1.9	638
4	Health of UK servicemen who served in Persian Gulf War. Lancet, The, 1999, 353, 169-178.	13.7	533
5	What are the consequences of deployment to Iraq and Afghanistan on the mental health of the UK armed forces? A cohort study. Lancet, The, 2010, 375, 1783-1797.	13.7	489
6	Medically unexplained symptoms. Journal of Psychosomatic Research, 2001, 51, 361-367.	2.6	470
7	The health of UK military personnel who deployed to the 2003 Iraq war: a cohort study. Lancet, The, 2006, 367, 1731-1741.	13.7	414
8	The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register: development and descriptive data. BMC Psychiatry, 2009, 9, 51.	2.6	367
9	Prevalence of mental incapacity in medical inpatients and associated risk factors: cross-sectional study. Lancet, The, 2004, 364, 1421-1427.	13.7	352
10	The impact of rheumatoid arthritis on quality-of-life assessed using the SF-36: A systematic review and meta-analysis. Seminars in Arthritis and Rheumatism, 2014, 44, 123-130.	3.4	337
11	Says who? The significance of sampling in mental health surveys during COVID-19. Lancet Psychiatry,the, 2020, 7, 567-568.	7.4	317
12	A systematic review describing the prognosis of chronic fatigue syndrome. Occupational Medicine, 2005, 55, 20-31.	1.4	314
13	Depression in advanced disease: a systematic review. Part 1: Prevalence and case finding. Palliative Medicine, 2002, 16, 81-97.	3.1	311
14	Work and common psychiatric disorders. Journal of the Royal Society of Medicine, 2011, 104, 198-207.	2.0	309
15	Prevalence and Characteristics of Probable Major Depression and Bipolar Disorder within UK Biobank: Cross-Sectional Study of 172,751 Participants. PLoS ONE, 2013, 8, e75362.	2.5	288
16	Exercise and the Prevention of Depression: Results of the HUNT Cohort Study. American Journal of Psychiatry, 2018, 175, 28-36.	7.2	285
17	Why do children have chronic abdominal pain, and what happens to them when they grow up? Population based cohort study. BMJ: British Medical Journal, 1998, 316, 1196-1200.	2.3	274
18	The Health Status of Nonparticipants in a Population-based Health Study: The Hordaland Health Study. American Journal of Epidemiology, 2010, 172, 1306-1314.	3.4	271

#	Article	IF	CITATIONS
19	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. Lancet Psychiatry,the, 2021, 8, 610-619.	7.4	268
20	Risk factors for post-traumatic stress disorder among UK Armed Forces personnel. Psychological Medicine, 2008, 38, 511-522.	4.5	259
21	Evaluating complex interventions in End of Life Care: the MORECare Statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. BMC Medicine, 2013, 11, 111.	5.5	256
22	A major role for common genetic variation in anxiety disorders. Molecular Psychiatry, 2020, 25, 3292-3303.	7.9	243
23	Relation between headache in childhood and physical and psychiatric symptoms in adulthood: national birth cohort study. BMJ: British Medical Journal, 2001, 322, 1145-1145.	2.3	242
24	Depression in advanced disease: a systematic review Part 1. Prevalence and case finding. Palliative Medicine, 2002, 16, 81-97.	3.1	236
25	Mental capacity in psychiatric patients. British Journal of Psychiatry, 2007, 191, 291-297.	2.8	224
26	Functional polymorphisms in the interleukin-6 and serotonin transporter genes, and depression and fatigue induced by interferon-α and ribavirin treatment. Molecular Psychiatry, 2009, 14, 1095-1104.	7.9	214
27	Mental health in UK Biobank – development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. BJPsych Open, 2020, 6, e18.	0.7	210
28	All-cause mortality among people with serious mental illness (SMI), substance use disorders, and depressive disorders in southeast London: a cohort study. BMC Psychiatry, 2010, 10, 77.	2.6	206
29	Physical activity and common mental disorders. British Journal of Psychiatry, 2010, 197, 357-364.	2.8	189
30	Amitriptyline <i>v.</i> the rest: still the leading antidepressant after 40 years of randomised controlled trials. British Journal of Psychiatry, 2001, 178, 129-144.	2.8	188
31	Depression in patients with chronic pain attending a specialised pain treatment centre: prevalence and impact on health care costs. Pain, 2016, 157, 1472-1479.	4.2	181
32	Symptoms of depression and anxiety predict treatment response and long-term physical health outcomes in rheumatoid arthritis: secondary analysis of a randomized controlled trial. Rheumatology, 2016, 55, 268-278.	1.9	178
33	Can mental health diagnoses in administrative data be used for research? A systematic review of the accuracy of routinely collected diagnoses. BMC Psychiatry, 2016, 16, 263.	2.6	166
34	The prevalence of common mental disorders and PTSD in the UK military: using data from a clinical interview-based study. BMC Psychiatry, 2009, 9, 68.	2.6	159
35	The stigma of mental health problems and other barriers to care in the UK Armed Forces. BMC Health Services Research, 2011, 11, 31.	2.2	156
36	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. Journal of Medical Internet Research, 2020, 22, e19992.	4.3	155

#	Article	IF	CITATIONS
37	Influence of childhood adversity on health among male UK military personnel. British Journal of Psychiatry, 2007, 191, 506-511.	2.8	145
38	Antidepressants for the treatment of depression in palliative care: systematic review and meta-analysis. Palliative Medicine, 2011, 25, 36-51.	3.1	144
39	Role of vaccinations as risk factors for ill health in veterans of the Gulf war: cross sectional study. BMJ: British Medical Journal, 2000, 320, 1363-1367.	2.3	142
40	Prevalence and predictors of mental incapacity in psychiatric in-patients. British Journal of Psychiatry, 2005, 187, 379-385.	2.8	142
41	Mental health and employment: much work still to be done. British Journal of Psychiatry, 2009, 194, 201-203.	2.8	141
42	Stability of recall of military hazards over time. British Journal of Psychiatry, 2003, 183, 314-322.	2.8	138
43	Mental capacity to make decisions on treatment in people admitted to psychiatric hospitals: cross sectional study. BMJ: British Medical Journal, 2008, 337, a448-a448.	2.3	138
44	Temporal relationships between physical symptoms and psychiatric disorder. British Journal of Psychiatry, 1998, 173, 255-261.	2.8	133
45	Antidepressants for depression in physically ill people. The Cochrane Library, 2010, , CD007503.	2.8	130
46	Depression and decision-making capacity for treatment or research: a systematic review. BMC Medical Ethics, 2013, 14, 54.	2.4	128
47	Epidemiology of hoarding disorder. British Journal of Psychiatry, 2013, 203, 445-452.	2.8	126
48	The development of evidence-based European guidelines on the management of depression in palliative cancer care. European Journal of Cancer, 2011, 47, 702-712.	2.8	122
49	Reliability of mental capacity assessments in psychiatric in-patients. British Journal of Psychiatry, 2005, 187, 372-378.	2.8	119
50	Embedding integrated mental health assessment and management in general hospital settings: feasibility, acceptability and the prevalence of common mental disorder. General Hospital Psychiatry, 2014, 36, 318-324.	2.4	116
51	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. Molecular Psychiatry, 2020, 25, 1430-1446.	7.9	116
52	Association of Genetic Liability to Psychotic Experiences With Neuropsychotic Disorders and Traits. JAMA Psychiatry, 2019, 76, 1256.	11.0	112
53	Putting trials on trialthe costs and consequences of small trials in depression: a systematic review of methodology Journal of Epidemiology and Community Health, 1997, 51, 354-358.	3.7	110
54	Elevated C-Reactive Protein in Patients With Depression, Independent of Genetic, Health, and Psychosocial Factors: Results From the UK Biobank. American Journal of Psychiatry, 2021, 178, 522-529.	7.2	110

#	Article	IF	CITATIONS
55	Differences in genetic and environmental variation in adult BMI by sex, age, time period, and region: an individual-based pooled analysis of 40 twin cohorts. American Journal of Clinical Nutrition, 2017, 106, 457-466.	4.7	107
56	A randomized controlled trial to evaluate the effectiveness of a brief, behaviorally oriented intervention for cancerâ€related fatigue. Cancer, 2007, 110, 1385-1395.	4.1	106
57	The Effect of Clozapine on Premature Mortality: An Assessment of Clinical Monitoring and Other Potential Confounders. Schizophrenia Bulletin, 2015, 41, 644-655.	4.3	105
58	Foetal origins of depression? A systematic review and meta-analysis of low birth weight and later depression. Psychological Medicine, 2013, 43, 1-12.	4.5	100
59	Common mental disorders and disability pension award: Seven year follow-up of the HUSK study. Journal of Psychosomatic Research, 2010, 69, 59-67.	2.6	99
60	A cohort study on mental disorders, stage of cancer at diagnosis and subsequent survival. BMJ Open, 2014, 4, e004295.	1.9	99
61	Remote assessment of disease and relapse in major depressive disorder (RADAR-MDD): a multi-centre prospective cohort study protocol. BMC Psychiatry, 2019, 19, 72.	2.6	99
62	Invited Review: The spectrum of neuropathology in COVIDâ€19. Neuropathology and Applied Neurobiology, 2021, 47, 3-16.	3.2	99
63	Shame! Self-stigmatisation as an obstacle to sick doctors returning to work: a qualitative study: TableÂ1. BMJ Open, 2012, 2, e001776.	1.9	95
64	Psychosocial impact of the COVID-19 pandemic on 4378 UK healthcare workers and ancillary staff: initial baseline data from a cohort study collected during the first wave of the pandemic. Occupational and Environmental Medicine, 2021, 78, 801-808.	2.8	95
65	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. BMC Public Health, 2011, 11, 861.	2.9	92
66	Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. British Journal of Psychiatry, 2014, 204, 346-353.	2.8	90
67	Screening for anxiety and depression in people with psoriasis: a cross-sectional study in a tertiary referral setting. British Journal of Dermatology, 2017, 176, 1028-1034.	1.5	88
68	Barriers to and Facilitators of Engagement With mHealth Technology for Remote Measurement and Management of Depression: Qualitative Analysis. JMIR MHealth and UHealth, 2019, 7, e11325.	3.7	88
69	Are Reports of Psychological Stress Higher in Occupational Studies? A Systematic Review across Occupational and Population Based Studies. PLoS ONE, 2013, 8, e78693.	2.5	86
70	Psychological correlates of fatigue in rheumatoid arthritis: A systematic review. Clinical Psychology Review, 2015, 39, 16-29.	11.4	83
71	The relationship between depression and biologic treatment response in rheumatoid arthritis: An analysis of the British Society for Rheumatology Biologics Register. Rheumatology, 2018, 57, 835-843.	1.9	83
72	Depression assessment and classification in palliative cancer patients: a systematic literature review. Palliative Medicine, 2009, 23, 739-753.	3.1	82

5

#	Article	IF	CITATIONS
73	Chronic fatigue and minor psychiatric morbidity after viral meningitis: a controlled study Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60, 504-509.	1.9	79
74	Predictors of fatigue following the onset of infectious mononucleosis. Psychological Medicine, 2003, 33, 847-855.	4.5	79
75	Inflammatory profiles of severe treatment-resistant depression. Journal of Affective Disorders, 2019, 246, 42-51.	4.1	79
76	Seeking informal and formal help for mental health problems in the community: a secondary analysis from a psychiatric morbidity survey in South London. BMC Psychiatry, 2014, 14, 275.	2.6	78
77	The scope of mental health research during the COVID-19 pandemic and its aftermath. British Journal of Psychiatry, 2020, 217, 540-542.	2.8	78
78	Are common mental disorders more prevalent in the UK serving military compared to the general working population?. Psychological Medicine, 2015, 45, 1881-1891.	4.5	77
79	Are depression and anxiety associated with disease activity in rheumatoid arthritis? A prospective study. BMC Musculoskeletal Disorders, 2016, 17, 155.	1.9	77
80	Indicators of mental disorders in UK Biobank—A comparison of approaches. International Journal of Methods in Psychiatric Research, 2019, 28, e1796.	2.1	77
81	The protective role of trait anxiety: a longitudinal cohort study. Psychological Medicine, 2006, 36, 345-351.	4.5	76
82	The relationship between prior psychiatric disorder and chronic fatigue: evidence from a national birth cohort study. Psychological Medicine, 2008, 38, 933-940.	4.5	76
83	Depression and anxiety symptom trajectories in coronary heart disease: Associations with measures of disability and impact on 3-year health care costs. Journal of Psychosomatic Research, 2018, 104, 1-8.	2.6	76
84	The factor structure of the PHQ-9 in palliative care. Journal of Psychosomatic Research, 2013, 75, 60-64.	2.6	75
85	Usefulness of the SF-36 Health Survey in screening for depressive and anxiety disorders in rheumatoid arthritis. BMC Musculoskeletal Disorders, 2016, 17, 224.	1.9	75
86	Antidepressants for the treatment of depression in neurological disorders: a systematic review and meta-analysis of randomised controlled trials. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 914-923.	1.9	73
87	Tailored online cognitive behavioural therapy with or without therapist support calls to target psychological distress in adults receiving haemodialysis: A feasibility randomised controlled trial. Journal of Psychosomatic Research, 2017, 102, 61-70.	2.6	73
88	The clinical epidemiology of depression in palliative care and the predictive value of somatic symptoms: Cross-sectional survey with four-week follow-up. Palliative Medicine, 2011, 25, 229-241.	3.1	72
89	Improving distress in dialysis (iDiD): a feasibility two-arm parallel randomised controlled trial of an online cognitive behavioural therapy intervention with and without therapist-led telephone support for psychological distress in patients undergoing haemodialysis. BMJ Open, 2016, 6, e011286.	1.9	72
90	Contributions of specific causes of death to lost life expectancy in severe mental illness. European Psychiatry, 2017, 43, 109-115.	0.2	71

#	Article	IF	CITATIONS
91	Mental capacity, diagnosis and insight in psychiatric in-patients: a cross-sectional study. Psychological Medicine, 2009, 39, 1389-1398.	4.5	70
92	Antidepressants for the treatment of depression in people with cancer. The Cochrane Library, 2015, , CD011006.	2.8	70
93	Prevalence of mental disorders, suicidal ideation and suicides in the general population before and during the COVID-19 pandemic in Norway: A population-based repeated cross-sectional analysis. Lancet Regional Health - Europe, The, 2021, 4, 100071.	5.6	70
94	Double trouble: Psychiatric comorbidity and opioid addiction—All-cause and cause-specific mortality. Drug and Alcohol Dependence, 2015, 148, 85-92.	3.2	69
95	Childhood predictors of adult medically unexplained hospitalisations. British Journal of Psychiatry, 2000, 176, 273-280.	2.8	68
96	Prevalence and correlates of disordered eating in a general population sample: the South East London Community Health (SELCoH) study. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1335-1346.	3.1	67
97	Factors associated with sharing e-mail information and mental health survey participation in large population cohorts. International Journal of Epidemiology, 2020, 49, 410-421.	1.9	67
98	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. Age and Ageing, 2014, 43, 562-567.	1.6	66
99	Antidepressants for the treatment of depression in people with cancer. The Cochrane Library, 2018, 2018, CD011006.	2.8	66
100	Mental health consequences of urban air pollution: prospective population-based longitudinal survey. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1587-1599.	3.1	66
101	Digital health tools for the passive monitoring of depression: a systematic review of methods. Npj Digital Medicine, 2022, 5, 3.	10.9	66
102	Psychopathological symptoms during interferon- $\hat{l}_{\pm}$ and ribavirin treatment: effects on virologic response. Molecular Psychiatry, 2005, 10, 332-333.	7.9	65
103	Eating disorders in a multi-ethnic inner-city UK sample: prevalence, comorbidity and service use. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 369-381.	3.1	65
104	Associations between substance use disorder sub-groups, life expectancy and all-cause mortality in a large British specialist mental healthcare service. Drug and Alcohol Dependence, 2011, 118, 56-61.	3.2	64
105	Prevalences of illicit drug use in people aged 50 years and over from two surveys. Age and Ageing, 2012, 41, 553-556.	1.6	64
106	Validation of the <scp>SCOFF</scp> questionnaire for eating disorders in a multiethnic general population sample. International Journal of Eating Disorders, 2015, 48, 312-316.	4.0	64
107	Assessing mental capacity: the Mental Capacity Act. BMJ: British Medical Journal, 2008, 336, 322-325.	2.3	62
108	Persistent fatigue induced by interferon-alpha: a novel, inflammation-based, proxy model of chronic fatigue syndrome. Psychoneuroendocrinology, 2019, 100, 276-285.	2.7	62

#	Article	IF	CITATIONS
109	Associations Between Depression, Arterial Stiffness, and Metabolic Syndrome Among Adults in the UK Biobank Population Study. JAMA Psychiatry, 2020, 77, 598.	11.0	61
110	Mental Capacity and Decisional Autonomy: An Interdisciplinary Challenge. Inquiry (United Kingdom), 2009, 52, 79-107.	0.9	60
111	Genetic and environmental variation in educational attainment: an individual-based analysis of 28 twin cohorts. Scientific Reports, 2020, 10, 12681.	3.3	59
112	Decision-making capacity for treatment in psychiatric and medical in-patients: Cross-sectional, comparative study. British Journal of Psychiatry, 2013, 203, 461-467.	2.8	58
113	Self-help interventions for symptoms of depression, anxiety and psychological distress in patients with physical illnesses: A systematic review and meta-analysis. Clinical Psychology Review, 2014, 34, 141-157.	11.4	57
114	Discrimination and common mental disorder among migrant and ethnic groups: findings from a South East London Community sample. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 689-701.	3.1	57
115	An approach to linking education, social care and electronic health records for children and young people in South London: a linkage study of child and adolescent mental health service data. BMJ Open, 2019, 9, e024355.	1.9	56
116	The CODATwins Project: The Cohort Description of Collaborative Project of Development of Anthropometrical Measures in Twins to Study Macro-Environmental Variation in Genetic and Environmental Effects on Anthropometric Traits. Twin Research and Human Genetics, 2015, 18, 348-360.	0.6	55
117	Characteristics, comorbidities, and correlates of atypical depression: evidence from the UK Biobank Mental Health Survey. Psychological Medicine, 2020, 50, 1129-1138.	4.5	55
118	Mortality of people with chronic fatigue syndrome: a retrospective cohort study in England and Wales from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM) Tj ETQq(	) 01 <b>0.1</b> gBT	/Osverlock 10
119	Epidemiology and symptomatology of depression in Sri Lanka: A cross-sectional population-based survey in Colombo District. Journal of Affective Disorders, 2010, 123, 188-196.	4.1	53
120	Trauma, post-traumatic stress disorder and psychiatric disorders in a middle-income setting: prevalence and comorbidity. British Journal of Psychiatry, 2014, 205, 383-389.	2.8	53
121	Concepts of mental capacity for patients requesting assisted suicide: a qualitative analysis of expert evidence presented to the Commission on Assisted Dying. BMC Medical Ethics, 2014, 15, 32.	2.4	52
122	Functional Status and All-Cause Mortality in Serious Mental Illness. PLoS ONE, 2012, 7, e44613.	2.5	52
123	Obesity and sickness absence: results from the CHAP study. Occupational Medicine, 2010, 60, 362-368.	1.4	51
124	Digital phenotyping, behavioral sensing, or personal sensing: names and transparency in the digital age. Npj Digital Medicine, 2020, 3, 45.	10.9	51
125	Psychiatric comorbidity as a risk factor for mortality in people with anorexia nervosa. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 351-359.	3.2	50
126	Health status before, during and after disability pension award: the Hordaland Health Study (HUSK). Occupational and Environmental Medicine, 2008, 65, 769-773.	2.8	49

#	Article	IF	CITATIONS
127	Social networks, social support and psychiatric symptoms: social determinants and associations within a multicultural community population. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1111-1120.	3.1	49
128	Risk Assessment Tools and Data-Driven Approaches for Predicting and Preventing Suicidal Behavior. Frontiers in Psychiatry, 2019, 10, 36.	2.6	49
129	Can epidemiology clear the fog of war? Lessons from the 1990–91 Gulf War. International Journal of Epidemiology, 2005, 34, 791-800.	1.9	48
130	Transcriptomics in Interferon-α-Treated Patients Identifies Inflammation-, Neuroplasticity- and Oxidative Stress-Related Signatures as Predictors and Correlates of Depression. Neuropsychopharmacology, 2016, 41, 2502-2511.	5.4	48
131	Real-time assessment of COVID-19 prevalence among multiple sclerosis patients: a multicenter European study. Neurological Sciences, 2020, 41, 1647-1650.	1.9	48
132	Depression and mortality in a high-risk population. British Journal of Psychiatry, 2002, 181, 123-128.	2.8	47
133	Judgements about deprivation of liberty made by various professionals: comparison study. The Psychiatrist, 2011, 35, 344-349.	0.3	47
134	Assisted suicide: why psychiatrists should engage in the debate. British Journal of Psychiatry, 2011, 198, 83-84.	2.8	47
135	Data science for mental health: a UK perspective on a global challenge. Lancet Psychiatry,the, 2016, 3, 993-998.	7.4	47
136	Sociodemographic, lifestyle, and psychosocial determinants of hair cortisol in a South London community sample. Psychoneuroendocrinology, 2017, 76, 144-153.	2.7	47
137	The Genetic Links to Anxiety and Depression (GLAD) Study: Online recruitment into the largest recontactable study of depression and anxiety. Behaviour Research and Therapy, 2019, 123, 103503.	3.1	47
138	Common mental disorders within chronic inflammatory disorders: a primary care database prospective investigation. Annals of the Rheumatic Diseases, 2019, 78, 688-695.	0.9	47
139	Negative Symptoms in Early-Onset Psychosis and Their Association With Antipsychotic Treatment Failure. Schizophrenia Bulletin, 2019, 45, 69-79.	4.3	47
140	Mentally disordered or lacking capacity? Lessons for management of serious deliberate self harm. BMJ: British Medical Journal, 2010, 341, c4489-c4489.	2.3	47
141	Challenges in researching migration status, health and health service use: an intersectional analysis of a South London community. Ethnicity and Health, 2015, 20, 564-593.	2.5	45
142	Assessing the contributions of childhood maltreatment subtypes and depression case-control status on telomere length reveals a specific role of physical neglect. Journal of Affective Disorders, 2017, 213, 16-22.	4.1	45
143	Genetic aetiology of self-harm ideation and behaviour. Scientific Reports, 2020, 10, 9713.	3.3	45
144	Recovery from infectious mononucleosis: a case for more than symptomatic therapy? A systematic review. British Journal of General Practice, 2002, 52, 844-51.	1.4	45

#	Article	IF	CITATIONS
145	Suicidal behaviours in South East London: Prevalence, risk factors and the role of socio-economic status. Journal of Affective Disorders, 2013, 150, 441-449.	4.1	44

Clinical characteristics of patients assessed within an Improving Access to Psychological Therapies (IAPT) service: results from a naturalistic cohort study (Predicting Outcome Following Psychological) Tj ETQq0 0 0 rgBT /Over404ck 10 Tf 5

147	The assessment of mental capacity. Clinical Medicine, 2005, 5, 580-584.	1.9	43
148	Challenges in the retrospective assessment of trauma: comparing a checklist approach to a single item trauma experience screening question. BMC Psychiatry, 2016, 16, 20.	2.6	43
149	Genetic and environmental influences on adult human height across birth cohorts from 1886 to 1994. ELife, 2016, 5, .	6.0	42
150	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study. BMC Psychiatry, 2022, 22, 136.	2.6	42
151	A Single, One-Off Measure of Depression and Anxiety Predicts Future Symptoms, Higher Healthcare Costs, and Lower Quality of Life in Coronary Heart Disease Patients: Analysis from a Multi-Wave, Primary Care Cohort Study. PLoS ONE, 2016, 11, e0158163.	2.5	40
152	Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. British Journal of General Practice, 2016, 66, e374-e381.	1.4	40
153	Psychotic Experiences and Neuropsychological Functioning in a Population-based Sample. JAMA Psychiatry, 2016, 73, 129.	11.0	40
154	Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study. British Journal of Psychiatry, 2021, 219, 678-685.	2.8	40
155	The Association Between Comorbid Autism Spectrum Disorders and Antipsychotic Treatment Failure in Early-Onset Psychosis. Journal of Clinical Psychiatry, 2017, 78, e1233-e1241.	2.2	39
156	Screening for psychological distress using the Patient Health Questionnaire Anxiety and Depression Scale (PHQ-ADS): Initial validation of structural validity in dialysis patients. General Hospital Psychiatry, 2018, 50, 15-19.	2.4	39
157	The Impact of Targeted Rheumatoid Arthritis Pharmacologic Treatment on Mental Health. Arthritis and Rheumatology, 2018, 70, 1377-1391.	5.6	39
158	Shared goals for mental health research: what, why and when for the 2020s. Journal of Mental Health, 2023, 32, 997-1005.	1.9	39
159	Taking an intersectional approach to define latent classes of socioeconomic status, ethnicity and migration status for psychiatric epidemiological research. Epidemiology and Psychiatric Sciences, 2018, 27, 589-600.	3.9	38
160	Childhood temperament and long-term sickness absence in adult life. British Journal of Psychiatry, 2009, 194, 220-223.	2.8	37
161	The association between childhood cognitive ability and adult long-term sickness absence in three British birth cohorts: a cohort study. BMJ Open, 2012, 2, e000777.	1.9	37
162	Job Strain, Health and Sickness Absence: Results from the Hordaland Health Study. PLoS ONE, 2014, 9, e96025.	2.5	37

#	Article	IF	CITATIONS
163	Exploring Professional Help-Seeking for Mental Disorders. Qualitative Health Research, 2016, 26, 1662-1673.	2.1	37
164	Depression in individuals who subsequently develop inflammatory bowel disease: a population-based nested case–control study. Gut, 2021, 70, 1642-1648.	12.1	37
165	Mental capacity and psychiatric in-patients: implications for the new mental health law in England and Wales. British Journal of Psychiatry, 2009, 195, 257-263.	2.8	36
166	Trauma and current symptoms of PTSD in a South East London community. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1199-1209.	3.1	35
167	Personality Disorder and Self-Rated Health: A Population-Based Cross-Sectional Survey. Journal of Personality Disorders, 2014, 28, 319-333.	1.4	35
168	Clinical predictors of antipsychotic use in children and adolescents with autism spectrum disorders: a historical open cohort study using electronic health records. European Child and Adolescent Psychiatry, 2016, 25, 649-658.	4.7	35
169	The Relationship Between Mental Health, Disease Severity, and Genetic Risk for Depression in Early Rheumatoid Arthritis. Psychosomatic Medicine, 2017, 79, 638-645.	2.0	35
170	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. JMIR MHealth and UHealth, 2021, 9, e24604.	3.7	35
171	The inter-rater reliability of mental capacity assessments. International Journal of Law and Psychiatry, 2007, 30, 112-117.	0.9	34
172	Premorbid risk markers for chronic fatigue syndrome in the 1958 British birth cohort. British Journal of Psychiatry, 2011, 199, 323-329.	2.8	34
173	Developing a new model for patient recruitment in mental health services: a cohort study using Electronic Health Records. BMJ Open, 2014, 4, e005654.	1.9	34
174	Linking health and education data to plan and evaluate services for children. Archives of Disease in Childhood, 2017, 102, 599-602.	1.9	34
175	Prevalence and age patterns of depression in the United Kingdom. A population-based study. Journal of Affective Disorders, 2021, 279, 164-172.	4.1	34
176	Associations between physical multimorbidity patterns and common mental health disorders in middle-aged adults: A prospective analysis using data from the UK Biobank. Lancet Regional Health - Europe, The, 2021, 8, 100149.	5.6	34
177	Using data linkage to electronic patient records to assess the validity of selected mental health diagnoses in English Hospital Episode Statistics (HES). PLoS ONE, 2018, 13, e0195002.	2.5	34
178	Depression and mortality in a high-risk population. 11-Year follow-up of the Medical Research Council Elderly Hypertension Trial. British Journal of Psychiatry, 2002, 181, 123-8.	2.8	34
179	Using number of failed contact attempts to adjust for non-ignorable non-response. Journal of the Royal Statistical Society Series A: Statistics in Society, 2006, 169, 525-542.	1.1	33
180	Colombo Twin and Singleton Study (CoTASS): A description of a population based twin study of mental disorders in Sri Lanka. BMC Psychiatry, 2008, 8, 49.	2.6	33

#	Article	IF	CITATIONS
181	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. PLoS ONE, 2012, 7, e48012.	2.5	33
182	Depression with atypical neurovegetative symptoms shares genetic predisposition with immuno-metabolic traits and alcohol consumption. Psychological Medicine, 2022, 52, 726-736.	4.5	33
183	Diversity or disarray? A systematic review of decision-making capacity for treatment and research in schizophrenia and other non-affective psychoses. Psychological Medicine, 2017, 47, 1906-1922.	4.5	32
184	Multidisciplinary research priorities for the COVID-19 pandemic – Authors' reply. Lancet Psychiatry,the, 2020, 7, e44-e45.	7.4	32
185	A link between physician-diagnosed ulcer and anxiety disorders among adults. Annals of Epidemiology, 2013, 23, 189-192.	1.9	31
186	Comparisons of polydrug use at national and inner city levels in England: associations with demographic and socioeconomic factors. Annals of Epidemiology, 2013, 23, 636-645.	1.9	31
187	Service user and carer priorities in a Biomedical Research Centre for mental health. Journal of Mental Health, 2016, 25, 185-188.	1.9	31
188	The Assessment of Mental Capacity. , 2019, , 13-33.		31
189	Probable PTSD, depression and anxiety in 40,299 UK police officers and staff: Prevalence, risk factors and associations with blood pressure. PLoS ONE, 2020, 15, e0240902.	2.5	31
190	Human-Centered Design Strategies for Device Selection in mHealth Programs: Development of a Novel Framework and Case Study. JMIR MHealth and UHealth, 2020, 8, e16043.	3.7	31
191	Cardiometabolic disease and features of depression and bipolar disorder: Population-based, cross-sectional study. British Journal of Psychiatry, 2016, 208, 343-351.	2.8	30
192	Clinical risk assessment rating and all-cause mortality in secondary mental healthcare: the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) Case Register. Psychological Medicine, 2012, 42, 1581-1590.	4.5	29
193	Influence of perceived and actual neighbourhood disorder on common mental illness. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 889-901.	3.1	29
194	Gender differences in the association between adiposity and probable major depression: a cross-sectional study of 140,564 UK Biobank participants. BMC Psychiatry, 2014, 14, 153.	2.6	29
195	Symptoms of anxiety and depression across adulthood and blood pressure in late middle age. Journal of Hypertension, 2014, 32, 1590-1599.	0.5	28
196	Temporal inabilities and decision-making capacity in depression. Phenomenology and the Cognitive Sciences, 2015, 14, 163-182.	1.8	28
197	Psychiatric comorbidity as a risk factor for the mortality of people with bulimia nervosa. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 813-821.	3.1	28
198	Prevalence and Duration of Gastrointestinal Symptoms Before Diagnosis of Inflammatory Bowel Disease and Predictors of Timely Specialist Review: A Population-Based Study. Journal of Crohn's and Colitis, 2021, 15, 203-211.	1.3	28

#	Article	IF	CITATIONS
199	Psychopathology and Physical Activity as Predictors of Chronic Fatigue Syndrome in the 1958 British Birth Cohort: A Replication Study of the 1946 and 1970 Birth Cohorts. Annals of Epidemiology, 2011, 21, 343-350.	1.9	27
200	Assessments of mental capacity in psychiatric inpatients: a retrospective cohort study. BMC Psychiatry, 2013, 13, 115.	2.6	27
201	Life Course Study of the Etiology of Self-Reported Irritable Bowel Syndrome in the 1958 British Birth Cohort. Psychosomatic Medicine, 2013, 75, 202-210.	2.0	27
202	Genetic and other risk factors for suicidal ideation and the relationship with depression. Psychological Medicine, 2017, 47, 2438-2449.	4.5	26
203	Predicting Depressive Symptom Severity Through Individuals' Nearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. JMIR MHealth and UHealth, 2021, 9, e29840.	3.7	26
204	Fitbeat: COVID-19 estimation based on wristband heart rate using a contrastive convolutional auto-encoder. Pattern Recognition, 2022, 123, 108403.	8.1	26
205	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study. JMIR Mental Health, 2022, 9, e34898.	3.3	26
206	Minority status and mental distress: a comparison of group density effects. Psychological Medicine, 2016, 46, 3051-3059.	4.5	25
207	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. Lancet Regional Health - Europe, The, 2021, 11, 100228.	5.6	25
208	Mental health among UK university staff and postgraduate students in the early stages of the COVID-19 pandemic. Occupational and Environmental Medicine, 2022, 79, 259-267.	2.8	25
209	Zygosity Differences in Height and Body Mass Index of Twins From Infancy to Old Age: A Study of the CODATwins Project. Twin Research and Human Genetics, 2015, 18, 557-570.	0.6	24
210	Subclinical psychotic experiences and subsequent contact with mental health services. BJPsych Open, 2017, 3, 64-70.	0.7	24
211	Psychiatric symptoms and risk of victimisation: a population-based study from Southeast London. Epidemiology and Psychiatric Sciences, 2019, 28, 168-178.	3.9	24
212	Prospective associations between vitamin D and depression in middle-aged adults: findings from the UK Biobank cohort. Psychological Medicine, 2022, 52, 1866-1874.	4.5	24
213	Processes of consent in research for adults with impaired mental capacity nearing the end of life: systematic review and transparent expert consultation (MORECare_Capacity statement). BMC Medicine, 2020, 18, 221.	5.5	24
214	Regaining mental capacity for treatment decisions following psychiatric admission: a clinico-ethical study. Psychological Medicine, 2011, 41, 119-128.	4.5	23
215	Associations between symptoms and all-cause mortality in individuals with serious mental illness. Journal of Psychosomatic Research, 2012, 72, 114-119.	2.6	23
216	'You feel you've been bad, not ill': Sick doctors' experiences of interactions with the General Medical Council. BMJ Open, 2014, 4, e005537-e005537.	1.9	23

#	Article	IF	CITATIONS
217	How equitable are psychological therapy services in South East London now? A comparison of referrals to a new psychological therapy service with participants in a psychiatric morbidity survey in the same London borough. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1893-1902.	3.1	23
218	Tobacco smoking is associated with psychotic experiences in the general population of South London. Psychological Medicine, 2018, 48, 123-131.	4.5	23
219	Agreement between subjective and objective measures of sleep duration in a low-middle income country setting. Sleep Health, 2018, 4, 543-550.	2.5	23
220	Unwell in hospital but not incapable: cross-sectional study on the dissociation of decision-making capacity for treatment and research in in-patients with schizophrenia and related psychoses. British Journal of Psychiatry, 2018, 213, 484-489.	2.8	23
221	Prevalence, course and associations of desire for hastened death in a UK palliative population: a cross-sectional study. BMJ Supportive and Palliative Care, 2011, 1, 140-148.	1.6	22
222	Heaviness, health and happiness: a cross-sectional study of 163066 UK Biobank participants. Journal of Epidemiology and Community Health, 2014, 68, 340-348.	3.7	22
223	The prevalence of wholly attributable alcohol conditions in the United Kingdom hospital system: a systematic review, metaâ€analysis and metaâ€regression. Addiction, 2019, 114, 1726-1737.	3.3	22
224	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. PLoS ONE, 2020, 15, e0230674.	2.5	22
225	Investigating Exposure to Violence and Mental Health in a Diverse Urban Community Sample: Data from the South East London Community Health (SELCoH) Survey. PLoS ONE, 2014, 9, e93660.	2.5	22
226	Genetic and environmental contributions to depression in Sri Lanka. British Journal of Psychiatry, 2009, 195, 504-509.	2.8	21
227	Comment on: The prevalence of depression in rheumatoid arthritis: a systematic review and meta-analysis: reply. Rheumatology, 2014, 53, 578-579.	1.9	21
228	Using routine clinical and administrative data to produce a dataset of attendances at Emergency Departments following self-harm. BMC Emergency Medicine, 2015, 15, 15.	1.9	21
229	A Lifecourse Approach to Long-Term Sickness Absence—A Cohort Study. PLoS ONE, 2012, 7, e36645.	2.5	21
230	Mini-Mental State Examination as a Predictor of Mortality among Older People Referred to Secondary Mental Healthcare. PLoS ONE, 2014, 9, e105312.	2.5	21
231	Psychiatric disorder in early adulthood and risk of premature mortality in the 1946 British Birth Cohort. BMC Psychiatry, 2011, 11, 37.	2.6	20
232	Smoking and common mental disorders in patients with chronic conditions: An analysis of data collected via a web-based screening system. General Hospital Psychiatry, 2017, 45, 12-18.	2.4	20
233	Genetic Risk for Psychiatric Disorders and Telomere Length. Frontiers in Genetics, 2018, 9, 468.	2.3	20
234	Systematic review of fit note use for workers in the UK. Occupational and Environmental Medicine, 2018, 75, 530-539.	2.8	20

#	Article	IF	CITATIONS
235	Recurrence of Depression in Relation to History of Childhood Trauma and Hair Cortisol Concentration in a Community-Based Sample. Neuropsychobiology, 2019, 78, 48-57.	1.9	20
236	Childhood abuse and psychotic experiences – evidence for mediation by adulthood adverse life events. Epidemiology and Psychiatric Sciences, 2019, 28, 300-309.	3.9	20
237	Association Between Lifetime Affective Symptoms and Premature Mortality. JAMA Psychiatry, 2020, 77, 806.	11.0	20
238	NHS CHECK: protocol for a cohort study investigating the psychosocial impact of the COVID-19 pandemic on healthcare workers. BMJ Open, 2021, 11, e051687.	1.9	20
239	Comparison of symptom-based versus self-reported diagnostic measures of anxiety and depression disorders in the GLAD and COPING cohorts. Journal of Anxiety Disorders, 2022, 85, 102491.	3.2	20
240	Validation of the standardised assessment of personality - abbreviated scale in a general population sample. Personality and Mental Health, 2015, 9, 250-257.	1.2	19
241	Genetic predisposition to advanced biological ageing increases risk for childhood-onset recurrent major depressive disorder in a large UK sample. Journal of Affective Disorders, 2017, 213, 207-213.	4.1	19
242	Hair cortisol and childhood trauma predict psychological therapy response in depression and anxiety disorders. Acta Psychiatrica Scandinavica, 2018, 138, 526-535.	4.5	19
243	Growth Factor Proteins and Treatment-Resistant Depression: A Place on the Path to Precision. Frontiers in Psychiatry, 2018, 9, 386.	2.6	19
244	The CODATwins Project: The Current Status and Recent Findings of COllaborative Project of Development of Anthropometrical Measures in Twins. Twin Research and Human Genetics, 2019, 22, 800-808.	0.6	19
245	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones. JMIR MHealth and UHealth, 2022, 10, e28095.	3.7	19
246	Predictors of non-remission of depression in a palliative care population. Palliative Medicine, 2012, 26, 683-695.	3.1	18
247	â€~He left me a message on Facebook': comparing the risk profiles of self-harming patients who leave paper suicide notes with those who leave messages on new media. BJPsych Open, 2016, 2, 217-220.	0.7	18
248	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. Psychological Medicine, 2021, 51, 2581-2589.	4.5	18
249	'Refusing treatmentplease see': an analysis of capacity assessments carried out by a liaison psychiatry service. Journal of the Royal Society of Medicine, 2004, 97, 480-482.	2.0	17
250	It's a long shot, but it just might work! Perspectives on the future of medicine. BMC Medicine, 2016, 14, 176.	5.5	17
251	Emotional outcomes in clinically isolated syndrome and early phase multiple sclerosis: a systematic review and meta-analysis. Journal of Psychosomatic Research, 2019, 124, 109761.	2.6	17
252	Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. Psychological Medicine, 2021, 51, 147-157.	4.5	17

#	Article	IF	CITATIONS
253	Work and mental health in the UK. BMJ, The, 2014, 348, g2256-g2256.	6.0	16
254	Mental health among UK inner city non-heterosexuals: the role of risk factors, protective factors and place. Epidemiology and Psychiatric Sciences, 2016, 25, 450-461.	3.9	16
255	Adolescent affective symptoms and mortality. British Journal of Psychiatry, 2018, 213, 419-424.	2.8	16
256	The Colombo Twin and Singleton Follow-up Study: a population based twin study of psychiatric disorders and metabolic syndrome in Sri Lanka. BMC Public Health, 2018, 18, 145.	2.9	16
257	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. Molecular Psychiatry, 2021, 26, 2590-2604.	7.9	16
258	The mental health of emergency services personnel in the UK Biobank: a comparison with the working population. Högre Utbildning, 2020, 11, 1799477.	3.0	16
259	Appraisals of stressors and common mental disorder from early to mid-adulthood in the 1946 British birth cohort. Journal of Affective Disorders, 2009, 119, 66-75.	4.1	15
260	Deprivation of liberty: Mental Capacity Act safeguards versus the Mental Health Act. The Psychiatrist, 2010, 34, 246-247.	0.3	15
261	Gender differences in prevalence of depression among patients receiving palliative care: The role of dependency. Palliative Medicine, 2012, 26, 696-702.	3.1	15
262	Predicting outcome following psychological therapy in IAPT (PROMPT): a naturalistic project protocol. BMC Psychiatry, 2014, 14, 170.	2.6	15
263	Barrier or stressor? The role of discrimination experiences in health service use. BMC Public Health, 2018, 18, 1354.	2.9	15
264	Debt, common mental disorders and mental health service use. Journal of Mental Health, 2018, 27, 520-528.	1.9	15
265	Efficacy and acceptability of antidepressants in patients with ischemic heart disease. International Clinical Psychopharmacology, 2019, 34, 65-75.	1.7	15
266	Depressive symptoms during early adulthood and the development of physical multimorbidity in the UK: an observational cohort study. The Lancet Healthy Longevity, 2021, 2, e801-e810.	4.6	15
267	Prevalence of mental disorders in defendants at criminal court. BJPsych Open, 2022, 8, e92.	0.7	15
268	A systematic review of engagement reporting in remote measurement studies for health symptom tracking. Npj Digital Medicine, 2022, 5, .	10.9	15
269	What's in a name?. Social Psychiatry and Psychiatric Epidemiology, 1997, 33, 27-31.	3.1	14
270	A Review of Lifetime Risk Factors for Mortality. British Actuarial Journal, 2009, 15, 17-64.	0.2	14

#	Article	IF	CITATIONS
271	Low birth weight and features of neuroticism and mood disorder in 83 545 participants of the UK Biobank cohort. BJPsych Open, 2016, 2, 38-44.	0.7	14
272	Associations between childhood maltreatment and inflammatory markers. BJPsych Open, 2019, 5, e3.	0.7	14
273	Remote Digital Monitoring for Medical Product Development. Clinical and Translational Science, 2021, 14, 94-101.	3.1	14
274	Concerns over reform of the Mental Health Act. British Journal of Psychiatry, 2000, 177, 563-563.	2.8	13
275	Depression and anxiety in patients receiving interferon-alpha: The role of illness perceptions. Journal of Health Psychology, 2018, 23, 1405-1414.	2.3	13
276	Persistent physical symptoms reduction intervention: a system change and evaluation in secondary care (PRINCE secondary) – a CBT-based transdiagnostic approach: study protocol for a randomised controlled trial. BMC Psychiatry, 2019, 19, 307.	2.6	13
277	The acceptability of realâ€time health monitoring among community participants with depression: A systematic review and metaâ€analysis of the literature. Depression and Anxiety, 2020, 37, 885-897.	4.1	13
278	Changes in Physical Activity among United Kingdom University Students Following the Implementation of Coronavirus Lockdown Measures. International Journal of Environmental Research and Public Health, 2021, 18, 2792.	2.6	13
279	Update From Sri Lankan Twin Registry: Establishment of a Population-Based Twin Register and Ongoing Project on Common Mental Disorders, Alcohol Abuse and Suicidal Ideations. Twin Research and Human Genetics, 2006, 9, 868-874.	0.6	12
280	Irritable bowel syndrome in the UK military after deployment to Iraq: what are the risk factors?. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1755-1765.	3.1	12
281	The prevalence and correlates of alcohol use and alcohol use disorders: a population based study in Colombo, Sri Lanka. BMC Psychiatry, 2015, 15, 158.	2.6	12
282	Mental health phenotyping in UK Biobank. Progress in Neurology and Psychiatry, 2019, 23, 4-7.	0.9	12
283	Spatial patterning of self-harm rates within urban areas. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 69-79.	3.1	12
284	"There Is So Much More for Us to Lose If We Were to Kill Ourselves― Understanding Paradoxically Low Rates of Self-Harm in a Socioeconomically Disadvantaged Community in London. Qualitative Health Research, 2021, 31, 122-136.	2.1	12
285	Seasonal Affective Disorder, Environmental Hypersensitivity and Somatisation. British Journal of Psychiatry, 1994, 164, 246-248.	2.8	11
286	Are ethical committees reliable?. Journal of the Royal Society of Medicine, 1995, 88, 31-3.	2.0	11
287	Antidepressant medication use in Inflammatory Bowel Disease: a nationally representative populationâ€based study. Alimentary Pharmacology and Therapeutics, 2022, 55, 1330-1341.	3.7	11
288	Environmental exposures and their genetic or environmental contribution to depression and fatigue: a twin study in Sri Lanka. BMC Psychiatry, 2010, 10, 13.	2.6	10

#	Article	IF	CITATIONS
289	Self-rated health and later receipt of work-related benefits: evidence from the 1970 British Cohort Study. Psychological Medicine, 2013, 43, 1755-1762.	4.5	10
290	Harnessing Clinical Psychiatric Data with an Electronic Assessment Tool (OPCRIT+): The Utility of Symptom Dimensions. PLoS ONE, 2013, 8, e58790.	2.5	10
291	Family functioning, trauma exposure and PTSD: A cross sectional study. Journal of Affective Disorders, 2019, 245, 645-652.	4.1	10
292	Demographic variation in fit note receipt and long-term conditions in south London. Occupational and Environmental Medicine, 2020, 77, 418-426.	2.8	10
293	Reconsidering the reasons for heightened inflammation in major depressive disorder. Journal of Affective Disorders, 2021, 282, 434-441.	4.1	10
294	Age and sexâ€related variability in the presentation of generalized anxiety and depression symptoms. Depression and Anxiety, 2021, 38, 1054-1065.	4.1	10
295	A comparison of mental state examination documentation by junior clinicians in electronic health records before and after the introduction of a semi-structured assessment template (OPCRIT+). International Journal of Medical Informatics, 2015, 84, 675-682.	3.3	9
296	The relationship between affective symptoms and hypertension—role of the labelling effect: the 1946 British birth cohort. Open Heart, 2016, 3, e000341.	2.3	9
297	Factors associated with work status in chronic fatigue syndrome. Occupational Medicine, 2019, 69, 453-458.	1.4	9
298	The roles of non-cognitive and cognitive skills in the life course development of adult health inequalities. Social Science and Medicine, 2019, 232, 190-198.	3.8	9
299	Time-dependent cognitive and somatic symptoms of depression as predictors of new cardiac-related events in at-risk patients: the UPBEAT-UK cohort. Psychological Medicine, 2021, 51, 1271-1278.	4.5	9
300	Vitamin D and the risk of treatment-resistant and atypical depression: A Mendelian randomization study. Translational Psychiatry, 2021, 11, 561.	4.8	9
301	Physical multimorbidity, depressive symptoms, and social participation inÂadults over 50 years of age: findings from the English Longitudinal Study ofÂAgeing. Aging and Mental Health, 2023, 27, 43-53.	2.8	9
302	Trajectories of mental health among UK university staff and postgraduate students during the pandemic. Occupational and Environmental Medicine, 2022, 79, 514-520.	2.8	9
303	Prospective associations between depression and risk of hospitalisation for infection: Findings from the UK Biobank. Brain, Behavior, and Immunity, 2022, 102, 292-298.	4.1	9
304	Clinical Targets and Attitudes Toward Implementing Digital Health Tools for Remote Measurement in Treatment for Depression: Focus Groups With Patients and Clinicians. JMIR Mental Health, 2022, 9, e38934.	3.3	9
305	â€~Refusing Treatment—Please see': An Analysis of Capacity Assessments Carried out by a Liaison Psychiatry Service. Journal of the Royal Society of Medicine, 2004, 97, 480-482.	2.0	8
306	Mired in confusion: making sense of the Deprivation of Liberty Safeguards. Medicine, Science and the Law, 2011, 51, 228-236.	1.0	8

#	Article	IF	CITATIONS
307	Education in Twins and Their Parents Across Birth Cohorts Over 100 years: An Individual-Level Pooled Analysis of 42-Twin Cohorts. Twin Research and Human Genetics, 2017, 20, 395-405.	0.6	8
308	Does the sex of one's co-twin affect height and BMI in adulthood? A study of dizygotic adult twins from 31 cohorts. Biology of Sex Differences, 2017, 8, 14.	4.1	8
309	The association between emotional eating and depressive symptoms: a population-based twin study in Sri Lanka. Global Health, Epidemiology and Genomics, 2019, 4, e4.	0.8	8
310	Longitudinal patterns of mental health service utilisation by those with mental-physical comorbidity in the community. Journal of Psychosomatic Research, 2019, 117, 10-19.	2.6	8
311	Depressive and anxiety symptomatology among people with asthma or atopic dermatitis: A population-based investigation using the UK Biobank data. Brain, Behavior, and Immunity, 2020, 90, 138-144.	4.1	8
312	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. PLoS Medicine, 2020, 17, e1003306.	8.4	8
313	The behavioral, cellular and immune mediators of HIV-1 acquisition: New insights from population genetics. Scientific Reports, 2020, 10, 3304.	3.3	8
314	Association between antidepressant medication use and steroid dependency in patients with ulcerative colitis: a population-based study. BMJ Open Gastroenterology, 2021, 8, e000588.	2.7	8
315	Sex differences in experiences of multiple traumas and mental health problems in the UK Biobank cohort. Social Psychiatry and Psychiatric Epidemiology, 2021, , 1.	3.1	8
316	Chronic fatigue syndrome and occupational status: a retrospective longitudinal study. Occupational Medicine, 2022, 72, 177-183.	1.4	8
317	Psychological Services in Hospices in the UK and Republic of Ireland. Journal of the Royal Society of Medicine, 2006, 99, 637-639.	2.0	7
318	Mental disorder in limb reconstruction: Prevalence, associations and impact on work disability. Journal of Psychosomatic Research, 2016, 89, 53-60.	2.6	7
319	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants — RETRACTED. BJPsych Open, 2019, 5, e56.	0.7	7
320	Mobile apps, wearables and the future of technology in rheumatic disease care. Rheumatology, 2019, 58, 1126-1127.	1.9	7
321	Differences in hospital admissions practices following self-harm and their influence on population-level comparisons of self-harm rates in South London: an observational study. BMJ Open, 2019, 9, e032906.	1.9	7
322	Multimorbidity and fit note receipt in working-age adults with long-term health conditions. Psychological Medicine, 2020, , 1-10.	4.5	7
323	Differential effect of interferon-alpha treatment on AEA and 2-AG levels. Brain, Behavior, and Immunity, 2020, 90, 248-258.	4.1	7
324	National administrative record linkage between specialist community drug and alcohol treatment data (the National Drug Treatment Monitoring System (NDTMS)) and inpatient hospitalisation data (Hospital Episode Statistics (HES)) in England: design, method and evaluation. BMJ Open, 2020, 10, e043540.	1.9	7

#	Article	IF	CITATIONS
325	Patients' Measurement Priorities for Remote Measurement Technologies to Aid Chronic Health Conditions: Qualitative Analysis. JMIR MHealth and UHealth, 2020, 8, e15086.	3.7	7
326	Predictors of engagement with remote sensing technologies for symptom measurement in Major Depressive Disorder. Journal of Affective Disorders, 2022, 310, 106-115.	4.1	7
327	Autism spectrum disorders as a risk factor for adolescent self-harm: a retrospective cohort study of 113,286 young people in the UK. BMC Medicine, 2022, 20, 137.	5.5	7
328	Genetic and Environmental Etiology of Nicotine Use in Sri Lankan Male Twins. Behavior Genetics, 2012, 42, 798-807.	2.1	6
329	P769 Prevalence and duration of gastrointestinal symptoms in the 10 years before diagnosis of inflammatory bowel disease: A national cohort study. Journal of Crohn's and Colitis, 2020, 14, S610-S610.	1.3	6
330	Access to specialist community alcohol treatment in England, and the relationship with alcohol-related hospital admissions: qualitative study of service users, service providers and service commissioners. BJPsych Open, 2020, 6, e94.	0.7	6
331	The relationship between alcohol-related hospital admission and specialist alcohol treatment provision across local authorities in England since passage of the Health and Social Care Act 2012. British Journal of Psychiatry, 2021, 218, 230-232.	2.8	6
332	The efficacy and tolerability of pharmacologically active interventions for alcoholâ€induced hangover symptomatology: a systematic review of the evidence from randomised placeboâ€controlled trials. Addiction, 2022, 117, 2157-2167.	3.3	6
333	I've had a good life, what's left is a bonus: Factor analysis of the Mental Adjustment to Cancer Scale in a palliative care population. Palliative Medicine, 2014, 28, 243-255.	3.1	5
334	Wellbeing interventions: no evidence they prevent mental illness. Lancet, The, 2015, 386, 852-853.	13.7	5
335	NIPSA: a new scale for measuring non-illness predictors of sickness absence. Occupational and Environmental Medicine, 2018, 75, 98-104.	2.8	5
336	Persistent physical symptoms reduction intervention: a system change and evaluation (PRINCE)—integrated GP care for persistent physical symptoms: protocol for a feasibility and cluster randomised waiting list, controlled trial. BMJ Open, 2019, 9, e025513.	1.9	5
337	Distinct Distress Symptom Trajectories Over 3 Years Are Associated With Baseline Illness Perceptions in Individuals With Coronary Heart Disease. Annals of Behavioral Medicine, 2020, 54, 374-379.	2.9	5
338	Diagnostic promiscuity: the use of real-world data to study multimorbidity in mental health. British Journal of Psychiatry, 2021, 218, 237-239.	2.8	5
339	The relationship between independent and dependent life events and depression symptoms in Sri Lanka: a twin and singleton study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 237-249.	3.1	4
340	Genetic risk for severe COVIDâ€19 correlates with lower inflammatory marker levels in a SARSâ€CoVâ€2â€negative cohort. Clinical and Translational Immunology, 2021, 10, e1292.	3.8	4
341	The hospital admission profile of people presenting to specialist addiction services with problematic use of alcohol or opioids: A national retrospective cohort study in England. Lancet Regional Health - Europe, The, 2021, 3, 100036.	5.6	4
342	Efficacy of therapist-delivered transdiagnostic CBT for patients with persistent physical symptoms in secondary care: a randomised controlled trial. Psychological Medicine, 0, , 1-11.	4.5	4

#	Article	IF	CITATIONS
343	Koro and Capgraw Syndrome in a non-Chinese Subject. British Journal of Psychiatry, 1992, 161, 577-577.	2.8	4
344	Stoma Formation in Crohn's Disease and the Likelihood of Antidepressant Use: A Population-Based Cohort Study. Clinical Gastroenterology and Hepatology, 2022, 20, e703-e710.	4.4	4
345	Assessing the feasibility of a webâ€based outcome measurement system in child and adolescent mental health services – <scp>myHealthE</scp> a randomised controlled feasibility pilot study. Child and Adolescent Mental Health, 2023, 28, 128-147.	3.5	4
346	Capacity, consent and electroconvulsive therapy: A qualitative and cross-sectional study. Journal of Mental Health, 2008, 17, 315-325.	1.9	3
347	MORECARE CAPACITY: MENTAL CAPACITY AND PROCESSES OF CONSENT FOR RESEARCH ON END-OF-LIFE CARE. BMJ Supportive and Palliative Care, 2013, 3, 128.1-128.	1.6	3
348	Estimating the Prevalence of Alcohol Dependence in Europe Using Routine Hospital Discharge Data: An Ecological Study. Alcohol and Alcoholism, 2020, 55, 96-103.	1.6	3
349	Extent of disease at first cancer presentation and previous anxiety and depressive symptoms: the HUNT study. British Journal of Psychiatry, 2020, 217, 427-433.	2.8	3
350	Genetic Overlap Between Type 2 Diabetes and Depression in a Sri Lankan Population Twin Sample. Psychosomatic Medicine, 2020, 82, 247-253.	2.0	3
351	Integrated GP care for patients with persistent physical symptoms: feasibility cluster randomised trial. BMC Family Practice, 2020, 21, 207.	2.9	3
352	The Sri Lankan twin registry biobank: South Asia's first twin biobank. Global Health, Epidemiology and Genomics, 2020, 5, e5.	0.8	3
353	High-frequency follow-up studies in musculoskeletal disorders: a scoping review. Rheumatology, 2021, 60, 48-59.	1.9	3
354	Exploring the Effects of In-App Components on Engagement With a Symptom-Tracking Platform Among Participants With Major Depressive Disorder (RADAR-Engage): Protocol for a 2-Armed Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e32653.	1.0	3
355	Relationship between CRP and depression: A genetically sensitive study in Sri Lanka. Journal of Affective Disorders, 2022, 297, 112-117.	4.1	3
356	Update from Sri Lankan Twin Registry: establishment of a population-based twin register and ongoing project on common mental disorders, alcohol abuse and suicidal ideations. Twin Research and Human Genetics, 2006, 9, 868-74.	0.6	3
357	Commentary on â€~Steroids for symptom control in infectious mononucleosis (Review)' with a response from the review authors. Evidence-Based Child Health: A Cochrane Review Journal, 2012, 7, 447-449.	2.0	2
358	DOP85 Rising depression and antidepressant use amongst inflammatory bowel disease patients. Journal of Crohn's and Colitis, 2019, 13, S081-S082.	1.3	2
359	Patterns of use of the Mental Health Act 1983, from 2007–2008 to 2016–2017, in two major London secondary mental healthcare providers. BJPsych Open, 2019, 5, e102.	0.7	2
360	Associations Between Anxiety Symptoms and Health-Related Quality of Life: A Population-Based Twin Study in Sri Lanka. Behavior Genetics, 2021, 51, 394-404.	2.1	2

#	Article	IF	CITATIONS
361	Time-dependent depression and anxiety symptoms as risk factors for recurrent cardiac events: findings from the UPBEAT-UK study. Psychological Medicine, 2021, , 1-9.	4.5	2
362	Variation in rates of self-harm hospital admission and re-admission by ethnicity in London: a population cohort study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1967-1977.	3.1	2
363	Using digital health tools for the Remote Assessment of Treatment Prognosis in Depression (RAPID): a study protocol for a feasibility study. BMJ Open, 2022, 12, e059258.	1.9	2
364	Illness perceptions, adjustment to illness and depression in a palliative care population. BMJ Supportive and Palliative Care, 2011, 1, A14-A14.	1.6	1
365	Family Functioning, Trauma Exposure and PTSD in a Middle-income Community Sample. European Psychiatry, 2017, 41, S157-S157.	0.2	1
366	Mental health among UK inner city non-heterosexuals: the role of risk factors, protective factors and place – CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2019, 28, 131-135.	3.9	1
367	Health condition at first fit note and number of fit notes: a longitudinal study of primary care records in south London. BMJ Open, 2021, 11, e043889.	1.9	1
368	Educational attainment of same-sex and opposite-sex dizygotic twins: An individual-level pooled study of 19 twin cohorts. Hormones and Behavior, 2021, 136, 105054.	2.1	1
369	Psychological outcome of abortion. British Journal of Psychiatry, 1992, 161, 424-424.	2.8	0
370	The impact of context on assessments of mental capacity by psychiatrists. Journal of Mental Health, 2007, 16, 521-528.	1.9	0
371	Cochrane Review: Steroids for symptom control in infectious mononucleosis. Evidence-Based Child Health: A Cochrane Review Journal, 2012, 7, 403-446.	2.0	0
372	Deprivation of liberty in healthcare. BMJ, The, 2014, 348, g3390-g3390.	6.0	0
373	121. The Impact of Depression on Long-Term Physical Health Outcomes in Rheumatoid Arthritis. Rheumatology, 2014, 53, i103-i104.	1.9	0
374	OP85â€Psychiatric symptoms and premature mortality in the 1946 British birth cohort. Journal of Epidemiology and Community Health, 2014, 68, A42.1-A42.	3.7	0
375	067 Disability and Psychological Distress in Established Rheumatoid Arthritis: Secondary Analysis of a Clinical Trial. Rheumatology, 2016, , .	1.9	0
376	Unemployment and the rate of new contacts with mental health services in South London. European Psychiatry, 2016, 33, S173-S174.	0.2	0
377	Trajectories of depression and anxiety symptoms in coronary heart disease strongly predict health care costs. European Psychiatry, 2017, 41, S312-S313.	0.2	0
378	Editorial: depression in the setting of inflammatory bowel disease means we have failed to provide early, effective, psychosocial care—authors' reply. Alimentary Pharmacology and Therapeutics, 2017, 46, 554-555.	3.7	0

#	Article	IF	CITATIONS
379	Fit Note Use in UK Clinical Practice 2010–2016: A Systematic Review of Quantitative Research. European Psychiatry, 2017, 41, S618-S618.	0.2	0
380	Reply. Arthritis and Rheumatology, 2019, 71, 1025-1026.	5.6	0
381	P241 Associations between clinical variables and psychological symptoms in RA: a network science perspective. Rheumatology, 2020, 59, .	1.9	0
382	PRINCE Secondary: transdiagnostic cognitive behaviour therapy for persistent physical symptoms. Psychological Medicine, 2023, 53, 3232-3233.	4.5	0
383	P86â€Permanent stoma formation in Crohn's disease is associated with increased rates of antidepressant use. , 2021, , .		Ο
384	Legal Aspects of Mental Capacity By Bridgit Dimond. Blackwell. 2008. £29.99 (pb). 448pp. ISBN: 9781405133593. British Journal of Psychiatry, 2009, 194, 381-381.	2.8	0
385	Diagnosis, assessment, and treatment of depression in advanced disease. , 2018, , .		0
386	P64â€Understanding paradoxically low rates of self-harm in a deprived, ethnically diverse urban community in the UK: a thematic analysis of qualitative interviews and focus groups. , 2020, , .		0
387	Access to mental healthcare in the year after first fit note: a longitudinal study of linked clinical records. BMJ Open, 2021, 11, e044725.	1.9	0
388	The aetiological relationship between depressive symptoms and health-related quality of life: A population-based twin study in Sri Lanka. PLoS ONE, 2022, 17, e0265421.	2.5	0
389	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
390	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
391	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
392	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
393	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
394	Title is missing!. , 2020, 15, e0230674.		0
395	Title is missing!. , 2020, 15, e0230674.		0
396	Title is missing!. , 2020, 15, e0230674.		0

#	Article	IF	CITATIONS
397	Title is missing!. , 2020, 15, e0230674.		0
398	Estimating the total prevalence of PTSD among the UK police force: Formal comment on Brewin, Miller and Burchell (2022). PLoS ONE, 2022, 17, e0268400.	2.5	0