

Matthew Hotopf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4301504/publications.pdf>

Version: 2024-02-01

398
papers

28,399
citations

9786

73
h-index

8167

148
g-index

443
all docs

443
docs citations

443
times ranked

31773
citing authors

#	ARTICLE	IF	CITATIONS
1	Shared goals for mental health research: what, why and when for the 2020s. <i>Journal of Mental Health</i> , 2023, 32, 997-1005.	1.9	39
2	PRINCE Secondary: transdiagnostic cognitive behaviour therapy for persistent physical symptoms. <i>Psychological Medicine</i> , 2023, 53, 3232-3233.	4.5	0
3	Physical multimorbidity, depressive symptoms, and social participation in adults over 50 years of age: findings from the English Longitudinal Study of Ageing. <i>Aging and Mental Health</i> , 2023, 27, 43-53.	2.8	9
4	Assessing the feasibility of a web-based outcome measurement system in child and adolescent mental health services: myHealthE a randomised controlled feasibility pilot study. <i>Child and Adolescent Mental Health</i> , 2023, 28, 128-147.	3.5	4
5	Prospective associations between vitamin D and depression in middle-aged adults: findings from the UK Biobank cohort. <i>Psychological Medicine</i> , 2022, 52, 1866-1874.	4.5	24
6	Depression with atypical neurovegetative symptoms shares genetic predisposition with immuno-metabolic traits and alcohol consumption. <i>Psychological Medicine</i> , 2022, 52, 726-736.	4.5	33
7	Fitbeat: COVID-19 estimation based on wristband heart rate using a contrastive convolutional auto-encoder. <i>Pattern Recognition</i> , 2022, 123, 108403.	8.1	26
8	Mental health among UK university staff and postgraduate students in the early stages of the COVID-19 pandemic. <i>Occupational and Environmental Medicine</i> , 2022, 79, 259-267.	2.8	25
9	Comparison of symptom-based versus self-reported diagnostic measures of anxiety and depression disorders in the GLAD and COPING cohorts. <i>Journal of Anxiety Disorders</i> , 2022, 85, 102491.	3.2	20
10	Stoma Formation in Crohn's Disease and the Likelihood of Antidepressant Use: A Population-Based Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e703-e710.	4.4	4
11	Relationship between CRP and depression: A genetically sensitive study in Sri Lanka. <i>Journal of Affective Disorders</i> , 2022, 297, 112-117.	4.1	3
12	Chronic fatigue syndrome and occupational status: a retrospective longitudinal study. <i>Occupational Medicine</i> , 2022, 72, 177-183.	1.4	8
13	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones. <i>JMIR MHealth and UHealth</i> , 2022, 10, e28095.	3.7	19
14	The efficacy and tolerability of pharmacologically active interventions for alcohol-induced hangover symptomatology: a systematic review of the evidence from randomised placebo-controlled trials. <i>Addiction</i> , 2022, 117, 2157-2167.	3.3	6
15	Digital health tools for the passive monitoring of depression: a systematic review of methods. <i>Npj Digital Medicine</i> , 2022, 5, 3.	10.9	66
16	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study. <i>BMC Psychiatry</i> , 2022, 22, 136.	2.6	42
17	Antidepressant medication use in Inflammatory Bowel Disease: a nationally representative population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1330-1341.	3.7	11
18	Trajectories of mental health among UK university staff and postgraduate students during the pandemic. <i>Occupational and Environmental Medicine</i> , 2022, 79, 514-520.	2.8	9

#	ARTICLE	IF	CITATIONS
19	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study. <i>JMIR Mental Health</i> , 2022, 9, e34898.	3.3	26
20	The aetiological relationship between depressive symptoms and health-related quality of life: A population-based twin study in Sri Lanka. <i>PLoS ONE</i> , 2022, 17, e0265421.	2.5	0
21	Prospective associations between depression and risk of hospitalisation for infection: Findings from the UK Biobank. <i>Brain, Behavior, and Immunity</i> , 2022, 102, 292-298.	4.1	9
22	Using digital health tools for the Remote Assessment of Treatment Prognosis in Depression (RAPID): a study protocol for a feasibility study. <i>BMJ Open</i> , 2022, 12, e059258.	1.9	2
23	Prevalence of mental disorders in defendants at criminal court. <i>BJPsych Open</i> , 2022, 8, e92.	0.7	15
24	Predictors of engagement with remote sensing technologies for symptom measurement in Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2022, 310, 106-115.	4.1	7
25	Autism spectrum disorders as a risk factor for adolescent self-harm: a retrospective cohort study of 113,286 young people in the UK. <i>BMC Medicine</i> , 2022, 20, 137.	5.5	7
26	Estimating the total prevalence of PTSD among the UK police force: Formal comment on Brewin, Miller and Burchell (2022). <i>PLoS ONE</i> , 2022, 17, e0268400.	2.5	0
27	Clinical Targets and Attitudes Toward Implementing Digital Health Tools for Remote Measurement in Treatment for Depression: Focus Groups With Patients and Clinicians. <i>JMIR Mental Health</i> , 2022, 9, e38934.	3.3	9
28	A systematic review of engagement reporting in remote measurement studies for health symptom tracking. <i>Npj Digital Medicine</i> , 2022, 5, .	10.9	15
29	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	7.9	16
30	Mental health consequences of urban air pollution: prospective population-based longitudinal survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1587-1599.	3.1	66
31	Depression in individuals who subsequently develop inflammatory bowel disease: a population-based nested case-control study. <i>Gut</i> , 2021, 70, 1642-1648.	12.1	37
32	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. <i>Psychological Medicine</i> , 2021, 51, 2581-2589.	4.5	18
33	Time-dependent cognitive and somatic symptoms of depression as predictors of new cardiac-related events in at-risk patients: the UPBEAT-UK cohort. <i>Psychological Medicine</i> , 2021, 51, 1271-1278.	4.5	9
34	Prevalence and Duration of Gastrointestinal Symptoms Before Diagnosis of Inflammatory Bowel Disease and Predictors of Timely Specialist Review: A Population-Based Study. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 203-211.	1.3	28
35	Prevalence and age patterns of depression in the United Kingdom. A population-based study. <i>Journal of Affective Disorders</i> , 2021, 279, 164-172.	4.1	34
36	Remote Digital Monitoring for Medical Product Development. <i>Clinical and Translational Science</i> , 2021, 14, 94-101.	3.1	14

#	ARTICLE	IF	CITATIONS
37	High-frequency follow-up studies in musculoskeletal disorders: a scoping review. <i>Rheumatology</i> , 2021, 60, 48-59.	1.9	3
38	Invited Review: The spectrum of neuropathology in COVID-19. <i>Neuropathology and Applied Neurobiology</i> , 2021, 47, 3-16.	3.2	99
39	“There Is So Much More for Us to Lose If We Were to Kill Ourselves” Understanding Paradoxically Low Rates of Self-Harm in a Socioeconomically Disadvantaged Community in London. <i>Qualitative Health Research</i> , 2021, 31, 122-136.	2.1	12
40	Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. <i>Psychological Medicine</i> , 2021, 51, 147-157.	4.5	17
41	Diagnostic promiscuity: the use of real-world data to study multimorbidity in mental health. <i>British Journal of Psychiatry</i> , 2021, 218, 237-239.	2.8	5
42	Genetic risk for severe COVID-19 correlates with lower inflammatory marker levels in a SARS-CoV-2-negative cohort. <i>Clinical and Translational Immunology</i> , 2021, 10, e1292.	3.8	4
43	Associations Between Anxiety Symptoms and Health-Related Quality of Life: A Population-Based Twin Study in Sri Lanka. <i>Behavior Genetics</i> , 2021, 51, 394-404.	2.1	2
44	Time-dependent depression and anxiety symptoms as risk factors for recurrent cardiac events: findings from the UPBEAT-UK study. <i>Psychological Medicine</i> , 2021, , 1-9.	4.5	2
45	Health condition at first fit note and number of fit notes: a longitudinal study of primary care records in south London. <i>BMJ Open</i> , 2021, 11, e043889.	1.9	1
46	Changes in Physical Activity among United Kingdom University Students Following the Implementation of Coronavirus Lockdown Measures. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2792.	2.6	13
47	Reconsidering the reasons for heightened inflammation in major depressive disorder. <i>Journal of Affective Disorders</i> , 2021, 282, 434-441.	4.1	10
48	Variation in rates of self-harm hospital admission and re-admission by ethnicity in London: a population cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1967-1977.	3.1	2
49	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24604.	3.7	35
50	Predicting Depressive Symptom Severity Through Individuals’ Nearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29840.	3.7	26
51	The hospital admission profile of people presenting to specialist addiction services with problematic use of alcohol or opioids: A national retrospective cohort study in England. <i>Lancet Regional Health - Europe</i> , The, 2021, 3, 100036.	5.6	4
52	Prevalence of mental disorders, suicidal ideation and suicides in the general population before and during the COVID-19 pandemic in Norway: A population-based repeated cross-sectional analysis. <i>Lancet Regional Health - Europe</i> , The, 2021, 4, 100071.	5.6	70
53	Association between antidepressant medication use and steroid dependency in patients with ulcerative colitis: a population-based study. <i>BMJ Open Gastroenterology</i> , 2021, 8, e000588.	2.7	8
54	Sex differences in experiences of multiple traumas and mental health problems in the UK Biobank cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, , 1.	3.1	8

#	ARTICLE	IF	CITATIONS
55	Elevated C-Reactive Protein in Patients With Depression, Independent of Genetic, Health, and Psychosocial Factors: Results From the UK Biobank. <i>American Journal of Psychiatry</i> , 2021, 178, 522-529.	7.2	110
56	NHS CHECK: protocol for a cohort study investigating the psychosocial impact of the COVID-19 pandemic on healthcare workers. <i>BMJ Open</i> , 2021, 11, e051687.	1.9	20
57	Psychosocial impact of the COVID-19 pandemic on 4378 UK healthcare workers and ancillary staff: initial baseline data from a cohort study collected during the first wave of the pandemic. <i>Occupational and Environmental Medicine</i> , 2021, 78, 801-808.	2.8	95
58	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. <i>Lancet Psychiatry</i> , 2021, 8, 610-619.	7.4	268
59	Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study. <i>British Journal of Psychiatry</i> , 2021, 219, 678-685.	2.8	40
60	Age and sex-related variability in the presentation of generalized anxiety and depression symptoms. <i>Depression and Anxiety</i> , 2021, 38, 1054-1065.	4.1	10
61	Associations between physical multimorbidity patterns and common mental health disorders in middle-aged adults: A prospective analysis using data from the UK Biobank. <i>Lancet Regional Health - Europe</i> , 2021, 8, 100149.	5.6	34
62	Educational attainment of same-sex and opposite-sex dizygotic twins: An individual-level pooled study of 19 twin cohorts. <i>Hormones and Behavior</i> , 2021, 136, 105054.	2.1	1
63	P86...Permanent stoma formation in Crohn's disease is associated with increased rates of antidepressant use. , 2021, , .		0
64	The relationship between alcohol-related hospital admission and specialist alcohol treatment provision across local authorities in England since passage of the Health and Social Care Act 2012. <i>British Journal of Psychiatry</i> , 2021, 218, 230-232.	2.8	6
65	Exploring the Effects of In-App Components on Engagement With a Symptom-Tracking Platform Among Participants With Major Depressive Disorder (RADAR-Engage): Protocol for a 2-Armed Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e32653.	1.0	3
66	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. <i>Lancet Regional Health - Europe</i> , 2021, 11, 100228.	5.6	25
67	Vitamin D and the risk of treatment-resistant and atypical depression: A Mendelian randomization study. <i>Translational Psychiatry</i> , 2021, 11, 561.	4.8	9
68	Access to mental healthcare in the year after first fit note: a longitudinal study of linked clinical records. <i>BMJ Open</i> , 2021, 11, e044725.	1.9	0
69	Depressive symptoms during early adulthood and the development of physical multimorbidity in the UK: an observational cohort study. <i>The Lancet Healthy Longevity</i> , 2021, 2, e801-e810.	4.6	15
70	Estimating the Prevalence of Alcohol Dependence in Europe Using Routine Hospital Discharge Data: An Ecological Study. <i>Alcohol and Alcoholism</i> , 2020, 55, 96-103.	1.6	3
71	Characteristics, comorbidities, and correlates of atypical depression: evidence from the UK Biobank Mental Health Survey. <i>Psychological Medicine</i> , 2020, 50, 1129-1138.	4.5	55
72	The relationship between independent and dependent life events and depression symptoms in Sri Lanka: a twin and singleton study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 237-249.	3.1	4

#	ARTICLE	IF	CITATIONS
73	Factors associated with sharing e-mail information and mental health survey participation in large population cohorts. <i>International Journal of Epidemiology</i> , 2020, 49, 410-421.	1.9	67
74	Extent of disease at first cancer presentation and previous anxiety and depressive symptoms: the HUNT study. <i>British Journal of Psychiatry</i> , 2020, 217, 427-433.	2.8	3
75	A major role for common genetic variation in anxiety disorders. <i>Molecular Psychiatry</i> , 2020, 25, 3292-3303.	7.9	243
76	Genetic Overlap Between Type 2 Diabetes and Depression in a Sri Lankan Population Twin Sample. <i>Psychosomatic Medicine</i> , 2020, 82, 247-253.	2.0	3
77	Integrated GP care for patients with persistent physical symptoms: feasibility cluster randomised trial. <i>BMC Family Practice</i> , 2020, 21, 207.	2.9	3
78	P769 Prevalence and duration of gastrointestinal symptoms in the 10 years before diagnosis of inflammatory bowel disease: A national cohort study. <i>Journal of Crohn's and Colitis</i> , 2020, 14, S610-S610.	1.3	6
79	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. <i>Lancet Psychiatry</i> , 2020, 7, 883-892.	7.4	1,921
80	Genetic and environmental variation in educational attainment: an individual-based analysis of 28 twin cohorts. <i>Scientific Reports</i> , 2020, 10, 12681.	3.3	59
81	Says who? The significance of sampling in mental health surveys during COVID-19. <i>Lancet Psychiatry</i> , 2020, 7, 567-568.	7.4	317
82	Processes of consent in research for adults with impaired mental capacity nearing the end of life: systematic review and transparent expert consultation (MORECare_Capacity statement). <i>BMC Medicine</i> , 2020, 18, 221.	5.5	24
83	Depressive and anxiety symptomatology among people with asthma or atopic dermatitis: A population-based investigation using the UK Biobank data. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 138-144.	4.1	8
84	The mental health of emergency services personnel in the UK Biobank: a comparison with the working population. <i>HÅrre Utbildning</i> , 2020, 11, 1799477.	3.0	16
85	P241 Associations between clinical variables and psychological symptoms in RA: a network science perspective. <i>Rheumatology</i> , 2020, 59, .	1.9	0
86	The Sri Lankan twin registry biobank: South Asia's first twin biobank. <i>Global Health, Epidemiology and Genomics</i> , 2020, 5, e5.	0.8	3
87	Access to specialist community alcohol treatment in England, and the relationship with alcohol-related hospital admissions: qualitative study of service users, service providers and service commissioners. <i>BJPsych Open</i> , 2020, 6, e94.	0.7	6
88	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. <i>PLoS Medicine</i> , 2020, 17, e1003306.	8.4	8
89	Multimorbidity and fit note receipt in working-age adults with long-term health conditions. <i>Psychological Medicine</i> , 2020, , 1-10.	4.5	7
90	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. <i>PLoS ONE</i> , 2020, 15, e0230674.	2.5	22

#	ARTICLE	IF	CITATIONS
91	The scope of mental health research during the COVID-19 pandemic and its aftermath. <i>British Journal of Psychiatry</i> , 2020, 217, 540-542.	2.8	78
92	Genetic aetiology of self-harm ideation and behaviour. <i>Scientific Reports</i> , 2020, 10, 9713.	3.3	45
93	Digital phenotyping, behavioral sensing, or personal sensing: names and transparency in the digital age. <i>Npj Digital Medicine</i> , 2020, 3, 45.	10.9	51
94	Multidisciplinary research priorities for the COVID-19 pandemic – Authors' reply. <i>Lancet Psychiatry</i> , 2020, 7, e44-e45.	7.4	32
95	Real-time assessment of COVID-19 prevalence among multiple sclerosis patients: a multicenter European study. <i>Neurological Sciences</i> , 2020, 41, 1647-1650.	1.9	48
96	Distinct Distress Symptom Trajectories Over 3 Years Are Associated With Baseline Illness Perceptions in Individuals With Coronary Heart Disease. <i>Annals of Behavioral Medicine</i> , 2020, 54, 374-379.	2.9	5
97	The behavioral, cellular and immune mediators of HIV-1 acquisition: New insights from population genetics. <i>Scientific Reports</i> , 2020, 10, 3304.	3.3	8
98	Mental health in UK Biobank – development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. <i>BJPsych Open</i> , 2020, 6, e18.	0.7	210
99	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.	7.9	116
100	Associations Between Depression, Arterial Stiffness, and Metabolic Syndrome Among Adults in the UK Biobank Population Study. <i>JAMA Psychiatry</i> , 2020, 77, 598.	11.0	61
101	Association Between Lifetime Affective Symptoms and Premature Mortality. <i>JAMA Psychiatry</i> , 2020, 77, 806.	11.0	20
102	Demographic variation in fit note receipt and long-term conditions in south London. <i>Occupational and Environmental Medicine</i> , 2020, 77, 418-426.	2.8	10
103	The acceptability of real-time health monitoring among community participants with depression: A systematic review and meta-analysis of the literature. <i>Depression and Anxiety</i> , 2020, 37, 885-897.	4.1	13
104	Multidisciplinary research priorities for the COVID-19 pandemic: a call for action for mental health science. <i>Lancet Psychiatry</i> , 2020, 7, 547-560.	7.4	4,086
105	Differential effect of interferon-alpha treatment on AEA and 2-AG levels. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 248-258.	4.1	7
106	National administrative record linkage between specialist community drug and alcohol treatment data (the National Drug Treatment Monitoring System (NDTMS)) and inpatient hospitalisation data (Hospital Episode Statistics (HES)) in England: design, method and evaluation. <i>BMJ Open</i> , 2020, 10, e043540.	1.9	7
107	Probable PTSD, depression and anxiety in 40,299 UK police officers and staff: Prevalence, risk factors and associations with blood pressure. <i>PLoS ONE</i> , 2020, 15, e0240902.	2.5	31
108	Patients' Measurement Priorities for Remote Measurement Technologies to Aid Chronic Health Conditions: Qualitative Analysis. <i>JMIR MHealth and UHealth</i> , 2020, 8, e15086.	3.7	7

#	ARTICLE	IF	CITATIONS
109	Human-Centered Design Strategies for Device Selection in mHealth Programs: Development of a Novel Framework and Case Study. JMIR MHealth and UHealth, 2020, 8, e16043.	3.7	31
110	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. Journal of Medical Internet Research, 2020, 22, e19992.	4.3	155
111	P64â€¦Understanding paradoxically low rates of self-harm in a deprived, ethnically diverse urban community in the UK: a thematic analysis of qualitative interviews and focus groups. , 2020, , .		0
112	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
113	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
114	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
115	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
116	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
117	Title is missing!. , 2020, 15, e0230674.		0
118	Title is missing!. , 2020, 15, e0230674.		0
119	Title is missing!. , 2020, 15, e0230674.		0
120	Title is missing!. , 2020, 15, e0230674.		0
121	Psychiatric comorbidity as a risk factor for mortality in people with anorexia nervosa. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 351-359.	3.2	50
122	Factors associated with work status in chronic fatigue syndrome. Occupational Medicine, 2019, 69, 453-458.	1.4	9
123	Emotional outcomes in clinically isolated syndrome and early phase multiple sclerosis: a systematic review and meta-analysis. Journal of Psychosomatic Research, 2019, 124, 109761.	2.6	17
124	The CODATwins Project: The Current Status and Recent Findings of COLlaborative Project of Development of Anthropometrical Measures in Twins. Twin Research and Human Genetics, 2019, 22, 800-808.	0.6	19
125	The prevalence of wholly attributable alcohol conditions in the United Kingdom hospital system: a systematic review, metaâ€¦analysis and metaâ€¦regression. Addiction, 2019, 114, 1726-1737.	3.3	22
126	The Assessment of Mental Capacity. , 2019, , 13-33.		31

#	ARTICLE	IF	CITATIONS
127	Indicators of mental disorders in UK Biobank – A comparison of approaches. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1796.	2.1	77
128	The Genetic Links to Anxiety and Depression (GLAD) Study: Online recruitment into the largest recontactable study of depression and anxiety. <i>Behaviour Research and Therapy</i> , 2019, 123, 103503.	3.1	47
129	Persistent physical symptoms reduction intervention: a system change and evaluation in secondary care (PRINCE secondary) – a CBT-based transdiagnostic approach: study protocol for a randomised controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 307.	2.6	13
130	Mental health in UK Biobank: development, implementation and results from an online questionnaire completed by 157 366 participants – RETRACTED. <i>BJPsych Open</i> , 2019, 5, e56.	0.7	7
131	Association of Genetic Liability to Psychotic Experiences With Neuropsychotic Disorders and Traits. <i>JAMA Psychiatry</i> , 2019, 76, 1256.	11.0	112
132	DOP85 Rising depression and antidepressant use amongst inflammatory bowel disease patients. <i>Journal of Crohn's and Colitis</i> , 2019, 13, S081-S082.	1.3	2
133	Reply. <i>Arthritis and Rheumatology</i> , 2019, 71, 1025-1026.	5.6	0
134	The association between emotional eating and depressive symptoms: a population-based twin study in Sri Lanka. <i>Global Health, Epidemiology and Genomics</i> , 2019, 4, e4.	0.8	8
135	The roles of non-cognitive and cognitive skills in the life course development of adult health inequalities. <i>Social Science and Medicine</i> , 2019, 232, 190-198.	3.8	9
136	An approach to linking education, social care and electronic health records for children and young people in South London: a linkage study of child and adolescent mental health service data. <i>BMJ Open</i> , 2019, 9, e024355.	1.9	56
137	Recurrence of Depression in Relation to History of Childhood Trauma and Hair Cortisol Concentration in a Community-Based Sample. <i>Neuropsychobiology</i> , 2019, 78, 48-57.	1.9	20
138	Mobile apps, wearables and the future of technology in rheumatic disease care. <i>Rheumatology</i> , 2019, 58, 1126-1127.	1.9	7
139	Mental health phenotyping in UK Biobank. <i>Progress in Neurology and Psychiatry</i> , 2019, 23, 4-7.	0.9	12
140	Common mental disorders within chronic inflammatory disorders: a primary care database prospective investigation. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 688-695.	0.9	47
141	Associations between childhood maltreatment and inflammatory markers. <i>BJPsych Open</i> , 2019, 5, e3.	0.7	14
142	Mental health among UK inner city non-heterosexuals: the role of risk factors, protective factors and place – CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 131-135.	3.9	1
143	Psychiatric comorbidity as a risk factor for the mortality of people with bulimia nervosa. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 813-821.	3.1	28
144	Risk Assessment Tools and Data-Driven Approaches for Predicting and Preventing Suicidal Behavior. <i>Frontiers in Psychiatry</i> , 2019, 10, 36.	2.6	49

#	ARTICLE	IF	CITATIONS
145	Remote assessment of disease and relapse in major depressive disorder (RADAR-MDD): a multi-centre prospective cohort study protocol. <i>BMC Psychiatry</i> , 2019, 19, 72.	2.6	99
146	Differences in hospital admissions practices following self-harm and their influence on population-level comparisons of self-harm rates in South London: an observational study. <i>BMJ Open</i> , 2019, 9, e032906.	1.9	7
147	Persistent physical symptoms reduction intervention: a system change and evaluation (PRINCE)â€”integrated GP care for persistent physical symptoms: protocol for a feasibility and cluster randomised waiting list, controlled trial. <i>BMJ Open</i> , 2019, 9, e025513.	1.9	5
148	Patterns of use of the Mental Health Act 1983, from 2007â€”2008 to 2016â€”2017, in two major London secondary mental healthcare providers. <i>BJPsych Open</i> , 2019, 5, e102.	0.7	2
149	Efficacy and acceptability of antidepressants in patients with ischemic heart disease. <i>International Clinical Psychopharmacology</i> , 2019, 34, 65-75.	1.7	15
150	Inflammatory profiles of severe treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2019, 246, 42-51.	4.1	79
151	Persistent fatigue induced by interferon-alpha: a novel, inflammation-based, proxy model of chronic fatigue syndrome. <i>Psychoneuroendocrinology</i> , 2019, 100, 276-285.	2.7	62
152	Family functioning, trauma exposure and PTSD: A cross sectional study. <i>Journal of Affective Disorders</i> , 2019, 245, 645-652.	4.1	10
153	Longitudinal patterns of mental health service utilisation by those with mental-physical comorbidity in the community. <i>Journal of Psychosomatic Research</i> , 2019, 117, 10-19.	2.6	8
154	Psychiatric symptoms and risk of victimisation: a population-based study from Southeast London. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 168-178.	3.9	24
155	Spatial patterning of self-harm rates within urban areas. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 69-79.	3.1	12
156	Childhood abuse and psychotic experiences â€” evidence for mediation by adulthood adverse life events. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 300-309.	3.9	20
157	Negative Symptoms in Early-Onset Psychosis and Their Association With Antipsychotic Treatment Failure. <i>Schizophrenia Bulletin</i> , 2019, 45, 69-79.	4.3	47
158	Barriers to and Facilitators of Engagement With mHealth Technology for Remote Measurement and Management of Depression: Qualitative Analysis. <i>JMIR MHealth and UHealth</i> , 2019, 7, e11325.	3.7	88
159	Antidepressants for the treatment of depression in people with cancer. <i>The Cochrane Library</i> , 2018, 2018, CD011006.	2.8	66
160	The relationship between depression and biologic treatment response in rheumatoid arthritis: An analysis of the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2018, 57, 835-843.	1.9	83
161	Depression and anxiety in patients receiving interferon-alpha: The role of illness perceptions. <i>Journal of Health Psychology</i> , 2018, 23, 1405-1414.	2.3	13
162	Taking an intersectional approach to define latent classes of socioeconomic status, ethnicity and migration status for psychiatric epidemiological research. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 589-600.	3.9	38

#	ARTICLE	IF	CITATIONS
163	Tobacco smoking is associated with psychotic experiences in the general population of South London. <i>Psychological Medicine</i> , 2018, 48, 123-131.	4.5	23
164	Screening for psychological distress using the Patient Health Questionnaire Anxiety and Depression Scale (PHQ-ADS): Initial validation of structural validity in dialysis patients. <i>General Hospital Psychiatry</i> , 2018, 50, 15-19.	2.4	39
165	Exercise and the Prevention of Depression: Results of the HUNT Cohort Study. <i>American Journal of Psychiatry</i> , 2018, 175, 28-36.	7.2	285
166	NIPSA: a new scale for measuring non-illness predictors of sickness absence. <i>Occupational and Environmental Medicine</i> , 2018, 75, 98-104.	2.8	5
167	Depression and anxiety symptom trajectories in coronary heart disease: Associations with measures of disability and impact on 3-year health care costs. <i>Journal of Psychosomatic Research</i> , 2018, 104, 1-8.	2.6	76
168	Barrier or stressor? The role of discrimination experiences in health service use. <i>BMC Public Health</i> , 2018, 18, 1354.	2.9	15
169	Genetic Risk for Psychiatric Disorders and Telomere Length. <i>Frontiers in Genetics</i> , 2018, 9, 468.	2.3	20
170	Debt, common mental disorders and mental health service use. <i>Journal of Mental Health</i> , 2018, 27, 520-528.	1.9	15
171	Agreement between subjective and objective measures of sleep duration in a low-middle income country setting. <i>Sleep Health</i> , 2018, 4, 543-550.	2.5	23
172	Hair cortisol and childhood trauma predict psychological therapy response in depression and anxiety disorders. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 526-535.	4.5	19
173	Adolescent affective symptoms and mortality. <i>British Journal of Psychiatry</i> , 2018, 213, 419-424.	2.8	16
174	Unwell in hospital but not incapable: cross-sectional study on the dissociation of decision-making capacity for treatment and research in in-patients with schizophrenia and related psychoses. <i>British Journal of Psychiatry</i> , 2018, 213, 484-489.	2.8	23
175	The Colombo Twin and Singleton Follow-up Study: a population based twin study of psychiatric disorders and metabolic syndrome in Sri Lanka. <i>BMC Public Health</i> , 2018, 18, 145.	2.9	16
176	Growth Factor Proteins and Treatment-Resistant Depression: A Place on the Path to Precision. <i>Frontiers in Psychiatry</i> , 2018, 9, 386.	2.6	19
177	The Impact of Targeted Rheumatoid Arthritis Pharmacologic Treatment on Mental Health. <i>Arthritis and Rheumatology</i> , 2018, 70, 1377-1391.	5.6	39
178	Systematic review of fit note use for workers in the UK. <i>Occupational and Environmental Medicine</i> , 2018, 75, 530-539.	2.8	20
179	Using data linkage to electronic patient records to assess the validity of selected mental health diagnoses in English Hospital Episode Statistics (HES). <i>PLoS ONE</i> , 2018, 13, e0195002.	2.5	34
180	Diagnosis, assessment, and treatment of depression in advanced disease. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
181	Assessing the contributions of childhood maltreatment subtypes and depression case-control status on telomere length reveals a specific role of physical neglect. <i>Journal of Affective Disorders</i> , 2017, 213, 16-22.	4.1	45
182	Genetic predisposition to advanced biological ageing increases risk for childhood-onset recurrent major depressive disorder in a large UK sample. <i>Journal of Affective Disorders</i> , 2017, 213, 207-213.	4.1	19
183	Subclinical psychotic experiences and subsequent contact with mental health services. <i>BJPsych Open</i> , 2017, 3, 64-70.	0.7	24
184	Diversity or disarray? A systematic review of decision-making capacity for treatment and research in schizophrenia and other non-affective psychoses. <i>Psychological Medicine</i> , 2017, 47, 1906-1922.	4.5	32
185	Genetic and other risk factors for suicidal ideation and the relationship with depression. <i>Psychological Medicine</i> , 2017, 47, 2438-2449.	4.5	26
186	The Relationship Between Mental Health, Disease Severity, and Genetic Risk for Depression in Early Rheumatoid Arthritis. <i>Psychosomatic Medicine</i> , 2017, 79, 638-645.	2.0	35
187	Contributions of specific causes of death to lost life expectancy in severe mental illness. <i>European Psychiatry</i> , 2017, 43, 109-115.	0.2	71
188	Sociodemographic, lifestyle, and psychosocial determinants of hair cortisol in a South London community sample. <i>Psychoneuroendocrinology</i> , 2017, 76, 144-153.	2.7	47
189	Smoking and common mental disorders in patients with chronic conditions: An analysis of data collected via a web-based screening system. <i>General Hospital Psychiatry</i> , 2017, 45, 12-18.	2.4	20
190	Tailored online cognitive behavioural therapy with or without therapist support calls to target psychological distress in adults receiving haemodialysis: A feasibility randomised controlled trial. <i>Journal of Psychosomatic Research</i> , 2017, 102, 61-70.	2.6	73
191	Education in Twins and Their Parents Across Birth Cohorts Over 100 years: An Individual-Level Pooled Analysis of 42-Twin Cohorts. <i>Twin Research and Human Genetics</i> , 2017, 20, 395-405.	0.6	8
192	Family Functioning, Trauma Exposure and PTSD in a Middle-income Community Sample. <i>European Psychiatry</i> , 2017, 41, S157-S157.	0.2	1
193	Trajectories of depression and anxiety symptoms in coronary heart disease strongly predict health care costs. <i>European Psychiatry</i> , 2017, 41, S312-S313.	0.2	0
194	Editorial: depression in the setting of inflammatory bowel disease means we have failed to provide early, effective, psychosocial care—authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 554-555.	3.7	0
195	Fit Note Use in UK Clinical Practice 2010–2016: A Systematic Review of Quantitative Research. <i>European Psychiatry</i> , 2017, 41, S618-S618.	0.2	0
196	Differences in genetic and environmental variation in adult BMI by sex, age, time period, and region: an individual-based pooled analysis of 40 twin cohorts. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 457-466.	4.7	107
197	Does the sex of one's co-twin affect height and BMI in adulthood? A study of dizygotic adult twins from 31 cohorts. <i>Biology of Sex Differences</i> , 2017, 8, 14.	4.1	8
198	Screening for anxiety and depression in people with psoriasis: a cross-sectional study in a tertiary referral setting. <i>British Journal of Dermatology</i> , 2017, 176, 1028-1034.	1.5	88

#	ARTICLE	IF	CITATIONS
199	Linking health and education data to plan and evaluate services for children. Archives of Disease in Childhood, 2017, 102, 599-602.	1.9	34
200	The Association Between Comorbid Autism Spectrum Disorders and Antipsychotic Treatment Failure in Early-Onset Psychosis. Journal of Clinical Psychiatry, 2017, 78, e1233-e1241.	2.2	39
201	Genetic and environmental influences on adult human height across birth cohorts from 1886 to 1994. ELife, 2016, 5, .	6.0	42
202	Usefulness of the SF-36 Health Survey in screening for depressive and anxiety disorders in rheumatoid arthritis. BMC Musculoskeletal Disorders, 2016, 17, 224.	1.9	75
203	A Single, One-Off Measure of Depression and Anxiety Predicts Future Symptoms, Higher Healthcare Costs, and Lower Quality of Life in Coronary Heart Disease Patients: Analysis from a Multi-Wave, Primary Care Cohort Study. PLoS ONE, 2016, 11, e0158163.	2.5	40
204	Disability and Psychological Distress in Established Rheumatoid Arthritis: Secondary Analysis of a Clinical Trial. Rheumatology, 2016, , .	1.9	0
205	Service user and carer priorities in a Biomedical Research Centre for mental health. Journal of Mental Health, 2016, 25, 185-188.	1.9	31
206	Depression in patients with chronic pain attending a specialised pain treatment centre: prevalence and impact on health care costs. Pain, 2016, 157, 1472-1479.	4.2	181
207	The relationship between affective symptoms and hypertension—role of the labelling effect: the 1946 British birth cohort. Open Heart, 2016, 3, e000341.	2.3	9
208	It's a long shot, but it just might work! Perspectives on the future of medicine. BMC Medicine, 2016, 14, 176.	5.5	17
209	He left me a message on Facebook™: comparing the risk profiles of self-harming patients who leave paper suicide notes with those who leave messages on new media. BJPsych Open, 2016, 2, 217-220.	0.7	18
210	Mental health among UK inner city non-heterosexuals: the role of risk factors, protective factors and place. Epidemiology and Psychiatric Sciences, 2016, 25, 450-461.	3.9	16
211	Low birth weight and features of neuroticism and mood disorder in 83 545 participants of the UK Biobank cohort. BJPsych Open, 2016, 2, 38-44.	0.7	14
212	Improving distress in dialysis (iDiD): a feasibility two-arm parallel randomised controlled trial of an online cognitive behavioural therapy intervention with and without therapist-led telephone support for psychological distress in patients undergoing haemodialysis. BMJ Open, 2016, 6, e011286.	1.9	72
213	Cardiometabolic disease and features of depression and bipolar disorder: Population-based, cross-sectional study. British Journal of Psychiatry, 2016, 208, 343-351.	2.8	30
214	Unemployment and the rate of new contacts with mental health services in South London. European Psychiatry, 2016, 33, S173-S174.	0.2	0
215	Transcriptomics in Interferon-Î±-Treated Patients Identifies Inflammation-, Neuroplasticity- and Oxidative Stress-Related Signatures as Predictors and Correlates of Depression. Neuropsychopharmacology, 2016, 41, 2502-2511.	5.4	48
216	Data science for mental health: a UK perspective on a global challenge. Lancet Psychiatry, the, 2016, 3, 993-998.	7.4	47

#	ARTICLE	IF	CITATIONS
217	Mental disorder in limb reconstruction: Prevalence, associations and impact on work disability. <i>Journal of Psychosomatic Research</i> , 2016, 89, 53-60.	2.6	7
218	Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. <i>British Journal of General Practice</i> , 2016, 66, e374-e381.	1.4	40
219	Minority status and mental distress: a comparison of group density effects. <i>Psychological Medicine</i> , 2016, 46, 3051-3059.	4.5	25
220	Can mental health diagnoses in administrative data be used for research? A systematic review of the accuracy of routinely collected diagnoses. <i>BMC Psychiatry</i> , 2016, 16, 263.	2.6	166
221	Clinical characteristics of patients assessed within an Improving Access to Psychological Therapies (IAPT) service: results from a naturalistic cohort study (Predicting Outcome Following Psychological) Tj ETQq1 1 0.284314 rgBT /Overlock 10	1.0	31
222	Challenges in the retrospective assessment of trauma: comparing a checklist approach to a single item trauma experience screening question. <i>BMC Psychiatry</i> , 2016, 16, 20.	2.6	43
223	Are depression and anxiety associated with disease activity in rheumatoid arthritis? A prospective study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 155.	1.9	77
224	Discrimination and common mental disorder among migrant and ethnic groups: findings from a South East London Community sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 689-701.	3.1	57
225	Symptoms of depression and anxiety predict treatment response and long-term physical health outcomes in rheumatoid arthritis: secondary analysis of a randomized controlled trial. <i>Rheumatology</i> , 2016, 55, 268-278.	1.9	178
226	Mortality of people with chronic fatigue syndrome: a retrospective cohort study in England and Wales from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM) Tj ETQq0 0 0.7 BT /Overlock 10	1.0	7
227	Psychotic Experiences and Neuropsychological Functioning in a Population-based Sample. <i>JAMA Psychiatry</i> , 2016, 73, 129.	11.0	40
228	Eating disorders in a multi-ethnic inner-city UK sample: prevalence, comorbidity and service use. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 369-381.	3.1	65
229	Clinical predictors of antipsychotic use in children and adolescents with autism spectrum disorders: a historical open cohort study using electronic health records. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 649-658.	4.7	35
230	Exploring Professional Help-Seeking for Mental Disorders. <i>Qualitative Health Research</i> , 2016, 26, 1662-1673.	2.1	37
231	Zygosity Differences in Height and Body Mass Index of Twins From Infancy to Old Age: A Study of the CODATwins Project. <i>Twin Research and Human Genetics</i> , 2015, 18, 557-570.	0.6	24
232	The CODATwins Project: The Cohort Description of Collaborative Project of Development of Anthropometrical Measures in Twins to Study Macro-Environmental Variation in Genetic and Environmental Effects on Anthropometric Traits. <i>Twin Research and Human Genetics</i> , 2015, 18, 348-360.	0.6	55
233	Validation of the standardised assessment of personality - abbreviated scale in a general population sample. <i>Personality and Mental Health</i> , 2015, 9, 250-257.	1.2	19
234	Antidepressants for the treatment of depression in people with cancer. <i>The Cochrane Library</i> , 2015, , CD011006.	2.8	70

#	ARTICLE	IF	CITATIONS
235	The Effect of Clozapine on Premature Mortality: An Assessment of Clinical Monitoring and Other Potential Confounders. <i>Schizophrenia Bulletin</i> , 2015, 41, 644-655.	4.3	105
236	Double trouble: Psychiatric comorbidity and opioid addiction—All-cause and cause-specific mortality. <i>Drug and Alcohol Dependence</i> , 2015, 148, 85-92.	3.2	69
237	Validation of the <scp>SCOFF</scp> questionnaire for eating disorders in a multiethnic general population sample. <i>International Journal of Eating Disorders</i> , 2015, 48, 312-316.	4.0	64
238	Social networks, social support and psychiatric symptoms: social determinants and associations within a multicultural community population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1111-1120.	3.1	49
239	Are common mental disorders more prevalent in the UK serving military compared to the general working population?. <i>Psychological Medicine</i> , 2015, 45, 1881-1891.	4.5	77
240	Psychological correlates of fatigue in rheumatoid arthritis: A systematic review. <i>Clinical Psychology Review</i> , 2015, 39, 16-29.	11.4	83
241	The prevalence and correlates of alcohol use and alcohol use disorders: a population based study in Colombo, Sri Lanka. <i>BMC Psychiatry</i> , 2015, 15, 158.	2.6	12
242	Challenges in researching migration status, health and health service use: an intersectional analysis of a South London community. <i>Ethnicity and Health</i> , 2015, 20, 564-593.	2.5	45
243	A comparison of mental state examination documentation by junior clinicians in electronic health records before and after the introduction of a semi-structured assessment template (OPCRIT+). <i>International Journal of Medical Informatics</i> , 2015, 84, 675-682.	3.3	9
244	Using routine clinical and administrative data to produce a dataset of attendances at Emergency Departments following self-harm. <i>BMC Emergency Medicine</i> , 2015, 15, 15.	1.9	21
245	Wellbeing interventions: no evidence they prevent mental illness. <i>Lancet, The</i> , 2015, 386, 852-853.	13.7	5
246	Temporal inabilities and decision-making capacity in depression. <i>Phenomenology and the Cognitive Sciences</i> , 2015, 14, 163-182.	1.8	28
247	Job Strain, Health and Sickness Absence: Results from the Hordaland Health Study. <i>PLoS ONE</i> , 2014, 9, e96025.	2.5	37
248	Deprivation of liberty in healthcare. <i>BMJ, The</i> , 2014, 348, g3390-g3390.	6.0	0
249	Work and mental health in the UK. <i>BMJ, The</i> , 2014, 348, g2256-g2256.	6.0	16
250	121.â€fThe Impact of Depression on Long-Term Physical Health Outcomes in Rheumatoid Arthritis. <i>Rheumatology</i> , 2014, 53, i103-i104.	1.9	0
251	Heaviness, health and happiness: a cross-sectional study of 163066 UK Biobank participants. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 340-348.	3.7	22
252	Seeking informal and formal help for mental health problems in the community: a secondary analysis from a psychiatric morbidity survey in South London. <i>BMC Psychiatry</i> , 2014, 14, 275.	2.6	78

#	ARTICLE	IF	CITATIONS
253	Comment on: The prevalence of depression in rheumatoid arthritis: a systematic review and meta-analysis: reply. <i>Rheumatology</i> , 2014, 53, 578-579.	1.9	21
254	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. <i>Age and Ageing</i> , 2014, 43, 562-567.	1.6	66
255	'You feel you've been bad, not ill': Sick doctors' experiences of interactions with the General Medical Council. <i>BMJ Open</i> , 2014, 4, e005537-e005537.	1.9	23
256	Developing a new model for patient recruitment in mental health services: a cohort study using Electronic Health Records. <i>BMJ Open</i> , 2014, 4, e005654.	1.9	34
257	OP85â€¦Psychiatric symptoms and premature mortality in the 1946 British birth cohort. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, A42.1-A42.	3.7	0
258	Symptoms of anxiety and depression across adulthood and blood pressure in late middle age. <i>Journal of Hypertension</i> , 2014, 32, 1590-1599.	0.5	28
259	Personality Disorder and Self-Rated Health: A Population-Based Cross-Sectional Survey. <i>Journal of Personality Disorders</i> , 2014, 28, 319-333.	1.4	35
260	lâ€™ve had a good life, whatâ€™s left is a bonus: Factor analysis of the Mental Adjustment to Cancer Scale in a palliative care population. <i>Palliative Medicine</i> , 2014, 28, 243-255.	3.1	5
261	Prevalence and correlates of disordered eating in a general population sample: the South East London Community Health (SElCoH) study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1335-1346.	3.1	67
262	Influence of perceived and actual neighbourhood disorder on common mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 889-901.	3.1	29
263	How equitable are psychological therapy services in South East London now? A comparison of referrals to a new psychological therapy service with participants in a psychiatric morbidity survey in the same London borough. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1893-1902.	3.1	23
264	Gender differences in the association between adiposity and probable major depression: a cross-sectional study of 140,564 UK Biobank participants. <i>BMC Psychiatry</i> , 2014, 14, 153.	2.6	29
265	Predicting outcome following psychological therapy in IAPT (PROMPT): a naturalistic project protocol. <i>BMC Psychiatry</i> , 2014, 14, 170.	2.6	15
266	Concepts of mental capacity for patients requesting assisted suicide: a qualitative analysis of expert evidence presented to the Commission on Assisted Dying. <i>BMC Medical Ethics</i> , 2014, 15, 32.	2.4	52
267	Embedding integrated mental health assessment and management in general hospital settings: feasibility, acceptability and the prevalence of common mental disorder. <i>General Hospital Psychiatry</i> , 2014, 36, 318-324.	2.4	116
268	Self-help interventions for symptoms of depression, anxiety and psychological distress in patients with physical illnesses: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2014, 34, 141-157.	11.4	57
269	The impact of rheumatoid arthritis on quality-of-life assessed using the SF-36: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2014, 44, 123-130.	3.4	337
270	Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. <i>British Journal of Psychiatry</i> , 2014, 204, 346-353.	2.8	90

#	ARTICLE	IF	CITATIONS
271	A cohort study on mental disorders, stage of cancer at diagnosis and subsequent survival. <i>BMJ Open</i> , 2014, 4, e004295.	1.9	99
272	Trauma, post-traumatic stress disorder and psychiatric disorders in a middle-income setting: prevalence and comorbidity. <i>British Journal of Psychiatry</i> , 2014, 205, 383-389.	2.8	53
273	Investigating Exposure to Violence and Mental Health in a Diverse Urban Community Sample: Data from the South East London Community Health (SELCoH) Survey. <i>PLoS ONE</i> , 2014, 9, e93660.	2.5	22
274	Mini-Mental State Examination as a Predictor of Mortality among Older People Referred to Secondary Mental Healthcare. <i>PLoS ONE</i> , 2014, 9, e105312.	2.5	21
275	Irritable bowel syndrome in the UK military after deployment to Iraq: what are the risk factors?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1755-1765.	3.1	12
276	Trauma and current symptoms of PTSD in a South East London community. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1199-1209.	3.1	35
277	Assessments of mental capacity in psychiatric inpatients: a retrospective cohort study. <i>BMC Psychiatry</i> , 2013, 13, 115.	2.6	27
278	Evaluating complex interventions in End of Life Care: the MORECare Statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. <i>BMC Medicine</i> , 2013, 11, 111.	5.5	256
279	Depression and decision-making capacity for treatment or research: a systematic review. <i>BMC Medical Ethics</i> , 2013, 14, 54.	2.4	128
280	A link between physician-diagnosed ulcer and anxiety disorders among adults. <i>Annals of Epidemiology</i> , 2013, 23, 189-192.	1.9	31
281	Comparisons of polydrug use at national and inner city levels in England: associations with demographic and socioeconomic factors. <i>Annals of Epidemiology</i> , 2013, 23, 636-645.	1.9	31
282	Suicidal behaviours in South East London: Prevalence, risk factors and the role of socio-economic status. <i>Journal of Affective Disorders</i> , 2013, 150, 441-449.	4.1	44
283	The prevalence of depression in rheumatoid arthritis: a systematic review and meta-analysis. <i>Rheumatology</i> , 2013, 52, 2136-2148.	1.9	638
284	The factor structure of the PHQ-9 in palliative care. <i>Journal of Psychosomatic Research</i> , 2013, 75, 60-64.	2.6	75
285	MORECARE CAPACITY: MENTAL CAPACITY AND PROCESSES OF CONSENT FOR RESEARCH ON END-OF-LIFE CARE. <i>BMJ Supportive and Palliative Care</i> , 2013, 3, 128.1-128.	1.6	3
286	Epidemiology of hoarding disorder. <i>British Journal of Psychiatry</i> , 2013, 203, 445-452.	2.8	126
287	Foetal origins of depression? A systematic review and meta-analysis of low birth weight and later depression. <i>Psychological Medicine</i> , 2013, 43, 1-12.	4.5	100
288	Life Course Study of the Etiology of Self-Reported Irritable Bowel Syndrome in the 1958 British Birth Cohort. <i>Psychosomatic Medicine</i> , 2013, 75, 202-210.	2.0	27

#	ARTICLE	IF	CITATIONS
289	Decision-making capacity for treatment in psychiatric and medical in-patients: Cross-sectional, comparative study. <i>British Journal of Psychiatry</i> , 2013, 203, 461-467.	2.8	58
290	Self-rated health and later receipt of work-related benefits: evidence from the 1970 British Cohort Study. <i>Psychological Medicine</i> , 2013, 43, 1755-1762.	4.5	10
291	Harnessing Clinical Psychiatric Data with an Electronic Assessment Tool (OPCRIT+): The Utility of Symptom Dimensions. <i>PLoS ONE</i> , 2013, 8, e58790.	2.5	10
292	Prevalence and Characteristics of Probable Major Depression and Bipolar Disorder within UK Biobank: Cross-Sectional Study of 172,751 Participants. <i>PLoS ONE</i> , 2013, 8, e75362.	2.5	288
293	Are Reports of Psychological Stress Higher in Occupational Studies? A Systematic Review across Occupational and Population Based Studies. <i>PLoS ONE</i> , 2013, 8, e78693.	2.5	86
294	Prevalences of illicit drug use in people aged 50 years and over from two surveys. <i>Age and Ageing</i> , 2012, 41, 553-556.	1.6	64
295	Gender differences in prevalence of depression among patients receiving palliative care: The role of dependency. <i>Palliative Medicine</i> , 2012, 26, 696-702.	3.1	15
296	Predictors of non-remission of depression in a palliative care population. <i>Palliative Medicine</i> , 2012, 26, 683-695.	3.1	18
297	Clinical risk assessment rating and all-cause mortality in secondary mental healthcare: the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) Case Register. <i>Psychological Medicine</i> , 2012, 42, 1581-1590.	4.5	29
298	The association between childhood cognitive ability and adult long-term sickness absence in three British birth cohorts: a cohort study. <i>BMJ Open</i> , 2012, 2, e000777.	1.9	37
299	Shame! Self-stigmatisation as an obstacle to sick doctors returning to work: a qualitative study: Table A1. <i>BMJ Open</i> , 2012, 2, e001776.	1.9	95
300	Genetic and Environmental Etiology of Nicotine Use in Sri Lankan Male Twins. <i>Behavior Genetics</i> , 2012, 42, 798-807.	2.1	6
301	Associations between symptoms and all-cause mortality in individuals with serious mental illness. <i>Journal of Psychosomatic Research</i> , 2012, 72, 114-119.	2.6	23
302	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. <i>PLoS ONE</i> , 2012, 7, e48012.	2.5	33
303	Cochrane Review: Steroids for symptom control in infectious mononucleosis. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2012, 7, 403-446.	2.0	0
304	Commentary on "Steroids for symptom control in infectious mononucleosis (Review)" with a response from the review authors. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2012, 7, 447-449.	2.0	2
305	A Lifecourse Approach to Long-Term Sickness Absence—A Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36645.	2.5	21
306	Functional Status and All-Cause Mortality in Serious Mental Illness. <i>PLoS ONE</i> , 2012, 7, e44613.	2.5	52

#	ARTICLE	IF	CITATIONS
307	The clinical epidemiology of depression in palliative care and the predictive value of somatic symptoms: Cross-sectional survey with four-week follow-up. <i>Palliative Medicine</i> , 2011, 25, 229-241.	3.1	72
308	Psychopathology and Physical Activity as Predictors of Chronic Fatigue Syndrome in the 1958 British Birth Cohort: A Replication Study of the 1946 and 1970 Birth Cohorts. <i>Annals of Epidemiology</i> , 2011, 21, 343-350.	1.9	27
309	Associations between substance use disorder sub-groups, life expectancy and all-cause mortality in a large British specialist mental healthcare service. <i>Drug and Alcohol Dependence</i> , 2011, 118, 56-61.	3.2	64
310	The development of evidence-based European guidelines on the management of depression in palliative cancer care. <i>European Journal of Cancer</i> , 2011, 47, 702-712.	2.8	122
311	Antidepressants for the treatment of depression in neurological disorders: a systematic review and meta-analysis of randomised controlled trials. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 914-923.	1.9	73
312	Premorbid risk markers for chronic fatigue syndrome in the 1958 British birth cohort. <i>British Journal of Psychiatry</i> , 2011, 199, 323-329.	2.8	34
313	Judgements about deprivation of liberty made by various professionals: comparison study. <i>The Psychiatrist</i> , 2011, 35, 344-349.	0.3	47
314	Assisted suicide: why psychiatrists should engage in the debate. <i>British Journal of Psychiatry</i> , 2011, 198, 83-84.	2.8	47
315	Psychiatric disorder in early adulthood and risk of premature mortality in the 1946 British Birth Cohort. <i>BMC Psychiatry</i> , 2011, 11, 37.	2.6	20
316	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. <i>BMC Public Health</i> , 2011, 11, 861.	2.9	92
317	The stigma of mental health problems and other barriers to care in the UK Armed Forces. <i>BMC Health Services Research</i> , 2011, 11, 31.	2.2	156
318	Illness perceptions, adjustment to illness and depression in a palliative care population. <i>BMJ Supportive and Palliative Care</i> , 2011, 1, A14-A14.	1.6	1
319	Antidepressants for the treatment of depression in palliative care: systematic review and meta-analysis. <i>Palliative Medicine</i> , 2011, 25, 36-51.	3.1	144
320	Work and common psychiatric disorders. <i>Journal of the Royal Society of Medicine</i> , 2011, 104, 198-207.	2.0	309
321	Prevalence, course and associations of desire for hastened death in a UK palliative population: a cross-sectional study. <i>BMJ Supportive and Palliative Care</i> , 2011, 1, 140-148.	1.6	22
322	Mired in confusion: making sense of the Deprivation of Liberty Safeguards. <i>Medicine, Science and the Law</i> , 2011, 51, 228-236.	1.0	8
323	Regaining mental capacity for treatment decisions following psychiatric admission: a clinico-ethical study. <i>Psychological Medicine</i> , 2011, 41, 119-128.	4.5	23
324	Deprivation of liberty: Mental Capacity Act safeguards versus the Mental Health Act. <i>The Psychiatrist</i> , 2010, 34, 246-247.	0.3	15

#	ARTICLE	IF	CITATIONS
325	Epidemiology and symptomatology of depression in Sri Lanka: A cross-sectional population-based survey in Colombo District. <i>Journal of Affective Disorders</i> , 2010, 123, 188-196.	4.1	53
326	Environmental exposures and their genetic or environmental contribution to depression and fatigue: a twin study in Sri Lanka. <i>BMC Psychiatry</i> , 2010, 10, 13.	2.6	10
327	Obesity and sickness absence: results from the CHAP study. <i>Occupational Medicine</i> , 2010, 60, 362-368.	1.4	51
328	The Health Status of Nonparticipants in a Population-based Health Study: The Hordaland Health Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1306-1314.	3.4	271
329	All-cause mortality among people with serious mental illness (SMI), substance use disorders, and depressive disorders in southeast London: a cohort study. <i>BMC Psychiatry</i> , 2010, 10, 77.	2.6	206
330	Physical activity and common mental disorders. <i>British Journal of Psychiatry</i> , 2010, 197, 357-364.	2.8	189
331	Common mental disorders and disability pension award: Seven year follow-up of the HUSK study. <i>Journal of Psychosomatic Research</i> , 2010, 69, 59-67.	2.6	99
332	What are the consequences of deployment to Iraq and Afghanistan on the mental health of the UK armed forces? A cohort study. <i>Lancet, The</i> , 2010, 375, 1783-1797.	13.7	489
333	Antidepressants for depression in physically ill people. <i>The Cochrane Library</i> , 2010, , CD007503.	2.8	130
334	Mentally disordered or lacking capacity? Lessons for management of serious deliberate self harm. <i>BMJ: British Medical Journal</i> , 2010, 341, c4489-c4489.	2.3	47
335	Childhood temperament and long-term sickness absence in adult life. <i>British Journal of Psychiatry</i> , 2009, 194, 220-223.	2.8	37
336	Mental capacity, diagnosis and insight in psychiatric in-patients: a cross-sectional study. <i>Psychological Medicine</i> , 2009, 39, 1389-1398.	4.5	70
337	A Review of Lifetime Risk Factors for Mortality. <i>British Actuarial Journal</i> , 2009, 15, 17-64.	0.2	14
338	Depression assessment and classification in palliative cancer patients: a systematic literature review. <i>Palliative Medicine</i> , 2009, 23, 739-753.	3.1	82
339	Appraisals of stressors and common mental disorder from early to mid-adulthood in the 1946 British birth cohort. <i>Journal of Affective Disorders</i> , 2009, 119, 66-75.	4.1	15
340	The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register: development and descriptive data. <i>BMC Psychiatry</i> , 2009, 9, 51.	2.6	367
341	The prevalence of common mental disorders and PTSD in the UK military: using data from a clinical interview-based study. <i>BMC Psychiatry</i> , 2009, 9, 68.	2.6	159
342	Functional polymorphisms in the interleukin-6 and serotonin transporter genes, and depression and fatigue induced by interferon- α and ribavirin treatment. <i>Molecular Psychiatry</i> , 2009, 14, 1095-1104.	7.9	214

#	ARTICLE	IF	CITATIONS
343	Mental Capacity and Decisional Autonomy: An Interdisciplinary Challenge. <i>Inquiry</i> (United Kingdom), 2009, 52, 79-107.	0.9	60
344	Mental health and employment: much work still to be done. <i>British Journal of Psychiatry</i> , 2009, 194, 201-203.	2.8	141
345	Genetic and environmental contributions to depression in Sri Lanka. <i>British Journal of Psychiatry</i> , 2009, 195, 504-509.	2.8	21
346	Mental capacity and psychiatric in-patients: implications for the new mental health law in England and Wales. <i>British Journal of Psychiatry</i> , 2009, 195, 257-263.	2.8	36
347	Legal Aspects of Mental Capacity By Bridgit Dimond. Blackwell. 2008. Â£29.99 (pb). 448pp. ISBN: 9781405133593. <i>British Journal of Psychiatry</i> , 2009, 194, 381-381.	2.8	0
348	Colombo Twin and Singleton Study (CoTASS): A description of a population based twin study of mental disorders in Sri Lanka. <i>BMC Psychiatry</i> , 2008, 8, 49.	2.6	33
349	Capacity, consent and electroconvulsive therapy: A qualitative and cross-sectional study. <i>Journal of Mental Health</i> , 2008, 17, 315-325.	1.9	3
350	Assessing mental capacity: the Mental Capacity Act. <i>BMJ: British Medical Journal</i> , 2008, 336, 322-325.	2.3	62
351	Health status before, during and after disability pension award: the Hordaland Health Study (HUSK). <i>Occupational and Environmental Medicine</i> , 2008, 65, 769-773.	2.8	49
352	The relationship between prior psychiatric disorder and chronic fatigue: evidence from a national birth cohort study. <i>Psychological Medicine</i> , 2008, 38, 933-940.	4.5	76
353	Risk factors for post-traumatic stress disorder among UK Armed Forces personnel. <i>Psychological Medicine</i> , 2008, 38, 511-522.	4.5	259
354	Mental capacity to make decisions on treatment in people admitted to psychiatric hospitals: cross sectional study. <i>BMJ: British Medical Journal</i> , 2008, 337, a448-a448.	2.3	138
355	Mental capacity in psychiatric patients. <i>British Journal of Psychiatry</i> , 2007, 191, 291-297.	2.8	224
356	The impact of context on assessments of mental capacity by psychiatrists. <i>Journal of Mental Health</i> , 2007, 16, 521-528.	1.9	0
357	Influence of childhood adversity on health among male UK military personnel. <i>British Journal of Psychiatry</i> , 2007, 191, 506-511.	2.8	145
358	A randomized controlled trial to evaluate the effectiveness of a brief, behaviorally oriented intervention for cancer-related fatigue. <i>Cancer</i> , 2007, 110, 1385-1395.	4.1	106
359	The inter-rater reliability of mental capacity assessments. <i>International Journal of Law and Psychiatry</i> , 2007, 30, 112-117.	0.9	34
360	The health of UK military personnel who deployed to the 2003 Iraq war: a cohort study. <i>Lancet</i> , The, 2006, 367, 1731-1741.	13.7	414

#	ARTICLE	IF	CITATIONS
361	Psychological Services in Hospices in the UK and Republic of Ireland. <i>Journal of the Royal Society of Medicine</i> , 2006, 99, 637-639.	2.0	7
362	The protective role of trait anxiety: a longitudinal cohort study. <i>Psychological Medicine</i> , 2006, 36, 345-351.	4.5	76
363	Using number of failed contact attempts to adjust for non-ignorable non-response. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2006, 169, 525-542.	1.1	33
364	Update From Sri Lankan Twin Registry: Establishment of a Population-Based Twin Register and Ongoing Project on Common Mental Disorders, Alcohol Abuse and Suicidal Ideations. <i>Twin Research and Human Genetics</i> , 2006, 9, 868-874.	0.6	12
365	Update from Sri Lankan Twin Registry: establishment of a population-based twin register and ongoing project on common mental disorders, alcohol abuse and suicidal ideations. <i>Twin Research and Human Genetics</i> , 2006, 9, 868-74.	0.6	3
366	Prevalence and predictors of mental incapacity in psychiatric in-patients. <i>British Journal of Psychiatry</i> , 2005, 187, 379-385.	2.8	142
367	Psychopathological symptoms during interferon- α and ribavirin treatment: effects on virologic response. <i>Molecular Psychiatry</i> , 2005, 10, 332-333.	7.9	65
368	Reliability of mental capacity assessments in psychiatric in-patients. <i>British Journal of Psychiatry</i> , 2005, 187, 372-378.	2.8	119
369	Can epidemiology clear the fog of war? Lessons from the 1990-91 Gulf War. <i>International Journal of Epidemiology</i> , 2005, 34, 791-800.	1.9	48
370	The assessment of mental capacity. <i>Clinical Medicine</i> , 2005, 5, 580-584.	1.9	43
371	A systematic review describing the prognosis of chronic fatigue syndrome. <i>Occupational Medicine</i> , 2005, 55, 20-31.	1.4	314
372	'Refusing Treatment--Please see': An Analysis of Capacity Assessments Carried out by a Liaison Psychiatry Service. <i>Journal of the Royal Society of Medicine</i> , 2004, 97, 480-482.	2.0	8
373	Prevalence of mental incapacity in medical inpatients and associated risk factors: cross-sectional study. <i>Lancet, The</i> , 2004, 364, 1421-1427.	13.7	352
374	'Refusing treatment--please see': an analysis of capacity assessments carried out by a liaison psychiatry service. <i>Journal of the Royal Society of Medicine</i> , 2004, 97, 480-482.	2.0	17
375	Predictors of fatigue following the onset of infectious mononucleosis. <i>Psychological Medicine</i> , 2003, 33, 847-855.	4.5	79
376	Stability of recall of military hazards over time. <i>British Journal of Psychiatry</i> , 2003, 183, 314-322.	2.8	138
377	Depression and mortality in a high-risk population. <i>British Journal of Psychiatry</i> , 2002, 181, 123-128.	2.8	47
378	Depression in advanced disease: a systematic review. Part 1: Prevalence and case finding. <i>Palliative Medicine</i> , 2002, 16, 81-97.	3.1	311

#	ARTICLE	IF	CITATIONS
379	Depression in advanced disease: a systematic review Part 1. Prevalence and case finding. Palliative Medicine, 2002, 16, 81-97.	3.1	236
380	Recovery from infectious mononucleosis: a case for more than symptomatic therapy? A systematic review. British Journal of General Practice, 2002, 52, 844-51.	1.4	45
381	Depression and mortality in a high-risk population. 11-Year follow-up of the Medical Research Council Elderly Hypertension Trial. British Journal of Psychiatry, 2002, 181, 123-8.	2.8	34
382	Medically unexplained symptoms. Journal of Psychosomatic Research, 2001, 51, 361-367.	2.6	470
383	Relation between headache in childhood and physical and psychiatric symptoms in adulthood: national birth cohort study. BMJ: British Medical Journal, 2001, 322, 1145-1145.	2.3	242
384	Amitriptyline<i>v.</i>the rest: still the leading antidepressant after 40 years of randomised controlled trials. British Journal of Psychiatry, 2001, 178, 129-144.	2.8	188
385	Childhood predictors of adult medically unexplained hospitalisations. British Journal of Psychiatry, 2000, 176, 273-280.	2.8	68
386	Concerns over reform of the Mental Health Act. British Journal of Psychiatry, 2000, 177, 563-563.	2.8	13
387	Role of vaccinations as risk factors for ill health in veterans of the Gulf war: cross sectional study. BMJ: British Medical Journal, 2000, 320, 1363-1367.	2.3	142
388	Health of UK servicemen who served in Persian Gulf War. Lancet, The, 1999, 353, 169-178.	13.7	533
389	Why do children have chronic abdominal pain, and what happens to them when they grow up? Population based cohort study. BMJ: British Medical Journal, 1998, 316, 1196-1200.	2.3	274
390	Temporal relationships between physical symptoms and psychiatric disorder. British Journal of Psychiatry, 1998, 173, 255-261.	2.8	133
391	Putting trials on trial--the costs and consequences of small trials in depression: a systematic review of methodology.. Journal of Epidemiology and Community Health, 1997, 51, 354-358.	3.7	110
392	What's in a name?. Social Psychiatry and Psychiatric Epidemiology, 1997, 33, 27-31.	3.1	14
393	Chronic fatigue and minor psychiatric morbidity after viral meningitis: a controlled study.. Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60, 504-509.	1.9	79
394	Are ethical committees reliable?. Journal of the Royal Society of Medicine, 1995, 88, 31-3.	2.0	11
395	Seasonal Affective Disorder, Environmental Hypersensitivity and Somatisation. British Journal of Psychiatry, 1994, 164, 246-248.	2.8	11
396	Psychological outcome of abortion. British Journal of Psychiatry, 1992, 161, 424-424.	2.8	0

#	ARTICLE	IF	CITATIONS
397	Koro and Capgraw Syndrome in a non-Chinese Subject. <i>British Journal of Psychiatry</i> , 1992, 161, 577-577.	2.8	4
398	Efficacy of therapist-delivered transdiagnostic CBT for patients with persistent physical symptoms in secondary care: a randomised controlled trial. <i>Psychological Medicine</i> , 0, , 1-11.	4.5	4