

Pamela J Russell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4308559/publications.pdf>

Version: 2024-02-01

209
papers

8,914
citations

36303

51
h-index

58581

82
g-index

212
all docs

212
docs citations

212
times ranked

11221
citing authors

#	ARTICLE	IF	CITATIONS
1	Large-scale delineation of secreted protein biomarkers overexpressed in cancer tissue and serum. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 3410-3415.	7.1	425
2	Biology and Management of Bladder Cancer. New England Journal of Medicine, 1990, 322, 1129-1138.	27.0	410
3	Genome-wide synteny through highly sensitive sequence alignment: <i>Satsuma</i> . Bioinformatics, 2010, 26, 1145-1151.	4.1	258
4	Detailed methylation analysis of the glutathione S-transferase γ (GSTP1) gene in prostate cancer. Oncogene, 1999, 18, 1313-1324.	5.9	211
5	Growth factor involvement in progression of prostate cancer. Clinical Chemistry, 1998, 44, 705-723.	3.2	191
6	Mapping, genomic organization and promoter analysis of the human prostate-specific membrane antigen gene. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1998, 1443, 113-127.	2.4	163
7	THE ROLE OF NONLYMPHOID ACCESSORY CELLS IN THE IMMUNE RESPONSE TO DIFFERENT ANTIGENS. Journal of Experimental Medicine, 1970, 131, 461-482.	8.5	162
8	Emerging roles for phospholipase A2 enzymes in cancer. Biochimie, 2010, 92, 601-610.	2.6	160
9	THE SEPARATION OF DIFFERENT CELL CLASSES FROM LYMPHOID ORGANS. Journal of Cell Biology, 1971, 48, 566-579.	5.2	156
10	Macrophage inhibitory cytokine 1 reduces cell adhesion and induces apoptosis in prostate cancer cells. Cancer Research, 2003, 63, 5034-40.	0.9	136
11	The Propeptide Mediates Formation of Stromal Stores of PROMIC-1: Role in Determining Prostate Cancer Outcome. Cancer Research, 2005, 65, 2330-2336.	0.9	129
12	Purification and characterization of the 1.0 MDa CCR4-NOT complex identifies two novel components of the complex 1 Edited by D. Draper. Journal of Molecular Biology, 2001, 314, 683-694.	4.2	128
13	Growth factor involvement in progression of prostate cancer. Clinical Chemistry, 1998, 44, 705-23.	3.2	127
14	Engineered silk fibroin protein 3D matrices for in vitro tumor model. Biomaterials, 2011, 32, 2149-2159.	11.4	126
15	CYCLOPHOSPHAMIDE TREATMENT OF RENAL DISEASE IN (NZB \times NZW) F1 HYBRID MICE. Lancet, The, 1968, 291, 440-446.	13.7	114
16	MUC1, MUC2, MUC4, MUC5AC and MUC6 Expression in the Progression of Prostate Cancer. Clinical and Experimental Metastasis, 2005, 22, 565-573.	3.3	111
17	Prostate Specific Membrane Antigen Positron Emission Tomography May Improve the Diagnostic Accuracy of Multiparametric Magnetic Resonance Imaging in Localized Prostate Cancer. Journal of Urology, 2016, 196, 1261-1267.	0.4	109
18	Urokinase-type plasminogen activator and its receptor in colorectal cancer: Independent prognostic factors of metastasis and cancer-specific survival and potential therapeutic targets. International Journal of Cancer, 2000, 89, 431-439.	5.1	108

#	ARTICLE	IF	CITATIONS
19	Co-expression of CD147 (EMMPRN), CD44v3-10, MDR1 and monocarboxylate transporters is associated with prostate cancer drug resistance and progression. <i>British Journal of Cancer</i> , 2010, 103, 1008-1018.	6.4	106
20	Measurement of Serum Levels of Macrophage Inhibitory Cytokine 1 Combined with Prostate-Specific Antigen Improves Prostate Cancer Diagnosis. <i>Clinical Cancer Research</i> , 2006, 12, 89-96.	7.0	105
21	Cytosolic Phospholipase A2- β : A Potential Therapeutic Target for Prostate Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 8070-8079.	7.0	98
22	Oncogenic Action of Secreted Phospholipase A2 in Prostate Cancer. <i>Cancer Research</i> , 2004, 64, 6934-6940.	0.9	97
23	A Tissue-Specific Enhancer of the Prostate-Specific Membrane Antigen Gene, FOLH1. <i>Genomics</i> , 2001, 73, 243-254.	2.9	96
24	Species-specific homing mechanisms of human prostate cancer metastasis in tissue engineered bone. <i>Biomaterials</i> , 2014, 35, 4108-4115.	11.4	95
25	Oncogenic action of phospholipase A2 in prostate cancer. <i>Cancer Letters</i> , 2006, 240, 9-16.	7.2	88
26	PSMA-targeting iron oxide magnetic nanoparticles enhance MRI of preclinical prostate cancer. <i>Nanomedicine</i> , 2015, 10, 375-386.	3.3	85
27	<i>In Vivo</i> Gene Therapy for Prostate Cancer: Preclinical Evaluation of Two Different Enzyme-Directed Prodrug Therapy Systems Delivered by Identical Adenovirus Vectors. <i>Human Gene Therapy</i> , 1998, 9, 1617-1626.	2.7	84
28	Induction of Immunity and Tolerance in vitro in the Absence of Phagocytic Cells. <i>Nature</i> , 1970, 225, 731-732.	27.8	83
29	3D Cultures of Prostate Cancer Cells Cultured in a Novel High-Throughput Culture Platform Are More Resistant to Chemotherapeutics Compared to Cells Cultured in Monolayer. <i>PLoS ONE</i> , 2014, 9, e111029.	2.5	79
30	Cytotoxic properties of immunoconjugates containing melittin-like peptide 101 against prostate cancer: in vitro and in vivo studies. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 411-421.	4.2	78
31	Evaluation of urokinase plasminogen activator and its receptor in different grades of human prostate cancer. <i>Human Pathology</i> , 2006, 37, 1442-1451.	2.0	77
32	PTRF/cavin-1 neutralizes non-caveolar caveolin-1 microdomains in prostate cancer. <i>Oncogene</i> , 2014, 33, 3561-3570.	5.9	72
33	Paraffin Section Storage and Immunohistochemistry. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2000, 8, 61-70.	1.2	72
34	Neuropilin-1 is upregulated in the adaptive response of prostate tumors to androgen-targeted therapies and is prognostic of metastatic progression and patient mortality. <i>Oncogene</i> , 2017, 36, 3417-3427.	5.9	68
35	Localised delivery of doxorubicin to prostate cancer cells through a PSMA-targeted hyperbranched polymer theranostic. <i>Biomaterials</i> , 2017, 141, 330-339.	11.4	68
36	Quantitative expression of protein markers of plasminogen activation system in prognosis of colorectal cancer. <i>Journal of Surgical Oncology</i> , 2003, 82, 184-193.	1.7	66

#	ARTICLE	IF	CITATIONS
37	Preparation, DNA Binding, and in Vitro Cytotoxicity of a Pair of Enantiomeric Platinum(II) Complexes, [(R)- and (S)-3-Aminohexahydroazepine]dichloro-platinum(II). Crystal Structure of the S Enantiomer. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 1090-1098.	6.4	65
38	Exosomes in Prostate Cancer: Putting Together the Pieces of a Puzzle. <i>Cancers</i> , 2013, 5, 1522-1544.	3.7	65
39	Tissue engineered humanized bone supports human hematopoiesis in vivo. <i>Biomaterials</i> , 2015, 61, 103-114.	11.4	62
40	Loss of KAI1 messenger RNA expression in both high-grade and invasive human bladder cancers. <i>Clinical Cancer Research</i> , 1997, 3, 1045-9.	7.0	62
41	Human Prostate Cancer Cell Lines. , 2003, 81, 21-40.		59
42	KAI1 tetraspanin and metastasis suppressor. <i>International Journal of Biochemistry and Cell Biology</i> , 2005, 37, 530-534.	2.8	59
43	Macrophage Inhibitory Cytokine-1 (MIC-1/GDF15) Slows Cancer Development but Increases Metastases in TRAMP Prostate Cancer Prone Mice. <i>PLoS ONE</i> , 2012, 7, e43833.	2.5	59
44	Clonal analysis of a bladder cancer cell line: an experimental model of tumour heterogeneity. <i>British Journal of Cancer</i> , 1990, 61, 369-376.	6.4	58
45	Gene therapy for prostate cancer delivered by ovine adenovirus and mediated by purine nucleoside phosphorylase and fludarabine in mouse models. <i>Gene Therapy</i> , 2002, 9, 759-768.	4.5	57
46	Concise review: Nanoparticles and cellular carriers-allies in cancer imaging and cellular gene therapy?. <i>Stem Cells</i> , 2010, 28, 1686-1702.	3.2	56
47	Paradoxical Roles of Tumour Necrosis Factor-Alpha in Prostate Cancer Biology. <i>Prostate Cancer</i> , 2012, 2012, 1-8.	0.6	55
48	Modulation of paracrine signaling by CD9 positive small extracellular vesicles mediates cellular growth of androgen deprived prostate cancer. <i>Oncotarget</i> , 2017, 8, 52237-52255.	1.8	55
49	Bladder cancer xenografts: a model of tumor cell heterogeneity. <i>Cancer Research</i> , 1986, 46, 2035-40.	0.9	55
50	Expression and regulation of MIM (Missing In Metastasis), a novel putative metastasis suppressor gene, and MIM-B, in bladder cancer cell lines. <i>Cancer Letters</i> , 2004, 215, 209-220.	7.2	54
51	Development of a polymer theranostic for prostate cancer. <i>Polymer Chemistry</i> , 2014, 5, 6932-6942.	3.9	53
52	Establishment and characterization of a new human bladder cancer cell line showing features of squamous and glandular differentiation. <i>International Journal of Cancer</i> , 1988, 41, 74-82.	5.1	52
53	Relationship between radiation response and p53 status in human bladder cancer cells. <i>International Journal of Radiation Biology</i> , 1997, 72, 11-20.	1.8	52
54	Relative activity and specificity of promoters from prostate-expressed genes. , 1998, 35, 18-26.		50

#	ARTICLE	IF	CITATIONS
55	Postâ€translation modification of proteins in tears. <i>Electrophoresis</i> , 2010, 31, 1853-1861.	2.4	49
56	Methylation of a CpG island within the promoter region of the KAI1 metastasis suppressor gene is not responsible for down-regulation of KAI1 expression in invasive cancers or cancer cell lines. <i>Cancer Letters</i> , 2000, 157, 169-176.	7.2	48
57	Characterization of expression of matrix metalloproteinases and tissue inhibitors of metalloproteinases in prostate cancer cell lines. <i>Prostate Cancer and Prostatic Diseases</i> , 2003, 6, 15-26.	3.9	48
58	Alterations of p53 are common in early stage prostate cancer. <i>Canadian Journal of Urology</i> , 2003, 10, 1924-33.	0.0	48
59	Comparison between the clonogenic, MTT, and SRB assays for determining radiosensitivity in a panel of human bladder cancer cell lines and a ureteral cell line. <i>Radiation Oncology Investigations</i> , 1999, 7, 77-85.	0.9	47
60	Preparation, characterization, cytotoxicity, and mutagenicity of a pair of enantiomeric platinum(II) complexes with the potential to bind enantioselectively to DNA. <i>Journal of Medicinal Chemistry</i> , 1993, 36, 3663-3668.	6.4	46
61	Tryptic Digestion of In-Gel Proteins for Mass Spectrometry Analysis. <i>Methods in Molecular Biology</i> , 2009, 519, 507-513.	0.9	46
62	A novel model of boneâ€metastatic prostate cancer in immunocompetent Mice. <i>Prostate</i> , 2009, 69, 1613-1623.	2.3	45
63	Higher expression of oncoproteins c-myc, c-erbB-2/neu, PCNA, and p53 in metastasizing colorectal cancer than in nonmetastasizing tumors. <i>Annals of Surgical Oncology</i> , 1996, 3, 574-579.	1.5	44
64	Innovative biomarkers for prostate cancer early diagnosis and progression. <i>Critical Reviews in Oncology/Hematology</i> , 2010, 73, 10-22.	4.4	44
65	Is a Klebsiella plasmid involved in the aetiology of ankylosing spondylitis in HLA-b27-positive individuals?. <i>Molecular Immunology</i> , 1983, 20, 563-566.	2.2	42
66	Regulation of epidermal growth factor receptor in human colon cancer cell lines by interferon Å. <i>Gut</i> , 2004, 53, 123-129.	12.1	42
67	Gene-directed enzyme prodrug therapy for prostate cancer in a mouse model that imitates the development of human disease. <i>Journal of Gene Medicine</i> , 2004, 6, 43-54.	2.8	41
68	Humanised xenograft models of bone metastasis revisited: novel insights into species-specific mechanisms of cancer cell osteotropism. <i>Cancer and Metastasis Reviews</i> , 2013, 32, 129-145.	5.9	41
69	Title is missing!. <i>Applied Immunohistochemistry & Molecular Morphology</i> , 2000, 8, 61-70.	2.0	41
70	Diet-induced hypercholesterolemia promotes androgen-independent prostate cancer metastasis via IQGAP1 and caveolin-1. <i>Oncotarget</i> , 2015, 6, 7438-7453.	1.8	41
71	Studies of peritoneal macrophage function in mice with systemic lupus erythematosus: Depressed phagocytosis of opsonized sheep erythrocytes in vitro. <i>Clinical Immunology and Immunopathology</i> , 1983, 27, 387-402.	2.0	40
72	Antiproliferative effects of bacillus Calmette-Guï¿½rin and interferon ?2b on human bladder cancer cells in vitro. <i>Cancer Immunology, Immunotherapy</i> , 1995, 41, 309-316.	4.2	40

#	ARTICLE	IF	CITATIONS
73	Modeling prostate cancer: a perspective on transgenic mouse models. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 123-142.	5.9	40
74	IL-18 Inhibits Growth of Murine Orthotopic Prostate Carcinomas via Both Adaptive and Innate Immune Mechanisms. <i>PLoS ONE</i> , 2011, 6, e24241.	2.5	40
75	Protein Markers in Colorectal Cancer. <i>Annals of Surgery</i> , 1999, 230, 179.	4.2	40
76	Characterization of cell lines derived from a multiply aneuploid human bladder transitional-cell carcinoma, UCRU-BL-13. <i>International Journal of Cancer</i> , 1989, 44, 276-285.	5.1	38
77	Evaluation of Polymeric Nanomedicines Targeted to PSMA: Effect of Ligand on Targeting Efficiency. <i>Biomacromolecules</i> , 2015, 16, 3235-3247.	5.4	38
78	CHANGES IN EPIDERMAL GROWTH FACTOR RECEPTOR EXPRESSION IN HUMAN BLADDER CANCER CELL LINES FOLLOWING INTERFERON- γ TREATMENT. <i>Journal of Urology</i> , 2004, 172, 733-738.	0.4	37
79	Clinical pharmacology of isoflavones and its relevance for potential prevention of prostate cancer. <i>Nutrition Reviews</i> , 2010, 68, 542-555.	5.8	37
80	Characterization of Mutations in NOT2 Indicates that it Plays an Important Role in Maintaining the Integrity of the CCR4 $\hat{=}$ NOT Complex. <i>Journal of Molecular Biology</i> , 2002, 322, 27-39.	4.2	36
81	Detection of Malignant Cells in Voided Urine from Patients with Bladder Cancer, A Novel Monoclonal Assay. <i>Journal of Urology</i> , 1989, 142, 1578-1583.	0.4	35
82	Flow cytometric and karyotypic analysis of a primary small cell carcinoma of the prostate: A xenografted cell line. <i>Cancer Genetics and Cytogenetics</i> , 1987, 26, 165-169.	1.0	34
83	Preparation, Characterization, DNA Binding, and in Vitro Cytotoxicity of the Enantiomers of the Platinum(II) Complexes N-Methyl-, N-Ethyl- and N,N-Dimethyl-(R)- and -(S)-3-aminohexahydroazepinedichloroplatinum(II). <i>Journal of Medicinal Chemistry</i> , 1997, 40, 3508-3515.	6.4	34
84	Combination of cytosine deaminase with uracil phosphoribosyl transferase leads to local and distant bystander effects against RM1 prostate cancer in mice. <i>Journal of Gene Medicine</i> , 2006, 8, 1086-1096.	2.8	34
85	The role of extracellular matrix metalloproteinase inducer protein in prostate cancer progression. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 1367-1379.	4.2	34
86	Label-free isolation of a prostate cancer cell among blood cells and the single-cell measurement of drug accumulation using an integrated microfluidic chip. <i>Biomicrofluidics</i> , 2015, 9, 064104.	2.4	34
87	Caffeine-increased radiosensitivity is not dependent on a loss of G2/M arrest or apoptosis in bladder cancer cell lines. <i>International Journal of Radiation Biology</i> , 1999, 75, 481-492.	1.8	33
88	Genetic Markers of Survival and Liver Recurrence after Resection of Liver Metastases from Colorectal Cancer. <i>World Journal of Surgery</i> , 2001, 25, 996-1001.	1.6	33
89	Expression of HER1/EGFR protein in human soft tissue sarcomas. <i>European Journal of Surgical Oncology</i> , 2006, 32, 466-468.	1.0	33
90	Molecular profiling of bladder cancer: Involvement of the TGF- β pathway in bladder cancer progression. <i>Cancer Letters</i> , 2008, 265, 27-38.	7.2	33

#	ARTICLE	IF	CITATIONS
91	Relative efficiency of tumor cell killing in vitro by two enzyme-prodrug systems delivered by identical adenovirus vectors. <i>Clinical Cancer Research</i> , 1997, 3, 2075-80.	7.0	33
92	Establishing prostate cancer patient derived xenografts: Lessons learned from older studies. <i>Prostate</i> , 2015, 75, 628-636.	2.3	32
93	Mutations within the tumour suppressor gene p53 are not confined to a late event in prostate cancer progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2001, 6, 103-110.	1.6	31
94	Purine nucleoside phosphorylase and fludarabine phosphate gene-directed enzyme prodrug therapy suppresses primary tumour growth and pseudo-metastases in a mouse model of prostate cancer. <i>Journal of Gene Medicine</i> , 2004, 6, 1343-1357.	2.8	31
95	Down-regulation of KAI1/CD82 protein expression in oral cancer correlates with reduced disease free survival and overall patient survival. <i>Cancer Letters</i> , 2004, 213, 91-98.	7.2	31
96	Ectopic hormone production by a prostatic small cell carcinoma xenograft line. <i>Molecular and Cellular Endocrinology</i> , 1988, 55, 167-172.	3.2	30
97	Genomic alterations (LOH, MI) on chromosome 17q21-23 and prognosis of sporadic colorectal cancer. <i>International Journal of Cancer</i> , 2000, 89, 1-7.	5.1	30
98	Inverse correlation between KAI1 mRNA levels and invasive behaviour in bladder cancer cell lines. <i>Cancer Letters</i> , 2000, 156, 9-17.	7.2	30
99	Transcription-targeted gene therapy for androgen-independent prostate cancer. <i>Cancer Gene Therapy</i> , 2002, 9, 443-452.	4.6	30
100	Preclinical evaluation of a prostate-targeted gene-directed enzyme prodrug therapy delivered by ovine adenovirus. <i>Gene Therapy</i> , 2004, 11, 1559-1567.	4.5	30
101	Multifunctional core-shell magnetic cisplatin nanocarriers. <i>Chemical Communications</i> , 2009, , 7348.	4.1	30
102	Relationship between expression of the KAI1 metastasis suppressor and other markers of advanced bladder cancer. , 2000, 191, 39-47.		29
103	Zoledronic Acid Preserves Bone Structure and Increases Survival but Does Not Limit Tumour Incidence in a Prostate Cancer Bone Metastasis Model. <i>PLoS ONE</i> , 2011, 6, e19389.	2.5	28
104	Using prostate specific membrane antigen (PSMA) expression in clear cell renal cell carcinoma for imaging advanced disease. <i>Pathology</i> , 2016, 48, 613-616.	0.6	27
105	Derivation of MPR and TRAMP models of prostate cancer and prostate cancer metastasis for evaluation of therapeutic strategies. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2002, 7, 111-118.	1.6	26
106	Gamma-Tocotrienol Induces Apoptosis in Prostate Cancer Cells by Targeting the Ang-1/Tie-2 Signalling Pathway. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1164.	4.1	26
107	Growth and metastasis of human bladder cancer xenografts in the bladder of nude rats. <i>Urological Research</i> , 1991, 19, 207-213.	1.5	25
108	Analysis of expressed N-ras mutations in human melanoma short-term cell lines with allele specific restriction analysis induced by the polymerase chain reaction. <i>European Journal of Cancer</i> , 1992, 28, 9-11.	2.8	25

#	ARTICLE	IF	CITATIONS
109	Targeted β -therapy for control of micrometastatic prostate cancer. Expert Review of Anticancer Therapy, 2004, 4, 459-468.	2.4	25
110	Promising tumor-associated antigens for future prostate cancer therapy. Medicinal Research Reviews, 2010, 30, 67-101.	10.5	25
111	Macrophage Inhibitory Cytokine-1 (MIC-1/GDF15) Gene Deletion Promotes Cancer Growth in TRAMP Prostate Cancer Prone Mice. PLoS ONE, 2015, 10, e0115189.	2.5	25
112	Inhibition of Micrometastatic Prostate Cancer Cell Spread in Animal Models By ^{213}Bi -labeled Multiple Targeted β Radioimmunoconjugates. Clinical Cancer Research, 2009, 15, 865-875.	7.0	24
113	Adipocytes promote prostate cancer stem cell self-renewal through amplification of the cholecystokinin autocrine loop. Oncotarget, 2016, 7, 4939-4948.	1.8	24
114	Overexpression of nm23 Protein Assessed by Color Video Image Analysis in Metastatic Colorectal Cancer: Correlation with Reduced Patient Survival. World Journal of Surgery, 1998, 22, 484-490.	1.6	22
115	Molecular and traditional chemotherapy: A united front against prostate cancer. Cancer Letters, 2010, 293, 1-14.	7.2	22
116	Extracellular vesicles for personalized therapy decision support in advanced metastatic cancers and its potential impact for prostate cancer. Prostate, 2017, 77, 1416-1423.	2.3	22
117	Site-specific growth of the prostate xenograft line UCRU-PR-2. Prostate, 1989, 14, 163-175.	2.3	21
118	Molecular Biology of Urological Tumours. British Journal of Urology, 1990, 65, 121-130.	0.1	21
119	Relationship between expression of KAI1 metastasis suppressor gene, mRNA levels and p53 in human bladder and prostate cancer cell lines. Urologic Oncology: Seminars and Original Investigations, 2002, 7, 99-104.	1.6	21
120	Antigenic expression of human metastatic prostate cancer cell lines for in vitro multiple-targeted β -therapy with ^{213}Bi -conjugates. International Journal of Radiation Oncology Biology Physics, 2004, 60, 896-908.	0.8	21
121	Tie-2 regulates the stemness and metastatic properties of prostate cancer cells. Oncotarget, 2016, 7, 2572-2584.	1.8	21
122	Failure of <i>Klebsiella pneumoniae</i> antibodies to cross-react with peripheral blood mononuclear cells from patients with ankylosing spondylitis. Arthritis and Rheumatism, 1987, 30, 300-305.	6.7	20
123	Detection of a rare point mutation in Ki-ras of a human bladder cancer xenograft by polymerase chain reaction and direct sequencing. Urological Research, 1992, 20, 121-126.	1.5	20
124	Increased targeting of adenine-rich sequences by (2-amino-2-methyl-3-butanone) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td (oxime) di Inorganic Chemistry, 2000, 5, 675-681.	2.6	20
125	Downregulation of KAI1 mRNA in localised prostate cancer and its bony metastases does not correlate with p53 overexpression. Prostate Cancer and Prostatic Diseases, 2003, 6, 174-181.	3.9	20
126	Biodistributions of intact monoclonal antibodies and fragments of BLCA-38, a new prostate cancer directed antibody. Cancer Immunology, Immunotherapy, 2004, 53, 533-542.	4.2	20

#	ARTICLE	IF	CITATIONS
127	Immunohistochemical characterisation of the monoclonal antibody BLCA-38 for the detection of prostate cancer. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 995-1004.	4.2	20
128	Preparation and testing of bevacizumab radioimmunoconjugates with Bismuth-213 and Bismuth-205 / Bismuth-206. <i>Cancer Biology and Therapy</i> , 2008, 7, 1547-1554.	3.4	20
129	Tumour-induced host stromal-cell transformation: Induction of mouse spindle-cell fibrosarcoma not mediated by gene transfer. <i>International Journal of Cancer</i> , 1990, 46, 299-309.	5.1	19
130	Role of the Akt Pathway in Prostate Cancer. <i>Current Cancer Drug Targets</i> , 2009, 9, 163-175.	1.6	19
131	Elastase activities of human bladder cancer cell lines derived from high grade invasive tumours. <i>Biochemical and Biophysical Research Communications</i> , 1989, 162, 308-315.	2.1	18
132	Characterization of a New Human Bladder Cancer Cell Line, Ucu-BL-28. <i>Journal of Urology</i> , 1993, 150, 1038-1044.	0.4	18
133	Application of in-gel protease assay in a biological sample: Characterization and identification of urokinase-type plasminogen activator (uPA) in secreted proteins from a prostate cancer cell line PC-3. <i>Electrophoresis</i> , 2004, 25, 1142-1148.	2.4	18
134	Control of prostate cancer spheroid growth using 213 Bi-labeled multiple targeted $\hat{\pm}$ radioimmunoconjugates. <i>Prostate</i> , 2006, 66, 1753-1767.	2.3	18
135	From Bench to Bedside: Immunotherapy for Prostate Cancer. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	18
136	Targeted beta therapy of prostate cancer with 177Lu-labelled Miltuximab $\hat{\text{A}}$ antibody against glypican-1 (GPC-1). <i>EJNMMI Research</i> , 2020, 10, 46.	2.5	18
137	Features of squamous and adenocarcinoma in the same cell in a xenografted human transitional cell carcinoma: Evidence of a common histogenesis?. <i>Urological Research</i> , 1988, 16, 79-84.	1.5	17
138	Application of the transgenic adenocarcinoma mouse prostate (TRAMP) model for pre-clinical therapeutic studies. <i>Anticancer Research</i> , 2003, 23, 2633-42.	1.1	17
139	Trypsin activity assay in substrate-specific one- and two-dimensional gels: A powerful method to separate and characterize novel proteases in active form in biological samples. <i>Electrophoresis</i> , 2003, 24, 3284-3288.	2.4	16
140	Radiotherapy in Larynx Squamous Cell Carcinoma is not Associated with an Increased Diagnosis of Second Primary Tumours. <i>Clinical Oncology</i> , 2009, 21, 315-319.	1.4	16
141	Ectopic hormone production by small cell undifferentiated carcinomas. <i>Molecular and Cellular Endocrinology</i> , 1990, 71, 1-12.	3.2	15
142	Expression of insulin-like growth factor mitogenic signals in adult soft-tissue sarcomas: significant correlation with malignant potential. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 444, 142-148.	2.8	15
143	Interferon- $\hat{\pm}$ Promotes the Anti-Proliferative Effect of Gefitinib (ZD1839) on Human Colon Cancer Cell Lines. <i>Oncology</i> , 2005, 69, 224-238.	1.9	15
144	Novel gene-directed enzyme prodrug therapies against prostate cancer. <i>Expert Opinion on Investigational Drugs</i> , 2006, 15, 947-961.	4.1	15

#	ARTICLE	IF	CITATIONS
145	Erlotinib (OSI-774)-induced inhibition of transitional cell carcinoma of bladder cell line growth is enhanced by interferon-?. <i>BJU International</i> , 2007, 99, 1539-1545.	2.5	15
146	Diagnosis of second head and neck tumors in primary laryngeal SCC is an indicator of overall survival and not associated with poorer overall survival: A single centre study in 987 patients. <i>Journal of Surgical Oncology</i> , 2010, 101, 72-77.	1.7	15
147	Humanization of the Prostate Microenvironment Reduces Homing of PC3 Prostate Cancer Cells to Human Tissue-Engineered Bone. <i>Cancers</i> , 2018, 10, 438.	3.7	15
148	Evidence for post-transcriptional down-regulation of the apoptosis-related gene bcl-2 in human colorectal cancer. , 2000, 191, 15-20.		14
149	Over-expression of p53 mutants in LNCaP cells alters tumor growth and angiogenesis in vivo. <i>Biochemical and Biophysical Research Communications</i> , 2006, 345, 1207-1214.	2.1	14
150	Molecular Chemotherapy and Chemotherapy: A New Front against Late-Stage Hormone-Refractory Prostate Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 4006-4018.	7.0	14
151	An inverse relationship between KAI1 expression, invasive ability, and MMP-2 expression and activity in bladder cancer cell lines. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012, 30, 502-508.	1.6	14
152	Elevated levels of prostate-specific antigen (PSA) in prostate cancer cells expressing mutant p53 is associated with tumor metastasis. <i>Molecular Carcinogenesis</i> , 2003, 38, 130-140.	2.7	13
153	Interferon-alpha promotes the anti-proliferative effect of Erlotinib (OSI-774) on human colon cancer cell lines. <i>Cancer Letters</i> , 2005, 225, 61-74.	7.2	13
154	Paclitaxel suppresses the growth of primary prostate tumours (RM-1) and metastases in the lung in C57BL/6 mice. <i>Cancer Letters</i> , 2006, 233, 185-191.	7.2	13
155	Paclitaxel enhanced radiation sensitization for the suppression of human prostate cancer tumor growth via a p53 independent pathway. <i>Prostate</i> , 2007, 67, 1630-1640.	2.3	13
156	Heterogeneity of in vitro radiosensitivity in human bladder cancer cells. <i>Radiation Oncology Investigations</i> , 1999, 7, 66-76.	0.9	12
157	Animal Models of Prostate Cancer. , 2003, 81, 89-112.		12
158	Cytosine Deaminase-Uracil Phosphoribosyltransferase and Interleukin (IL)-12 and IL-18: A Multimodal Anticancer Interface Marked by Specific Modulation in Serum Cytokines. <i>Clinical Cancer Research</i> , 2009, 15, 2323-2334.	7.0	12
159	Purine Nucleoside Phosphorylase mediated molecular chemotherapy and conventional chemotherapy: A tangible union against chemoresistant cancer. <i>BMC Cancer</i> , 2011, 11, 368.	2.6	12
160	Extracellular Vesicles in the Adaptive Process of Prostate Cancer during Inhibition of Androgen Receptor Signaling by Enzalutamide. <i>Proteomics</i> , 2017, 17, 1600427.	2.2	12
161	Human Group IIA Phospholipase A2—Three Decades on from Its Discovery. <i>Molecules</i> , 2021, 26, 7267.	3.8	12
162	Broadening of transgenic adenocarcinoma of the mouse prostate (TRAMP) model to represent late stage androgen depletion independent cancer. <i>Prostate</i> , 2008, 68, 548-562.	2.3	11

#	ARTICLE	IF	CITATIONS
163	Radiotherapy is not associated with an increased rate of Second Primary Tumours in Oral Squamous Carcinoma: A study of 370 patients. <i>Oral Oncology</i> , 2009, 45, 941-945.	1.5	11
164	Protein Expression of Epidermal Growth Factor Receptor in Laryngeal Squamous Cell Carcinoma Index Tumors Correlates with Diagnosis of Second Primary Tumors of the Upper Aero-Digestive Tract. <i>Annals of Surgical Oncology</i> , 2009, 16, 2888-2894.	1.5	11
165	Stability of lectin binding properties expressed by human bladder carcinoma cell lines passaged in vitro or in nude mice. <i>Urological Research</i> , 1988, 16, 407-414.	1.5	10
166	Studies of autologous mixed lymphocyte reactions in patients with systemic lupus erythematosus. <i>Pathology</i> , 1983, 15, 37-43.	0.6	10
167	Studies of Macrophage Function in Murine Systemic Lupus Erythematosus. 3. The Nature, Anatomical Location, and Reversibility of the Phagocytic Defect. <i>Journal of Leukocyte Biology</i> , 1986, 39, 49-62.	3.3	9
168	The Use of Monoclonal Antibodies for the Diagnosis and Therapy of Bladder Cancer. <i>British Journal of Urology</i> , 1993, 71, 121-129.	0.1	9
169	Murine CTLL-2 cells respond to mIL12: Prospects for developing an alternative bioassay for measurement of murine cytokines IL12 and IL18. <i>Journal of Immunological Methods</i> , 2007, 326, 41-53.	1.4	9
170	Mutant p53 and cyclin A1 protein expression in primary laryngeal squamous cell carcinomas do not correlate to second primary tumours of the head and neck*. <i>ANZ Journal of Surgery</i> , 2009, 79, 48-54.	0.7	9
171	Absolute quantification of human tear lactoferrin using multiple reaction monitoring technique with stable-isotopic labeling. <i>Analytical Biochemistry</i> , 2016, 496, 30-34.	2.4	9
172	In vivo overexpression of c-erbB-2 oncoprotein in xenografts of mice implanted with human colon cancer lines. <i>Anticancer Research</i> , 1997, 17, 3463-8.	1.1	9
173	Elevated expression of FGF-2 does not cause prostate cancer progression in LNCaP cells. , 1999, 40, 1-13.		8
174	Expression of steroid hormone receptors in BRCA1-associated ovarian carcinomas. <i>Gynecologic Oncology</i> , 2005, 97, 16-25.	1.4	8
175	The prognostic significance of tumor-associated markers p53, HER-2/neu, c-myc, v-H-ras, PCNA and EGFr of local and distant recurrence in localized human prostatic adenocarcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1995, 1, 144-152.	1.6	7
176	Plant-Derived MINA-05 Inhibits Human Prostate Cancer Proliferation In Vitro and Lymph Node Spread In Vivo. <i>Neoplasia</i> , 2007, 9, 322-331.	5.3	7
177	Studies of Peritoneal Macrophage Function in Murine Systemic Lupus Erythematosus. 2. Nature of Elevated Resident Peritoneal Cells in NZB and (NZB Å— NZW)F1 Mice. <i>Journal of Leukocyte Biology</i> , 1985, 38, 241-254.	3.3	6
178	Antigenic Variation and Macrophage Infiltration of Human Bladder Tumors Xenografted Into Nude Mice. <i>Journal of Leukocyte Biology</i> , 1988, 43, 335-342.	3.3	6
179	Detection of tumor-associated membrane proteins in prostate and bladder carcinomas by means of protein blotting. <i>Urological Research</i> , 1989, 17, 305-10.	1.5	6
180	Monoclonal antibodies for intravesical radioimmunotherapy of human bladder cancer. <i>Cell Biophysics</i> , 1993, 22, 27-47.	0.4	6

#	ARTICLE	IF	CITATIONS
181	No differences in p53 mutation frequencies between BRCA1-associated and sporadic ovarian cancers. <i>Gynecologic Oncology</i> , 2004, 95, 430-436.	1.4	6
182	Alterations to the protein profile of bladder carcinoma cell lines induced by plant extract MINA in vitro. <i>Proteomics</i> , 2009, 9, 1883-1892.	2.2	6
183	Preclinical studies of monoclonal antibodies for intravesical radioimmunotherapy of human bladder cancer. <i>Cell Biophysics</i> , 1994, 24-25, 155-161.	0.4	5
184	Reliable Method of Isolating Transfected Clones from the LNCaP Human Prostatic Cell Line. <i>BioTechniques</i> , 1997, 23, 66-70.	1.8	5
185	Targeting Aurora Kinases: A Novel Approach to Curb the Growth & Chemoresistance of Androgen Refractory Prostate Cancer. <i>Current Cancer Drug Targets</i> , 2012, 12, 144-163.	1.6	5
186	KLK4 Induces Anti-Tumor Effects in Human Xenograft Mouse Models of Orthotopic and Metastatic Prostate Cancer. <i>Cancers</i> , 2020, 12, 3501.	3.7	5
187	A humanized orthotopic tumor microenvironment alters the bone metastatic tropism of prostate cancer cells. <i>Communications Biology</i> , 2021, 4, 1014.	4.4	5
188	Studies of X-irradiated bladder cancer cell lines showing differences in p53 status: absence of a p53-dependent cell cycle checkpoint pathway. <i>Oncogene</i> , 1996, 13, 1269-78.	5.9	5
189	Experimental models of histogenesis and tumor cell heterogeneity in bladder cancer. <i>Journal of Surgical Oncology</i> , 1992, 8, 279-284.	1.4	4
190	Karyotypic analysis of a heterogeneous human transitional cell carcinoma of the bladder. <i>Cancer Genetics and Cytogenetics</i> , 1994, 72, 116-125.	1.0	4
191	DNA flow-cytometric analysis in colorectal cancer: A comparison of metastasizing and non-metastasizing tumours. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996, 11, 319-324.	2.8	4
192	Antiproliferative effects of bacillus Calmette-Guérin and interferon γ on human bladder cancer cells in vitro. <i>Cancer Immunology, Immunotherapy</i> , 1995, 41, 309-316.	4.2	4
193	Active and pro-plasminogen activator on the surface of human bladder cancer cells derived from a high grade invasive tumour. <i>Biochemical and Biophysical Research Communications</i> , 1990, 172, 870-876.	2.1	3
194	Second Primary Tumours of the Head and Neck are not Associated with Adverse Overall Survival in Oral ScCs. <i>Journal of Cancer Science & Therapy</i> , 2011, 03, .	1.7	3
195	DNA-Flow Cytometric Analysis of Bladder TCC Using Paraffin-Embedded Tissues. <i>Urologia Internationalis</i> , 1998, 60, 208-215.	1.3	2
196	Transduction of Biopsy Samples: Bridging Gene Therapy between Animals and Humans. <i>BioTechniques</i> , 2001, 31, 46-49.	1.8	2
197	Androgen decreases osteoprotegerin expression in prostate cancer cells. <i>Prostate Cancer and Prostatic Diseases</i> , 2007, 10, 160-166.	3.9	2
198	In Vitro Assessment of Migratory Behavior of Two Cell Populations in a Simple Multichannel Microdevice. <i>Processes</i> , 2013, 1, 349-359.	2.8	2

#	ARTICLE	IF	CITATIONS
199	Electron microscopy of renal glomerular basement membrane changes in healthy mice and in spontaneous and nephrotoxic murine nephritis. <i>Pathology</i> , 1969, 1, 167-175.	0.6	2
200	Studies of macrophage function in murine systemic lupus erythematosus. 4. failure to reverse the defect in fc-mediated phagocytosis and binding by in vitro stimulants or prostaglandins. <i>Pathology</i> , 1986, 18, 59-63.	0.6	2
201	Targeted Alpha Therapy of Prostate Cancer. , 2003, 81, 333-358.		1
202	An investigation of fludarabine as a potential radiation sensitizer of human prostate cancer cells in vitro. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2008, 4, 48-54.	1.1	1
203	Drug Accumulation Into Single Drug-Sensitive and Drug-Resistant Prostate Cancer Cells Conducted on the Single Cell Bioanalyzer. , 2014, , .		1
204	Characterisation of the anti-bladder-cancer monoclonal antibody BLCA-8: Identification of its antigen as a neutral glycolipid. <i>Cancer Immunology, Immunotherapy</i> , 1995, 41, 348-354.	4.2	0
205	HN03-1/2 HEAD AND NECK SECOND PRIMARY TUMORS IN LARYNGEAL SCC ARE NOT ASSOCIATED WITH POORER OVERALL SURVIVAL: A SINGLE CENTER STUDY IN 987 PATIENTS. <i>ANZ Journal of Surgery</i> , 2009, 79, A37-A37.	0.7	0
206	BRCA1 mutation site may associate with nuclear DNA content in BRCA1-associated ovarian carcinomas. <i>Journal of Clinical Oncology</i> , 2004, 22, 5040-5040.	1.6	0
207	Active Protease Mapping in 2DE Gels. <i>Methods in Molecular Biology</i> , 2009, 519, 431-438.	0.9	0
208	Abstract C30: Use of targeted magnetic nanoparticles for imaging in prostate cancer. <i>Cancer Research</i> , 2012, 72, C30-C30.	0.9	0
209	<i>BRCA1</i> mutation site may associate with nuclear DNA content in <i>BRCA1</i> -associated ovarian carcinomas. <i>Journal of Clinical Oncology</i> , 2004, 22, 5040-5040.	1.6	0