Hongwei Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/431089/publications.pdf

Version: 2024-02-01

623734 60 945 14 h-index citations papers

g-index 72 72 72 1098 all docs docs citations times ranked citing authors

501196

28

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | High Triglyceride-Glucose Index is Associated with Poor Cardiovascular Outcomes in Nondiabetic Patients with ACS with LDL-C below 1.8 mmol/L. Journal of Atherosclerosis and Thrombosis, 2022, 29, 268-281. | 2.0 | 32 |
| 2 | Impact of COVID-19 pandemic on STEMI undergoing primary PCI treatment in Beijing, China. American Journal of Emergency Medicine, 2022, 53, 68-72. | 1.6 | 5 |
| 3 | Protective role of activating PPAR \hat{I}^3 in advanced glycation end products-induced impairment of coronary artery vasodilation via inhibiting p38 phosphorylation and reactive oxygen species production. Biomedicine and Pharmacotherapy, 2022, 147, 112641. | 5. 6 | 8 |
| 4 | Association of Prior Statin Therapy With Cardiovascular Outcomes in Patients With Initial Diagnosis of OCAD and LDL-C Below 1.8Âmmol/L. Angiology, 2022, , 000331972210758. | 1.8 | 0 |
| 5 | Prognostic Value of Global Longitudinal Strain in Asymptomatic Aortic Stenosis: A Systematic Review and Meta-Analysis. Frontiers in Cardiovascular Medicine, 2022, 9, 778027. | 2.4 | 7 |
| 6 | Abiotrophia Defectiva as a Rare Cause of Mitral Valve Infective Endocarditis With Mesenteric Arterial Branch Pseudoaneurysm, Splenic Infarction, and Renal Infarction: A Case Report. Frontiers in Medicine, 2022, 9, 780828. | 2.6 | 6 |
| 7 | Evaluation of Sampson equation for LDL-C in acute coronary syndrome patients: a Chinese population-based cohort study. Lipids in Health and Disease, 2022, 21, 39. | 3.0 | 5 |
| 8 | Wellens' syndrome: incidence, characteristics, and long-term clinical outcomes. BMC Cardiovascular Disorders, 2022, 22, 176. | 1.7 | 13 |
| 9 | The Role of Mitochondria in Metabolic Syndrome–Associated Cardiomyopathy. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-17. | 4.0 | 3 |
| 10 | The uric acid to albumin ratio: a novel predictor of long-term cardiac mortality in patients with unstable angina pectoris after percutaneous coronary intervention. Scandinavian Journal of Clinical and Laboratory Investigation, 2022, 82, 304-310. | 1.2 | 8 |
| 11 | Is abnormal function with troponin T elevation definitely myocardial infarction?. European Heart Journal, 2021, 42, 3107-3107. | 2.2 | 0 |
| 12 | A sex-stratified long-term clinical outcome analysis in coronary chronic total occlusion patients. Biology of Sex Differences, $2021, 12, 9$. | 4.1 | 3 |
| 13 | Predictive effect of triglyceride‑glucose index on clinical events in patients with type 2 diabetes mellitus and acute myocardial infarction: results from an observational cohort study in China. Cardiovascular Diabetology, 2021, 20, 43. | 6.8 | 40 |
| 14 | Predictive value of stress hyperglycemia ratio for the occurrence of acute kidney injury in acuteÂmyocardial infarction patients with diabetes. BMC Cardiovascular Disorders, 2021, 21, 157. | 1.7 | 15 |
| 15 | The impact of successful chronic total occlusion percutaneous coronary intervention on long-term clinical outcomes in real world. BMC Cardiovascular Disorders, 2021, 21, 182. | 1.7 | 2 |
| 16 | Adult with exertional dyspnoea and abnormal ECG. Heart, 2021, 107, 1039-1102. | 2.9 | 0 |
| 17 | Nocturnal blood pressure rise as a predictor of cognitive impairment among the elderly: a retrospective cohort study. BMC Geriatrics, 2021, 21, 462. | 2.7 | 7 |
| 18 | Transient left septal fascicular block in the scenario of ST-segment elevation myocardial infarction., 2021, 25, 588-589. | | 3 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 19 | Urinary Alpha1-Microglobulin: A New Predictor for In-Hospital Mortality in Patients with ST-Segment Elevation Myocardial Infarction. Medical Science Monitor, 2021, 27, e927958. | 1.1 | 2 |
| 20 | Body Mass Index and Long-Term Follow-Up Outcomes in Patients With Acute Myocardial Infarction by the Median of Non-HDL Cholesterol: Results From an Observational Cohort Study in China. Frontiers in Cardiovascular Medicine, 2021, 8, 750670. | 2.4 | 1 |
| 21 | Contemporary Impact of circadian symptom-onset patterns of acute ST-Segment elevation myocardial infarction on long-term outcomes after primary percutaneous coronary intervention. Annals of Medicine, 2021, 53, 247-256. | 3 . 8 | 2 |
| 22 | Contemporary Implications of ECG to Activation Time on Long-term Outcomes in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. Clinical Therapeutics, 2021, , . | 2.5 | 2 |
| 23 | New Insights Into the Role of Mitochondria Quality Control in Ischemic Heart Disease. Frontiers in Cardiovascular Medicine, 2021, 8, 774619. | 2.4 | 14 |
| 24 | Acute Myocardial Infarction in Young Men Under 50 Years of Age: Clinical Characteristics, Treatment, and Long-Term Prognosis. International Journal of General Medicine, 2021, Volume 14, 9321-9331. | 1.8 | 6 |
| 25 | Predictive Effect of Renal Function on Clinical Outcomes in Older Adults With Acute Myocardial Infarction: Results From an Observational Cohort Study in China. Frontiers in Cardiovascular Medicine, 2021, 8, 772774. | 2.4 | 4 |
| 26 | Predictive Value of the Acute-to-Chronic Glycemic Ratio for In-Hospital Outcomes in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Percutaneous Coronary Intervention. Angiology, 2020, 71, 38-47. | 1.8 | 31 |
| 27 | Gaps between actual initial treatment of anaphylaxis in China and international guidelines: A review and analysis of 819 reported cases. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 968-971. | 5.7 | 9 |
| 28 | Predictive value of the combination of age, creatinine, and ejection fraction score and diabetes in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention. Coronary Artery Disease, 2020, 31, 109-117. | 0.7 | 8 |
| 29 | Role of peroxisome proliferators-activated receptor-gamma in advanced glycation end product-mediated functional loss of voltage-gated potassium channel in rat coronary arteries. BMC Cardiovascular Disorders, 2020, 20, 337. | 1.7 | 1 |
| 30 | High triglyceride-glucose index is associated with adverse cardiovascular outcomes in patients with acute myocardial infarction. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2351-2362. | 2.6 | 46 |
| 31 | A Man in His 90s With Progressive Hoarseness—What is the Cause?. JAMA Cardiology, 2020, 5, e205116. | 6.1 | 1 |
| 32 | Trends of antihypertensive agents in patients with hypertension and coronary artery disease in a tertiary hospital of China. International Journal of Clinical Pharmacy, 2020, 42, 482-488. | 2.1 | 2 |
| 33 | Real-world use of ACEI/ARB in diabetic hypertensive patients before the initial diagnosis of obstructive coronary artery disease: patient characteristics and Along-term follow-up outcome. Journal of Translational Medicine, 2020, 18, 150. | 4.4 | 10 |
| 34 | Safety and efficacy of zotarolimusâ€eluting stents in the treatment of diabetic coronary lesions in Chinese patients: The RESOLUTEâ€DIABETES CHINA Study. Journal of Diabetes, 2019, 11, 204-213. | 1.8 | 2 |
| 35 | Autoimmune Diseases May Increase Adverse Cardiovascular Events After Percutaneous Coronary Intervention: A Systematic Review and Meta-Analysis. Heart Lung and Circulation, 2019, 28, 1510-1524. | 0.4 | 5 |
| 36 | High admission glucose levels predict worse short-term clinical outcome in non-diabetic patients with acute myocardial infraction: a retrospective observational study. BMC Cardiovascular Disorders, 2019, 19, 163. | 1.7 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 37 | AGEs impair Kv channel-mediated vasodilation of coronary arteries by activating the NF-κB signaling pathway in ZDF rats. Biomedicine and Pharmacotherapy, 2019, 120, 109527. | 5. 6 | 9 |
| 38 | Pioglitazone downregulates Twist-1 expression in the kidney and protects renal function of Zucker diabetic fatty rats. Biomedicine and Pharmacotherapy, 2019, 118, 109346. | 5.6 | 9 |
| 39 | Pregnancy-Associated Plasma Protein A Induces Inflammatory Cytokine Expression by Activating IGF-I/PI3K/Akt Pathways. Mediators of Inflammation, 2019, 2019, 1-12. | 3.0 | 10 |
| 40 | Usefulness of the CHA2DS2-VASc Score to Predict Adverse Outcomes in Acute Coronary Syndrome Patients Without Atrial Fibrillation Undergoing Percutaneous Coronary Intervention. American Journal of Cardiology, 2019, 124, 476-484. | 1.6 | 12 |
| 41 | Electrocardiographic Changes After Overdose of Epinephrine in a Patient With Anaphylaxis. JAMA Internal Medicine, 2019, 179, 973. | 5.1 | 8 |
| 42 | Increased serum adiponectin predicts improved coronary flow and clinical outcomes in patients with STâ€segment elevation myocardial infarction treated by primary percutaneous coronary intervention. Journal of Clinical Laboratory Analysis, 2019, 33, e22864. | 2.1 | 6 |
| 43 | Clinical Efficacy and Safety of Combination Therapy with Amlodipine and Olmesartan or an Olmesartan/Hydrochlorothiazide Compound for Hypertension: A Prospective, Open-Label, and Multicenter Clinical Trial in China. Current Therapeutic Research, 2019, 90, 99-105. | 1.2 | 3 |
| 44 | The Neutrophil Percentage to Albumin Ratio as a New Predictor of In-Hospital Mortality in Patients with ST-Segment Elevation Myocardial Infarction. Medical Science Monitor, 2019, 25, 7845-7852. | 1.1 | 29 |
| 45 | Real-world use of angiotensin-converting enzyme inhibitors/angiotensin receptor blockers/l²-blocks in Chinese patients before acute myocardial infarction occurs: patient characteristics and hospital follow-up. Journal of Translational Medicine, 2018, 16, 346. | 4.4 | 2 |
| 46 | Decreased Serum Relaxin-2 Is Correlated with Impaired Islet Î ² -Cell Function in Patients with Unstable Angina and Abnormal Glucose Metabolism. International Heart Journal, 2018, 59, 272-278. | 1.0 | 4 |
| 47 | CHA ₂ DS ₂ -VASc score as a predictor of long-term cardiac outcomes in elderly patients with or without atrial fibrillation. Clinical Interventions in Aging, 2018, Volume 13, 497-504. | 2.9 | 14 |
| 48 | Revascularization of serious atherosclerotic systemic artery stenosis caused by long-term primary hypertension. Minerva Cardioangiologica, 2018, 66, 787-790. | 1.2 | 0 |
| 49 | Low levels of ApoA1 improve risk prediction of type 2 diabetes mellitus. Journal of Clinical Lipidology, 2017, 11, 362-368. | 1.5 | 23 |
| 50 | Telmisartan ameliorates adipoR1 and adipoR2 expression via PPAR- \hat{l}^3 activation in the coronary artery and VSMCs. Biomedicine and Pharmacotherapy, 2017, 95, 129-136. | 5.6 | 12 |
| 51 | Pioglitazone Attenuates Atherosclerosis in Diabetic Mice by Inhibition of Receptor for Advanced Glycation End-Product (RAGE) Signaling. Medical Science Monitor, 2017, 23, 6121-6131. | 1.1 | 11 |
| 52 | RhoA/rock signaling mediates peroxynitrite-induced functional impairment of Rat coronary vessels. BMC Cardiovascular Disorders, 2016, 16, 193. | 1.7 | 10 |
| 53 | Clinical Characteristics and Long-term Predictors of Persistent Left Ventricular Systolic Dysfunction in Peripartum Cardiomyopathy. Canadian Journal of Cardiology, 2016, 32, 362-368. | 1.7 | 55 |
| 54 | Atorvastatin prevents advanced glycation end products (AGEs)-induced cardiac fibrosis via activating peroxisome proliferator-activated receptor gamma (PPAR-γ). Metabolism: Clinical and Experimental, 2016, 65, 441-453. | 3.4 | 54 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 55 | Advanced Glycation End Products Impair Voltage-Gated K+ Channels-Mediated Coronary Vasodilation in Diabetic Rats. PLoS ONE, 2015, 10, e0142865. | 2.5 | 12 |
| 56 | Pioglitazone prevents hyperglycemia induced decrease of AdipoR1 and AdipoR2 in coronary arteries and coronary VSMCs. Molecular and Cellular Endocrinology, 2012, 363, 27-35. | 3.2 | 15 |
| 57 | Enhanced oxidative stress impairs cAMP-mediated dilation by reducing Kv channel function in small coronary arteries of diabetic rats. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 289, H1873-H1880. | 3.2 | 45 |
| 58 | Nitration and Functional Loss of Voltage-Gated K+ Channels in Rat Coronary Microvessels Exposed to High Glucose. Diabetes, 2004, 53, 2436-2442. | 0.6 | 64 |
| 59 | Elevated glucose impairs cAMP-mediated dilation by reducing K _v channel activity in rat small coronary smooth muscle cells. American Journal of Physiology - Heart and Circulatory Physiology, 2003, 285, H1213-H1219. | 3.2 | 73 |
| 60 | Peroxynitrite Inhibits Ca ²⁺ -Activated K ⁺ Channel Activity in Smooth Muscle of Human Coronary Arterioles. Circulation Research, 2002, 91, 1070-1076. | 4.5 | 143 |