

Towia A Libermann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4314187/publications.pdf>

Version: 2024-02-01

204
papers

20,875
citations

23500

58
h-index

9839

141
g-index

214
all docs

214
docs citations

214
times ranked

23447
citing authors

#	ARTICLE	IF	CITATIONS
1	Proteome-Wide Analysis Using SOMAscan Identifies and Validates Chitinase-3-Like Protein 1 as a Risk and Disease Marker of Delirium Among Older Adults Undergoing Major Elective Surgery. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 484-493.	1.7	27
2	Discovery of antiangiogenic factors in the pathogenesis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S1035-S1036.e5.	0.7	4
3	Assessment of potential selection bias in neuroimaging studies of postoperative delirium and cognitive decline: lessons from the SAGES study. <i>Brain Imaging and Behavior</i> , 2022, 16, 1732-1740.	1.1	3
4	Serum Protein Signatures Using Aptamer-Based Proteomics for Minimal Change Disease and Membranous Nephropathy. <i>Kidney International Reports</i> , 2022, 7, 1539-1556.	0.4	8
5	Proteomics of lung tissue reveals differences in inflammation and alveolar-capillary barrier response between atelectasis and aerated regions. <i>Scientific Reports</i> , 2022, 12, 7065.	1.6	3
6	Proteome-Wide Analysis Using SOMAscan Identifies and Validates Epidermal Growth Factor as a Disease Marker of Collagenous Gastritis. , 2022, 1, 689-702.		2
7	Metformin for treatment of cytopenias in children and young adults with Fanconi anemia. <i>Blood Advances</i> , 2022, 6, 3803-3811.	2.5	4
8	Circulating proteomic profiles associated with endometriosis in adolescents and young adults. <i>Human Reproduction</i> , 2022, 37, 2042-2053.	0.4	10
9	Structural integrity of the anterior mid-cingulate cortex contributes to resilience to delirium in SuperAging. <i>Brain Communications</i> , 2022, 4, .	1.5	9
10	Parenteral lipid emulsions induce unique ileal fatty acid and metabolomic profiles but do not increase the risk of necrotizing enterocolitis in preterm pigs. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, G227-G239.	1.6	5
11	Identification of Plasma Proteome Signatures Associated With Surgery Using SOMAscan. <i>Annals of Surgery</i> , 2021, 273, 732-742.	2.1	41
12	Targeted metabolomics analysis of postoperative delirium. <i>Scientific Reports</i> , 2021, 11, 1521.	1.6	24
13	Plasma Proteomic Profiling in Hypertrophic Cardiomyopathy Patients before and after Surgical Myectomy Reveals Post-Procedural Reduction in Systemic Inflammation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2474.	1.8	13
14	Plasma and cerebrospinal fluid inflammation and the blood-brain barrier in older surgical patients: the Role of Inflammation after Surgery for Elders (RISE) study. <i>Journal of Neuroinflammation</i> , 2021, 18, 103.	3.1	17
15	Circulating proteins protect against renal decline and progression to end-stage renal disease in patients with diabetes. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	18
16	Immunological Impact of a Gluten-Free Dairy-Free Diet in Children With Kidney Disease: A Feasibility Study. <i>Frontiers in Immunology</i> , 2021, 12, 624821.	2.2	11
17	Inflammatory metabolic profile of South African patients with prostate cancer. <i>Cancer & Metabolism</i> , 2021, 9, 29.	2.4	16
18	The Gut Microbiome and Cancer Immunotherapy: Can We Use the Gut Microbiome as a Predictive Biomarker for Clinical Response in Cancer Immunotherapy?. <i>Cancers</i> , 2021, 13, 4824.	1.7	29

#	ARTICLE	IF	CITATIONS
19	Emerging Evidence of the Gut Microbiome in Chemotherapy: A Clinical Review. <i>Frontiers in Oncology</i> , 2021, 11, 706331.	1.3	15
20	Plasma protein expression profiles, cardiovascular disease, and religious struggles among South Asians in the MASALA study. <i>Scientific Reports</i> , 2021, 11, 961.	1.6	6
21	Metformin for Treatment of Cytopenias in Children and Young Adults with Fanconi Anemia. <i>Blood</i> , 2021, 138, 1102-1102.	0.6	1
22	Apolipoprotein E genotype and the association between C-reactive protein and postoperative delirium: Importance of gene-protein interactions. <i>Alzheimer's and Dementia</i> , 2020, 16, 572-580.	0.4	21
23	The Role of Inflammation after Surgery for Elders (RISE) study: Examination of [11C]PBR28 binding and exploration of its link to post-operative delirium. <i>NeuroImage: Clinical</i> , 2020, 27, 102346.	1.4	17
24	Apolipoprotein E genotype and the relationship between chitinase 3-like protein 1 and postoperative delirium: Potential gene-protein interactions. <i>Alzheimer's and Dementia</i> , 2020, 16, e040595.	0.4	0
25	Cdc42-Dependent Transfer of mir301 from Breast Cancer-Derived Extracellular Vesicles Regulates the Matrix Modulating Ability of Astrocytes at the Blood-Brain Barrier. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3851.	1.8	22
26	Significant polyomic and functional upregulation of the PAPP4/IGFBP4/IGF1 axis in chronic rhinosinusitis with nasal polyps. <i>International Forum of Allergy and Rhinology</i> , 2020, 10, 546-555.	1.5	11
27	Unexpected effects of systemic steroids on the CRSwNP proteome: is protein upregulation more important than inhibition?. <i>International Forum of Allergy and Rhinology</i> , 2020, 10, 334-342.	1.5	6
28	Placenta accreta spectrum: biomarker discovery using plasma proteomics. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 433.e1-433.e14.	0.7	41
29	Inflammatory manifestations in patients with Shwachman-Diamond syndrome: A novel phenotype. <i>American Journal of Medical Genetics, Part A</i> , 2020, 182, 1754-1760.	0.7	8
30	Apolipoprotein E Genotype and the Relationship Between Chitinase Like Protein 1 and Postoperative Delirium. <i>Innovation in Aging</i> , 2020, 4, 249-249.	0.0	0
31	Abstract 13047: Plasma Protein Expression and Incident Cvd, and the Role of Resilience: Results From the Mediators of Atherosclerosis in South Asians Living in America (masala) Study. <i>Circulation</i> , 2020, 142, .	1.6	0
32	Translating transcription: proteomics in chronic rhinosinusitis with nasal polyps reveals significant discordance with messenger RNA expression. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 776-786.	1.5	18
33	Dihydroartemisinin inhibits prostate cancer via JARID2/miR-7/miR-34a-dependent downregulation of Axl. <i>Oncogenesis</i> , 2019, 8, 14.	2.1	62
34	Delirium and Alzheimer disease: A proposed model for shared pathophysiology. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 781-789.	1.3	32
35	AN INFLAMMATORY SIGNATURE OF POSTOPERATIVE DELIRIUM. <i>Innovation in Aging</i> , 2019, 3, S820-S821.	0.0	0
36	The Role of Inflammation after Surgery for Elders (RISE) study: Study design, procedures, and cohort profile. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 752-762.	1.2	11

#	ARTICLE	IF	CITATIONS
37	METABOLOMICS OF DELIRIUM: A CASE-CONTROL STUDY. <i>Innovation in Aging</i> , 2019, 3, S92-S92.	0.0	0
38	Blood proteome profiling using aptamer-based technology for rejection biomarker discovery in transplantation. <i>Scientific Data</i> , 2019, 6, 314.	2.4	10
39	Postoperative Delirium and Postoperative Cognitive Dysfunction. <i>Anesthesiology</i> , 2019, 131, 477-491.	1.3	183
40	Exosome swarms eliminate airway pathogens and provide passive epithelial immunoprotection through nitric oxide. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1525-1535.e1.	1.5	42
41	The Association Between C-Reactive Protein and Postoperative Delirium Differs by Catechol-O-Methyltransferase Genotype. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1-8.	0.6	13
42	Noninvasive exosomal proteomic biosignatures, including cystatin SN, peroxiredoxin 5, and glycoprotein VI, accurately predict chronic rhinosinusitis with nasal polyps. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 177-186.	1.5	33
43	Development of a Dynamic Multi-Protein Signature of Postoperative Delirium. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 261-268.	1.7	31
44	TGF- β 2 signaling underlies hematopoietic dysfunction and bone marrow failure in Shwachman-Diamond syndrome. <i>Journal of Clinical Investigation</i> , 2019, 129, 3821-3826.	3.9	25
45	Specific Transcriptome Changes Associated with Blood Pressure Reduction in Hypertensive Patients After Relaxation Response Training. <i>Journal of Alternative and Complementary Medicine</i> , 2018, 24, 486-504.	2.1	16
46	P242: THE ASSOCIATION BETWEEN C-REACTIVE PROTEIN AND POSTOPERATIVE DELIRIUM DIFFERS BY APOLIPOPROTEIN E GENOTYPE. <i>Alzheimer's and Dementia</i> , 2018, 14, P722.	0.4	0
47	Osteitis is associated with dysregulated pro-osteoblastic activity in patients with nasal polyps. <i>Laryngoscope</i> , 2018, 129, E102-E109.	1.1	10
48	Complement 7 Is Up-Regulated in Human Early Diabetic Kidney Disease. <i>American Journal of Pathology</i> , 2018, 188, 2147-2154.	1.9	30
49	Increased levels of circulating MMP3 correlate with severe rejection in face transplantation. <i>Scientific Reports</i> , 2018, 8, 14915.	1.6	21
50	Cerebrospinal Fluid Protein Changes in Preeclampsia. <i>Hypertension</i> , 2018, 72, 219-226.	1.3	25
51	Axonal Guidance Signaling Pathway Is Suppressed in Human Nasal Polyps. <i>American Journal of Rhinology and Allergy</i> , 2018, 32, 208-216.	1.0	10
52	TREM-1 Neutrophil Activation Pathway Is Suppressed in Eosinophilic Nasal Polyps. <i>American Journal of Rhinology and Allergy</i> , 2018, 32, 359-368.	1.0	12
53	Highly multiplexed proteomic analysis reveals significant tissue and exosomal coagulation pathway derangement in chronic rhinosinusitis with nasal polyps. <i>International Forum of Allergy and Rhinology</i> , 2018, 8, 1438-1444.	1.5	31
54	Tie2 protects the vasculature against thrombus formation in systemic inflammation. <i>Journal of Clinical Investigation</i> , 2018, 128, 1471-1484.	3.9	89

#	ARTICLE	IF	CITATIONS
55	Predictive plasma proteomic biomarkers of immunotherapy toxicity in patients (pts) with metastatic melanoma (MM).. Journal of Clinical Oncology, 2018, 36, e21569-e21569.	0.8	1
56	Higher C-Reactive Protein Levels Predict Postoperative Delirium in Older Patients Undergoing Major Elective Surgery: A Longitudinal Nested Case-Control Study. Biological Psychiatry, 2017, 81, 145-153.	0.7	100
57	High C-Reactive Protein Predicts Delirium Incidence, Duration, and Feature Severity After Major Noncardiac Surgery. Journal of the American Geriatrics Society, 2017, 65, e109-e116.	1.3	93
58	Methodologic considerations in the design and analysis of nested case-control studies: association between cytokines and postoperative delirium. BMC Medical Research Methodology, 2017, 17, 88.	1.4	12
59	Detecting Microbial Dysbiosis Associated with Pediatric Crohn Disease Despite the High Variability of the Gut Microbiota. Cell Reports, 2016, 14, 945-955.	2.9	49
60	GADD45 α and β interaction with CDK1/p58 regulates SPDEF protein stability and SPDEF-mediated effects on cancer cell migration. Oncotarget, 2016, 7, 13865-13879.	0.8	10
61	Meta-analysis of transcriptome data identifies a novel 5-gene pancreatic adenocarcinoma classifier. Oncotarget, 2016, 7, 23263-23281.	0.8	49
62	Genomic and Clinical Effects Associated with a Relaxation Response Mind-Body Intervention in Patients with Irritable Bowel Syndrome and Inflammatory Bowel Disease. PLoS ONE, 2015, 10, e0123861.	1.1	62
63	SB225002 Induces Cell Death and Cell Cycle Arrest in Acute Lymphoblastic Leukemia Cells through the Activation of GLIPR1. PLoS ONE, 2015, 10, e0134783.	1.1	13
64	Novel non-invasive biomarkers that distinguish between benign prostate hyperplasia and prostate cancer. BMC Cancer, 2015, 15, 259.	1.1	37
65	Cytokines and Postoperative Delirium in Older Patients Undergoing Major Elective Surgery. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 1289-1295.	1.7	115
66	Inactivation of GSK3 β and activation of NF- κ B pathway via Axl represents an important mediator of tumorigenesis in esophageal squamous cell carcinoma. Molecular Biology of the Cell, 2015, 26, 821-831.	0.9	30
67	Sal162 Transcriptional Profiling of Peripheral Blood Mononuclear Cells Identifies Genes and Gene Pathways Associated With Pediatric IBD and That Differentiate Crohn's Disease and Ulcerative Colitis. Gastroenterology, 2014, 146, S-216.	0.6	0
68	Analysis of Host Gene Expression Changes Reveals Distinct Roles for the Cytoplasmic Domain of the Epstein-Barr Virus Receptor/CD21 in B-Cell Maturation, Activation, and Initiation of Virus Infection. Journal of Virology, 2014, 88, 5559-5577.	1.5	14
69	Binding of the WASP/N-WASP-Interacting Protein WIP to Actin Regulates Focal Adhesion Assembly and Adhesion. Molecular and Cellular Biology, 2014, 34, 2600-2610.	1.1	18
70	Computational Repositioning and Preclinical Validation of Pentamidine for Renal Cell Cancer. Molecular Cancer Therapeutics, 2014, 13, 1929-1941.	1.9	57
71	Abstract LB-173: Early detection of pancreatic cancer using a new 5-gene classifier. , 2014, , .		0
72	Human respiratory syncytial virus N, P and M protein interactions in HEK-293T cells. Virus Research, 2013, 177, 108-112.	1.1	34

#	ARTICLE	IF	CITATIONS
73	Relaxation Response Induces Temporal Transcriptome Changes in Energy Metabolism, Insulin Secretion and Inflammatory Pathways. <i>PLoS ONE</i> , 2013, 8, e62817.	1.1	223
74	Abstract LB-129: Evidence from expression profiling, proteomics, metabolomics and FDG-PET of an estrogen-dependent metabolic switch in tuberin-null cells.. , 2013, , .		0
75	Microarray and proteomic analysis of the cardioprotective effects of cold blood cardioplegia in the mature and aged male and female. <i>Physiological Genomics</i> , 2012, 44, 1027-1041.	1.0	17
76	Alpha 1-antitrypsin reduces inflammation and enhances mouse pancreatic islet transplant survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 15443-15448.	3.3	56
77	Wheat amylase trypsin inhibitors drive intestinal inflammation via activation of toll-like receptor 4. <i>Journal of Experimental Medicine</i> , 2012, 209, 2395-2408.	4.2	548
78	Creating a "pro-survival" phenotype through epigenetic modulation. <i>Surgery</i> , 2012, 152, 455-464.	1.0	16
79	The Role of TNF- α in Mice with Type 1- and 2- Diabetes. <i>PLoS ONE</i> , 2012, 7, e33254.	1.1	35
80	NSAIDs induce apoptosis in nonproliferating ovarian cancer cells and inhibit tumor growth <i>in vivo</i> . <i>IUBMB Life</i> , 2012, 64, 636-643.	1.5	26
81	A metabolic prosurvival role for PML in breast cancer. <i>Journal of Clinical Investigation</i> , 2012, 122, 3088-3100.	3.9	220
82	JunD-mediated repression of GADD45 α and β regulates escape from cell death in prostate cancer. <i>Cell Cycle</i> , 2011, 10, 2583-2591.	1.3	42
83	Structural analysis of human respiratory syncytial virus P protein: identification of intrinsically disordered domains. <i>Brazilian Journal of Microbiology</i> , 2011, 42, 340-345.	0.8	15
84	Resistance of Renal Cell Carcinoma to Sorafenib Is Mediated by Potentially Reversible Gene Expression. <i>PLoS ONE</i> , 2011, 6, e19144.	1.1	64
85	Combinatorial Effect of Non-Steroidal Anti-inflammatory Drugs and NF- κ B Inhibitors in Ovarian Cancer Therapy. <i>PLoS ONE</i> , 2011, 6, e24285.	1.1	50
86	Human T cell microparticles circulate in blood of hepatitis patients and induce fibrolytic activation of hepatic stellate cells. <i>Hepatology</i> , 2011, 53, 230-242.	3.6	99
87	PTH regulates myeloid ELF-1-like factor (MEF)-induced MAB-21-like-1 (MAB21L1) expression through the JNK1 pathway. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 2051-2061.	1.2	4
88	A20 Modulates Lipid Metabolism and Energy Production to Promote Liver Regeneration. <i>PLoS ONE</i> , 2011, 6, e17715.	1.1	33
89	Abstract 3053: Receptor tyrosine kinase AXL as a new target for prostate cancer therapy. , 2011, , .		0
90	Abstract 5378: SB225002 induces apoptosis in acute lymphoid leukemia cells. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
91	Abstract 3188: Discovery and validation of non-invasive biomarkers for benign prostate hyperplasia and prostate cancer. , 2011, , .		0
92	Bioinformatic identification and characterization of human endothelial cell-restricted genes. BMC Genomics, 2010, 11, 342.	1.2	54
93	The synergistic regulatory effect of Runx2 and MEF transcription factors on osteoblast differentiation markers. Journal of Periodontal and Implant Science, 2010, 40, 39.	0.9	12
94	Requirement of the Epithelium-specific Ets Transcription Factor Spdef for Mucous Gland Cell Function in the Gastric Antrum. Journal of Biological Chemistry, 2010, 285, 35047-35055.	1.6	42
95	Optimizing a Proteomics Platform for Urine Biomarker Discovery. Molecular and Cellular Proteomics, 2010, 9, 2195-2204.	2.5	74
96	GADD45 ^{Δ2} Enhances Col10a1 Transcription via the MTK1/MKK3/6/p38 Axis and Activation of C/EBP ^{Δ2} -TAD4 in Terminally Differentiating Chondrocytes. Journal of Biological Chemistry, 2010, 285, 8395-8407.	1.6	45
97	165 T-Cell Derived Microparticles Induce Fibrolytic Activation of Hepatic Stellate Cells via ICAM-1 (CD54) Dependent Uptake and Emmprin (CD147). Gastroenterology, 2010, 138, S-779.	0.6	0
98	194 A Non-Gluten Component of Wheat is a Strong Stimulator of Innate Immune Responses In Vitro and In Vivo and Acts via Toll Like Receptor 4. Gastroenterology, 2010, 138, S-36.	0.6	0
99	Identification of a Novel Potential Biomarker in a Model of Hemorrhagic Shock and Valproic Acid Treatment. Journal of Surgical Research, 2010, 159, 474-481.	0.8	23
100	Nna1 Mediates Purkinje Cell Dendritic Development via Lysyl Oxidase Propeptide and NF- κ B Signaling. Neuron, 2010, 68, 45-60.	3.8	67
101	Analysis of Multiple Sarcoma Expression Datasets: Implications for Classification, Oncogenic Pathway Activation and Chemotherapy Resistance. PLoS ONE, 2010, 5, e9747.	1.1	14
102	cdk11p58 regulation of cell cycle progression in cancer development. , 2010, , .		0
103	Identification of the Transcription Factor Single-Minded Homologue 2 as a Potential Biomarker and Immunotherapy Target in Prostate Cancer. Clinical Cancer Research, 2009, 15, 5794-5802.	3.2	184
104	Differential gene expression of bone marrow-derived CD34+ cells is associated with survival of patients suffering from myelodysplastic syndrome. International Journal of Hematology, 2009, 89, 173-187.	0.7	25
105	Proteomic Analysis of a PDEF Ets Transcription Factor-Interacting Protein Complex. Journal of Proteome Research, 2009, 8, 1327-1337.	1.8	17
106	Carboplatin-induced gene expression changes in vitro are prognostic of survival in epithelial ovarian cancer. BMC Medical Genomics, 2008, 1, 59.	0.7	46
107	Gene expression profile of mouse prostate tumors reveals dysregulations in major biological processes and identifies potential murine targets for preclinical development of human prostate cancer therapy. Prostate, 2008, 68, 1517-1530.	1.2	47
108	ESE Δ 1 is a potent repressor of type II collagen gene (<i>COL2A1</i>) transcription in human chondrocytes. Journal of Cellular Physiology, 2008, 215, 562-573.	2.0	54

#	ARTICLE	IF	CITATIONS
109	Differential expression of GADD45 β in normal and osteoarthritic cartilage: Potential role in homeostasis of articular chondrocytes. <i>Arthritis and Rheumatism</i> , 2008, 58, 2075-2087.	6.7	91
110	Gene expression analysis of embryonic stem cells expressing VE-cadherin (CD144) during endothelial differentiation. <i>BMC Genomics</i> , 2008, 9, 240.	1.2	21
111	E-NTPDases and ecto-5 β -nucleotidase expression profile in rat heart left ventricle and the extracellular nucleotide hydrolysis by their nerve terminal endings. <i>Life Sciences</i> , 2008, 82, 477-486.	2.0	25
112	Proteomic Identification of Interleukin-2 Therapy Response in Metastatic Renal Cell Cancer. <i>Journal of Urology</i> , 2008, 179, 730-736.	0.2	11
113	PROTEOMIC IDENTIFICATION AND VALIDATION OF INTERLEUKIN-2 THERAPY RESPONSE IN METASTATIC RENAL CELL CANCER. <i>Journal of Urology</i> , 2008, 179, 35-36.	0.2	4
114	Genomic Counter-Stress Changes Induced by the Relaxation Response. <i>PLoS ONE</i> , 2008, 3, e2576.	1.1	198
115	Curative and β cell regenerative effects of α 1-antitrypsin treatment in autoimmune diabetic NOD mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 16242-16247.	3.3	154
116	Tissue-Based Research in Kidney Cancer: Current Challenges and Future Directions. <i>Clinical Cancer Research</i> , 2008, 14, 3699-3705.	3.2	24
117	Serum Proteomics and Biomarkers in Hepatocellular Carcinoma and Chronic Liver Disease. <i>Clinical Cancer Research</i> , 2008, 14, 470-477.	3.2	191
118	Gene Expression of Purified β -Cell Tissue Obtained from Human Pancreas with Laser Capture Microdissection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1046-1053.	1.8	73
119	Restoration of Liver Mass after Injury Requires Proliferative and Not Embryonic Transcriptional Patterns. <i>Journal of Biological Chemistry</i> , 2007, 282, 11197-11204.	1.6	77
120	From the cover: Serum proteome profiling detects myelodysplastic syndromes and identifies CXC chemokine ligands 4 and 7 as markers for advanced disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1307-1312.	3.3	91
121	Human Papillomavirus Type 16 E7 Oncoprotein Associates with the Cullin 2 Ubiquitin Ligase Complex, Which Contributes to Degradation of the Retinoblastoma Tumor Suppressor. <i>Journal of Virology</i> , 2007, 81, 9737-9747.	1.5	240
122	Reduced PDEF Expression Increases Invasion and Expression of Mesenchymal Genes in Prostate Cancer Cells. <i>Cancer Research</i> , 2007, 67, 4219-4226.	0.4	86
123	A high-fat, ketogenic diet induces a unique metabolic state in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E1724-E1739.	1.8	343
124	IGF axis gene expression patterns are prognostic of survival in epithelial ovarian cancer. <i>Endocrine-Related Cancer</i> , 2007, 14, 781-790.	1.6	55
125	c-Fos as a Proapoptotic Agent in TRAIL-Induced Apoptosis in Prostate Cancer Cells. <i>Cancer Research</i> , 2007, 67, 9425-9434.	0.4	85
126	Prediction of Diabetic Nephropathy Using Urine Proteomic Profiling 10 Years Prior to Development of Nephropathy. <i>Diabetes Care</i> , 2007, 30, 638-643.	4.3	118

#	ARTICLE	IF	CITATIONS
127	Genomics of Renal Cell Cancer: The Biology Behind and the Therapy Ahead. <i>Clinical Cancer Research</i> , 2007, 13, 685s-692s.	3.2	39
128	Age-related transcription levels of KU70, MGST1 and BIK in CD34+ hematopoietic stem and progenitor cells. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 503-510.	2.2	27
129	Genomic expression pathways associated with brain injury after cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 134, 996-1005.e4.	0.4	22
130	Biochemical characterization of ecto-nucleotide pyrophosphatase/phosphodiesterase (E-NPP, E.C.) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.4	26
131	A Novel Pathway Involving Melanoma Differentiation Associated Gene-7/Interleukin-24 Mediates Nonsteroidal Anti-inflammatory Drugâ€“Induced Apoptosis and Growth Arrest of Cancer Cells. <i>Cancer Research</i> , 2006, 66, 11922-11931.	0.4	54
132	Proteomic Analysis of the Allograft Response. <i>Transplantation</i> , 2006, 82, 267-274.	0.5	12
133	SELDI-TOFâ€“MS of quadruplicate urine and serum samples to evaluate changes related to storage conditions. <i>Proteomics</i> , 2006, 6, 1676-1680.	1.3	45
134	Exisulind induces apoptosis in advanced myelodysplastic syndrome (MDS) and acute myeloid leukaemia/MDS. <i>British Journal of Haematology</i> , 2006, 135, 355-357.	1.2	12
135	Essential role of Jun family transcription factors in PU.1 knockdownâ€“induced leukemic stem cells. <i>Nature Genetics</i> , 2006, 38, 1269-1277.	9.4	167
136	Soluble endoglin contributes to the pathogenesis of preeclampsia. <i>Nature Medicine</i> , 2006, 12, 642-649.	15.2	1,653
137	Urine proteomic profiling of pediatric nephrotic syndrome. <i>Pediatric Nephrology</i> , 2006, 21, 1257-1265.	0.9	56
138	Targeting Transcription Factors for Cancer Gene Therapy. <i>Current Gene Therapy</i> , 2006, 6, 17-33.	0.9	134
139	Differential Gene Expression Analysis Reveals Generation of an Autocrine Loop by a Mutant Epidermal Growth Factor Receptor in Glioma Cells. <i>Cancer Research</i> , 2006, 66, 867-874.	0.4	149
140	Antimyeloma activity of heat shock protein-90 inhibition. <i>Blood</i> , 2005, 107, 1092-1100.	0.6	278
141	The Ets transcription factor ESE-1 mediates induction of the COX-2 gene by LPS in monocytes. <i>FEBS Journal</i> , 2005, 272, 1676-1687.	2.2	64
142	GADD45 Deregulation in Cancer: Frequently Methylated Tumor Suppressors and Potential Therapeutic Targets. <i>Clinical Cancer Research</i> , 2005, 11, 6409-6413.	3.2	51
143	Blockage of NF- κ B Induces Serine 15 Phosphorylation of Mutant p53 by JNK Kinase in Prostate Cancer Cells. <i>Cell Cycle</i> , 2005, 4, 1247-1253.	1.3	56
144	A Novel Role for GADD45 β as a Mediator of MMP-13 Gene Expression during Chondrocyte Terminal Differentiation. <i>Journal of Biological Chemistry</i> , 2005, 280, 38544-38555.	1.6	93

#	ARTICLE	IF	CITATIONS
145	Unique Gene Expression Profile Based on Pathologic Response in Epithelial Ovarian Cancer. <i>Journal of Clinical Oncology</i> , 2005, 23, 7911-7918.	0.8	133
146	Gene Signatures of Progression and Metastasis in Renal Cell Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 5730-5739.	3.2	386
147	Optimization and evaluation of surface-enhanced laser desorption/ionization time-of-flight mass spectrometry (SELDI-TOF MS) with reversed-phase protein arrays for protein profiling. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 133-40.	1.4	41
148	A Secreted Form of ADAM9 Promotes Carcinoma Invasion through Tumor-Stromal Interactions. <i>Cancer Research</i> , 2005, 65, 4728-4738.	0.4	170
149	The Nonsteroidal Anti-Inflammatory Drug Exisulind Selectively Induces Apoptosis via JNK in Secondary Acute Myeloid Leukemia after Myelodysplastic Syndrome. <i>Cell Cycle</i> , 2005, 4, 812-817.	1.3	10
150	Life and Death in Cancer GADD45 α ; and γ ; are Critical Regulators of NF- κ B Mediated Escape from Programmed Cell Death. <i>Cell Cycle</i> , 2005, 4, 18-20.	1.3	56
151	Essential Role of Jun Family Transcription Factors in PU.1-Induced Leukemic Stem Cell Transformation.. <i>Blood</i> , 2005, 106, 463-463.	0.6	4
152	Exisulind Selectively Induces Apoptosis Via C-Jun Kinase Activation in MDS and sAML/MDS.. <i>Blood</i> , 2005, 106, 4902-4902.	0.6	0
153	Age-Related Transcription Levels of KU70 and BIK in CD34+ Hematopoietic Stem and Progenitor Cells.. <i>Blood</i> , 2005, 106, 4205-4205.	0.6	0
154	Differences in Gene Expression Profiles of Diabetic and Nondiabetic Patients Undergoing Cardiopulmonary Bypass and Cardioplegic Arrest. <i>Circulation</i> , 2004, 110, II-280-II-286.	1.6	43
155	Transcriptional signature of histone deacetylase inhibition in multiple myeloma: Biological and clinical implications. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 540-545.	3.3	533
156	Positive and Negative Modulation of the Transcriptional Activity of the ETS Factor ESE-1 through Interaction with p300, CREB-binding Protein, and Ku 70/86. <i>Journal of Biological Chemistry</i> , 2004, 279, 25241-25250.	1.6	41
157	Gene Expression Signature With Independent Prognostic Significance in Epithelial Ovarian Cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 4700-4710.	0.8	236
158	NF- κ B-mediated repression of growth arrest- and DNA-damage-inducible proteins 45 β and β is essential for cancer cell survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13618-13623.	3.3	151
159	Isoforms of the Ets Transcription Factor NERF/ELF-2 Physically Interact with AML1 and Mediate Opposing Effects on AML1-mediated Transcription of the B Cell-specific blk Gene. <i>Journal of Biological Chemistry</i> , 2004, 279, 19512-19522.	1.6	28
160	ESE-1 Is a Novel Transcriptional Mediator of Angiopoietin-1 Expression in the Setting of Inflammation. <i>Journal of Biological Chemistry</i> , 2004, 279, 12794-12803.	1.6	55
161	Lymphatic reprogramming of blood vascular endothelium by Kaposi sarcoma-associated herpesvirus. <i>Nature Genetics</i> , 2004, 36, 683-685.	9.4	338
162	Inhibition of the insulin-like growth factor receptor-1 tyrosine kinase activity as a therapeutic strategy for multiple myeloma, other hematologic malignancies, and solid tumors. <i>Cancer Cell</i> , 2004, 5, 221-230.	7.7	579

#	ARTICLE	IF	CITATIONS
163	Progression to androgen-independent LNCaP human prostate tumors: Cellular and molecular alterations. <i>International Journal of Cancer</i> , 2004, 110, 800-806.	2.3	40
164	Knockdown of the Transcription Factor PU.1 Causes Characteristic Transcriptional Changes in Hematopoietic Stem Cells Prior to Leukemic Transformation.. <i>Blood</i> , 2004, 104, 1112-1112.	0.6	0
165	Gene expression profile after cardiopulmonary bypass and cardioplegic arrest. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 1521-1530.	0.4	58
166	Responses to the proinflammatory cytokines interleukin-1 and tumor necrosis factor α in cells derived from rheumatoid synovium and other joint tissues involve nuclear factor κ B-mediated induction of the Ets transcription factor ESE-1. <i>Arthritis and Rheumatism</i> , 2003, 48, 1249-1260.	6.7	99
167	Identification of Vascular Lineage-Specific Genes by Transcriptional Profiling of Isolated Blood Vascular and Lymphatic Endothelial Cells. <i>American Journal of Pathology</i> , 2003, 162, 575-586.	1.9	409
168	ESE-1, an Enterocyte-specific Ets Transcription Factor, Regulates MIP-3 α Gene Expression in Caco-2 Human Colonic Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 875-884.	1.6	57
169	Excess Placental Soluble fms-like Tyrosine Kinase 1 (sFlt1) Could Contribute to Endothelial Dysfunction, Hypertension, and Proteinuria in Preeclampsia. <i>Obstetrical and Gynecological Survey</i> , 2003, 58, 564-565.	0.2	3
170	The proteasome inhibitor PS-341 potentiates sensitivity of multiple myeloma cells to conventional chemotherapeutic agents: therapeutic applications. <i>Blood</i> , 2003, 101, 2377-2380.	0.6	678
171	Excess placental soluble fms-like tyrosine kinase 1 (sFlt1) may contribute to endothelial dysfunction, hypertension, and proteinuria in preeclampsia. <i>Journal of Clinical Investigation</i> , 2003, 111, 649-658.	3.9	3,356
172	Constitutive activation of nuclear factor kappaB p50/p65 and Fra-1 and JunD is essential for deregulated interleukin 6 expression in prostate cancer. <i>Cancer Research</i> , 2003, 63, 2206-15.	0.4	137
173	Molecular sequelae of proteasome inhibition in human multiple myeloma cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14374-14379.	3.3	691
174	Adenovirus Vector-Induced Inflammation: Capsid-Dependent Induction of the C-C Chemokine RANTES Requires NF- κ B. <i>Human Gene Therapy</i> , 2002, 13, 367-379.	1.4	92
175	Complementation of the DNA Repair Deficiency in Human Xeroderma Pigmentosum Group A and C Cells by Recombinant Adenovirus-Mediated Gene Transfer. <i>Human Gene Therapy</i> , 2002, 13, 1833-1844.	1.4	26
176	Opposing Functions of the Ets Factors NERF and ELF-1 During Chicken Blood Vessel Development. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1106-1112.	1.1	20
177	DNA Sequence Variants in Epithelium-Specific ETS-2 and ETS-3 Are Not Associated with Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 166, 927-932.	2.5	23
178	Constitutive and Cytokine-Induced Expression of the ETS Transcription Factor ESE-3 in the Lung. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2002, 27, 697-704.	1.4	44
179	Bradykinin Induces Interleukin-6 Expression in Astrocytes Through Activation of Nuclear Factor- κ B. <i>Journal of Neurochemistry</i> , 2002, 73, 1461-1466.	2.1	101
180	Epstein-Barr virus and its glycoprotein-350 upregulate IL-6 in human B-lymphocytes via CD21, involving activation of NF- κ B and different signaling pathways. <i>Journal of Molecular Biology</i> , 2001, 308, 501-514.	2.0	51

#	ARTICLE	IF	CITATIONS
181	ESE-1 Is a Novel Transcriptional Mediator of Inflammation That Interacts with NF- κ B to Regulate the Inducible Nitric-oxide Synthase Gene. <i>Journal of Biological Chemistry</i> , 2001, 276, 3302-3309.	1.6	91
182	Tel-2 Is a Novel Transcriptional Repressor Related to the Ets Factor Tel/ETV-6. <i>Journal of Biological Chemistry</i> , 2001, 276, 9421-9436.	1.6	49
183	ELF-1 Is a Transcriptional Regulator of the Tie2 Gene During Vascular Development. <i>Circulation Research</i> , 2001, 88, 237-244.	2.0	54
184	Dual function of the epithelial specific ets transcription factor, ELF3, in modulating differentiation. <i>Oncogene</i> , 2000, 19, 1941-1949.	2.6	57
185	Adenovirus Vector-Induced Expression of the C-X-C Chemokine IP-10 Is Mediated through Capsid-Dependent Activation of NF- κ B. <i>Journal of Virology</i> , 2000, 74, 3941-3947.	1.5	134
186	PDEF, a Novel Prostate Epithelium-specific Ets Transcription Factor, Interacts with the Androgen Receptor and Activates Prostate-specific Antigen Gene Expression. <i>Journal of Biological Chemistry</i> , 2000, 275, 1216-1225.	1.6	219
187	ESE-3, a Novel Member of an Epithelium-specific Ets Transcription Factor Subfamily, Demonstrates Different Target Gene Specificity from ESE-1. <i>Journal of Biological Chemistry</i> , 2000, 275, 2986-2998.	1.6	91
188	AML1 (CBF β) Cooperates with B Cell-specific Activating Protein (BSAP/PAX5) in Activation of the B Cell-specific BLK Gene Promoter. <i>Journal of Biological Chemistry</i> , 1999, 274, 24671-24676.	1.6	59
189	Characterization of ESE-2, a Novel ESE-1-related Ets Transcription Factor That Is Restricted to Glandular Epithelium and Differentiated Keratinocytes. <i>Journal of Biological Chemistry</i> , 1999, 274, 29439-29452.	1.6	88
190	Role of the Ets Transcription Factors in the Regulation of the Vascular-Specific Tie2 Gene. <i>Circulation Research</i> , 1999, 84, 1177-1185.	2.0	97
191	Adenoviral Gene Therapy Leads to Rapid Induction of Multiple Chemokines and Acute Neutrophil-Dependent Hepatic Injury in Vivo. <i>Human Gene Therapy</i> , 1999, 10, 965-976.	1.4	440
192	Genomic Organization of the Human ELF3 (ESE-1/ESX) Gene, A Member of the Ets Transcription Factor Family, and Identification of a Functional Promoter. <i>Genomics</i> , 1999, 55, 358-362.	1.3	34
193	The Novel Epithelial-Specific Ets Transcription Factor Gene ESX Maps to Human Chromosome 1q32.1. <i>Genomics</i> , 1997, 45, 456-457.	1.3	19
194	EX VIVO ADENOVIRUS-MEDIATED GENE DELIVERY LEADS TO LONG-TERM EXPRESSION IN PANCREATIC ISLET TRANSPLANTS1. <i>Transplantation</i> , 1997, 64, 542-546.	0.5	30
195	ELF-1 Interacts with and Transactivates the IgH Enhancer μ Site. <i>Journal of Biological Chemistry</i> , 1996, 271, 26007-26012.	1.6	20
196	INTERLEUKIN-6 GENE EXPRESSION BY PROSTAGLANDINS AND CYCLIC AMP MEDIATED BY MULTIPLE REGULATORY ELEMENTS. <i>American Journal of Therapeutics</i> , 1995, 2, 660-665.	0.5	9
197	Coexpression of Interleukin-1 β and Interleukin-6 in Human Brain Tumors. <i>Neurosurgery</i> , 1994, 34, 669-673.	0.6	20
198	Coexpression of Interleukin-1 β and Interleukin-6 in Human Brain Tumors. <i>Neurosurgery</i> , 1994, 34, 669-673.	0.6	28

#	ARTICLE	IF	CITATIONS
199	HSV-1-inducible proteins bind to NF- κ B-like Sites in the HSV-1 genome. <i>Virology</i> , 1992, 189, 750-756.	1.1	55
200	Transcriptional regulation of immunoglobulin gene expression. <i>Molecular Aspects of Cellular Regulation</i> , 1991, 6, 399-421.	1.4	27
201	Amplification, enhanced expression and possible rearrangement of EGF receptor gene in primary human brain tumours of glial origin. <i>Nature</i> , 1985, 313, 144-147.	13.7	1,464
202	Amplification and overexpression of the egf receptor gene in primary human glioblastomas. <i>Journal of Cell Science</i> , 1985, 1985, 161-172.	1.2	103
203	The Membrane Receptor for Epidermal Growth Factor. , 1985, , 37-51.		0
204	Regulation of Cell Proliferation by Epidermal Growth Factor. <i>Critical Reviews in Biochemistry</i> , 1983, 14, 93-111.	7.5	227