

# Raz Yirmiya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4315549/publications.pdf>

Version: 2024-02-01

141  
papers

13,823  
citations

23500

58  
h-index

22102

113  
g-index

147  
all docs

147  
docs citations

147  
times ranked

13283  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microglia and their LAG3 checkpoint underlie the antidepressant and neurogenesis-enhancing effects of electroconvulsive stimulation. <i>Molecular Psychiatry</i> , 2022, 27, 1120-1135.	4.1	27
2	Mentoring: A three-generation perspective. <i>Neuron</i> , 2022, 110, 363-365.	3.8	1
3	Cholinergic Stress Signals Accompany MicroRNA-Associated Stereotypic Behavior and Glutamatergic Neuromodulation in the Prefrontal Cortex. <i>Biomolecules</i> , 2020, 10, 848.	1.8	2
4	The hippocampal transcriptomic signature of stress resilience in mice with microglial fractalkine receptor (CX3CR1) deficiency. <i>Brain, Behavior, and Immunity</i> , 2017, 61, 184-196.	2.0	59
5	The role of microglia and their CX3CR1 signaling in adult neurogenesis in the olfactory bulb. <i>ELife</i> , 2017, 6, .	2.8	81
6	Microglia, physiology and behavior: A brief commentary. <i>Brain, Behavior, and Immunity</i> , 2016, 55, 1-5.	2.0	14
7	Depression as a Microglial Disease. <i>Trends in Neurosciences</i> , 2015, 38, 637-658.	4.2	642
8	Neuronal-Glial Mechanisms of Exercise-Evoked Stress Robustness. <i>Current Topics in Behavioral Neurosciences</i> , 2014, 18, 1-12.	0.8	13
9	Intra-Hippocampal Transplantation of Neural Precursor Cells with Transgenic Over-Expression of IL-1 Receptor Antagonist Rescues Memory and Neurogenesis Impairments in an Alzheimer's Disease Model. <i>Neuropsychopharmacology</i> , 2014, 39, 401-414.	2.8	51
10	Dynamic microglial alterations underlie stress-induced depressive-like behavior and suppressed neurogenesis. <i>Molecular Psychiatry</i> , 2014, 19, 699-709.	4.1	529
11	Microglia and their CX3CR1 signaling are involved in hippocampal- but not olfactory bulb-related memory and neurogenesis. <i>Brain, Behavior, and Immunity</i> , 2014, 41, 239-250.	2.0	68
12	Skeletal parasympathetic innervation communicates central IL-1 signals regulating bone mass accrual. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 15455-15460.	3.3	137
13	Targeting IL-1 in depression. <i>Expert Opinion on Therapeutic Targets</i> , 2012, 16, 1097-1112.	1.5	141
14	Immune modulation of learning, memory, neural plasticity and neurogenesis. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 181-213.	2.0	1,221
15	Astrocytes support hippocampal-dependent memory and long-term potentiation via interleukin-1 signaling. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1008-1016.	2.0	100
16	Chronic blockade of interleukin-1 (IL-1) prevents and attenuates neuropathic pain behavior and spontaneous ectopic neuronal activity following nerve injury. <i>European Journal of Pain</i> , 2011, 15, 242-248.	1.4	71
17	Reversible modulations of neuronal plasticity by VEGF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 5081-5086.	3.3	213
18	Depression, Selective Serotonin Reuptake Inhibitors, and Osteoporosis. <i>Current Osteoporosis Reports</i> , 2010, 8, 185-191.	1.5	40

#	ARTICLE	IF	CITATIONS
19	Depression and bone mass. <i>Annals of the New York Academy of Sciences</i> , 2010, 1192, 170-175.	1.8	33
20	Depression, selective serotonin re-uptake inhibitors and the regulation of bone mass. <i>IBMS BoneKEy</i> , 2009, 6, 8-15.	0.1	4
21	Interleukin-1 (IL-1): A central regulator of stress responses. <i>Frontiers in Neuroendocrinology</i> , 2009, 30, 30-45.	2.5	330
22	Transcriptional regulation of the murine Presenilin-2 gene reveals similarities and differences to its human orthologue. <i>Gene</i> , 2009, 446, 81-89.	1.0	9
23	Major Depression Is a Risk Factor for Low Bone Mineral Density: A Meta-Analysis. <i>Biological Psychiatry</i> , 2009, 66, 423-432.	0.7	104
24	Environmental Enrichment Restores Memory Functioning in Mice with Impaired IL-1 Signaling via Reinstatement of Long-Term Potentiation and Spine Size Enlargement. <i>Journal of Neuroscience</i> , 2009, 29, 3395-3403.	1.7	81
25	Brain interleukin-1 mediates chronic stress-induced depression in mice via adrenocortical activation and hippocampal neurogenesis suppression. <i>Molecular Psychiatry</i> , 2008, 13, 717-728.	4.1	638
26	Bacterial infection early in life protects against stressor-induced depressive-like symptoms in adult rats. <i>Psychoneuroendocrinology</i> , 2008, 33, 261-269.	1.3	64
27	IL-1 $\beta$ signaling is required for mechanical allodynia induced by nerve injury and for the ensuing reduction in spinal cord neuronal GRK2. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 200-208.	2.0	58
28	Cytokines and cholinergic signals co-modulate surgical stress-induced changes in mood and memory. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 388-398.	2.0	54
29	Interleukin-1 signaling is required for induction and maintenance of postoperative incisional pain: Genetic and pharmacological studies in mice. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 1072-1077.	2.0	50
30	The role of prior stressor controllability and the dorsal raphe nucleus in sucrose preference and social exploration. <i>Behavioural Brain Research</i> , 2008, 193, 87-93.	1.2	91
31	Intrahippocampal Transplantation of Transgenic Neural Precursor Cells Overexpressing Interleukin-1 Receptor Antagonist Blocks Chronic Isolation-Induced Impairment in Memory and Neurogenesis. <i>Neuropsychopharmacology</i> , 2008, 33, 2251-2262.	2.8	128
32	The cannabinoid CB1 receptor regulates bone formation by modulating adrenergic signaling. <i>FASEB Journal</i> , 2008, 22, 285-294.	0.2	178
33	Glucocorticoid Resistance following Herpes Simplex-1 Infection: Role of Hippocampal Glucocorticoid Receptors. <i>Neuroendocrinology</i> , 2007, 85, 207-215.	1.2	14
34	Interleukin-1 signaling modulates stress-induced analgesia. <i>Brain, Behavior, and Immunity</i> , 2007, 21, 652-659.	2.0	11
35	The Role of Pro-inflammatory Cytokines in Memory Processes and Neural Plasticity. , 2007, , 337-377.		24
36	A dual role for interleukin-1 in hippocampal-dependent memory processes. <i>Psychoneuroendocrinology</i> , 2007, 32, 1106-1115.	1.3	408

#	ARTICLE	IF	CITATIONS
37	Cholinergic status modulations in human volunteers under acute inflammation. <i>Journal of Molecular Medicine</i> , 2007, 85, 1239-1251.	1.7	99
38	Involvement of Na <sup>+</sup> , K <sup>+</sup> -ATPase and Endogenous Digitalis-Like Compounds in Depressive Disorders. <i>Biological Psychiatry</i> , 2006, 60, 491-499.	0.7	118
39	Genetic impairment of interleukin-1 signaling attenuates neuropathic pain, autotomy, and spontaneous ectopic neuronal activity, following nerve injury in mice. <i>Pain</i> , 2006, 120, 315-324.	2.0	144
40	Stress and pain responses in rats lacking CCK1 receptors. <i>Peptides</i> , 2006, 27, 1483-1489.	1.2	6
41	Fetal alcohol syndrome, fetal alcohol exposure and neuroendocrine-immune interactions. <i>Clinical Neuroscience Research</i> , 2006, 6, 42-51.	0.8	3
42	Depression induces bone loss through stimulation of the sympathetic nervous system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16876-16881.	3.3	194
43	The Effects of Perioperative Pain Management Techniques on Food Consumption and Body Weight After Laparotomy in Rats. <i>Anesthesia and Analgesia</i> , 2005, 101, 1112-1116.	1.1	16
44	Acetylcholinesterase inhibitors reduce brain and blood interleukin-1 <sup>β</sup> production. <i>Annals of Neurology</i> , 2005, 57, 741-745.	2.8	100
45	Acetylcholinesterase as a window onto stress responses. <i>Handbook of Behavioral Neuroscience</i> , 2005, 15, 585-608.	0.0	4
46	Role of the Central Amygdala in Modulating the Pituitary-Adrenocortical and Clinical Responses in Experimental Herpes Simplex Virus-1 Encephalitis. <i>Neuroendocrinology</i> , 2005, 81, 267-272.	1.2	10
47	Central IL-1 receptor signaling regulates bone growth and mass. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12956-12961.	3.3	73
48	Low-dose endotoxemia and human neuropsychological functions. <i>Brain, Behavior, and Immunity</i> , 2005, 19, 453-460.	2.0	159
49	Interleukin-1 antagonizes morphine analgesia and underlies morphine tolerance. <i>Pain</i> , 2005, 115, 50-59.	2.0	153
50	Maternal alcohol consumption and neuroendocrine-immune interactions in the offspring. , 2005, , 169-181.		0
51	Immunization with a nonpathogenic HSV-1 strain prevents clinical and neuroendocrine changes of experimental HSV-1 encephalitis. <i>Journal of Neuroimmunology</i> , 2004, 152, 5-10.	1.1	3
52	Endotoxin-Induced Changes in Human Working and Declarative Memory Associate with Cleavage of Plasma "Readthrough" Acetylcholinesterase. <i>Journal of Molecular Neuroscience</i> , 2003, 21, 199-212.	1.1	75
53	The EAE-associated behavioral syndrome II. Modulation by anti-inflammatory treatments. <i>Journal of Neuroimmunology</i> , 2003, 137, 100-108.	1.1	43
54	The EAE-associated behavioral syndrome I. Temporal correlation with inflammatory mediators. <i>Journal of Neuroimmunology</i> , 2003, 137, 94-99.	1.1	48

#	ARTICLE	IF	CITATIONS
55	Impaired interleukin-1 signaling is associated with deficits in hippocampal memory processes and neural plasticity. <i>Hippocampus</i> , 2003, 13, 826-834.	0.9	306
56	Impairment of interleukin-1 (IL-1) signaling reduces basal pain sensitivity in mice: genetic, pharmacological and developmental aspects. <i>Pain</i> , 2003, 104, 471-480.	2.0	77
57	The Role of Endogenous Interleukin-1 in Stress-Induced Adrenal Activation and Adrenalectomy-Induced Adrenocorticotrophic Hormone Hypersecretion. <i>Endocrinology</i> , 2003, 144, 4453-4458.	1.4	65
58	Brain Interleukin-1 Is Involved in Spatial Memory and Passive Avoidance Conditioning. <i>Neurobiology of Learning and Memory</i> , 2002, 78, 379-389.	1.0	189
59	Cytokine-induced changes in mood and behaviour: implications for ???depression due to a general medical condition???, immunotherapy and antidepressive treatment. <i>International Journal of Neuropsychopharmacology</i> , 2002, 5, 389-399.	1.0	170
60	Cytokines and depression: An update. <i>Brain, Behavior, and Immunity</i> , 2002, 16, 501-502.	2.0	24
61	Low levels of circulating inflammatory cytokinesâ€”Do they affect human brain functions?. <i>Brain, Behavior, and Immunity</i> , 2002, 16, 525-532.	2.0	185
62	Effects of antidepressants on cytokine production and actions. <i>Brain, Behavior, and Immunity</i> , 2002, 16, 569-574.	2.0	130
63	Experimental autoimmune encephalomyelitis-associated behavioral syndrome as a model of â€”depression due to multiple sclerosisâ€”1/4. <i>Brain, Behavior, and Immunity</i> , 2002, 16, 533-543.	2.0	67
64	Intracerebral HIV-1 glycoprotein 120 produces sickness behavior and pituitaryâ€”adrenal activation in rats: Role of prostaglandins. <i>Brain, Behavior, and Immunity</i> , 2002, 16, 720-735.	2.0	29
65	Maternal Adrenalectomy Abrogates the Effect of Fetal Alcohol Exposure on the Interleukin-1Î²-Induced Febrile Response: Gender Differences. <i>Neuroendocrinology</i> , 2002, 76, 185-192.	1.2	6
66	Involvement of brain cytokines in the neurobehavioral disturbances induced by HIV-1 glycoprotein120. <i>Brain Research</i> , 2002, 933, 98-108.	1.1	58
67	Endotoxin-induced changes in food consumption in healthy volunteers are associated with TNF-Î± and IL-6 secretion. <i>Psychoneuroendocrinology</i> , 2002, 27, 945-956.	1.3	75
68	Neuronal overexpression of â€”readthroughâ€” acetylcholinesterase is associated with antisense-suppressible behavioral impairments. <i>Molecular Psychiatry</i> , 2002, 7, 874-885.	4.1	61
69	Alcohol Consumption Attenuates Febrile Responses to Lipopolysaccharide and Interleukin-1beta in Male Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 44-52.	1.4	26
70	Alcohol Consumption Attenuates Febrile Responses to Lipopolysaccharide and Interleukin-1?? in Male Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 44-52.	1.4	1
71	Alcohol consumption attenuates febrile responses to lipopolysaccharide and interleukin-1 beta in male rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 44-52.	1.4	6
72	A novel permissive role for glucocorticoids in induction of febrile and behavioral signs of experimental herpes simplex virus encephalitis. <i>Neuroscience</i> , 2001, 108, 119-127.	1.1	29

#	ARTICLE	IF	CITATIONS
73	Effect of <i>Mycoplasma fermentans</i> on Brain PGE <sub>2</sub> : Role of Glucocorticoids and Their Receptors. <i>NeuroImmunoModulation</i> , 2001, 9, 141-147.	0.9	6
74	Acute Effects of Purified and UV-Inactivated Herpes simplex Virus Type 1 on the Hypothalamo-Pituitary-Adrenocortical Axis. <i>Neuroendocrinology</i> , 2001, 74, 160-166.	1.2	13
75	Intracerebroventricular interleukin-1 $\beta$ impairs clearance of tumor cells from the lungs: role of brain prostaglandins. <i>Journal of Neuroimmunology</i> , 2001, 119, 57-63.	1.1	3
76	Effects of Antidepressant Drugs on the Behavioral and Physiological Responses to Lipopolysaccharide (LPS) in Rodents. <i>Neuropsychopharmacology</i> , 2001, 24, 531-544.	2.8	201
77	Cytokine-Associated Emotional and Cognitive Disturbances in Humans. <i>Archives of General Psychiatry</i> , 2001, 58, 445.	13.8	1,201
78	Behavioral aspects of experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2000, 104, 31-36.	1.1	71
79	Antisense prevention of neuronal damages following head injury in mice. <i>Journal of Molecular Medicine</i> , 2000, 78, 228-236.	1.7	64
80	EFFECTS OF AN INTRAVENOUS CATHETER ON THE LOCAL PRODUCTION OF CYTOKINES AND SOLUBLE CYTOKINE RECEPTORS IN HEALTHY MEN. <i>Cytokine</i> , 2000, 12, 694-698.	1.4	49
81	Illness, Cytokines, and Depression. <i>Annals of the New York Academy of Sciences</i> , 2000, 917, 478-487.	1.8	229
82	Depression in medical illness: The role of the immune system. <i>Western Journal of Medicine</i> , 2000, 173, 333-336.	0.3	62
83	Cytokines, "Depression Due to A General Medical Condition," and Antidepressant Drugs. <i>Advances in Experimental Medicine and Biology</i> , 1999, 461, 283-316.	0.8	172
84	Cytokines and depression: fortuitous or causative association?. <i>Molecular Psychiatry</i> , 1999, 4, 328-332.	4.1	154
85	Fetal alcohol exposure attenuates interleukin-1 $\beta$ -induced fever: neuroimmune mechanisms. <i>Journal of Neuroimmunology</i> , 1999, 99, 44-52.	1.1	24
86	Psychological variables as predictors of rubella antibody titers and fatigue—a prospective, double blind study. <i>Journal of Psychiatric Research</i> , 1999, 33, 389-395.	1.5	84
87	Intracerebral interleukin-1 $\beta$ impairs response to tumor invasion: involvement of adrenal catecholamines. <i>Brain Research</i> , 1999, 816, 200-208.	1.1	20
88	The role of brain cytokines in mediating the behavioral and neuroendocrine effects of intracerebral <i>Mycoplasma fermentans</i> . <i>Brain Research</i> , 1999, 829, 28-38.	1.1	27
89	The Immunobiology of Sexual Behavior Gender Differences in the Suppression of Sexual Activity During Illness. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 64, 787-796.	1.3	102
90	Evidence that stress and surgical interventions promote tumor development by suppressing natural killer cell activity. , 1999, 80, 880-888.		359

#	ARTICLE	IF	CITATIONS
91	The partner preference paradigm: a method to study sexual motivation and performance of female rats. <i>Brain Research Protocols</i> , 1999, 3, 320-325.	1.7	28
92	Cytokines Inhibit Sexual Behavior in Female Rats: I. Synergistic Effects of Tumor Necrosis Factor $\hat{\pm}$ and Interleukin-1. <i>Brain, Behavior, and Immunity</i> , 1999, 13, 14-32.	2.0	32
93	Cytokines Inhibit Sexual Behavior in Female Rats: II. Prostaglandins Mediate the Suppressive Effects of Interleukin-1 $\hat{2}$ . <i>Brain, Behavior, and Immunity</i> , 1999, 13, 33-45.	2.0	28
94	Intracerebral HIV glycoprotein (gp120) enhances tumor metastasis via centrally released interleukin-1. <i>Brain Research</i> , 1998, 781, 244-251.	1.1	16
95	Effects of Prenatal Morphine Exposure on NK Cytotoxicity and Responsiveness to LPS in Rats. <i>Pharmacology Biochemistry and Behavior</i> , 1998, 59, 835-841.	1.3	25
96	INFLUENCE OF SOCIOECONOMIC STATUS ON BEHAVIORAL, EMOTIONAL AND COGNITIVE EFFECTS OF RUBELLA VACCINATION: A PROSPECTIVE, DOUBLE BLIND STUDY. <i>Psychoneuroendocrinology</i> , 1998, 23, 337-351.	1.3	24
97	Effects of Prenatal Alcohol and Pair Feeding on Lipopolysaccharide-Induced Secretion of TNF- $\hat{\pm}$ and Corticosterone. <i>Alcohol</i> , 1998, 15, 327-335.	0.8	22
98	Administration of Interleukin-1 into the Hypothalamic Paraventricular Nucleus Induces Febrile and Behavioral Effects. <i>NeuroImmunoModulation</i> , 1997, 4, 258-265.	0.9	35
99	Effects of Interleukin-1 on Sexual Attractivity in a Model of Sickness Behavior. <i>Physiology and Behavior</i> , 1997, 63, 25-30.	1.0	49
100	Characterization of the Effect of <i>Mycoplasma fermentans</i> on the Hypothalamo-Pituitary-Adrenal Axis. <i>Neuroendocrinology</i> , 1997, 66, 221-228.	1.2	12
101	Fetal Alcohol Exposure Augments the Blunting of Tumor Necrosis Factor Production In Vitro Resulting from In Vivo Priming with Lipopolysaccharide in Young Adult Male But Not Female Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 1542-1546.	1.4	10
102	Intracerebral administration of <i>Mycoplasma fermentans</i> produces sickness behavior: role of prostaglandins. <i>Brain Research</i> , 1997, 749, 71-81.	1.1	43
103	Different receptor mechanisms mediate the effects of endotoxin and interleukin-1 on female sexual behavior. <i>Brain Research</i> , 1997, 773, 149-161.	1.1	64
104	Behavioral and psychological effects of immune activation. <i>Current Opinion in Psychiatry</i> , 1997, 10, 470-476.	3.1	80
105	Effects of Fetal Alcohol Exposure on Fever, Sickness Behavior, and Pituitary-Adrenal Activation Induced by Interleukin-1 $\hat{2}$ in Young Adult Rats. <i>Brain, Behavior, and Immunity</i> , 1996, 10, 205-220.	2.0	47
106	Effects of Bacterial Endotoxin on the Glucocorticoid Feedback Regulation of Adrenocortical Response to Stress. <i>NeuroImmunoModulation</i> , 1996, 3, 352-357.	0.9	44
107	Endotoxin produces a depressive-like episode in rats. <i>Brain Research</i> , 1996, 711, 163-174.	1.1	529
108	Acute alcohol intoxication suppresses natural killer cell activity and promotes tumor metastasis. <i>Nature Medicine</i> , 1996, 2, 457-460.	15.2	116

#	ARTICLE	IF	CITATIONS
109	Interleukin-1 Inhibits Sexual Behavior in Female but Not in Male Rats. <i>Brain, Behavior, and Immunity</i> , 1995, 9, 220-233.	2.0	92
110	Behavioral Effects of Interleukin-1 $\beta$ : Modulation by Gender, Estrus Cycle, and Progesterone. <i>Brain, Behavior, and Immunity</i> , 1995, 9, 234-241.	2.0	54
111	Behavioral effects of lipopolysaccharide in rats: involvement of endogenous opioids. <i>Brain Research</i> , 1994, 648, 80-86.	1.1	102
112	Fetal Alcohol Exposure Attenuates Lipopolysaccharide-Induced Fever in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1993, 17, 906-910.	1.4	27
113	Antagonism of the non-opioid component of ethanol-induced analgesia by the NMDA receptor antagonist MK-801. <i>Brain Research</i> , 1993, 602, 126-130.	1.1	30
114	Morphine attenuates surgery-induced enhancement of metastatic colonization in rats. <i>Pain</i> , 1993, 54, 21-28.	2.0	151
115	Ethanol increases tumor progression in rats: Possible involvement of natural killer cells. <i>Brain, Behavior, and Immunity</i> , 1992, 6, 74-86.	2.0	48
116	Stress increases metastatic spread of a mammary tumor in rats: Evidence for mediation by the immune system. <i>Brain, Behavior, and Immunity</i> , 1991, 5, 193-205.	2.0	215
117	Stimulation-produced analgesia in the mouse: evidence for laterality of opioid mediation. <i>Brain Research</i> , 1991, 541, 154-156.	1.1	7
118	Intake of and preference for sweet solutions are attenuated in morphine-withdrawn rats.. <i>Behavioral Neuroscience</i> , 1991, 105, 965-970.	0.6	25
119	Modulation of Immunity and Neoplasia by Neuropeptides Released by Stressors. , 1991, , 261-286.		6
120	NEURONAL ACTIVITY IN THE MEDIAL GENICULATE NUCLEUS AND IN THE AUDITORY CORTEX OF THE RHESUS MONKEY REFLECTS SIGNAL ANTICIPATION. <i>Brain</i> , 1990, 113, 1707-1720.	3.7	17
121	Stress-induced suppression of natural killer cell cytotoxicity in the rat: A naltrexone-insensitive paradigm.. <i>Behavioral Neuroscience</i> , 1990, 104, 235-238.	0.6	37
122	Stimulation of the hypothalamic paraventricular nucleus produces analgesia not mediated by vasopressin or endogenous opioids. <i>Brain Research</i> , 1990, 537, 169-174.	1.1	48
123	Genetic influences on brain stimulation-produced analgesia in mice: II. Correlation with brain opiate receptor concentration. <i>Brain Research</i> , 1990, 507, 155-157.	1.1	18
124	Behavioral assessment of the toxicity of aspartame. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 32, 17-26.	1.3	10
125	Genetic differences in opiate receptor concentration and sensitivity to ethanol's effects. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 33, 793-796.	1.3	20
126	Morphological and behavioral effects of perinatal exposure to aspartame (Nutrasweet $\text{\textcircled{R}}$ ) on rat pups. <i>Bulletin of the Psychonomic Society</i> , 1989, 27, 153-156.	0.2	1

#	ARTICLE	IF	CITATIONS
127	Genetic influences on brain stimulation-produced analgesia in mice. I. Correlation with stress-induced analgesia. <i>Brain Research</i> , 1989, 489, 182-184.	1.1	18
128	Natural killer cell activity in vasopressin-deficient rats (brattleboro strain). <i>Brain Research</i> , 1989, 479, 16-22.	1.1	27
129	Conditioned taste aversions are not readily disrupted by external excitation.. <i>Behavioral Neuroscience</i> , 1989, 103, 605-611.	0.6	14
130	Lithium chloride produces illness-induced analgesia. <i>Bulletin of the Psychonomic Society</i> , 1988, 26, 261-262.	0.2	7
131	Strain differences in the magnitude of swimming-induced analgesia in mice correlate with brain opiate receptor concentration. <i>Brain Research</i> , 1988, 447, 188-190.	1.1	33
132	Reduced saccharin preference in CXBK (opioid receptor-deficient) mice. <i>Brain Research</i> , 1988, 438, 339-342.	1.1	53
133	Partial recovery of gustatory function after neuro tissue transplantation to the lesioned gustatory neocortex. <i>Brain Research Bulletin</i> , 1988, 20, 619-625.	1.4	19
134	Salt preference in rats with hereditary hypothalamic diabetes insipidus (Brattleboro strain).. <i>Behavioral Neuroscience</i> , 1988, 102, 574-579.	0.6	6
135	Auditory- and movement-related neural activity interact in the pulvinar of the behaving rhesus monkey. <i>Brain Research</i> , 1987, 402, 93-102.	1.1	34
136	Conditioned taste aversion in vasopressin-deficient rats (Brattleboro strain). <i>Physiology and Behavior</i> , 1987, 39, 489-493.	1.0	5
137	Naltrexone reverses a long term depressive effect of a toxic lithium injection on saccharin preference. <i>Physiology and Behavior</i> , 1987, 39, 547-550.	1.0	7
138	Effects of a single administration of morphine or footshock stress on natural killer cell cytotoxicity. <i>Brain, Behavior, and Immunity</i> , 1987, 1, 318-328.	2.0	83
139	Effects of naloxone and cholecystokinin on food and water intake in vasopressin-deficient rats (Brattleboro strain). <i>Peptides</i> , 1987, 8, 763-767.	1.2	7
140	Effect of taste preexposure on taste and odor aversions. <i>Learning and Behavior</i> , 1987, 15, 55-61.	3.4	7
141	Brain Interleukin-1 (IL-1) Mediates Stress-Induced Alterations in HPA Activation, Memory Functioning and Neural Plasticity. , 0, , 243-260.		0