

Marti J Anderson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4319665/publications.pdf>

Version: 2024-02-01

124
papers

36,236
citations

41258

49
h-index

22764

112
g-index

130
all docs

130
docs citations

130
times ranked

36904
citing authors

#	ARTICLE	IF	CITATIONS
1	Microbiome and environment explain the absence of correlations between consumers and their diet in Bornean microsnails. <i>Ecology</i> , 2021, 102, e03237.	1.5	3
2	MEWMA charts when parameters are estimated with applications in gene expression and bimetal thermostat monitoring. <i>Journal of Statistical Computation and Simulation</i> , 2021, 91, 37-57.	0.7	5
3	The use of taxonomic relationships among species in applied ecological research: Baseline, steps forward and future challenges. <i>Austral Ecology</i> , 2021, 46, 950-964.	0.7	12
4	Shallow-Water Scavengers of Polar Night and Day – An Arctic Time-Lapse Photography Study. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	2
5	High functional diversity in deep-sea fish communities and increasing intraspecific trait variation with increasing latitude. <i>Ecology and Evolution</i> , 2021, 11, 10600-10612.	0.8	14
6	Functional beta diversity of New Zealand fishes: Characterising morphological turnover along depth and latitude gradients, with derivation of functional bioregions. <i>Austral Ecology</i> , 2021, 46, 965-981.	0.7	5
7	Introduction: In appreciation of K. Robert Clarke. <i>Austral Ecology</i> , 2021, 46, 891-900.	0.7	0
8	Microbiome and Environment Explain the Absence of Correlations Between Consumers and Their Diet in Bornean Microsnails. <i>Bulletin of the Ecological Society of America</i> , 2021, 102, e01821.	0.2	0
9	Transmission dynamics of an antimicrobial resistant <i>Campylobacter jejuni</i> lineage in New Zealand's commercial poultry network. <i>Epidemics</i> , 2021, 37, 100521.	1.5	3
10	Changes in key traits versus depth and latitude suggest energy-efficient locomotion, opportunistic feeding and light lead to adaptive morphologies of marine fishes. <i>Journal of Animal Ecology</i> , 2020, 89, 309-322.	1.3	15
11	The rise of a marine generalist predator and the fall of beta diversity. <i>Global Change Biology</i> , 2020, 26, 2897-2907.	4.2	28
12	Phylogenetic measures reveal eco-evolutionary drivers of biodiversity along a depth gradient. <i>Ecography</i> , 2020, 43, 689-702.	2.1	18
13	Instantaneous vs. non-instantaneous diver-operated stereo-video (DOV) surveys of highly mobile sharks in the Galápagos Marine Reserve. <i>Marine Ecology - Progress Series</i> , 2020, 649, 111-123.	0.9	3
14	Efficient Homogeneously Weighted Moving Average Chart for Monitoring Process Mean Using an Auxiliary Variable. <i>IEEE Access</i> , 2019, 7, 94021-94032.	2.6	47
15	An integrated pathway for building regional phylogenies for ecological studies. <i>Global Ecology and Biogeography</i> , 2019, 28, 1899-1911.	2.7	9
16	A Multivariate Homogeneously Weighted Moving Average Control Chart. <i>IEEE Access</i> , 2019, 7, 9586-9597.	2.6	44
17	A pathway for multivariate analysis of ecological communities using copulas. <i>Ecology and Evolution</i> , 2019, 9, 3276-3294.	0.8	28
18	Shrinkage estimates of covariance matrices to improve the performance of multivariate cumulative sum control charts. <i>Computers and Industrial Engineering</i> , 2018, 117, 207-216.	3.4	23

#	ARTICLE	IF	CITATIONS
19	Understanding human attitudes towards sharks to promote sustainable coexistence. <i>Marine Policy</i> , 2018, 91, 122-128.	1.5	33
20	Genetic structure of the grey side-gilled sea slug (<i>Pleurobranchaea maculata</i>) in coastal waters of New Zealand. <i>PLoS ONE</i> , 2018, 13, e0202197.	1.1	7
21	Spatial patterns of distribution and relative abundance of coastal shark species in the Galapagos Marine Reserve. <i>Marine Ecology - Progress Series</i> , 2018, 593, 73-95.	0.9	31
22	Could ecologists be more random? Straightforward alternatives to haphazard spatial sampling. <i>Ecography</i> , 2017, 40, 1251-1255.	2.1	43
23	Some solutions to the multivariate Behrensâ€Fisher problem for dissimilarityâ€based analyses. <i>Australian and New Zealand Journal of Statistics</i> , 2017, 59, 57-79.	0.4	51
24	Effects of latitude and depth on the beta diversity of New Zealand fish communities. <i>Scientific Reports</i> , 2017, 7, 8081.	1.6	29
25	Environmental characteristics drive variation in Amazonian understorey bird assemblages. <i>PLoS ONE</i> , 2017, 12, e0171540.	1.1	12
26	Residency and movement patterns of an apex predatory shark (<i>Galeocerdo cuvier</i>) at the Galapagos Marine Reserve. <i>PLoS ONE</i> , 2017, 12, e0183669.	1.1	40
27	Marine reserves indirectly affect fineâ€scale habitat associations, but not overall densities, of small benthic fishes. <i>Ecology and Evolution</i> , 2016, 6, 6648-6661.	0.8	4
28	Microbial Genomics of a Host-Associated Commensal Bacterium in Fragmented Populations of Endangered Takahe. <i>Microbial Ecology</i> , 2016, 71, 1020-1029.	1.4	7
29	The role of a dominant predator in shaping biodiversity over space and time in a marine ecosystem. <i>Journal of Animal Ecology</i> , 2015, 84, 1242-1252.	1.3	31
30	Measures of precision for dissimilarityâ€based multivariate analysis of ecological communities. <i>Ecology Letters</i> , 2015, 18, 66-73.	3.0	78
31	Review and phylogeny of the New Zealand hagfishes (Myxiniiformes: Myxinidae), with a description of three new species. <i>Zoological Journal of the Linnean Society</i> , 2015, 174, 363-393.	1.0	16
32	Speciesâ€accumulation curves and taxonomic surrogates: an integrated approach for estimation of regional species richness. <i>Diversity and Distributions</i> , 2014, 20, 356-368.	1.9	10
33	Longitudinal variation and effects of habitat on biodiversity of Australasian temperate reef fishes. <i>Journal of Biogeography</i> , 2014, 41, 2128-2139.	1.4	7
34	Effects of marine reserves in the context of spatial and temporal variation: an analysis using Bayesian zero-inflated mixed models. <i>Marine Ecology - Progress Series</i> , 2014, 499, 203-216.	0.9	25
35	Causal modeling with multivariate species data. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 448, 72-84.	0.7	14
36	PERMANOVA, ANOSIM, and the Mantel test in the face of heterogeneous dispersions: What null hypothesis are you testing?. <i>Ecological Monographs</i> , 2013, 83, 557-574.	2.4	1,429

#	ARTICLE	IF	CITATIONS
37	Stochastic and deterministic drivers of spatial and temporal turnover in breeding bird communities. <i>Global Ecology and Biogeography</i> , 2013, 22, 202-212.	2.7	121
38	Beta Diversity of Demersal Fish Assemblages in the North-Eastern Pacific: Interactions of Latitude and Depth. <i>PLoS ONE</i> , 2013, 8, e57918.	1.1	35
39	Hagfish feeding habits along a depth gradient inferred from stable isotopes. <i>Marine Ecology - Progress Series</i> , 2013, 485, 223-234.	0.9	19
40	Incorporating the intraspecific occupancy–abundance relationship into zero–inflated models. <i>Ecology</i> , 2012, 93, 2526-2532.	1.5	21
41	Response to Comments on “Disentangling the Drivers of $\hat{\pi}^2$ Diversity Along Latitudinal and Elevational Gradients”. <i>Science</i> , 2012, 335, 1573-1573.	6.0	8
42	Preliminary evidence for the microbial loop in Antarctic sea ice using microcosm simulations. <i>Antarctic Science</i> , 2012, 24, 547-553.	0.5	9
43	Diversity and Composition of Demersal Fishes along a Depth Gradient Assessed by Baited Remote Underwater Stereo-Video. <i>PLoS ONE</i> , 2012, 7, e48522.	1.1	67
44	Biogeographical patterns of algal communities in the Mediterranean Sea: <i>Cystoseira crinita</i> –dominated assemblages as a case study. <i>Journal of Biogeography</i> , 2012, 39, 140-152.	1.4	43
45	The effects of translocation–induced isolation and fragmentation on the cultural evolution of bird song. <i>Ecology Letters</i> , 2012, 15, 778-785.	3.0	73
46	Much ado about nothings: using zero similarity points in distance-decay curves. <i>Ecology</i> , 2011, 92, 1717-1722.	1.5	34
47	Navigating the multiple meanings of $\hat{\pi}^2$ diversity: a roadmap for the practicing ecologist. <i>Ecology Letters</i> , 2011, 14, 19-28.	3.0	1,899
48	Increasing variation in taxonomic distinctness reveals clusters of specialists in the deep sea. <i>Ecography</i> , 2011, 34, 306-317.	2.1	36
49	Bioaccumulation of copper, lead and zinc by the bivalves <i>Macomona liliana</i> and <i>Austrovenus stutchburyi</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 396, 244-252.	0.7	29
50	Assessing the nature of the combined effects of copper and zinc on estuarine infaunal communities. <i>Environmental Pollution</i> , 2011, 159, 116-124.	3.7	16
51	Disentangling the Drivers of $\hat{\pi}^2$ Diversity Along Latitudinal and Elevational Gradients. <i>Science</i> , 2011, 333, 1755-1758.	6.0	617
52	Hagfish predatory behaviour and slime defence mechanism. <i>Scientific Reports</i> , 2011, 1, 131.	1.6	111
53	Response of sea-ice microbial communities to environmental disturbance: an in situ transplant experiment in the Antarctic. <i>Marine Ecology - Progress Series</i> , 2011, 424, 25-37.	0.9	22
54	Taxonomic Distinctness of Demersal Fishes of the California Current: Moving Beyond Simple Measures of Diversity for Marine Ecosystem-Based Management. <i>PLoS ONE</i> , 2010, 5, e10653.	1.1	55

#	ARTICLE	IF	CITATIONS
55	Species, Gender, and Identity: Cracking Petrels's™ Sociochemical Code. <i>Chemical Senses</i> , 2010, 35, 309-321.	1.1	85
56	Individual and combined effects of heavy metals on estuarine infaunal communities. <i>Marine Ecology - Progress Series</i> , 2010, 402, 123-136.	0.9	13
57	Patterns and causes of species richness: a general simulation model for macroecology. <i>Ecology Letters</i> , 2009, 12, 873-886.	3.0	286
58	Beta diversity and taxonomic sufficiency: Do higher-level taxa reflect heterogeneity in species composition?. <i>Diversity and Distributions</i> , 2009, 15, 450-458.	1.9	110
59	Enhancing the Ecological Significance of Sediment Contamination Guidelines through Integration with Community Analysis. <i>Environmental Science & Technology</i> , 2009, 43, 2118-2123.	4.6	35
60	Effects of protection from fishing on the lengths of targeted and non-targeted fish species at the Houtman Abrolhos Islands, Western Australia. <i>Marine Ecology - Progress Series</i> , 2009, 384, 241-249.	0.9	84
61	Spatial and temporal heterogeneity of the bacterial communities in stream epilithic biofilms. <i>FEMS Microbiology Ecology</i> , 2008, 65, 463-473.	1.3	74
62	Animal-sediment relationships re-visited: Characterising species' distributions along an environmental gradient using canonical analysis and quantile regression splines. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 366, 16-27.	0.7	188
63	Analyses of $\delta^{13}C$ and $\delta^{18}O$ in tree rings of <i>Callitris columellaris</i> provide evidence of a change in stomatal control of photosynthesis in response to regional changes in climate. <i>Tree Physiology</i> , 2008, 28, 1525-1533.	1.4	33
64	IDENTIFYING TREATMENT EFFECTS IN MULTICHANNEL MEASUREMENTS IN ELECTROENCEPHALOGRAPHIC STUDIES: MULTIVARIATE PERMUTATION TESTS AND MULTIPLE COMPARISONS. <i>Australian and New Zealand Journal of Statistics</i> , 2007, 49, 397-413.	0.4	7
65	Species abundance distributions: moving beyond single prediction theories to integration within an ecological framework. <i>Ecology Letters</i> , 2007, 10, 995-1015.	3.0	1,124
66	Protection from fishing alters the species composition of fish assemblages in a temperate-tropical transition zone. <i>Marine Biology</i> , 2007, 152, 1197-1206.	0.7	83
67	Temporal variance of disturbance did not affect diversity and structure of a marine fouling community in north-eastern New Zealand. <i>Marine Biology</i> , 2007, 153, 199-211.	0.7	13
68	Scales of spatial variation in Mediterranean subtidal sessile assemblages at different depths. <i>Marine Ecology - Progress Series</i> , 2007, 332, 25-39.	0.9	102
69	Subtle and negligible effects of rainfall on estuarine infauna: evidence from three years of event-driven sampling. <i>Marine Ecology - Progress Series</i> , 2007, 340, 17-27.	0.9	2
70	Temporal variability and intensity of grazing: a mesocosm experiment. <i>Marine Ecology - Progress Series</i> , 2007, 341, 15-24.	0.9	9
71	Multivariate dispersion as a measure of beta diversity. <i>Ecology Letters</i> , 2006, 9, 683-693.	3.0	1,957
72	Distance-Based Tests for Homogeneity of Multivariate Dispersions. <i>Biometrics</i> , 2006, 62, 245-253.	0.8	2,300

#	ARTICLE	IF	CITATIONS
73	Marine reserves demonstrate trophic interactions across habitats. <i>Oecologia</i> , 2006, 147, 134-140.	0.9	44
74	Importance of rock lobster sizeâ€‘structure for trophic interactions: choice of soft-sediment bivalve prey. <i>Marine Biology</i> , 2006, 149, 447-454.	0.7	16
75	Inconsistent effects of reefs on different size classes of macrofauna in adjacent sand habitats. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 334, 269-282.	0.7	39
76	Multivariate and univariate asymmetrical analyses in environmental impact assessment: a case study of Mediterranean subtidal sessile assemblages. <i>Marine Ecology - Progress Series</i> , 2005, 289, 27-42.	0.9	141
77	Relationships between taxonomic resolution and spatial scales of multivariate variation. <i>Journal of Animal Ecology</i> , 2005, 74, 636-646.	1.3	149
78	Consistency and variation in kelp holdfast assemblages: Spatial patterns of biodiversity for the major phyla at different taxonomic resolutions. <i>Journal of Experimental Marine Biology and Ecology</i> , 2005, 320, 35-56.	0.7	116
79	Quantifying effects of pollution on biodiversity: a case study of highly diverse molluscan assemblages in the Mediterranean. <i>Marine Biology</i> , 2005, 148, 293-305.	0.7	69
80	A comparison of temperate reef fish assemblages recorded by three underwater stereo-video techniques. <i>Marine Biology</i> , 2005, 148, 415-425.	0.7	269
81	Nonlinear multivariate models of successional change in community structure using the von Bertalanffy curve. <i>Oecologia</i> , 2005, 146, 279-286.	0.9	9
82	REEF-ASSOCIATED PREDATORS INFLUENCE ADJACENT SOFT-SEDIMENT COMMUNITIES. <i>Ecology</i> , 2005, 86, 1508-1519.	1.5	88
83	ASSESSING AND MONITORING ECOLOGICAL COMMUNITY HEALTH IN MARINE SYSTEMS. , 2005, 15, 942-953.		80
84	FITTING NONLINEAR ENVIRONMENTAL GRADIENTS TO COMMUNITY DATA: A GENERAL DISTANCE-BASED APPROACH. <i>Ecology</i> , 2005, 86, 2245-2251.	1.5	26
85	Climate and habitat barriers to dispersal in the highly mobile grey wolf. <i>Molecular Ecology</i> , 2004, 13, 2481-2490.	2.0	208
86	Spatial variation and effects of habitat on temperate reef fish assemblages in northeastern New Zealand. <i>Journal of Experimental Marine Biology and Ecology</i> , 2004, 305, 191-221.	0.7	240
87	Remedies for pseudoreplication. <i>Fisheries Research</i> , 2004, 70, 397-407.	0.9	245
88	Variance heterogeneity, transformations, and models of species abundance: a cautionary tale. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2004, 61, 1294-1302.	0.7	55
89	MULTIVARIATE CONTROL CHARTS FOR ECOLOGICAL AND ENVIRONMENTAL MONITORING. , 2004, 14, 1921-1935.		76
90	Quantitative measures of sedimentation in an estuarine system and its relationship with intertidal soft-sediment infauna. <i>Marine Ecology - Progress Series</i> , 2004, 272, 33-48.	0.9	69

#	ARTICLE	IF	CITATIONS
91	The kinetics of monospermic and polyspermic fertilization in free-spawning marine invertebrates. <i>Journal of Theoretical Biology</i> , 2003, 224, 79-85.	0.8	27
92	Generalized discriminant analysis based on distances. <i>Australian and New Zealand Journal of Statistics</i> , 2003, 45, 301-318.	0.4	606
93	Permutation tests for multi-factorial analysis of variance. <i>Journal of Statistical Computation and Simulation</i> , 2003, 73, 85-113.	0.7	895
94	CANONICAL ANALYSIS OF PRINCIPAL COORDINATES: A USEFUL METHOD OF CONSTRAINED ORDINATION FOR ECOLOGY. <i>Ecology</i> , 2003, 84, 511-525.	1.5	2,003
95	CANONICAL ANALYSIS OF PRINCIPAL COORDINATES: A USEFUL METHOD OF CONSTRAINED ORDINATION FOR ECOLOGY. , 2003, 84, 511.		1
96	CANONICAL ANALYSIS OF PRINCIPAL COORDINATES: A USEFUL METHOD OF CONSTRAINED ORDINATION FOR ECOLOGY. , 2003, 84, 511.		10
97	Structure of cryptic reef fish assemblages: relationships with habitat characteristics and predator density. <i>Marine Ecology - Progress Series</i> , 2003, 257, 209-221.	0.9	145
98	Permutation tests for univariate or multivariate analysis of variance and regression. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2001, 58, 626-639.	0.7	1,146
99	FITTING MULTIVARIATE MODELS TO COMMUNITY DATA: A COMMENT ON DISTANCE-BASED REDUNDANCY ANALYSIS. <i>Ecology</i> , 2001, 82, 290-297.	1.5	3,092
100	Permutation Tests for Linear Models. <i>Australian and New Zealand Journal of Statistics</i> , 2001, 43, 75-88.	0.4	334
101	A new method for nonâ€parametric multivariate analysis of variance. <i>Austral Ecology</i> , 2001, 26, 32-46.	0.7	4,283
102	A new method for non-parametric multivariate analysis of variance. <i>Austral Ecology</i> , 2001, 26, 32-46.	0.7	5,247
103	FITTING MULTIVARIATE MODELS TO COMMUNITY DATA: A COMMENT ON DISTANCE-BASED REDUNDANCY ANALYSIS. , 2001, 82, 290.		7
104	FITTING MULTIVARIATE MODELS TO COMMUNITY DATA: A COMMENT ON DISTANCE-BASED REDUNDANCY ANALYSIS. , 2001, 82, 290.		164
105	FITTING MULTIVARIATE MODELS TO COMMUNITY DATA: A COMMENT ON DISTANCE-BASED REDUNDANCY ANALYSIS. , 2001, 82, 290.		1
106	RESOLVING ENVIRONMENTAL DISPUTES: A STATISTICAL METHOD FOR CHOOSING AMONG COMPETING CLUSTER MODELS. , 2000, 10, 1341-1355.		18
107	Effects of patch size on colonisation in estuaries: revisiting the species-area relationship. <i>Oecologia</i> , 1999, 118, 87-98.	0.9	52
108	Predation by fish on assemblages of intertidal epibiota: effects of predator size and patch size. <i>Journal of Experimental Marine Biology and Ecology</i> , 1999, 241, 15-29.	0.7	43

#	ARTICLE	IF	CITATIONS
109	Distinguishing direct from indirect effects of grazers in intertidal estuarine assemblages. <i>Journal of Experimental Marine Biology and Ecology</i> , 1999, 234, 199-218.	0.7	29
110	An empirical comparison of permutation methods for tests of partial regression coefficients in a linear model. <i>Journal of Statistical Computation and Simulation</i> , 1999, 62, 271-303.	0.7	340
111	DISTANCE-BASED REDUNDANCY ANALYSIS: TESTING MULTISPECIES RESPONSES IN MULTIFACTORIAL ECOLOGICAL EXPERIMENTS. <i>Ecological Monographs</i> , 1999, 69, 1-24.	2.4	2,036
112	DISTANCE-BASED REDUNDANCY ANALYSIS: TESTING MULTISPECIES RESPONSES IN MULTIFACTORIAL ECOLOGICAL EXPERIMENTS. , 1999, 69, 1.		7
113	DISTANCE-BASED REDUNDANCY ANALYSIS: TESTING MULTISPECIES RESPONSES IN MULTIFACTORIAL ECOLOGICAL EXPERIMENTS. , 1999, 69, 1.		32
114	Predation by fish on intertidal oysters. <i>Marine Ecology - Progress Series</i> , 1999, 187, 203-211.	0.9	48
115	Partitioning the variation among spatial, temporal and environmental components in a multivariate data set. <i>Austral Ecology</i> , 1998, 23, 158-167.	0.7	311
116	Morphometric comparative analysis of pharyngeal bones of the genus <i>Scardinius</i> (Pisces: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	0.2	12
117	Effects of gastropod grazers on recruitment and succession of an estuarine assemblage: a multivariate and univariate approach. <i>Oecologia</i> , 1997, 109, 442-453.	0.9	100
118	A Chemical Cue Induces Settlement of Sydney Rock Oysters, <i>Saccostrea commercialis</i> , in the Laboratory and in the Field. <i>Biological Bulletin</i> , 1996, 190, 350-358.	0.7	62
119	Variations in biofilms colonizing artificial surfaces: seasonal effects and effects of grazers. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1995, 75, 705-714.	0.4	55
120	Seasonal and temporal aspects of recruitment and succession in an intertidal estuarine fouling assemblage. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1994, 74, 563-584.	0.4	103
121	Effects of substratum on the recruitment and development of an intertidal estuarine fouling assemblage. <i>Journal of Experimental Marine Biology and Ecology</i> , 1994, 184, 217-236.	0.7	204
122	HYBRIDIZATION OF SYMPATRIC <i>PATIRIELLA</i> SPECIES (ECHINODERMATA: ASTEROIDEA) IN NEW SOUTH WALES. <i>Evolution; International Journal of Organic Evolution</i> , 1994, 48, 564-576.	1.1	44
123	A new method for non-parametric multivariate analysis of variance. <i>Austral Ecology</i> , 0, 26, 32-46.	0.7	68
124	Estimation of Multivariate Dependence Structures via Constrained Maximum Likelihood. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 0, , 1.	0.7	0