Babak Khoshnood

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4325975/publications.pdf

Version: 2024-02-01

158 papers 6,414 citations

57758 44 h-index 79698 73 g-index

177 all docs

177 docs citations

times ranked

177

7176 citing authors

#	Article	IF	CITATIONS
1	Quality of Life of Children Born with a Congenital Heart Defect. Journal of Pediatrics, 2022, 244, 148-153.e5.	1.8	6
2	Ten-Year Survival of Children With Congenital Anomalies: A European Cohort Study. Pediatrics, 2022, 149, .	2.1	18
3	Temporal and geographical variations in survival of children born with congenital anomalies in Europe: A multiâ€registry cohort study. Paediatric and Perinatal Epidemiology, 2022, 36, 792-803.	1.7	10
4	Cause of preterm birth and late-onset sepsis in very preterm infants: the EPIPAGE-2 cohort study. Pediatric Research, 2021, 90, 584-592.	2.3	18
5	Survival of infants born with esophageal atresia among 24 international birth defects surveillance programs. Birth Defects Research, 2021, 113, 945-957.	1.5	8
6	Soil-transmitted helminth infection in pregnancy and long-term child neurocognitive and behavioral development: A prospective mother-child cohort in Benin. PLoS Neglected Tropical Diseases, 2021, 15, e0009260.	3.0	13
7	Prevalence of Growth Restriction at Birth for Newborns With Congenital Heart Defects: A Population-Based Prospective Cohort Study EPICARD. Frontiers in Pediatrics, 2021, 9, 676994.	1.9	5
8	Signal Detection in EUROmediCAT: Identification and Evaluation of Medication–Congenital Anomaly Associations and Use of VigiBase as a Complementary Source of Reference. Drug Safety, 2021, 44, 765-785.	3.2	11
9	Predicting the risk of infant mortality for newborns operated for congenital heart defects: A populationâ€based cohort (<scp>EPICARD</scp>) study of two postâ€operative predictive scores. Health Science Reports, 2021, 4, e300.	1.5	2
10	Prevention of Neural Tube Defects in Europe: A Public Health Failure. Frontiers in Pediatrics, 2021, 9, 647038.	1.9	23
11	Does women's place of birth affect their opportunity for an informed choice about Down syndrome screening? A population-based study in France. BMC Pregnancy and Childbirth, 2021, 21, 590.	2.4	4
12	Predictors of incomplete maternal satisfaction with neuraxial labor analgesia: A nationwide study. Anaesthesia, Critical Care & Description (2021), 40, 100939.	1.4	8
13	Long-Term Neurodevelopmental Outcomes of Children with Congenital Heart Defects. Journal of Pediatrics, 2021, 237, 109-114.e5.	1.8	14
14	Spectrum of congenital anomalies among VACTERL cases: a EUROCAT population-based study. Pediatric Research, 2020, 87, 541-549.	2.3	30
15	Intensity of perinatal care for extremely preterm babies and outcomes at a higher gestational age: evidence from the EPIPAGE-2 cohort study. BMC Pediatrics, 2020, 20, 8.	1.7	5
16	Accounting for Underreporting in Mathematical Modeling of Transmission and Control of COVID-19 in Iran. Frontiers in Physics, 2020, 8, .	2.1	16
17	Determinants of the use of nonpharmacological analgesia for labor pain management: a national population-based study. Pain, 2020, 161, 2571-2580.	4.2	13
18	Cost and outcomes of the ultrasound screening program for birth defects over time: a population-based study in France. BMJ Open, 2020, 10, e036566.	1.9	3

#	Article	IF	CITATIONS
19	Selection bias in studies of birth defects among livebirths: Much ado about nothing?. Paediatric and Perinatal Epidemiology, 2020, 34, 665-667.	1.7	5
20	Children Born with Congenital Heart Defects and Growth Restriction at Birth: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 3056.	2.6	22
21	Multilevel analyses of related public health indicators: The European Surveillance of Congenital Anomalies (EUROCAT) Public Health Indicators. Paediatric and Perinatal Epidemiology, 2020, 34, 122-129.	1.7	13
22	Maternal obesity and severe pre-eclampsia among immigrant women: a mediation analysis. Scientific Reports, 2020, 10, 5215.	3.3	13
23	Maternal risk factors for the <scp>VACTERL</scp> association: A <scp>EUROCAT</scp> case–control study. Birth Defects Research, 2020, 112, 688-698.	1.5	14
24	Machine-Learning vs. Expert-Opinion Driven Logistic Regression Modelling for Predicting 30-Day Unplanned Rehospitalisation in Preterm Babies: A Prospective, Population-Based Study (EPIPAGE 2). Frontiers in Pediatrics, 2020, 8, 585868.	1.9	2
25	Association of Maternal First Trimester Serum Levels of Free Beta Human Chorionic Gonadotropin and Hypospadias: A Population Based Study. Journal of Urology, 2020, 203, 1017-1023.	0.4	5
26	Down syndrome among primiparae at older maternal age: A test of the relaxed filter hypothesis. Birth Defects Research, 2019, 111, 1611-1617.	1.5	2
27	The impact of neonatal unit policies on breast milk feeding at discharge of moderate preterm infants: The EPIPAGEâ€⊋ cohort study. Maternal and Child Nutrition, 2019, 15, e12875.	3.0	20
28	Blood lead level in infants and subsequent risk of malaria: A prospective cohort study in Benin, Sub-Saharan Africa. PLoS ONE, 2019, 14, e0220023.	2.5	3
29	Congenital clubfoot in Europe: A populationâ€based study. American Journal of Medical Genetics, Part A, 2019, 179, 595-601.	1.2	24
30	Trends in resource use and effectiveness of ultrasound detection of fetal structural anomalies in France: a multiple registry-based study. BMJ Open, 2019, 9, e025482.	1.9	12
31	A big-data approach to producing descriptive anthropometric references: a feasibility and validation study of paediatric growth charts. The Lancet Digital Health, 2019, 1, e413-e423.	12.3	33
32	Assessing the risk of early unplanned rehospitalisation in preterm babies: EPIPAGE 2 study. BMC Pediatrics, 2019, 19, 451.	1.7	7
33	Lack of consensus in the choice of termination of pregnancy for Turner syndrome in France. BMC Health Services Research, 2019, 19, 994.	2.2	4
34	Indications leading to termination of pregnancy between 22+0 and 31+6 weeks of gestational age in France: A population-based cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 233, 12-18.	1.1	9
35	A Novel Intelligent Scan Assistant System for Early Pregnancy Diagnosis by Ultrasound: Clinical Decision Support System Evaluation Study. Journal of Medical Internet Research, 2019, 21, e14286.	4.3	12
36	HBV or HCV Coinfection in HIV-1-Infected Pregnant Women in France: Prevalence and Pregnancy Outcomes. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, 439-450.	2.1	30

3

#	Article	IF	CITATIONS
37	Prenatal exposure to glycol ethers and cryptorchidism and hypospadias: a nested case–control study. Occupational and Environmental Medicine, 2018, 75, 59-65.	2.8	22
38	Population-based study of cognitive outcomes in congenital heart defects. Archives of Disease in Childhood, 2018, 103, 49-56.	1.9	25
39	Assessing the risk of preterm birth for newborns with congenital heart defects conceived following infertility treatments: a population-based study. Open Heart, 2018, 5, e000836.	2.3	4
40	Intensity of perinatal care, extreme prematurity and sensorimotor outcome at 2 years corrected age: evidence from the EPIPAGE-2 cohort study. BMC Medicine, 2018, 16, 227.	5.5	13
41	Neonatal Outcomes in Extremely Preterm Newborns Admitted to Intensive Care after No Active Antenatal Management: A Population-Based Cohort Study. Journal of Pediatrics, 2018, 203, 150-155.	1.8	18
42	Trends in congenital anomalies in Europe from 1980 to 2012. PLoS ONE, 2018, 13, e0194986.	2.5	106
43	Socioeconomic disparity is not a given. BMJ: British Medical Journal, 2018, 361, k1910.	2.3	1
44	Lung function in children with congenital heart disease. , 2018, , .		0
45	Long-term outcome in 53 patients with homozygous familial hypercholesterolaemia in a single centre in France. Atherosclerosis, 2017, 257, 130-137.	0.8	34
46	Developing a knowledge base to support the annotation of ultrasound images of ectopic pregnancy. Journal of Biomedical Semantics, 2017, 8, 4.	1.6	10
47	Trends in the Prevalence of Neural Tube Defects: A Tale of Two Policies. Paediatric and Perinatal Epidemiology, 2017, 31, 301-303.	1.7	2
48	Impact of preterm birth on infant mortality for newborns with congenital heart defects: The EPICARD population-based cohort study. BMC Pediatrics, 2017, 17, 124.	1.7	36
49	Gastroschisis in Europe – A prevalence and case-malformed control study. Reproductive Toxicology, 2017, 72, 23.	2.9	0
50	Gastroschisis in Europe – A Caseâ€malformed ontrol Study of Medication and Maternal Illness during Pregnancy as Risk Factors. Paediatric and Perinatal Epidemiology, 2017, 31, 549-559.	1.7	25
51	Impact of prenatal diagnosis on survival of newborns with four congenital heart defects: a prospective, population-based cohort study in France (the EPICARD Study). BMJ Open, 2017, 7, e018285.	1.9	60
52	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F476-F482.	2.8	29
53	Stability of serum ferritin measured by immunoturbidimetric assay after storage at -80°C for several years. PLoS ONE, 2017, 12, e0188332.	2.5	4
54	Epidemiology of Congenital Heart Defects (CHD): Results from a Prospective, Population-Based Cohort Study (EPICARD). Journal of Neonatal Biology, 2017, 06, .	0.1	0

#	Article	lF	CITATIONS
55	Authors' reply to Amitai and Koren. BMJ, The, 2016, 352, i769.	6.0	1
56	Use of hierarchical models to analyze European trends in congenital anomaly prevalence. Birth Defects Research Part A: Clinical and Molecular Teratology, 2016, 106, 480-488.	1.6	3
57	New index of social deprivation during pregnancy: results from a national study in France. BMJ Open, 2016, 6, e009511.	1.9	35
58	Assessing sociodemographic differences (or lack thereof) in prenatal diagnosis of congenital heart defects: a population-based study. BMJ Open, 2016, 6, e009353.	1.9	13
59	Lamotrigine use in pregnancy and risk of orofacial cleft and other congenital anomalies. Neurology, 2016, 86, 1716-1725.	1.1	59
60	EUROmediCAT signal detection: an evaluation of selected congenital anomalyâ€medication associations. British Journal of Clinical Pharmacology, 2016, 82, 1094-1109.	2.4	17
61	Enduring large use of acetaminophen suppositories for fever management in children: a national survey of French parents and healthcare professionals' practices. European Journal of Pediatrics, 2016, 175, 987-992.	2.7	8
62	National crossâ€sectional study of nonsteroidal antiâ€inflammatory drugs use highlights differences between parents and professionals and prompts safety concerns. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, e543-e548.	1.5	6
63	Relation between the quality of the ultrasound image acquisition and the precision of the measurement of the crown-rump length in the late first trimester: what are the consequences?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 207, 37-44.	1.1	8
64	Prevalence of microcephaly in Europe: population based study. BMJ, The, 2016, 354, i4721.	6.0	57
65	Translating Neurodevelopmental Care Policies Into Practice: The Experience of Neonatal ICUs in Franceâ€"The EPIPAGE-2 Cohort Study. Pediatric Critical Care Medicine, 2016, 17, 957-967.	0.5	39
66	Increased rate of spontaneous miscarriages in endometriosis-affected women. Human Reproduction, 2016, 31, 1014-1023.	0.9	56
67	The Association of H1N1 Pandemic Influenza with Congenital Anomaly Prevalence in Europe. Epidemiology, 2015, 26, 853-861.	2.7	5
68	Congenital anomalies associated with trisomy 18 or trisomy 13: A registryâ€based study in 16 european countries, 2000–2011. American Journal of Medical Genetics, Part A, 2015, 167, 3062-3069.	1.2	68
69	Symptomatic Management of Fever in Children: A National Survey of Healthcare Professionals' Practices in France. PLoS ONE, 2015, 10, e0143230.	2.5	12
70	Epidemiology of congenital diaphragmatic hernia in Europe: a register-based study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F137-F144.	2.8	229
71	Epidemiology of hypospadias in Europe: a registry-based study. World Journal of Urology, 2015, 33, 2159-2167.	2.2	88
72	Cochran's Q test was useful to assess heterogeneity in likelihood ratios inÂstudies of diagnostic accuracy. Journal of Clinical Epidemiology, 2015, 68, 299-306.	5.0	81

#	Article	IF	Citations
73	Selective serotonin reuptake inhibitor antidepressant use in first trimester pregnancy and risk of specific congenital anomalies: a European register-based study. European Journal of Epidemiology, 2015, 30, 1187-1198.	5.7	67
74	In Utero Exposure to Zidovudine and Heart Anomalies in the ANRS French Perinatal Cohort and the Nested PRIMEVA Randomized Trial. Clinical Infectious Diseases, 2015, 61, 270-280.	5.8	45
75	Long term trends in prevalence of neural tube defects in Europe: population based study. BMJ, The, 2015, 351, h5949.	6.0	180
76	Meckel–Gruber Syndrome: a population-based study on prevalence, prenatal diagnosis, clinical features, and survival in Europe. European Journal of Human Genetics, 2015, 23, 746-752.	2.8	70
77	Holt Oram syndrome: a registry-based study in Europe. Orphanet Journal of Rare Diseases, 2014, 9, 156.	2.7	45
78	Association between Prenatal Exposure to Antiretroviral Therapy and Birth Defects: An Analysis of the French Perinatal Cohort Study (ANRS CO1/CO11). PLoS Medicine, 2014, 11, e1001635.	8.4	78
79	Does neonatal pain management in intensive care units differ between night and day? An observational study. BMJ Open, 2014, 4, e004086.	1.9	21
80	Hirschsprung's disease prevalence in Europe: A register based study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 695-702.	1.6	52
81	Major congenital anomalies in babies born with Down syndrome: A EUROCAT populationâ€based registry study. American Journal of Medical Genetics, Part A, 2014, 164, 2979-2986.	1.2	57
82	European Recommendations for Primary Prevention of Congenital Anomalies: A Joined Effort of EUROCAT and EUROPLAN Projects to Facilitate Inclusion of This Topic in the National Rare Disease Plans. Public Health Genomics, 2014, 17, 115-123.	1.0	39
83	Assessing the role of multiple pregnancies in the association between tetralogy of Fallot and assisted reproductive techniques: a path-analysis approach. Orphanet Journal of Rare Diseases, 2014, 9, 27.	2.7	15
84	Seasonality of congenital anomalies in Europe. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 260-269.	1.6	14
85	Epidemiology of multiple congenital anomalies in Europe: A EUROCAT populationâ€based registry study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2014, 100, 270-276.	1.6	64
86	Prevalence, prenatal diagnosis and clinical features of oculo-auriculo-vertebral spectrum: a registry-based study in Europe. European Journal of Human Genetics, 2014, 22, 1026-1033.	2.8	118
87	Quality of first-trimester measurement of crown-rump length. American Journal of Obstetrics and Gynecology, 2014, 211, 672.e1-672.e5.	1.3	9
88	Fraser Syndrome: Epidemiological Study in a European Population. American Journal of Medical Genetics, Part A, 2013, 161, 1012-1018.	1.2	46
89	Recent Decrease in the Prevalence of Congenital Heart Defects in Europe. Journal of Pediatrics, 2013, 162, 108-113.e2.	1.8	39
90	Screening for fetal spina bifida at the 11–13â€week scan using three anatomical features of the posterior brain. Ultrasound in Obstetrics and Gynecology, 2013, 42, 416-420.	1.7	50

#	Article	IF	CITATIONS
91	Clinical and socioeconomic predictors of pregnancy termination for fetuses with congenital heart defects: a populationâ€based evaluation. Prenatal Diagnosis, 2013, 33, 179-186.	2.3	32
92	Twenty-year trends in the prevalence of Down syndrome and other trisomies in Europe: impact of maternal age and prenatal screening. European Journal of Human Genetics, 2013, 21, 27-33.	2.8	282
93	The risk for four specific congenital heart defects associated with assisted reproductive techniques: a population-based evaluation. Human Reproduction, 2013, 28, 367-374.	0.9	65
94	Atrioventricular septal defects among infants in Europe: a population-based study of prevalence, associated anomalies, and survival. Cardiology in the Young, 2013, 23, 560-567.	0.8	25
95	Registres de malformations congénitales : un outil pour la surveillance, la recherche et l'évaluation des actions de santé. Bulletin De L'Academie Nationale De Medecine, 2013, 197, 329-341.	0.0	2
96	Rare chromosome abnormalities, prevalence and prenatal diagnosis rates from population-based congenital anomaly registers in Europea. European Journal of Human Genetics, 2012, 20, 521-526.	2.8	148
97	Prevalence, timing of diagnosis and mortality of newborns with congenital heart defects: a population-based study. Heart, 2012, 98, 1667-1673.	2.9	179
98	Epidemiology of small intestinal atresia in Europe: a register-based study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2012, 97, F353-F358.	2.8	119
99	Early Prediction of In-Hospital Mortality of Patients with Hemoptysis: An Approach to Defining Severe Hemoptysis. Respiration, 2012, 83, 106-114.	2.6	70
100	Preterm Birth and Congenital Heart Defects: A Population-based Study. Pediatrics, 2012, 130, e829-e837.	2.1	79
101	Prevalence of esophageal atresia among 18 international birth defects surveillance programs. Birth Defects Research Part A: Clinical and Molecular Teratology, 2012, 94, 893-899.	1.6	119
102	Factors associated with adverse perinatal outcomes for term breech fetuses with planned vaginal delivery. American Journal of Obstetrics and Gynecology, 2012, 207, 285.e1-285.e9.	1.3	38
103	Individual and Organisational Determinants Associated with Maintenance Tocolysis in the Management of Preterm Labour: A Multilevel Analysis. PLoS ONE, 2012, 7, e50788.	2.5	10
104	Postpartum Hemorrhage Resulting From Uterine Atony After Vaginal Delivery. Obstetrics and Gynecology, 2011, 117, 21-31.	2.4	153
105	Sex chromosome trisomies in Europe: prevalence, prenatal detection and outcome of pregnancy. European Journal of Human Genetics, 2011, 19, 231-234.	2.8	77
106	Predictors of the risk of cognitive deficiency in very preterm infants: the EPIPAGE prospective cohort. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, 370-378.	1.5	99
107	White matter damage and neonatal sepsis: authors' reply. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, e1.	1.5	0
108	Population-based evaluation of a suggested anatomic and clinical classification of congenital heart defects based on the International Paediatric and Congenital Cardiac Code. Orphanet Journal of Rare Diseases, 2011, 6, 64.	2.7	79

#	Article	IF	Citations
109	Measurement of nuchal translucency for prenatal screening of congenital heart defects: a populationâ€based evaluation. Prenatal Diagnosis, 2011, 31, 1264-1269.	2.3	15
110	Paper 6: EUROCAT member registries: Organization and activities. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, S51-S100.	1.6	107
111	Paper 2: EUROCAT public health indicators for congenital anomalies in Europe. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, S16-22.	1.6	91
112	Risk of congenital heart defects associated with assisted reproductive technologies: a population-based evaluation. European Heart Journal, 2011, 32, 500-508.	2.2	88
113	Predictors of cerebral palsy in very preterm infants: the EPIPAGE prospective populationâ€based cohort study. Developmental Medicine and Child Neurology, 2010, 52, e119-25.	2.1	151
114	Evaluating regional differences in breast-feeding in French maternity units: a multi-level approach. Public Health Nutrition, 2010, 13, 1946-1954.	2.2	16
115	Relationship between the Prevalence of Methicillin-ResistantStaphylococcus aureusInfection and Indicators of Nosocomial Infection Control Measures A Population-Based Study in French Hospitals. Infection Control and Hospital Epidemiology, 2009, 30, 861-869.	1.8	20
116	Measurement of Nuchal Translucency and the Prenatal Diagnosis of Down Syndrome. Obstetrics and Gynecology, 2009, 114, 829-838.	2.4	10
117	How to Control for Gestational Age in Studies Involving Environmental Effects on Fetal Growth. Environmental Health Perspectives, 2008, 116, A284; author reply A284-A285.	6.0	28
118	Regional Variations in Trends for Multiple Births: A Population-Based Evaluation in France, 1972–2003. Twin Research and Human Genetics, 2007, 10, 406-415.	0.6	9
119	Infant and toddler disease score was useful for risk of hospitalization based on data from administrative claims. Journal of Clinical Epidemiology, 2007, 60, 680-685.	5.0	6
120	Prenatal screening and diagnosis of congenital toxoplasmosis: a review of safety issues and psychological consequences for women who undergo screening. Prenatal Diagnosis, 2007, 27, 395-403.	2.3	26
121	Vasodilators and Nootropics as Predictors of Dementia and Mortality in the PAQUID Cohort. Journal of the American Geriatrics Society, 2007, 55, 395-399.	2.6	22
122	Advances in Medical Technology and Creation of Disparities: The Case of Down Syndrome. American Journal of Public Health, 2006, 96, 2139-2144.	2.7	44
123	Seroprevalence of Varicella in the French Population. Pediatric Infectious Disease Journal, 2006, 25, 41-44.	2.0	49
124	Risk of Low Birth Weight Associated with Advanced Maternal Age Among Four Ethnic Groups in the United States. Maternal and Child Health Journal, 2005, 9, 3-9.	1.5	52
125	Comparison of the use of amniocentesis in two countries with different policies for prenatal testing: the case of France and the United States. Prenatal Diagnosis, 2005, 25, 14-19.	2.3	10
126	Trends in Prenatal Diagnosis, Pregnancy Termination, and Perinatal Mortality of Newborns With Congenital Heart Disease in France, 1983–2000: A Population-Based Evaluation. Pediatrics, 2005, 115, 95-101.	2.1	255

#	Article	IF	CITATIONS
127	A populationâ€based evaluation of the impact of antenatal screening for Down's syndrome in France, 1981–2000. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 485-490.	2.3	79
128	Maternal education modifies the age-related increase in the birth prevalence of Down syndrome. Prenatal Diagnosis, 2004, 24, 79-82.	2.3	20
129	Socioeconomic Barriers to Informed Decisionmaking Regarding Maternal Serum Screening for Down Syndrome: Results of the French National Perinatal Survey of 1998. American Journal of Public Health, 2004, 94, 484-491.	2.7	44
130	Effects of maternal age and education on the pattern of prenatal testing: Implications for the use of antenatal screening as a solution to the growing number of amniocenteses. American Journal of Obstetrics and Gynecology, 2003, 189, 1336-1342.	1.3	25
131	Cost-effectiveness of hepatitis A vaccine in prevention of secondary hepatitis A infection. Vaccine, 2003, 21, 3556-3564.	3.8	16
132	Frequency of Hospitalisations and Inpatient Care Costs of Manic Episodes. Pharmacoeconomics, 2003, 21, 1081-1090.	3.3	30
133	Racial Disparity in Meconium-Stained Amniotic Fluid and Meconium Aspiration Syndrome in the United States, 1989–2000. Obstetrics and Gynecology, 2003, 102, 1262-1268.	2.4	15
134	Predictive Power of Initial Severity of Pulmonary Disease for Subsequent Development of Bronchopulmonary Dysplasia. Neonatology, 2003, 84, 31-36.	2.0	16
135	Agitation and Aggressiveness Among the Elderly Population Living in Nursing or Retirement Homes in France. International Psychogeriatrics, 2002, 14, 405-416.	1.0	28
136	Umbilical cord serum ionized magnesium level and total pediatric mortality. Obstetrics and Gynecology, 2001, 98, 75-78.	2.4	26
137	Infant mortality from congenital malformations in the United States, 1970–1997. Obstetrics and Gynecology, 2001, 98, 620-627.	2.4	103
138	Umbilical Cord Serum Ionized Magnesium Level and Total Pediatric Mortality. Obstetrics and Gynecology, 2001, 98, 75-78.	2.4	17
139	Infant Mortality From Congenital Malformations in the United States, 1970–1997. Obstetrics and Gynecology, 2001, 98, 620-627.	2.4	66
140	The Association of Coagulase-Negative Staphylococci Isolated from the Chorioamnion at Delivery and Subsequent Development of Cerebral Palsy. Journal of Perinatology, 2001, 21, 3-8.	2.0	18
141	The Association of Coagulase-Negative Staphylococci Isolated From the Chorioamnion at Delivery and Subsequent Development of Cerebral Palsy. Obstetrical and Gynecological Survey, 2001, 56, 538-539.	0.4	0
142	Perinatal Death and Tocolytic Magnesium Sulfate. Obstetrics and Gynecology, 2000, 96, 178-182.	2.4	1
143	Perinatal death and tocolytic magnesium sulfate. Obstetrics and Gynecology, 2000, 96, 178-182.	2.4	56
144	Racial differences in respiratory-related neonatal mortality among very low birth weight infants. Journal of Pediatrics, 2000, 136, 454-459.	1.8	45

#	Article	IF	CITATIONS
145	Association between cerebral palsy and coagulase-negative staphylococci. Lancet, The, 1999, 354, 1875-1876.	13.7	32
146	Trend in mortality from respiratory distress syndrome in the United States, 1970-1995. Journal of Pediatrics, 1999, 134, 434-440.	1.8	62
147	IF TOCOLYTIC MAGNESIUM SULFATE IS ASSOCIATED WITH EXCESS TOTAL PEDIATRIC MORTALITY, WHAT IS ITS IMPACT?. Obstetrics and Gynecology, 1999, 93, 159-160.	2.4	O
148	RELATIONSHIP OF CESAREAN DELIVERY TO LOWER BIRTH WEIGHT–SPECIFIC NEONATAL MORTALITY IN SINGLETON BREECH INFANTS IN THE UNITED STATES. Obstetrics and Gynecology, 1999, 93, 630-631.	2.4	1
149	Tocolytic magnesium sulphate and paediatric mortality. Lancet, The, 1998, 351, 293.	13.7	13
150	If tocolytic magnesium sulfate is associated with excess total pediatric mortality, what is its impact?. Obstetrics and Gynecology, 1998, 92, 308-311.	2.4	44
151	Neonatal Circumcision. JAMA Pediatrics, 1998, 152, 279-84.	3.0	58
152	Relationship of Cesarean Delivery to Lower Birth Weight–Specific Neonatal Mortality in Singleton Breech Infants in the United States. Obstetrics and Gynecology, 1998, 92, 769-774.	2.4	12
153	IF TOCOLYTIC MAGNESIUM SULFATE IS ASSOCIATED WITH EXCESS TOTAL PEDIATRIC MORTALITY, WHAT IS ITS IMPACT?. Obstetrics and Gynecology, 1998, 92, 308-311.	2.4	24
154	Human development index as a predictor of infant and maternal mortality rates. Journal of Pediatrics, 1997, 131, 430-433.	1.8	48
155	Is tocolytic magnesium sulphate associated with increased total paediatric mortality?. Lancet, The, 1997, 350, 1517-1518.	13.7	232
156	Models for Determining Cost of Care and Length of Stay in Neonatal Intensive Care Units. International Journal of Technology Assessment in Health Care, 1996, 12, 62-71.	0.5	15
157	Impact of increased neonatal survival on postneonatal mortality in the United States. Paediatric and Perinatal Epidemiology, 1996, 10, 423-431.	1.7	9
158	Which birthweight groups contributed most to the overall reduction in the neonatal mortality rate in the United States from 1960 to 1986?. Paediatric and Perinatal Epidemiology, 1995, 9, 420-430.	1.7	14