

Ingunn Narverud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4328504/publications.pdf>

Version: 2024-02-01

27
papers

555
citations

623734

14
h-index

642732

23
g-index

28
all docs

28
docs citations

28
times ranked

881
citing authors

#	ARTICLE	IF	CITATIONS
1	What characterizes event-free elderly FH patients? A comprehensive lipoprotein profiling. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1651-1660.	2.6	3
2	Subjects with familial hypercholesterolemia have lower aortic valve area and higher levels of inflammatory biomarkers. <i>Journal of Clinical Lipidology</i> , 2021, 15, 134-141.	1.5	6
3	Gender differences in nutrition literacy levels among university students and employees: a descriptive study. <i>Journal of Nutritional Science</i> , 2021, 10, e56.	1.9	15
4	Long term follow-up of children with familial hypercholesterolemia and relatively normal LDL-cholesterol at diagnosis. <i>Journal of Clinical Lipidology</i> , 2021, 15, 375-378.	1.5	2
5	Thirty percent of children and young adults with familial hypercholesterolemia treated with statins have adherence issues. <i>American Journal of Preventive Cardiology</i> , 2021, 6, 100180.	3.0	16
6	Children with familial hypercholesterolemia display changes in LDL and HDL function: A cross-sectional study. <i>Journal of Internal Medicine</i> , 2021, 290, 1083-1097.	6.0	4
7	Profiling of immune-related gene expression in children with familial hypercholesterolaemia. <i>Journal of Internal Medicine</i> , 2020, 287, 310-321.	6.0	5
8	Lipoprotein(a) concentration is associated with plasma arachidonic acid in subjects with familial hypercholesterolaemia. <i>British Journal of Nutrition</i> , 2019, 122, 790-799.	2.3	4
9	Postprandial changes in gene expression of cholesterol influx and efflux mediators after intake of SFA compared with n-6 PUFA in subjects with and without familial hypercholesterolaemia: secondary outcomes of a randomised controlled trial. <i>Journal of Nutritional Science</i> , 2019, 8, e27.	1.9	9
10	Sex differences in cholesterol levels from birth to 19 years of age may lead to increased cholesterol burden in females with FH. <i>Journal of Clinical Lipidology</i> , 2018, 12, 748-755.e2.	1.5	19
11	Effect of low carbohydrate high fat diet on LDL cholesterol and gene expression in normal-weight, young adults: A randomized controlled study. <i>Atherosclerosis</i> , 2018, 279, 52-61.	0.8	63
12	Delayed postprandial TAG peak after intake of SFA compared with PUFA in subjects with and without familial hypercholesterolaemia: a randomised controlled trial. <i>British Journal of Nutrition</i> , 2018, 119, 1142-1150.	2.3	8
13	Data on circulating leukocyte subpopulations and inflammatory proteins in children with familial hypercholesterolemia and healthy children. <i>Data in Brief</i> , 2017, 10, 587-592.	1.0	1
14	Altered leukocyte distribution under hypercholesterolemia: A cross-sectional study in children with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2017, 256, 67-74.	0.8	20
15	Comprehensive lipid and metabolite profiling of children with and without familial hypercholesterolemia: A cross-sectional study. <i>Atherosclerosis</i> , 2017, 266, 48-57.	0.8	28
16	Severe hypertriglyceridemia in Norway: prevalence, clinical and genetic characteristics. <i>Lipids in Health and Disease</i> , 2017, 16, 115.	3.0	26
17	Lack of Effects of a Single High-Fat Meal Enriched with Vegetable n-3 or a Combination of Vegetable and Marine n-3 Fatty Acids on Intestinal Peptide Release and Adipokines in Healthy Female Subjects. <i>Frontiers in Nutrition</i> , 2016, 3, 38.	3.7	4
18	Dietary counseling is associated with an improved lipid profile in children with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2016, 252, 21-27.	0.8	27

#	ARTICLE	IF	CITATIONS
19	Effects of a healthy Nordic diet on gene expression changes in peripheral blood mononuclear cells in response to an oral glucose tolerance test in subjects with metabolic syndrome: a SYSDIET sub-study. <i>Genes and Nutrition</i> , 2016, 11, 3.	2.5	20
20	Maternal inheritance does not predict cholesterol levels in children with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2015, 243, 155-160.	0.8	28
21	Subjects with familial hypercholesterolemia are characterized by an inflammatory phenotype despite long-term intensive cholesterol lowering treatment. <i>Atherosclerosis</i> , 2014, 233, 561-567.	0.8	48
22	Markers of atherosclerotic development in children with familial hypercholesterolemia: A literature review. <i>Atherosclerosis</i> , 2014, 235, 299-309.	0.8	88
23	Maternal familial hypercholesterolaemia (FH) confers altered haemostatic profile in offspring with and without FH. <i>Thrombosis Research</i> , 2013, 131, 178-182.	1.7	19
24	Oxidized LDL level is related to gene expression of tumour necrosis factor super family members in children and young adults with familial hypercholesterolaemia. <i>Journal of Internal Medicine</i> , 2013, 273, 69-78.	6.0	25
25	Children and young adults with familial hypercholesterolaemia (FH) have healthier food choices particularly with respect to dietary fat sources compared with non-FH children. <i>Journal of Nutritional Science</i> , 2013, 2, e32.	1.9	14
26	Substitution of TAG oil with diacylglycerol oil in food items improves the predicted 10 years cardiovascular risk score in healthy, overweight subjects. <i>Journal of Nutritional Science</i> , 2012, 1, e17.	1.9	9
27	Children with familial hypercholesterolemia are characterized by an inflammatory imbalance between the tumor necrosis factor α system and interleukin-10. <i>Atherosclerosis</i> , 2011, 214, 163-168.	0.8	42