

Yuzaburo Inoue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/432980/publications.pdf>

Version: 2024-02-01

70
papers

1,101
citations

394421

19
h-index

434195

31
g-index

72
all docs

72
docs citations

72
times ranked

2016
citing authors

#	ARTICLE	IF	CITATIONS
1	Checklist for rapid assessment of independence in children with pediatric rheumatic diseases in transition to adult medical care. <i>Modern Rheumatology</i> , 2022, 32, 427-431.	1.8	2
2	Partial Trisomy 9p with Clinical Symptoms Resembling Interferonopathies. <i>Journal of Clinical Immunology</i> , 2022, 42, 203-205.	3.8	1
3	Transitioning from paediatric to adult rheumatological healthcare: English summary of the Japanese Transition Support Guide. <i>Modern Rheumatology</i> , 2022, 32, 248-255.	1.8	1
4	Phenotypes of atopic dermatitis up to 36 months of age by latent class analysis and associated factors in Japan. <i>Asia Pacific Allergy</i> , 2022, 12, e2.	1.3	1
5	In-Depth Serum Proteomics by DIA-MS with <i>In Silico</i> Spectral Libraries Reveals Dynamics during the Active Phase of Systemic Juvenile Idiopathic Arthritis. <i>ACS Omega</i> , 2022, 7, 7012-7023.	3.5	7
6	Chapter 4: Knowledge of immunology as it relates to food allergy. <i>Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 2022, 36, 195-201.	0.2	0
7	Clinical practice guidance for Sjögren's syndrome in pediatric patients (2018) – summarized and updated. <i>Modern Rheumatology</i> , 2021, 31, 283-293.	1.8	6
8	Mechanism of immunotherapy considered on the time axis. <i>Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 2021, 35, 85-87.	0.2	0
9	A variant in human AIOLOS impairs adaptive immunity by interfering with IKAROS. <i>Nature Immunology</i> , 2021, 22, 893-903.	14.5	33
10	Dysregulation of the Intestinal Microbiome in Patients With Haploinsufficiency of A20. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 787667.	3.9	0
11	Japanese guidelines for food allergy 2020. <i>Allergology International</i> , 2020, 69, 370-386.	3.3	139
12	<i>Staphylococcus</i> Agr virulence is critical for epidermal colonization and associates with atopic dermatitis development. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	62
13	Clinical characteristics and treatment of 50 cases of Blau syndrome in Japan confirmed by genetic analysis of the <i>NOD2</i> mutation. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1492-1499.	0.9	47
14	Breastfeeding promotes egg white sensitization in early infancy. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 315-318.	2.6	6
15	Japanese guidelines for childhood asthma 2020. <i>Allergology International</i> , 2020, 69, 314-330.	3.3	29
16	Immunophenotyping of A20 haploinsufficiency by multicolor flow cytometry. <i>Clinical Immunology</i> , 2020, 216, 108441.	3.2	5
17	Hematopoietic stem cell transplantation for progressive combined immunodeficiency and lymphoproliferation in patients with activated phosphatidylinositol-3-OH kinase 1 syndrome type 1. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 266-275.	2.9	49
18	AB1026...CLINICAL PRACTICE GUIDANCE FOR THE TRANSITIONAL CARE OF YOUNG PEOPLE WITH JUVENILE-ONSET RHEUMATIC DISORDERS IN JAPAN. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
19	A Patient with Primary Immunodeficiency/Activated PI3Kdelta Syndrome, who Developed Epstein-Barr Virus-Associated Lymphoproliferative Disorder at the Age of 1 year and Malignant B Cell Lymphoma at the Age of 38 years. <i>Journal of Otolaryngology of Japan</i> , 2019, 122, 1329-1338.	0.1	0
20	Hsa-mir-144-3p expression is increased in umbilical cord serum of infants with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 447-450.e11.	2.9	11
21	Filaggrin gene mutations may influence the persistence of food allergies in Japanese primary school children. <i>British Journal of Dermatology</i> , 2018, 179, 190-191.	1.5	7
22	Haploinsufficiency of A20 causes autoinflammatory and autoimmune disorders. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1485-1488.e11.	2.9	100
23	Desensitization to a whole egg by rush oral immunotherapy improves the quality of life of guardians: A multicenter, randomized, parallel-group, delayed-start design study. <i>Allergology International</i> , 2018, 67, 209-216.	3.3	37
24	Early use of alendronate as a protective factor against the development of glucocorticoid-induced bone loss in childhood-onset rheumatic diseases: a cross-sectional study. <i>Pediatric Rheumatology</i> , 2018, 16, 36.	2.1	7
25	Commentary Japanese Pediatric Guideline for the treatment and management of asthma 2017 Chapter 4 Risk factors for pediatric asthma and those managements. <i>Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 2018, 32, 728-734.	0.2	0
26	Evolutionary risk management of agr locus is important for <i>S. aureus</i> adaptation in the skin of atopic dermatitis. <i>Journal of Dermatological Science</i> , 2017, 86, e68.	1.9	0
27	Chapter 2 Knowledge of immunological background of food allergy. <i>Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 2017, 31, 180-187.	0.2	0
28	Immune cells in food protein-induced enterocolitis syndrome. <i>Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 2017, 31, 13-16.	0.2	0
29	Induction of the Matrix Metalloproteinase 13 Gene in Bronchial Epithelial Cells by Interferon and Identification of its Novel Functional Polymorphism. <i>Inflammation</i> , 2016, 39, 949-62.	3.8	6
30	Immediate systemic allergic reaction in an infant to fish allergen ingested through breast milk. <i>Asia Pacific Allergy</i> , 2016, 6, 257-259.	1.3	10
31	MicroRNAs in Allergic Disease. <i>Current Allergy and Asthma Reports</i> , 2016, 16, 67.	5.3	44
32	Filaggrin gene mutations are significantly associated with food allergy in Japanese primary school children. <i>Journal of Dermatological Science</i> , 2016, 84, e157.	1.9	0
33	LB765 Whole-genome sequence of <i>S. aureus</i> strains from infant skin its utility to discover bacterial target to control atopic dermatitis onset in childhood. <i>Journal of Investigative Dermatology</i> , 2016, 136, B3.	0.7	0
34	037 Evolutionary risk management of agr locus is important for <i>S. aureus</i> adaptation in the skin of atopic dermatitis. <i>Journal of Investigative Dermatology</i> , 2016, 136, S167.	0.7	1
35	Expression ability of RNAlII encoding Î-toxin in <i>S. aureus</i> isolated from infant skin is associated with atopic dermatitis development. <i>Journal of Dermatological Science</i> , 2016, 84, e115-e116.	1.9	0
36	Serum microRNA Expression in Maternal Blood or in Cord Blood As Biomarkers of Atopic Dermatitis at One Year of Age. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, AB262.	2.9	0

#	ARTICLE	IF	CITATIONS
37	Successful treatment of Group A β -hemolytic Streptococcus infection-associated juvenile cutaneous polyarteritis nodosa with tonsillectomy. <i>Modern Rheumatology</i> , 2015, 25, 967-969.	1.8	4
38	No increase in the serum periostin level is detected in elementary school-age children with allergic diseases. <i>Allergy International</i> , 2015, 64, 289-290.	3.3	39
39	Microbiome/microbiota and allergies. <i>Seminars in Immunopathology</i> , 2015, 37, 57-64.	6.1	17
40	Combinations of olmesartan and a calcium channel blocker or a diuretic in elderly hypertensive patients. <i>Journal of Hypertension</i> , 2014, 32, 2054-2063.	0.5	44
41	Maternal Intake of Natto, a Japan's Traditional Fermented Soybean Food, during Pregnancy and the Risk of Eczema in Japanese Babies. <i>Allergy International</i> , 2014, 63, 261-266.	3.3	22
42	Prebiotic consumption in pregnant and lactating women increases IL-27 expression in human milk. <i>British Journal of Nutrition</i> , 2014, 111, 625-632.	2.3	22
43	Expression of CD203c on basophils as a marker of immunoglobulin E-mediated asparaginase allergy. <i>Leukemia and Lymphoma</i> , 2014, 55, 92-96.	1.3	7
44	Ultrasonographic assessment reveals detailed distribution of synovial inflammation in Blau syndrome. <i>Arthritis Research and Therapy</i> , 2014, 16, R89.	3.5	17
45	Functional variants in the thromboxane A2 receptor gene are associated with lung function in childhood-onset asthma. <i>Clinical and Experimental Allergy</i> , 2013, 43, 413-424.	2.9	14
46	A case of infantile Takayasu arteritis with a p.D382E NOD2 mutation: an unusual phenotype of Blau syndrome/early-onset sarcoidosis?. <i>Modern Rheumatology</i> , 2013, 23, 837-839.	1.8	18
47	Lower levels of hsa-mir-15a, which decreases VEGFA, in the CD4+ T cells of pediatric patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 1224-1227.e12.	2.9	32
48	Cytokine Biomarker Candidates in Breast Milk Associated with the Development of Atopic Dermatitis in 6-Month-Old Infants. <i>International Archives of Allergy and Immunology</i> , 2013, 160, 401-408.	2.1	21
49	Epidemiology of virus-induced wheezing/asthma in children. <i>Frontiers in Microbiology</i> , 2013, 4, 391.	3.5	36
50	A case of infantile Takayasu arteritis with a p.D382E NOD2 mutation: an unusual phenotype of Blau syndrome/early-onset sarcoidosis?. <i>Modern Rheumatology</i> , 2013, 23, 837-839.	1.8	9
51	The onset of allergic rhinitis in Japanese atopic children: A preliminary prospective study. <i>Acta Oto-Laryngologica</i> , 2012, 132, 981-987.	0.9	9
52	Food Allergy after Cord Blood Stem Cell Transplantation with Tacrolimus Therapy in Two Patients Who Developed Veno-Occlusive Disease. <i>Allergy International</i> , 2012, 61, 497-499.	3.3	11
53	Serum Levels of Human Chitinase-like Protein YKL-39 was Lower in Childhood Asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, AB63-AB63.	2.9	0
54	Relationship between γ -RANTES Polymorphisms and Respiratory Syncytial Virus Bronchiolitis in a Japanese Infant Population. <i>Japanese Journal of Infectious Diseases</i> , 2011, 64, 242-245.	1.2	13

#	ARTICLE	IF	CITATIONS
55	Mammalian Chitinase Family Members Inhibit House Dust Mite-induced Airway Hyperresponsiveness. , 2010, , .		0
56	Self-limited lupus-like presentation of human parvovirus B19 infection in a 1-year-old girl. <i>Pediatrics International</i> , 2009, 51, 411-412.	0.5	5
57	Association Of Rantes Promoter Gene Polymorphisms With Respiratory Syncytial Virus Bronchiolitis In The Japanese Population. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, S22-S22.	2.9	0
58	Efficacy of intravenous alendronate for the treatment of glucocorticoid-induced osteoporosis in children with autoimmune diseases. <i>Clinical Rheumatology</i> , 2008, 27, 909-912.	2.2	28
59	IL-10 gene polymorphism, but not TGF- β 1 gene polymorphisms, is associated with food allergy in a Japanese population. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 716-721.	2.6	42
60	Acute motor axonal neuropathy during intensive immunosuppressive therapy for macrophage activation syndrome. <i>Brain and Development</i> , 2008, 30, 160-163.	1.1	1
61	Colonization of <i>Staphylococcus Aureus</i> on the Cheek of 1 Month-Old Infants. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, S238-S238.	2.9	0
62	CD14 \sim 550 C/T, Which Is Related to the Serum Level of Soluble CD14, Is Associated with the Development of Respiratory Syncytial Virus Bronchiolitis in the Japanese Population. <i>Journal of Infectious Diseases</i> , 2007, 195, 1618-1624.	4.0	46
63	IL-17F His(161)Arg but not IL-8 A(???)T is associated with the development of respiratory syncytial virus bronchiolitis in the Japanese population. <i>World Allergy Organization Journal</i> , 2007, &NA;, S26.	3.5	0
64	Quantitative and qualitative analysis of circulating Vgamma9/Vdelta2 T cells in newborns versus adults. <i>World Allergy Organization Journal</i> , 2007, &NA;, S191.	3.5	0
65	IL-10 gene polymorphism, but not TGF-?? gene polymorphisms, is associated with food allergy in a Japanese population. <i>World Allergy Organization Journal</i> , 2007, &NA;, S1.	3.5	0
66	Colonization Of <i>Staphylococcus Aureus</i> On The Cheeks Of 4 Month-old Children At Local Health Centers In Chiba, Japan. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, S281.	2.9	0
67	Cutaneous Colonization of <i>Staphylococcus aureus</i> at 4 Months of Age and Eczema at 18 Months of Age. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, S279.	2.9	0
68	No Association of Polymorphisms in the 5' Region of the CD14 Gene and Food Allergy in a Japanese Population. <i>Allergology International</i> , 2007, 56, 23-27.	3.3	14
69	Low-dose oral methotrexate for the management of childhood Cogan's syndrome: a case report. <i>Clinical Rheumatology</i> , 2007, 26, 2201-2203.	2.2	16
70	Allergic rhinitis in children: association with asthma. <i>Clinical and Experimental Allergy Reviews</i> , 2004, 4, 21-25.	0.3	3