

Dorota Butkiewicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4331713/publications.pdf>

Version: 2024-02-01

41
papers

2,084
citations

257450

24
h-index

276875

41
g-index

41
all docs

41
docs citations

41
times ranked

2547
citing authors

#	ARTICLE	IF	CITATIONS
1	Germline Variants in Angiogenesis-Related Genes Contribute to Clinical Outcome in Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 1844.	3.7	4
2	Polymorphisms in EGFR Gene Predict Clinical Outcome in Unresectable Non-Small Cell Lung Cancer Treated with Radiotherapy and Platinum-Based Chemoradiotherapy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5605.	4.1	9
3	Association of Genetic Variants in ANGPT/TEK and VEGF/VEGFR with Progression and Survival in Head and Neck Squamous Cell Carcinoma Treated with Radiotherapy or Radiochemotherapy. <i>Cancers</i> , 2020, 12, 1506.	3.7	14
4	Pharmacogenetics of toxicity of 5-fluorouracil, doxorubicin and cyclophosphamide chemotherapy in breast cancer patients. <i>Oncotarget</i> , 2018, 9, 9114-9136.	1.8	43
5	A novel germline TP53 mutation p.Pro190Arg detected in a patient with lung and bilateral breast cancers. <i>Advances in Medical Sciences</i> , 2017, 62, 207-210.	2.1	3
6	The <i>VEGFR2</i> , <i>COX2</i> and <i>MMP2</i> polymorphisms are associated with clinical outcome of patients with inoperable non-small cell lung cancer. <i>International Journal of Cancer</i> , 2015, 137, 2332-2342.	5.1	22
7	The <i>SIPA1 -313A>G</i> polymorphism is associated with prognosis in inoperable non-small cell lung cancer. <i>Tumor Biology</i> , 2015, 36, 1273-1278.	1.8	7
8	Nutlin-3a, an MDM2 antagonist and p53 activator, helps to preserve the replicative potential of cancer cells treated with a genotoxic dose of resveratrol. <i>Molecular Biology Reports</i> , 2013, 40, 5013-5026.	2.3	10
9	Influence of genetic polymorphisms on biomarkers of exposure and effects in children living in Upper Silesia. <i>Mutagenesis</i> , 2013, 28, 591-599.	2.6	10
10	Influence of DNA repair gene polymorphisms on prognosis in inoperable non-small cell lung cancer patients treated with radiotherapy and platinum-based chemotherapy. <i>International Journal of Cancer</i> , 2012, 131, E1100-8.	5.1	31
11	Genetic variation in <i>ALCAM</i> and other chromosomal instability genes in breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 311-319.	2.5	10
12	Genetic variation in genes encoding for polymerase η subunits associates with breast cancer risk, tumour characteristics and survival. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 235-245.	2.5	31
13	Single nucleotide polymorphisms in the 20q13 amplicon genes in relation to breast cancer risk and clinical outcome. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 905-916.	2.5	30
14	An association between DNA repair gene polymorphisms and survival in patients with resected non-small cell lung cancer. <i>Molecular Biology Reports</i> , 2011, 38, 5231-5241.	2.3	36
15	A functional analysis of G23A polymorphism and the alternative splicing in the expression of the <i>XPA</i> gene. <i>Cellular and Molecular Biology Letters</i> , 2010, 15, 611-29.	7.0	4
16	Meta- and Pooled Analysis of <i>GSTP1</i> Polymorphism and Lung Cancer: A HuGE-GSEC Review. <i>American Journal of Epidemiology</i> , 2009, 169, 802-814.	3.4	73
17	Resveratrol induces senescence-like growth inhibition of U-2 OS cells associated with the instability of telomeric DNA and upregulation of <i>BRCA1</i> . <i>Mechanisms of Ageing and Development</i> , 2009, 130, 528-537.	4.6	50
18	A functional promoter polymorphism in the <i>TERT</i> gene does not affect inherited susceptibility to breast cancer. <i>Cancer Genetics and Cytogenetics</i> , 2009, 190, 71-74.	1.0	35

#	ARTICLE	IF	CITATIONS
19	Elevated risk of squamous-cell carcinoma of the lung in heavy smokers carrying the variant alleles of the TP53 Arg72Pro and p21 Ser31Arg polymorphisms. <i>Lung Cancer</i> , 2007, 55, 25-34.	2.0	41
20	High-throughput genotyping of a common deletion polymorphism disrupting the TRY6 gene and its association with breast cancer risk. <i>BMC Genetics</i> , 2007, 8, 41.	2.7	6
21	Expression and localization of Werner syndrome protein is modulated by SIRT1 and PML. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 650-661.	4.6	37
22	Polymorphisms in the growth hormone receptor: A case-control study in breast cancer. <i>International Journal of Cancer</i> , 2006, 118, 2903-2906.	5.1	17
23	Polymorphisms in genes involved in GH1 release and their association with breast cancer risk. <i>Carcinogenesis</i> , 2006, 27, 1867-1875.	2.8	31
24	Metabolic gene polymorphisms and lung cancer risk in non-smokers. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 592, 45-57.	1.0	50
25	c-MYC Asn11Ser is associated with increased risk for familial breast cancer. <i>International Journal of Cancer</i> , 2005, 117, 638-642.	5.1	10
26	Association of NCOA3 Polymorphisms with Breast Cancer Risk. <i>Clinical Cancer Research</i> , 2005, 11, 2169-2174.	7.0	51
27	Influence of Polymorphisms in DNA Repair Genes XPD, XRCC1 and MGMT on DNA Damage Induced by Gamma Radiation and its Repair in Lymphocytes In Vitro. <i>Radiation Research</i> , 2005, 164, 132-140.	1.5	55
28	The insulin-like growth factor-1 pathway mediator genes: SHC1 Met300Val shows a protective effect in breast cancer. <i>Carcinogenesis</i> , 2004, 25, 2473-2478.	2.8	28
29	Specific combinations of DNA repair gene variants and increased risk for non-small cell lung cancer. <i>Carcinogenesis</i> , 2004, 25, 2433-2441.	2.8	184
30	Association of metabolic gene polymorphisms with tobacco consumption in healthy controls. <i>International Journal of Cancer</i> , 2004, 110, 266-270.	5.1	21
31	Intronic polymorphism (1541-1542delGT) of the constitutive heat shock protein 70 gene has functional significance and shows evidence of association with lung cancer risk. <i>Molecular Carcinogenesis</i> , 2004, 39, 155-163.	2.7	19
32	Association between the risk for lung adenocarcinoma and a (-4) G-to-A polymorphism in the XPA gene. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 2242-6.	2.5	20
33	CYP1A1 T3801 C polymorphism and lung cancer: A pooled analysis of 2,451 cases and 3,358 controls. <i>International Journal of Cancer</i> , 2003, 104, 650-657.	5.1	140
34	CYP1A1 and GSTM1 genetic polymorphisms and lung cancer risk in Caucasian non-smokers: a pooled analysis. <i>Carcinogenesis</i> , 2003, 24, 875-882.	2.8	184
35	Meta- and pooled analyses of the effects of glutathione S-transferase M1 polymorphisms and smoking on lung cancer risk. <i>Carcinogenesis</i> , 2002, 23, 1343-1350.	2.8	250
36	Genetic polymorphisms in DNA repair genes and risk of lung cancer. <i>Carcinogenesis</i> , 2001, 22, 593-597.	2.8	276

#	ARTICLE	IF	CITATIONS
37	Polymorphisms of the GSTP1 and GSTM1 genes and PAH-DNA adducts in human mononuclear white blood cells. <i>Environmental and Molecular Mutagenesis</i> , 2000, 35, 99-105.	2.2	71
38	Identification of four single nucleotide polymorphisms in DNA repair genes: XPA and XPB (ERCC3) in Polish population. <i>Human Mutation</i> , 2000, 15, 577-578.	2.5	53
39	The effect of the genetic polymorphisms of CYP1A1, CYP2D6, GSTM1 and GSTP1 on aromatic DNA adduct levels in the population of healthy women. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2000, 469, 271-277.	1.7	16
40	Modulation of DNA adduct levels in human mononuclear white blood cells and granulocytes by CYP1A1, CYP2D6 and GSTM1 genetic polymorphisms. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1998, 415, 97-108.	1.7	67
41	A molecular epidemiology study in women from Upper Silesia, Poland. <i>Toxicology Letters</i> , 1998, 96-97, 195-202.	0.8	35