

Christian Otte

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4335902/publications.pdf>

Version: 2024-02-01

185
papers

10,570
citations

44069

48
h-index

38395

95
g-index

202
all docs

202
docs citations

202
times ranked

12665
citing authors

#	ARTICLE	IF	CITATIONS
1	Noradrenergic activation induced by yohimbine decreases interoceptive accuracy in healthy individuals with childhood adversity. <i>Development and Psychopathology</i> , 2022, 34, 1013-1024.	2.3	7
2	Randomized controlled experimental study of hydrocortisone and D-cycloserine effects on fear extinction in PTSD. <i>Neuropsychopharmacology</i> , 2022, 47, 1945-1952.	5.4	23
3	Immune signature of multiple sclerosis-associated depression. <i>Brain, Behavior, and Immunity</i> , 2022, 100, 174-182.	4.1	6
4	Comorbid depression and obesity among adults in Germany: Effects of age, sex, and socioeconomic status. <i>Journal of Affective Disorders</i> , 2022, 299, 383-392.	4.1	11
5	Platform trials and the future of evaluating therapeutic behavioural interventions. , 2022, 1, 7-8.		9
6	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. <i>Molecular Psychiatry</i> , 2022, 27, 1286-1299.	7.9	68
7	Cellular specificity of mitochondrial and immunometabolic features in major depression. <i>Molecular Psychiatry</i> , 2022, 27, 2370-2371.	7.9	5
8	Brain mineralocorticoid receptor in health and disease: From molecular signalling to cognitive and emotional function. <i>British Journal of Pharmacology</i> , 2022, 179, 3205-3219.	5.4	20
9	Intranasal oxytocin administration impacts the acquisition and consolidation of trauma-associated memories: a double-blind randomized placebo-controlled experimental study in healthy women. <i>Neuropsychopharmacology</i> , 2022, 47, 1046-1054.	5.4	7
10	Association of depression and obesity with C-reactive protein in Germany: A large nationally representative study. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 223-231.	4.1	11
11	No influence of mineralocorticoid and glutamatergic NMDA receptor stimulation on spatial learning and memory in individuals with major depression. <i>Journal of Psychiatric Research</i> , 2022, 152, 97-103.	3.1	0
12	Facial emotion recognition in borderline patients is unaffected by acute psychosocial stress. <i>Journal of Psychiatric Research</i> , 2021, 132, 131-135.	3.1	8
13	Gray matter volume of rostral anterior cingulate cortex predicts rapid antidepressant response to ketamine. <i>European Neuropsychopharmacology</i> , 2021, 43, 63-70.	0.7	16
14	Using routine MRI data of depressed patients to predict individual responses to electroconvulsive therapy. <i>Experimental Neurology</i> , 2021, 335, 113505.	4.1	10
15	Immunological substrates of depressive symptoms in patients with severe obesity: An exploratory study. <i>Cell Biochemistry and Function</i> , 2021, 39, 423-431.	2.9	4
16	Association between childhood trauma and brain anatomy in women with post-traumatic stress disorder, women with borderline personality disorder, and healthy women. <i>HÅggre Utbildning</i> , 2021, 12, 1959706.	3.0	2
17	Psychosocial stress increases testosterone in patients with borderline personality disorder, post-traumatic stress disorder and healthy participants. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021, 8, 3.	2.6	12
18	Effects of hydrocortisone and yohimbine on selective attention to emotional cues. <i>Journal of Psychopharmacology</i> , 2021, 35, 755-759.	4.0	3

#	ARTICLE	IF	CITATIONS
19	Selective attention to emotional stimuli and emotion recognition in patients with major depression: The role of mineralocorticoid and glutamatergic NMDA receptors. <i>Journal of Psychopharmacology</i> , 2021, 35, 1017-1023.	4.0	5
20	Effects of glucocorticoid and noradrenergic activity on implicit and explicit facial emotion recognition in healthy young men. <i>Stress</i> , 2021, , 1-7.	1.8	1
21	Approach-avoidance tendencies in depression and childhood trauma: No effect of noradrenergic stimulation. <i>Comprehensive Psychoneuroendocrinology</i> , 2021, 8, 100077.	1.7	1
22	Reduced mitochondrial respiration in T _A cells of patients with major depressive disorder. <i>IScience</i> , 2021, 24, 103312.	4.1	14
23	Early-onset late-life depression: Association with body mass index, obesity, and treatment response. <i>Comprehensive Psychoneuroendocrinology</i> , 2021, 8, 100096.	1.7	1
24	Attentional bias in individuals with depression and adverse childhood experiences: influence of the noradrenergic system?. <i>Psychopharmacology</i> , 2021, 238, 3519-3531.	3.1	2
25	Yohimbine-Induced Reactivity of Heart Rate Variability in Unmedicated Depressed Patients With and Without Adverse Childhood Experience. <i>Frontiers in Psychiatry</i> , 2021, 12, 734904.	2.6	1
26	Enhanced noradrenergic activity by yohimbine and differential fear conditioning in patients with major depression with and without adverse childhood experiences. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109751.	4.8	11
27	Stress effects on cognitive function in patients with major depressive disorder: Does childhood trauma play a role?. <i>Development and Psychopathology</i> , 2020, 32, 1007-1016.	2.3	7
28	Healthy women with severe early life trauma show altered neural facilitation of emotion inhibition under acute stress. <i>Psychological Medicine</i> , 2020, 50, 2075-2084.	4.5	10
29	Effects of hydrocortisone and yohimbine on decision-making under risk. <i>Psychoneuroendocrinology</i> , 2020, 114, 104589.	2.7	14
30	No association between major depression with and without childhood adversity and the stress hormone copeptin. <i>HÅrtegr Utbildning</i> , 2020, 11, 1837511.	3.0	0
31	Cognitive and emotional empathy after stimulation of brain mineralocorticoid and NMDA receptors in patients with major depression and healthy controls. <i>Neuropsychopharmacology</i> , 2020, 45, 2155-2161.	5.4	9
32	Blunted salivary cortisol response to psychosocial stress in women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2020, 130, 112-119.	3.1	28
33	Comorbid depression in medical diseases. <i>Nature Reviews Disease Primers</i> , 2020, 6, 69.	30.5	234
34	Distinct Functional Connectivity Signatures of Impaired Social Cognition in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020, 11, 507.	2.4	21
35	Statins in the treatment of depression: Hype or hope?. , 2020, 215, 107625.		26
36	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. <i>Journal of Psychiatric Research</i> , 2020, 123, 1-8.	3.1	41

#	ARTICLE	IF	CITATIONS
37	Noradrenergic system and cognitive flexibility: Disentangling the effects of depression and childhood trauma. <i>Journal of Psychiatric Research</i> , 2020, 125, 136-143.	3.1	8
38	Steroid hormone secretion after stimulation of mineralocorticoid and NMDA receptors and cardiovascular risk in patients with depression. <i>Translational Psychiatry</i> , 2020, 10, 109.	4.8	21
39	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , 2020, 10, e040119.	1.9	18
40	Neural correlates of glucocorticoids effects on autobiographical memory retrieval in healthy women. <i>Behavioural Brain Research</i> , 2019, 359, 895-902.	2.2	12
41	Effects of glucocorticoid and noradrenergic activity on spatial learning and spatial memory in healthy young adults. <i>Behavioural Brain Research</i> , 2019, 373, 112072.	2.2	8
42	Effects of hydrocortisone on autobiographical memory retrieval in patients with posttraumatic stress disorder and borderline personality disorder: the role of childhood trauma. <i>Neuropsychopharmacology</i> , 2019, 44, 2038-2044.	5.4	13
43	Resting-state functional connectivity after hydrocortisone administration in patients with post-traumatic stress disorder and borderline personality disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 936-946.	0.7	13
44	Influence of glucocorticoid and mineralocorticoid receptor stimulation on task switching. <i>Hormones and Behavior</i> , 2019, 109, 18-24.	2.1	5
45	Predictors of response and remission in a naturalistic inpatient sample undergoing multimodal treatment for depression. <i>Journal of Affective Disorders</i> , 2019, 252, 99-106.	4.1	10
46	Delayed effects of psychosocial stress on risk taking. <i>Stress</i> , 2019, 22, 446-454.	1.8	6
47	Psychophysiological stress response and memory in borderline personality disorder. <i>HÅrge Utbildning</i> , 2019, 10, 1568134.	3.0	25
48	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. <i>European Neuropsychopharmacology</i> , 2019, 29, 501-508.	0.7	50
49	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 529-538.	0.7	35
50	Differential impact of affective and cognitive symptoms on remission of major depression. <i>Lancet Psychiatry</i> , 2019, 6, 980.	7.4	4
51	Mineralocorticoid receptor function and cognition in health and disease. <i>Psychoneuroendocrinology</i> , 2019, 105, 25-35.	2.7	31
52	Major depression and atrial natriuretic peptide: The role of adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2019, 101, 7-11.	2.7	4
53	Altered cellular immune reactivity in traumatized women with and without major depressive disorder. <i>Psychoneuroendocrinology</i> , 2019, 101, 1-6.	2.7	4
54	Lower heart rate variability at baseline is associated with more consecutive intrusive memories in an experimental distressing film paradigm. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 662-667.	2.6	14

#	ARTICLE	IF	CITATIONS
55	Heightened biological stress response during exposure to a trauma film predicts an increase in intrusive memories.. <i>Journal of Abnormal Psychology</i> , 2019, 128, 645-657.	1.9	33
56	Decision making in response to physiological and combined physiological and psychosocial stress.. <i>Behavioral Neuroscience</i> , 2019, 133, 59-67.	1.2	14
57	Psychosocial stress differentially affects emotional empathy in women with borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 206-215.	4.5	33
58	Reduced levels of the endocannabinoid arachidonylethanolamide (AEA) in hair in patients with borderline personality disorder – a pilot study. <i>Stress</i> , 2018, 21, 366-369.	1.8	25
59	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018, 23, 133-142.	7.9	247
60	Sex effects on spatial learning but not on spatial memory retrieval in healthy young adults. <i>Behavioural Brain Research</i> , 2018, 336, 44-50.	2.2	37
61	The dexamethasone corticotropin releasing hormone test in healthy and depressed women with and without childhood adversity. <i>Psychoneuroendocrinology</i> , 2018, 87, 147-151.	2.7	7
62	Inflammatory Measures in Depressed Patients With and Without a History of Adverse Childhood Experiences. <i>Frontiers in Psychiatry</i> , 2018, 9, 610.	2.6	37
63	Pro-inflammatory Monocyte Phenotype and Cell-Specific Steroid Signaling Alterations in Unmedicated Patients With Major Depressive Disorder. <i>Frontiers in Immunology</i> , 2018, 9, 2693.	4.8	40
64	Childhood trauma and diagnosis of major depression: Association with memory and executive function. <i>Psychiatry Research</i> , 2018, 270, 880-886.	3.3	28
65	Impact of stress response systems on forced choice recognition in an experimental trauma film paradigm. <i>Neurobiology of Learning and Memory</i> , 2018, 156, 45-52.	1.9	0
66	O47. Anxiety During Ketamine Infusions Predicts Negative Treatment Responses in Patients With Major Depression. <i>Biological Psychiatry</i> , 2018, 83, S128.	1.3	0
67	The role of physiological arousal for self-reported emotional empathy. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 214, 9-14.	2.8	20
68	Doxazosin, an α_1 -adrenergic-receptor Antagonist, for Nightmares in Patients with Posttraumatic Stress Disorder and/or Borderline Personality Disorder: a Chart Review. <i>Pharmacopsychiatry</i> , 2017, 50, 26-31.	3.3	30
69	Stress reactivity and its effects on subsequent food intake in depressed and healthy women with and without adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2017, 80, 122-130.	2.7	27
70	Control conditions for randomised trials of behavioural interventions in psychiatry: a decision framework. <i>Lancet Psychiatry</i> , 2017, 4, 725-732.	7.4	174
71	The effect of cortisol on autobiographical memory retrieval depends on remoteness and valence of memories. <i>Biological Psychology</i> , 2017, 123, 136-140.	2.2	6
72	Are adverse childhood experiences and depression associated with impaired glucose tolerance in females? An experimental study. <i>Journal of Psychiatric Research</i> , 2017, 95, 60-67.	3.1	7

#	ARTICLE	IF	CITATIONS
73	Effects of mineralocorticoid-receptor stimulation on risk taking behavior in young healthy men and women. <i>Psychoneuroendocrinology</i> , 2017, 75, 132-140.	2.7	16
74	Effects of mineralocorticoid receptor blockade on empathy in patients with major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016, 16, 902-910.	2.0	17
75	Influence of the noradrenergic system on the formation of intrusive memories in women: an experimental approach with a trauma film paradigm. <i>Psychological Medicine</i> , 2016, 46, 2523-2534.	4.5	24
76	Increased hair testosterone but unaltered hair cortisol in female patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2016, 71, 176-179.	2.7	27
77	Mineralocorticoid receptor function in depressed patients and healthy individuals. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 183-188.	4.8	8
78	Mineralocorticoid receptor stimulation effects on spatial memory in healthy young adults: A study using the virtual Morris Water Maze task. <i>Neurobiology of Learning and Memory</i> , 2016, 136, 139-146.	1.9	14
79	Impact of exogenous cortisol on the formation of intrusive memories in healthy women. <i>Journal of Psychiatric Research</i> , 2016, 83, 71-78.	3.1	17
80	Major depressive disorder. <i>Nature Reviews Disease Primers</i> , 2016, 2, 16065.	30.5	1,171
81	Selective attention to emotional cues and emotion recognition in healthy subjects: the role of mineralocorticoid receptor stimulation. <i>Psychopharmacology</i> , 2016, 233, 3405-3415.	3.1	26
82	Association between major depression and cardiovascular risk: the role of antidepressant medication. <i>Psychopharmacology</i> , 2016, 233, 3289-3295.	3.1	12
83	Characterizing the phenotype of multiple sclerosis-associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1476-1484.	3.0	33
84	Does cortisol modulate emotion recognition and empathy?. <i>Psychoneuroendocrinology</i> , 2016, 66, 221-227.	2.7	48
85	The Role of Fludrocortisone in Cognition and Mood in Patients with Primary Adrenal Insufficiency (Addison's Disease). <i>Neuroendocrinology</i> , 2016, 103, 315-320.	2.5	18
86	Effects of hydrocortisone on false memory recognition in healthy men and women.. <i>Behavioral Neuroscience</i> , 2016, 130, 635-642.	1.2	3
87	Direct inhibition of retinoic acid catabolism by fluoxetine. <i>Journal of Neural Transmission</i> , 2015, 122, 1329-1338.	2.8	6
88	Effects of mineralocorticoid receptor stimulation via fludrocortisone on memory in women with borderline personality disorder. <i>Neurobiology of Learning and Memory</i> , 2015, 120, 94-100.	1.9	12
89	Cognitive function in patients with primary adrenal insufficiency (Addison's disease). <i>Psychoneuroendocrinology</i> , 2015, 55, 1-7.	2.7	28
90	Stimulation of the mineralocorticoid receptor improves memory in young and elderly healthy individuals. <i>Neurobiology of Aging</i> , 2015, 36, 919-924.	3.1	31

#	ARTICLE	IF	CITATIONS
91	Cognitive function in older adults with major depression: Effects of mineralocorticoid receptor stimulation. <i>Journal of Psychiatric Research</i> , 2015, 69, 120-125.	3.1	27
92	Online CBT in patients with multiple sclerosis and depression. <i>Lancet Psychiatry</i> , 2015, 2, 192-193.	7.4	1
93	Does fludrocortisone influence autobiographical memory retrieval? A study in patients with major depression, patients with borderline personality disorder and healthy controls. <i>Stress</i> , 2015, 18, 718-722.	1.8	8
94	Higher HPA axis activity in healthy participants compared to depressed patients after MR blockade: Evidence for attenuated MR function in depression. <i>Psychoneuroendocrinology</i> , 2015, 61, 54.	2.7	1
95	Effect of current and lifetime posttraumatic stress disorder on 24-h urinary catecholamines and cortisol: Results from the Mind Your Heart Study. <i>Psychoneuroendocrinology</i> , 2015, 52, 83-91.	2.7	72
96	Hair cortisol and cortisol awakening response are associated with criteria of the metabolic syndrome in opposite directions. <i>Psychoneuroendocrinology</i> , 2015, 51, 365-370.	2.7	71
97	Mineralocorticoid Receptor Stimulation Improves Cognitive Function and Decreases Cortisol Secretion in Depressed Patients and Healthy Individuals. <i>Neuropsychopharmacology</i> , 2015, 40, 386-393.	5.4	76
98	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 296-299.	1.3	8
99	Enhanced Emotional Empathy after Mineralocorticoid Receptor Stimulation in Women with Borderline Personality Disorder and Healthy Women. <i>Neuropsychopharmacology</i> , 2014, 39, 1799-1804.	5.4	59
100	Neuronal differences between chronic low back pain and depression regarding long-term habituation to pain. <i>European Journal of Pain</i> , 2014, 18, 701-711.	2.8	41
101	The Impact of Self-Reported Childhood Trauma on Emotion Regulation in Borderline Personality Disorder and Major Depression. <i>Journal of Trauma and Dissociation</i> , 2014, 15, 384-401.	1.9	108
102	Antidepressants, autonomic function and mortality in patients with coronary heart disease: data from the Heart and Soul Study. <i>Psychological Medicine</i> , 2014, 44, 2975-2984.	4.5	16
103	When time stands still. <i>Current Opinion in Psychiatry</i> , 2014, 27, 385-392.	6.3	26
104	Mood-congruent memory in depression – The influence of personal relevance and emotional context. <i>Psychiatry Research</i> , 2014, 215, 606-613.	3.3	18
105	Early life stress modulates amygdala-prefrontal functional connectivity: Implications for oxytocin effects. <i>Human Brain Mapping</i> , 2014, 35, 5328-5339.	3.6	106
106	Cortisol response to an experimental stress paradigm prospectively predicts long-term distress and resilience trajectories in response to active police service. <i>Journal of Psychiatric Research</i> , 2014, 56, 36-42.	3.1	76
107	Noradrenergic blockade and memory in patients with major depression and healthy participants. <i>Psychoneuroendocrinology</i> , 2014, 40, 86-90.	2.7	20
108	Altered autonomic arousal in psychosis: An analysis of vulnerability and specificity. <i>Schizophrenia Research</i> , 2014, 154, 73-78.	2.0	33

#	ARTICLE	IF	CITATIONS
109	Association Between Childhood Trauma and Low Hair Cortisol in Depressed Patients and Healthy Control Subjects. <i>Biological Psychiatry</i> , 2013, 74, e15-e17.	1.3	83
110	Acute glucocorticoid effects on response inhibition in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2013, 38, 2780-2788.	2.7	19
111	Depressive syndromes in neurological disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 123-136.	3.2	50
112	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013, 16, 191-201.	1.8	23
113	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013, 209, 439-446.	3.3	25
114	Hair testosterone and visuospatial memory in middle-aged men and women with and without depressive symptoms. <i>Psychoneuroendocrinology</i> , 2013, 38, 2373-2377.	2.7	17
115	Effects of cortisol on memory in women with borderline personality disorder: role of co-morbid post-traumatic stress disorder and major depression. <i>Psychological Medicine</i> , 2013, 43, 495-505.	4.5	33
116	Association between cortisol awakening response and memory function in major depression. <i>Psychological Medicine</i> , 2013, 43, 2255-2263.	4.5	27
117	Cortisol Response to Experimental Pain in Patients with Chronic Low Back Pain and Patients with Major Depression. <i>Pain Medicine</i> , 2013, 14, 498-503.	1.9	53
118	Depression, Anxiety, and Disturbed Sleep in Glaucoma. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 205-213.	1.8	82
119	Sex differences of salivary cortisol secretion in patients with major depression. <i>Stress</i> , 2012, 15, 105-109.	1.8	20
120	Introducing a novel method to assess cumulative steroid concentrations: Increased hair cortisol concentrations over 6 months in medicated patients with depression. <i>Stress</i> , 2012, 15, 348-353.	1.8	142
121	Childhood Trauma in Multiple Sclerosis. <i>Psychosomatic Medicine</i> , 2012, 74, 312-318.	2.0	49
122	Associations of childhood trauma with hypothalamic-pituitary-adrenal function in borderline personality disorder and major depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 1659-1668.	2.7	82
123	Decreased hydrocortisone sensitivity of T cell function in multiple sclerosis-associated major depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 1712-1718.	2.7	14
124	Changes in cortisol secretion during antidepressive treatment and cognitive improvement in patients with major depression: A longitudinal study. <i>Psychoneuroendocrinology</i> , 2012, 37, 685-692.	2.7	85
125	Cortisol has enhancing, rather than impairing effects on memory retrieval in PTSD. <i>Psychoneuroendocrinology</i> , 2012, 37, 1048-1056.	2.7	44
126	Statin Use and Risk of Depression in Patients With Coronary Heart Disease. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 610-615.	2.2	56

#	ARTICLE	IF	CITATIONS
127	Cortisol Awakening Response Prospectively Predicts Peritraumatic and Acute Stress Reactions in Police Officers. <i>Biological Psychiatry</i> , 2011, 70, 1055-1062.	1.3	59
128	Endocrine and immune substrates of depressive symptoms and fatigue in multiple sclerosis patients with comorbid major depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 814-818.	1.9	85
129	Immediate and early behavioral interventions for the prevention of acute and posttraumatic stress disorder. <i>Current Opinion in Psychiatry</i> , 2011, 24, 526-532.	6.3	51
130	Pretraumatic prolonged elevation of salivary MHPG predicts peritraumatic distress and symptoms of post-traumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 735-741.	3.1	24
131	Association of a common mineralocorticoid receptor gene polymorphism with salivary cortisol in healthy adults. <i>Psychoneuroendocrinology</i> , 2011, 36, 298-301.	2.7	16
132	Hydrocortisone impairs working memory in healthy humans, but not in patients with major depressive disorder. <i>Psychopharmacology</i> , 2011, 215, 71-79.	3.1	44
133	Cognitive behavioral therapy in anxiety disorders: current state of the evidence. <i>Dialogues in Clinical Neuroscience</i> , 2011, 13, 413-421.	3.7	218
134	Effects of Acute Hydrocortisone Administration on Declarative Memory in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1644-1650.	2.2	26
135	Current developments and controversies: does the serotonin transporter gene-linked polymorphic region (5-HTTLPR) modulate the association between stress and depression?. <i>Current Opinion in Psychiatry</i> , 2010, 23, 582-587.	6.3	42
136	Association Between a Serotonin Transporter Gene Variant and Hopelessness Among Men in the Heart and Soul Study. <i>Journal of General Internal Medicine</i> , 2010, 25, 1030-1037.	2.6	26
137	Modulation of the mineralocorticoid receptor as add-on treatment in depression: A randomized, double-blind, placebo-controlled proof-of-concept study. <i>Journal of Psychiatric Research</i> , 2010, 44, 339-346.	3.1	115
138	Effects of acute cortisol administration on autobiographical memory in patients with major depression and healthy controls. <i>Psychoneuroendocrinology</i> , 2010, 35, 316-320.	2.7	52
139	Glucocorticoid Receptor Gene, Low-Grade Inflammation, and Heart Failure: The Heart and Soul Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2885-2891.	3.6	32
140	Serotonin transporter gene-linked polymorphic region (5-HTTLPR) and diurnal cortisol: A sex by genotype interaction. <i>Biological Psychology</i> , 2010, 85, 344-346.	2.2	20
141	Correlates of cognitive dysfunction in multiple sclerosis. <i>Brain, Behavior, and Immunity</i> , 2010, 24, 1148-1155.	4.1	91
142	Serum brain-derived neurotrophic factor predicts responses to escitalopram in chronic posttraumatic stress disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1279-1284.	4.8	45
143	Depression and platelet activation in outpatients with stable coronary heart disease: Findings from the Heart and Soul Study. <i>Psychiatry Research</i> , 2010, 175, 200-204.	3.3	27
144	Depressive symptoms and metabolic risk: Effects of cortisol and gender. <i>Psychoneuroendocrinology</i> , 2009, 34, 1004-1011.	2.7	66

#	ARTICLE	IF	CITATIONS
145	Glucocorticoid receptor gene and depression in patients with coronary heart disease: The Heart and Soul Study"2009 Curt Richter Award Winner. <i>Psychoneuroendocrinology</i> , 2009, 34, 1574-1581.	2.7	29
146	Prospective Prediction of Posttraumatic Stress Disorder Symptoms Using Fear Potentiated Auditory Startle Responses. <i>Biological Psychiatry</i> , 2009, 65, 235-240.	1.3	141
147	Cognitive Impairment in Major Depression: Association with Salivary Cortisol. <i>Biological Psychiatry</i> , 2009, 66, 879-885.	1.3	177
148	Depression and Whole Blood Serotonin in Patients With Coronary Heart Disease From the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2009, 71, 260-265.	2.0	34
149	When the half-full glass is appraised as half empty and memorised as completely empty: Mood-congruent true and false recognition in depression is modulated by salience. <i>Memory</i> , 2008, 16, 810-820.	1.7	24
150	Depressive Symptoms, Health Behaviors, and Risk of Cardiovascular Events in Patients With Coronary Heart Disease. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 2379.	7.4	694
151	Drs. Otte and Whooley Reply. <i>American Journal of Psychiatry</i> , 2008, 165, 137-138.	7.2	0
152	Incomplete remission in depression: role of psychiatric and somatic comorbidity. <i>Dialogues in Clinical Neuroscience</i> , 2008, 10, 453-460.	3.7	37
153	Association of a Serotonin Transporter Polymorphism (5-HTTLPR) With Depression, Perceived Stress, and Norepinephrine in Patients With Coronary Disease: The Heart and Soul Study. <i>American Journal of Psychiatry</i> , 2007, 164, 1379-1384.	7.2	135
154	Associations between childhood trauma and emotion-modulated psychophysiological responses to startling sounds: A study of police cadets.. <i>Journal of Abnormal Psychology</i> , 2007, 116, 352-361.	1.9	51
155	Stress regulation in multiple sclerosis " current issues and concepts. <i>Multiple Sclerosis Journal</i> , 2007, 13, 143-148.	3.0	34
156	Blockade of the Mineralocorticoid Receptor in Healthy Men: Effects on Experimentally Induced Panic Symptoms, Stress Hormones, and Cognition. <i>Neuropsychopharmacology</i> , 2007, 32, 232-238.	5.4	87
157	Effects of Metyrapone on Hypothalamic-Pituitary-Adrenal Axis and Sleep in Women with Post-Traumatic Stress Disorder. <i>Biological Psychiatry</i> , 2007, 61, 952-956.	1.3	46
158	Hypothalamic-Pituitary-Adrenocortical Axis Activity: A Target of Pharmacological Anticraving Treatment?. <i>Biological Psychiatry</i> , 2006, 60, 74-76.	1.3	60
159	Mineralocorticoid Receptor Function in Posttraumatic Stress Disorder After Pretreatment with Metyrapone. <i>Biological Psychiatry</i> , 2006, 60, 784-787.	1.3	17
160	Effects of treatment with acamprosate on $\hat{1}^2$ -endorphin plasma concentration in humans with high alcohol preference. <i>Neuroscience Letters</i> , 2006, 404, 103-106.	2.1	21
161	Predictors of Posttraumatic Stress in Police and Other First Responders. <i>Annals of the New York Academy of Sciences</i> , 2006, 1071, 1-18.	3.8	297
162	Neuroendocrine Regulation of Sleep Disturbances in PTSD. <i>Annals of the New York Academy of Sciences</i> , 2006, 1071, 203-215.	3.8	32

#	ARTICLE	IF	CITATIONS
163	Association Between Alexithymia and Neuroendocrine Response to Psychological Stress in Police Academy Recruits. <i>Annals of the New York Academy of Sciences</i> , 2006, 1071, 425-427.	3.8	5
164	Increased Cortisol in Women With Intimate Partner Violence-Related Posttraumatic Stress Disorder. <i>Annals of the New York Academy of Sciences</i> , 2006, 1071, 428-429. Increased cortisol in women with intimate partner violence-related posttraumatic stress disorder	3.8	39
165	Research was conducted at the University of Pittsburgh. First author is now at the Department of Veterans Affairs, San Francisco and at the University of California, San Francisco. Portions of this data were presented at the New York Academy of Sciences Meeting; Psychobiology of Post-Traumatic Stress Disorder: A Decade of Progress. New York (September 11-13, 2005). An extended abstract of this presentation. <i>Psychoneuroendocrinology</i> , 2006, 31, 825-838.	2.7	89
166	No Improvement of Posttraumatic Stress Disorder Symptoms With Guanfacine Treatment. <i>American Journal of Psychiatry</i> , 2006, 163, 2186.	7.2	52
167	Association of Metabolic Syndrome With Exercise Capacity and Heart Rate Recovery in Patients With Coronary Heart Disease in the Heart and Soul Study. <i>American Journal of Cardiology</i> , 2005, 95, 1175-1179.	1.6	43
168	A meta-analysis of cortisol response to challenge in human aging: importance of gender. <i>Psychoneuroendocrinology</i> , 2005, 30, 80-91.	2.7	346
169	Depression and cortisol responses to psychological stress: A meta-analysis. <i>Psychoneuroendocrinology</i> , 2005, 30, 846-856.	2.7	948
170	Increasing leptin precedes craving and relapse during pharmacological abstinence maintenance treatment of alcoholism. <i>Journal of Psychiatric Research</i> , 2005, 39, 545-551.	3.1	72
171	Hypothalamic-Pituitary-Adrenal Axis Activity and Sleep in Posttraumatic Stress Disorder. <i>Neuropsychopharmacology</i> , 2005, 30, 1173-1180.	5.4	58
172	Depressive Symptoms and 24-Hour Urinary Norepinephrine Excretion Levels in Patients With Coronary Disease: Findings From the Heart and Soul Study. <i>American Journal of Psychiatry</i> , 2005, 162, 2139-2145.	7.2	104
173	Pharmacological Relapse Prevention of Alcoholism: Clinical Predictors of Outcome. <i>European Addiction Research</i> , 2005, 11, 83-91.	2.4	96
174	Association between childhood trauma and catecholamine response to psychological stress in police academy recruits. <i>Biological Psychiatry</i> , 2005, 57, 27-32.	1.3	107
175	Effects of hatha yoga and african dance on perceived stress, affect, and salivary cortisol. <i>Annals of Behavioral Medicine</i> , 2004, 28, 114-118.	2.9	319
176	Depression and 24-hour urinary cortisol in medical outpatients with coronary heart disease: The Heart and Soul Study. <i>Biological Psychiatry</i> , 2004, 56, 241-247.	1.3	118
177	Overnight metyrapone and combined dexamethasone/metyrapone tests in post-traumatic stress disorder: preliminary findings. <i>European Neuropsychopharmacology</i> , 2004, 14, 337-339.	0.7	14
178	Valproate Monotherapy in the Treatment of Civilian Patients With Non-combat-related Posttraumatic Stress Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 106-108.	1.4	31
179	Methylation status of the retinoblastoma gene (RB1) in osteosarcoma: no evidence for hypermethylation. <i>Pediatric Hematology and Oncology</i> , 2004, 21, 57-65.	0.8	1
180	The mineralocorticoid receptor agonist, fludrocortisone, inhibits pituitary-adrenal activity in humans after pre-treatment with metyrapone. <i>Life Sciences</i> , 2003, 73, 1835-1845.	4.3	48

#	ARTICLE	IF	CITATIONS
181	Mineralocorticoid Receptor-Mediated Inhibition of the Hypothalamic-Pituitary-Adrenal Axis in Aged Humans. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003, 58, B900-B905.	3.6	46
182	Delta Sleep Response to Metyrapone in Post-Traumatic Stress Disorder. <i>Neuropsychopharmacology</i> , 2003, 28, 1666-1676.	5.4	73
183	Atypical antipsychotics in the treatment of schizophrenic patients. <i>Expert Review of Neurotherapeutics</i> , 2002, 2, 355-362.	2.8	2
184	Mineralocorticoid Receptor Function in Patients With Posttraumatic Stress Disorder. <i>American Journal of Psychiatry</i> , 2002, 159, 1938-1940.	7.2	45
185	Prolactin but not ACTH increases during sodium lactate-induced panic attacks. <i>Psychiatry Research</i> , 2002, 109, 201-205.	3.3	14