

Jiwen Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/434569/publications.pdf>

Version: 2024-02-01

236
papers

5,791
citations

101543

36
h-index

118850

62
g-index

240
all docs

240
docs citations

240
times ranked

7093
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Prognostic role of neutrophil-to-lymphocyte ratio in colorectal cancer: A systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2014, 134, 2403-2413. | 5.1 | 354 |
| 2 | Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin's lymphoma: evidence from a meta-analysis. <i>Chinese Journal of Cancer</i> , 2015, 34, 108-114. | 4.9 | 326 |
| 3 | Polymorphisms in the XPG gene and risk of gastric cancer in Chinese populations. <i>Human Genetics</i> , 2012, 131, 1235-1244. | 3.8 | 168 |
| 4 | METTL3 promotes ovarian carcinoma growth and invasion through the regulation of AXL translation and epithelial to mesenchymal transition. <i>Gynecologic Oncology</i> , 2018, 151, 356-365. | 1.4 | 139 |
| 5 | Identification of 38 novel loci for systemic lupus erythematosus and genetic heterogeneity between ancestral groups. <i>Nature Communications</i> , 2021, 12, 772. | 12.8 | 128 |
| 6 | MALAT1 is a prognostic factor in glioblastoma multiforme and induces chemoresistance to temozolomide through suppressing miR-203 and promoting thymidylate synthase expression. <i>Oncotarget</i> , 2017, 8, 22783-22799. | 1.8 | 122 |
| 7 | Genetic variations of mTORC1 genes and risk of gastric cancer in an eastern chinese population. <i>Molecular Carcinogenesis</i> , 2013, 52, 70-79. | 2.7 | 118 |
| 8 | Association of potentially functional variants in the XPG gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1481-1490. | 3.6 | 105 |
| 9 | Circulating miR-208b and miR-34a Are Associated with Left Ventricular Remodeling after Acute Myocardial Infarction. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5774-5788. | 4.1 | 100 |
| 10 | Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 11, 1-8. | 5.1 | 98 |
| 11 | miR-134: A Human Cancer Suppressor?. <i>Molecular Therapy - Nucleic Acids</i> , 2017, 6, 140-149. | 5.1 | 96 |
| 12 | Long non-coding RNA LINC01133 represses KLF2, P21 and E-cadherin transcription through binding with EZH2, LSD1 in non small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 11696-11707. | 1.8 | 92 |
| 13 | miR-200c suppresses endometriosis by targeting MALAT1 in vitro and in vivo. <i>Stem Cell Research and Therapy</i> , 2017, 8, 251. | 5.5 | 91 |
| 14 | Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , 2018, 30, 113-119. | 6.1 | 85 |
| 15 | Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2015, 4, 6159. | 3.3 | 83 |
| 16 | Inhibition of SALL4 reduces tumorigenicity involving epithelial-mesenchymal transition via Wnt/ β -catenin pathway in esophageal squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 98. | 8.6 | 75 |
| 17 | METTL3 restrains papillary thyroid cancer progression via m6A/c-Rel/IL-8-mediated neutrophil infiltration. <i>Molecular Therapy</i> , 2021, 29, 1821-1837. | 8.2 | 75 |
| 18 | D-mannose facilitates immunotherapy and radiotherapy of triple-negative breast cancer via degradation of PD-L1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 7.1 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | New Frontiers in Genetics, Gut Microbiota, and Immunity: A Rosetta Stone for the Pathogenesis of Inflammatory Bowel Disease. <i>BioMed Research International</i> , 2017, 2017, 1-17. | 1.9 | 64 |
| 20 | The <i>TP53</i> gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , 2017, 9, 852-859. | 3.1 | 58 |
| 21 | Prognostic Role of Pre-Treatment Serum AFP-L3% in Hepatocellular Carcinoma: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e87011. | 2.5 | 55 |
| 22 | Reduced Fetal Telomere Length in Gestational Diabetes. <i>PLoS ONE</i> , 2014, 9, e86161. | 2.5 | 52 |
| 23 | Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. <i>Scientific Reports</i> , 2015, 5, 14237. | 3.3 | 51 |
| 24 | Downregulation of miRNA-638 promotes angiogenesis and growth of hepatocellular carcinoma by targeting VEGF. <i>Oncotarget</i> , 2016, 7, 30702-30711. | 1.8 | 51 |
| 25 | Transcriptome analysis of EGFR tyrosine kinase inhibitors resistance associated long noncoding RNA in non-small cell lung cancer. <i>Biomedicine and Pharmacotherapy</i> , 2017, 87, 20-26. | 5.6 | 50 |
| 26 | Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , 2017, 10, 936-941. | 3.7 | 49 |
| 27 | <i>NFKB1</i> -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. <i>Oncotarget</i> , 2017, 8, 9806-9822. | 1.8 | 49 |
| 28 | Prognostic role of pretreatment blood lymphocyte count in patients with solid tumors: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2020, 20, 15. | 4.1 | 48 |
| 29 | Methylation levels at IGF2 and GNAS DMRs in infants born to preeclamptic pregnancies. <i>BMC Genomics</i> , 2013, 14, 472. | 2.8 | 45 |
| 30 | Genome-Wide Association Study of Susceptibility Loci for Radiation-Induced Brain Injury. <i>Journal of the National Cancer Institute</i> , 2019, 111, 620-628. | 6.3 | 45 |
| 31 | METTL14 Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 22, 17-26. | 5.1 | 41 |
| 32 | Potentially functional polymorphisms in the <i>LIN28B</i> gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1534-1541. | 3.6 | 40 |
| 33 | BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. <i>EBioMedicine</i> , 2017, 16, 101-105. | 6.1 | 40 |
| 34 | Associations between lncRNA MEG3 polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , 2018, 10, 481-491. | 3.1 | 40 |
| 35 | Induction of Sertoli-like cells from human fibroblasts by NR5A1 and GATA4. <i>ELife</i> , 2019, 8, . | 6.0 | 40 |
| 36 | Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 854-860. | 5.1 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. <i>Cancer Communications</i> , 2020, 40, 641-646. | 9.2 | 39 |
| 38 | Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , 2016, 37, 1635-1639. | 1.8 | 37 |
| 39 | LncRNA XIST facilitates cell growth, migration and invasion via modulating H3 histone methylation of DKK1 in neuroblastoma. <i>Cell Cycle</i> , 2019, 18, 1882-1892. | 2.6 | 37 |
| 40 | MicroRNA-20a-5p targets RUNX3 to regulate proliferation and migration of human hepatocellular cancer cells. <i>Oncology Reports</i> , 2016, 36, 3379-3386. | 2.6 | 36 |
| 41 | Relevance of LIG4 gene polymorphisms with cancer susceptibility: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2014, 4, 6630. | 3.3 | 35 |
| 42 | Identification of an immune-related gene-based signature to predict prognosis of patients with gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2020, 12, 857-876. | 2.0 | 35 |
| 43 | Protein Regulator of Cytokinesis PRC1 Confers Chemoresistance and Predicts an Unfavorable Postoperative Survival of Hepatocellular Carcinoma Patients. <i>Journal of Cancer</i> , 2017, 8, 801-808. | 2.5 | 34 |
| 44 | Expression of circulating microRNA-20a and let-7a in esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2015, 21, 4660-4665. | 3.3 | 34 |
| 45 | Functions, mechanisms, and therapeutic implications of METTL14 in human cancer. <i>Journal of Hematology and Oncology</i> , 2022, 15, 13. | 17.0 | 34 |
| 46 | Association of BRCA2 N372H polymorphism with cancer susceptibility: A comprehensive review and meta-analysis. <i>Scientific Reports</i> , 2014, 4, 6791. | 3.3 | 33 |
| 47 | Association between PLCE1 rs2274223 A & G polymorphism and cancer risk: proof from a meta-analysis. <i>Scientific Reports</i> , 2015, 5, 7986. | 3.3 | 31 |
| 48 | Polymorphisms in the <i>AKT1</i> and <i>AKT2</i> genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 666-677. | 3.6 | 31 |
| 49 | Solute carrier family 35 member F2 is indispensable for papillary thyroid carcinoma progression through activation of transforming growth factor- β type I receptor/apoptosis signal-regulating kinase 1/mitogen-activated protein kinase signaling axis. <i>Cancer Science</i> , 2018, 109, 642-655. | 3.9 | 31 |
| 50 | Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. <i>EBioMedicine</i> , 2018, 33, 88-93. | 6.1 | 31 |
| 51 | <i>LMO1</i> gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , 2016, 7, 22770-22778. | 1.8 | 31 |
| 52 | Blockade of Cannabinoid CB1 receptor attenuates the acquisition of morphine-induced conditioned place preference along with a downregulation of ERK, CREB phosphorylation, and BDNF expression in the nucleus accumbens and hippocampus. <i>Neuroscience Letters</i> , 2016, 630, 70-76. | 2.1 | 30 |
| 53 | <i>HOTAIR</i> gene polymorphisms contribute to increased neuroblastoma susceptibility in Chinese children. <i>Cancer</i> , 2018, 124, 2599-2606. | 4.1 | 30 |
| 54 | Arsenic trioxide inhibits EMT in hepatocellular carcinoma by promoting lncRNA MEG3 via PKM2. <i>Biochemical and Biophysical Research Communications</i> , 2019, 513, 834-840. | 2.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Genetic variants in m6A modification core genes are associated with glioma risk in Chinese children. <i>Molecular Therapy - Oncolytics</i> , 2021, 20, 199-208. | 4.4 | 30 |
| 56 | Association between genetic variants in the XPG gene and gastric cancer risk in a Southern Chinese population. <i>Aging</i> , 2016, 8, 3311-3320. | 3.1 | 30 |
| 57 | LINC00673 rs11655237 C>T Polymorphism Impacts Hepatoblastoma Susceptibility in Chinese Children. <i>Frontiers in Genetics</i> , 2019, 10, 506. | 2.3 | 29 |
| 58 | Association of KRAS and NRAS gene polymorphisms with Wilms tumor risk: a four-center case-control study. <i>Aging</i> , 2019, 11, 1551-1563. | 3.1 | 28 |
| 59 | XPG Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. <i>Journal of Cancer</i> , 2016, 7, 1731-1739. | 2.5 | 27 |
| 60 | LINC00673 rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , 2018, 38, . | 2.4 | 27 |
| 61 | Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. <i>Cancer Management and Research</i> , 2018, Volume 10, 765-774. | 1.9 | 27 |
| 62 | Proton pump inhibitors can reverse the YAP mediated paclitaxel resistance in epithelial ovarian cancer. <i>BMC Molecular and Cell Biology</i> , 2019, 20, 49. | 2.0 | 27 |
| 63 | ABIN3 Negatively Regulates Necroptosis-induced Intestinal Inflammation Through Recruiting A20 and Restricting the Ubiquitination of RIPK3 in Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 99-114. | 1.3 | 27 |
| 64 | The Association between GWAS-identified BARD1 Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , 2016, 13, 133-138. | 2.5 | 26 |
| 65 | Preoperative aspartate aminotransferase-to-platelet ratio index (APRI) is a predictor on postoperative outcomes of hepatocellular carcinoma. <i>Medicine (United States)</i> , 2016, 95, e5486. | 1.0 | 26 |
| 66 | SLC34A2 simultaneously promotes papillary thyroid carcinoma growth and invasion through distinct mechanisms. <i>Oncogene</i> , 2020, 39, 2658-2675. | 5.9 | 26 |
| 67 | Integrin Subunit beta 8 (ITGB8) Upregulation Is an Independent Predictor of Unfavorable Survival of High-Grade Serous Ovarian Carcinoma Patients. <i>Medical Science Monitor</i> , 2018, 24, 8933-8940. | 1.1 | 26 |
| 68 | New progress of non-surgical treatments for hepatocellular carcinoma. <i>Medical Oncology</i> , 2013, 30, 381. | 2.5 | 25 |
| 69 | Association of LEP G2548A and LEPR Q223R Polymorphisms with Cancer Susceptibility: Evidence from a Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e75135. | 2.5 | 25 |
| 70 | MicroRNA expression profiles and networks in placentas complicated with selective intrauterine growth restriction. <i>Molecular Medicine Reports</i> , 2017, 16, 6650-6673. | 2.4 | 25 |
| 71 | Association between TP53 gene Arg72Pro polymorphism and Wilms's tumor risk in a Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1149-1154. | 2.0 | 25 |
| 72 | Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. <i>Genes</i> , 2016, 7, 73. | 2.4 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | MiR-181a/b induce the growth, invasion, and metastasis of neuroblastoma cells through targeting ABI1. <i>Molecular Carcinogenesis</i> , 2018, 57, 1237-1250. | 2.7 | 24 |
| 74 | WTAP Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. <i>Molecular Therapy - Oncolytics</i> , 2020, 18, 118-125. | 4.4 | 24 |
| 75 | LMO1 polymorphisms reduce neuroblastoma risk in Chinese children: a two-center case-control study. <i>Oncotarget</i> , 2017, 8, 65620-65626. | 1.8 | 24 |
| 76 | A novel TP53 variant (rs78378222 A & C) in the polyadenylation signal is associated with increased cancer susceptibility: evidence from a meta-analysis. <i>Oncotarget</i> , 2016, 7, 32854-32865. | 1.8 | 24 |
| 77 | Meta-Analysis of the Prognostic and Diagnostic Significance of Serum/Plasma Osteopontin in Hepatocellular Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2014, 48, 806-814. | 2.2 | 23 |
| 78 | Potentially functional polymorphisms in the ERCC2 gene and risk of Esophageal Squamous Cell Carcinoma in Chinese populations. <i>Scientific Reports</i> , 2014, 4, 6281. | 3.3 | 23 |
| 79 | OGT regulated O-GlcNAcylation promotes papillary thyroid cancer malignancy via activating YAP. <i>Oncogene</i> , 2021, 40, 4859-4871. | 5.9 | 23 |
| 80 | Major hepatectomy is safe for hepatocellular carcinoma in elderly patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 444-451. | 1.6 | 22 |
| 81 | Effect of ApoA4 on SERPINA3 mediated by nuclear receptors NR4A1 and NR1D1 in hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 2017, 487, 327-332. | 2.1 | 22 |
| 82 | FABP4 deactivates NF- κ B pathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. <i>Clinical and Translational Medicine</i> , 2021, 11, e395. | 4.0 | 22 |
| 83 | RAN/RANBP2 polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. <i>Aging</i> , 2018, 10, 808-818. | 3.1 | 22 |
| 84 | Placental imbalance of Th1- and Th2-type cytokines in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 788-793. | 2.8 | 21 |
| 85 | Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017, 8, 24362-24371. | 1.8 | 21 |
| 86 | A Functional Polymorphism (rs2494752) in the AKT1 Promoter Region and Gastric Adenocarcinoma Risk in an Eastern Chinese Population. <i>Scientific Reports</i> , 2016, 6, 20008. | 3.3 | 20 |
| 87 | The correlation between LIN28B gene potentially functional variants and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, . | 2.1 | 20 |
| 88 | Association between METTL3 gene polymorphisms and neuroblastoma susceptibility: A nine-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9280-9286. | 3.6 | 20 |
| 89 | Relevance of XPD polymorphisms to neuroblastoma risk in Chinese children: a four-center case-control study. <i>Aging</i> , 2018, 10, 1989-2000. | 3.1 | 20 |
| 90 | ALKBH5 gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23251. | 2.1 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Additional data support the role of <i>LINC00673</i> rs11655237 C>T in the development of neuroblastoma. <i>Aging</i> , 2019, 11, 2369-2377. | 3.1 | 19 |
| 92 | Genetic variant of PRKAA1 and gastric cancer risk in an eastern Chinese population. <i>Oncotarget</i> , 2015, 6, 42661-42666. | 1.8 | 18 |
| 93 | Polymorphisms in the <i>XPC</i> gene and gastric cancer susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5513-5519. | 2.0 | 18 |
| 94 | <i>LMO1</i> super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2018, 9, 1592-1597. | 2.5 | 17 |
| 95 | <i>YTHDC1</i> gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3249. | 2.8 | 17 |
| 96 | <i>YTHDF1</i> rs6090311 A>G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. <i>Journal of Cancer</i> , 2020, 11, 5129-5134. | 2.5 | 17 |
| 97 | <i>XRCC1</i> gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018, 10, 2944-2953. | 3.1 | 17 |
| 98 | <i>CASC15</i> gene polymorphisms reduce neuroblastoma risk in Chinese children. <i>Oncotarget</i> , 2017, 8, 91343-91349. | 1.8 | 17 |
| 99 | <i>XPG</i> rs2296147 T>C polymorphism predicted clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2016, 7, 11724-11732. | 1.8 | 17 |
| 100 | Dysregulation of miR-638 in hepatocellular carcinoma and its clinical significance. <i>Oncology Letters</i> , 2017, 13, 3859-3865. | 1.8 | 16 |
| 101 | Placenta-specific protein 1 promotes cell proliferation and invasion in non-small cell lung cancer. <i>Oncology Reports</i> , 2018, 39, 53-60. | 2.6 | 16 |
| 102 | Polymorphisms in <i>MYCN</i> gene and neuroblastoma risk in Chinese children: a 3-center case-control study. <i>Cancer Management and Research</i> , 2018, Volume 10, 1807-1816. | 1.9 | 16 |
| 103 | NRAS and KRAS polymorphisms are not associated with hepatoblastoma susceptibility in Chinese children. <i>Experimental Hematology and Oncology</i> , 2019, 8, 11. | 5.0 | 16 |
| 104 | Associations between <i>H19</i> polymorphisms and neuroblastoma risk in Chinese children. <i>Bioscience Reports</i> , 2019, 39, . | 2.4 | 16 |
| 105 | The role of m6A modification in pediatric cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2022, 1877, 188691. | 7.4 | 16 |
| 106 | <i>PSCA</i> polymorphisms and gastric cancer susceptibility in an eastern Chinese population. <i>Oncotarget</i> , 2016, 7, 9420-9428. | 1.8 | 15 |
| 107 | Association of the <i>TP53</i> rs1042522 C>G polymorphism and hepatoblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 3444-3449. | 2.5 | 15 |
| 108 | <i>LIN28A</i> gene polymorphisms modify neuroblastoma susceptibility: A four-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 1059-1066. | 3.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Association of <i>TP53</i> rs1042522 C>G and <i>miR-34b/c</i> rs4938723 T>C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3182. | 2.8 | 15 |
| 110 | Incidence and Risk Factors of Postpartum Hemorrhage in China: A Multicenter Retrospective Study. <i>Frontiers in Medicine</i> , 2021, 8, 673500. | 2.6 | 15 |
| 111 | Associations between <i>CYP1A1</i> rs1048943 A > G and rs4646903 T > C genetic variations and colorectal cancer risk: Proof from 26 case-control studies. <i>Oncotarget</i> , 2016, 7, 51365-51374. | 1.8 | 15 |
| 112 | <i>H19</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children: a six-center case-control study. <i>Journal of Cancer</i> , 2019, 10, 6358-6363. | 2.5 | 14 |
| 113 | <i>METTL3</i> polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3255. | 2.8 | 14 |
| 114 | Obstetric outcomes for twins from different conception methods – A multicenter cross-sectional study from China. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1061-1067. | 2.8 | 14 |
| 115 | Sublethal heat treatment promotes epithelial-mesenchymal transition and enhances the malignant potential of hepatocellular carcinoma. <i>Hepatology</i> , 2014, 59, 1650-1650. | 7.3 | 13 |
| 116 | CASP7 variants modify susceptibility to cervical cancer in Chinese women. <i>Scientific Reports</i> , 2015, 5, 9225. | 3.3 | 13 |
| 117 | No association between <i>MTRR</i> rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. <i>Leukemia and Lymphoma</i> , 2015, 56, 763-767. | 1.3 | 13 |
| 118 | Association Between <i>HACE1</i> Gene Polymorphisms and Wilms' Tumor Risk in a Chinese Population. <i>Cancer Investigation</i> , 2017, 35, 633-638. | 1.3 | 13 |
| 119 | Association of <i>MTRR</i> A66G polymorphism with cancer susceptibility: Evidence from 85 studies. <i>Journal of Cancer</i> , 2017, 8, 266-277. | 2.5 | 13 |
| 120 | Associations between <i>LMO1</i> gene polymorphisms and Wilms' tumor susceptibility. <i>Oncotarget</i> , 2017, 8, 50665-50672. | 1.8 | 13 |
| 121 | <i>LIN28A</i> gene polymorphisms confer Wilms tumour susceptibility: A four-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 7105-7110. | 3.6 | 12 |
| 122 | Association of polymorphisms in <i>MALAT1</i> with the risk of endometrial cancer in Southern Chinese women. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23146. | 2.1 | 12 |
| 123 | Association between <i>lncRNA-H19</i> polymorphisms and hepatoblastoma risk in an ethnic Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 742-750. | 3.6 | 12 |
| 124 | Genetic variations in nucleotide excision repair pathway genes and hepatoblastoma susceptibility. <i>International Journal of Cancer</i> , 2021, 149, 1649-1658. | 5.1 | 12 |
| 125 | Pleiotropic effect of common <i>PHOX2B</i> variants in Hirschsprung disease and neuroblastoma. <i>Aging</i> , 2019, 11, 1252-1261. | 3.1 | 12 |
| 126 | <i>MDM4</i> genetic variants and risk of gastric cancer in an eastern Chinese population. <i>Oncotarget</i> , 2017, 8, 19547-19555. | 1.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | <i>miR-423</i> rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , 2018, 9, 2460-2465. | 2.5 | 11 |
| 128 | LINC00673 rs11655237 C>T and susceptibility to Wilms tumor: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2019, 21, e3133. | 2.8 | 11 |
| 129 | <i>LIN28B</i> gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2020, 11, 3512-3518. | 2.5 | 11 |
| 130 | ALKBH5 Gene Polymorphisms and Hepatoblastoma Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2021, 2021, 1-6. | 1.3 | 11 |
| 131 | Association of Interleukin-10 $\hat{3}575T>A$ and $\hat{1}082A>G$ polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. <i>Molecular Genetics and Genomics</i> , 2015, 290, 2063-2073. | 2.1 | 10 |
| 132 | A Prospective, Randomized Comparison of Intramuscular Phloroglucinol Versus Oral Misoprostol for Cervix Pretreatment Before Diagnostic Hysteroscopy. <i>International Surgery</i> , 2015, 100, 1207-1211. | 0.1 | 10 |
| 133 | LMO1 Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. <i>Frontiers in Oncology</i> , 2018, 8, 468. | 2.8 | 10 |
| 134 | The rs2147578 $\hat{C} > G$ polymorphism in the Inc-LAMC2 $\hat{1}:1$ gene is associated with increased neuroblastoma risk in the Henan children. <i>BMC Cancer</i> , 2018, 18, 948. | 2.6 | 10 |
| 135 | <i>TP53</i> rs1042522 C>G polymorphism and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Bioscience Reports</i> , 2019, 39, . | 2.4 | 10 |
| 136 | <i>YTHDF1</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children: an eight-center case-control study. <i>Journal of Cancer</i> , 2021, 12, 2465-2471. | 2.5 | 10 |
| 137 | YTHDC1 gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Aging</i> , 2021, 13, 25426-25439. | 3.1 | 10 |
| 138 | Epidemiologic report and serologic findings for household contacts of three cases of influenza A (H7N9) virus infection. <i>Journal of Clinical Virology</i> , 2014, 59, 129-131. | 3.1 | 9 |
| 139 | The association between <i>RFC1</i> G80A polymorphism and cancer susceptibility: Evidence from 33 studies. <i>Journal of Cancer</i> , 2016, 7, 144-152. | 2.5 | 9 |
| 140 | Lack of Associations between <i>XPC</i> Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. <i>BioMed Research International</i> , 2016, 2016, 1-6. | 1.9 | 9 |
| 141 | Common variations within <i>HACE1</i> gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 703-709. | 2.0 | 9 |
| 142 | <i>TP53</i> gene rs1042522 allele G decreases neuroblastoma risk: a two-centre case-control study. <i>Journal of Cancer</i> , 2019, 10, 467-471. | 2.5 | 9 |
| 143 | Predictive model for risk of gastric cancer using genetic variants from genome-wide association studies and high-evidence meta-analysis. <i>Cancer Medicine</i> , 2020, 9, 7310-7316. | 2.8 | 9 |
| 144 | The contribution of WTAP gene variants to Wilms tumor susceptibility. <i>Gene</i> , 2020, 754, 144839. | 2.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | The Association between NQO1 Pro187Ser Polymorphism and Bladder Cancer Susceptibility: A Meta-Analysis of 15 Studies. PLoS ONE, 2015, 10, e0116500. | 2.5 | 9 |
| 146 | Targeting RAS in neuroblastoma: Is it possible?. , 2022, 236, 108054. | | 9 |
| 147 | Sex-specific cardiopulmonary exercise testing indices related to hemodynamics in idiopathic pulmonary arterial hypertension. Therapeutic Advances in Respiratory Disease, 2017, 11, 135-145. | 2.6 | 8 |
| 148 | Association of miR-34b/c rs4938723 and TP53 Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. Translational Oncology, 2019, 12, 1282-1288. | 3.7 | 8 |
| 149 | miR-34b/c rs4938723 T>C Decreases Neuroblastoma Risk: A Replication Study in the Hunan Children. Disease Markers, 2019, 2019, 1-6. | 1.3 | 8 |
| 150 | Common genetic variants in pre-microRNAs are associated with cervical cancer susceptibility in southern Chinese women. Journal of Cancer, 2020, 11, 2133-2138. | 2.5 | 8 |
| 151 | <p>HMGA2 Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study</p>. Pharmacogenomics and Personalized Medicine, 2020, Volume 13, 51-57. | 0.7 | 8 |
| 152 | Impact of <i>YTHDF1</i> gene polymorphisms on Wilms tumor susceptibility: A five-center case-control study. Journal of Clinical Laboratory Analysis, 2021, 35, e23875. | 2.1 | 8 |
| 153 | Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. Gene, 2021, 800, 145834. | 2.2 | 8 |
| 154 | <i>GSTT1</i> Null Genotype Significantly Increases the Susceptibility to Urinary System Cancer: Evidences from 63,876 Subjects. Journal of Cancer, 2016, 7, 1680-1693. | 2.5 | 7 |
| 155 | CYP1A1 MspI polymorphism and the risk of oral squamous cell carcinoma: Evidence from a meta-analysis. Molecular and Clinical Oncology, 2016, 4, 660-666. | 1.0 | 7 |
| 156 | Lack of associations between AURKA gene polymorphisms and neuroblastoma susceptibility in Chinese children. Bioscience Reports, 2018, 38, . | 2.4 | 7 |
| 157 | <i>PARP1</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children. Journal of Cancer, 2019, 10, 4159-4164. | 2.5 | 7 |
| 158 | <i>APEX1</i> Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-8. | 4.0 | 7 |
| 159 | AURKA rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. Journal of Oncology, 2019, 2019, 1-7. | 1.3 | 7 |
| 160 | Identification and Validation of Core Genes Involved in the Development of Papillary Thyroid Carcinoma via Bioinformatics Analysis. International Journal of Genomics, 2019, 2019, 1-15. | 1.6 | 7 |
| 161 | Perinatal Outcomes and Risk Factors for Preterm Birth in Twin Pregnancies in a Chinese Population: A Multi-center Retrospective Study. Frontiers in Medicine, 2021, 8, 657862. | 2.6 | 7 |
| 162 | IGSF11 is required for pericentric heterochromatin dissociation during meiotic diplotene. PLoS Genetics, 2021, 17, e1009778. | 3.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Associations between WTAP gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Translational Pediatrics</i> , 2021, 10, 146-152. | 1.2 | 7 |
| 164 | CCNB2/SASP/Cathepsin B & PGE2 Axis Induce Cell Senescence Mediated Malignant Transformation. <i>International Journal of Biological Sciences</i> , 2021, 17, 3538-3553. | 6.4 | 7 |
| 165 | MYC gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , 2019, 7, 475-475. | 1.7 | 7 |
| 166 | METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , 2021, 21, 1294. | 2.6 | 7 |
| 167 | YTHDF2 Gene rs3738067 A&G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study. <i>Frontiers in Medicine</i> , 2021, 8, 797195. | 2.6 | 7 |
| 168 | Association between genetic polymorphisms of base excision repair pathway and glioma susceptibility in Chinese children. <i>World Journal of Pediatrics</i> , 2022, 18, 632-635. | 1.8 | 7 |
| 169 | Genetic variant rs4072037 of MUC1 and gastric cancer risk in an Eastern Chinese population. <i>Oncotarget</i> , 2016, 7, 15930-15936. | 1.8 | 6 |
| 170 | &MDM2& promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 3773-3780. | 2.0 | 6 |
| 171 | &HSD17B12& gene rs11037575 C&T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1969-1975. | 2.0 | 6 |
| 172 | RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. <i>Gene</i> , 2018, 662, 83-87. | 2.2 | 6 |
| 173 | Functional Polymorphisms in <i>hOGG1</i> Gene and Neuroblastoma Risk in Chinese Children. <i>Journal of Cancer</i> , 2018, 9, 4521-4526. | 2.5 | 6 |
| 174 | Association between NEFL Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2018, 9, 535-539. | 2.5 | 6 |
| 175 | MYC gene polymorphisms and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22988. | 2.1 | 6 |
| 176 | Experimental Study of Flow Structure Characteristics for a T-Junction Duct With Horizontal Vanes. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2019, 141, . | 1.5 | 6 |
| 177 | Association of <i>miR-146a</i> , <i>miR-149</i> and <i>miR-196a2</i> polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. <i>Bioscience Reports</i> , 2019, 39, . | 2.4 | 6 |
| 178 | LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. <i>Gene</i> , 2019, 705, 90-94. | 2.2 | 6 |
| 179 | Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3190. | 2.8 | 6 |
| 180 | Gene Expression Profile and Prognostic Value of m6A RNA Methylation Regulators in Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 85-101. | 3.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Role of <i>FTO</i> gene polymorphisms in Wilms tumor predisposition: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2021, 23, e3348. | 2.8 | 6 |
| 182 | Predictors of Failed Intrauterine Balloon Tamponade in the Management of Severe Postpartum Hemorrhage. <i>Frontiers in Medicine</i> , 2021, 8, 656422. | 2.6 | 6 |
| 183 | The Association of Polymorphisms in Base Excision Repair Genes with Ovarian Cancer Susceptibility in Chinese Women: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2021, 12, 264-269. | 2.5 | 6 |
| 184 | Bimanual irrigation-aspiration for ectopia lentis and use of a small incision for 4-point scleral-sutured foldable intraocular lens and anterior vitrectomy in patients with Marfan syndrome. <i>Indian Journal of Ophthalmology</i> , 2019, 67, 1629. | 1.1 | 6 |
| 185 | Association of <i>IL10</i> -819C>T and -592C>A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence from Published Studies. <i>Journal of Cancer</i> , 2015, 6, 709-716. | 2.5 | 5 |
| 186 | XPA gene polymorphisms and risk of neuroblastoma in Chinese children: a two-center case-control study. <i>Journal of Cancer</i> , 2018, 9, 2751-2756. | 2.5 | 5 |
| 187 | Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22930. | 2.1 | 5 |
| 188 | Association of CMYC polymorphisms with hepatoblastoma risk. <i>Translational Cancer Research</i> , 2020, 9, 849-855. | 1.0 | 5 |
| 189 | Sex differences of hemodynamics during acute vasoreactivity testing to predict the outcomes of chronic thromboembolic pulmonary hypertension. <i>Clinical Respiratory Journal</i> , 2020, 14, 611-621. | 1.6 | 5 |
| 190 | <i>H19</i> gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Molecular Genetics & Genomic Medicine</i> , 2021, 9, e1584. | 1.2 | 5 |
| 191 | Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. <i>Molecular Therapy - Oncolytics</i> , 2021, 20, 3-11. | 4.4 | 5 |
| 192 | METTL14 gene polymorphisms influence hepatoblastoma predisposition in Chinese children: Evidences from a seven-center case-control study. <i>Gene</i> , 2022, 809, 146050. | 2.2 | 5 |
| 193 | Long non-coding RNA BBOX1-AS1 exacerbates esophageal squamous cell carcinoma development by regulating HOXB7/β-catenin axis. <i>Experimental Cell Research</i> , 2022, 415, 113117. | 2.6 | 5 |
| 194 | Clinical and hemodynamic characteristics of pulmonary hypertension associated with interstitial lung disease in China. <i>Clinical Respiratory Journal</i> , 2018, 12, 915-921. | 1.6 | 4 |
| 195 | Predictive efficacy of the Braden Q Scale for pediatric pressure ulcer risk assessment in the PICU: a meta-analysis. <i>Pediatric Research</i> , 2019, 86, 436-443. | 2.3 | 4 |
| 196 | <i>KRAS</i> rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 7289-7295. | 2.0 | 4 |
| 197 | <i>LMO1</i> Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , 2019, 10, 1808-1813. | 2.5 | 4 |
| 198 | <i>HMGA2</i> gene polymorphisms and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Biotechnology and Applied Biochemistry</i> , 2020, 67, 939-945. | 3.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | NRAS rs2273267 A>T polymorphism reduces neuroblastoma risk in Chinese children. <i>Gene</i> , 2020, 727, 144262. | 2.2 | 4 |
| 200 | Rotational constraint contributes to collective cell durotaxis. <i>Applied Physics Letters</i> , 2020, 117, . | 3.3 | 4 |
| 201 | <i>lncRNA-uc003opf.1</i> rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , 2020, 19, 2367-2372. | 2.6 | 4 |
| 202 | Aromatic Ring Substituted Aaptamine Analogues as Potential Cytotoxic Agents against Extranodal Natural Killer/T-Cell Lymphoma. <i>Journal of Natural Products</i> , 2020, 83, 3758-3763. | 3.0 | 4 |
| 203 | The contribution of <i>YTHDF2</i> gene rs3738067 A>G to the Wilms tumor susceptibility. <i>Journal of Cancer</i> , 2021, 12, 6165-6169. | 2.5 | 4 |
| 204 | Association between <i>PHOX2B</i> gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. <i>Bioscience Reports</i> , 2019, 39, . | 2.4 | 4 |
| 205 | Increased serum levels of neopterin and soluble interleukin-2 receptor in intrahepatic cholestasis of pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 1067-1070. | 2.8 | 4 |
| 206 | Molecular cloning and characterization of a new cDNA sequence encoding a venom peptide from the centipede <i>Scolopendra subspinipes mutilans</i> . <i>Molecular Biology</i> , 2012, 46, 508-513. | 1.3 | 3 |
| 207 | Large malignant ovarian tumors during pregnancy: two cases. <i>OncoTargets and Therapy</i> , 2014, 7, 2121. | 2.0 | 3 |
| 208 | 4-tert-butylphenoxy substituted phthalocyanine with RGD motif as highly selective one-photon and two-photon imaging probe for mitochondria and cancer cell. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016, 20, 397-406. | 0.8 | 3 |
| 209 | Coherent Structure of Flow Based on Denoised Signals in T-junction Ducts with Vertical Blades. <i>Entropy</i> , 2019, 21, 206. | 2.2 | 3 |
| 210 | Association of polymorphisms in MALAT1 with the risk of endometriosis in Southern Chinese women. <i>Biology of Reproduction</i> , 2020, 102, 943-949. | 2.7 | 3 |
| 211 | The association of RAN and RANBP2 gene polymorphisms with Wilms tumor risk in Chinese children. <i>Journal of Cancer</i> , 2020, 11, 804-809. | 2.5 | 3 |
| 212 | <i>HMGA2</i> Gene rs8756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 465-472. | 2.0 | 3 |
| 213 | LIN28A polymorphisms and hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2021, 12, 1373-1378. | 2.5 | 3 |
| 214 | YTHDC1 gene polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Gene</i> , 2021, 783, 145571. | 2.2 | 3 |
| 215 | Prognostic value of epithelial-mesenchymal transition related genes: SLUG and QKI in breast cancer patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2019, 12, 2009-2021. | 0.5 | 3 |
| 216 | Therapeutic Effects of Synthetic Triblock Amphiphilic Short Antimicrobial Peptides on Human Lung Adenocarcinoma. <i>Pharmaceutics</i> , 2022, 14, 929. | 4.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Association of theMDM2SNP285 Polymorphism with Cancer Susceptibility: A Meta-Analysis. Disease Markers, 2016, 2016, 1-8. | 1.3 | 2 |
| 218 | Flow structure of the entrance of a T-junction duct without/with a circular cylinder. Journal of Turbulence, 2019, 20, 337-359. | 1.4 | 2 |
| 219 | Soluble ST2 and mixed venous oxygen saturation for prediction of mortality in patients with pulmonary hypertension. Journal of Thoracic Disease, 2021, 13, 3478-3488. | 1.4 | 2 |
| 220 | Acute vasoreactivity testing predicts outcome of idiopathic pulmonary arterial hypertension patients with a negative acute response. Annals of Translational Medicine, 2020, 8, 1650-1650. | 1.7 | 2 |
| 221 | Pre-retrieval reperfusion decreases cancer recurrence after rat ischemic liver graft transplantation. Journal of Hepatology, 2014, 61, 962. | 3.7 | 1 |
| 222 | Generation of induced pluripotent stem cell line, ZJUCHi002-A, from Charcot-Marie-Tooth disease type 2A (CMT2A) patient with a mutation of c.752C>T in MFN2. Stem Cell Research, 2019, 36, 101411. | 0.7 | 1 |
| 223 | Generation of a human Charcot-Marie-Tooth disease type 1B (CMT1B) iPSC line, ZJUCHi001-A, with a mutation of c.292C>T in MPZ. Stem Cell Research, 2019, 35, 101407. | 0.7 | 1 |
| 224 | Lack of associations between <i>LIG3</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children. Journal of Cancer, 2019, 10, 5722-5726. | 2.5 | 1 |
| 225 | Histone Demethylase PHF8 Is Required for the Development of the Zebrafish Inner Ear and Posterior Lateral Line. Frontiers in Cell and Developmental Biology, 2020, 8, 566504. | 3.7 | 1 |
| 226 | Variable predictors of acute pulmonary embolism recurrence with duration of follow-up. Journal of Thoracic Disease, 2020, 12, 403-413. | 1.4 | 1 |
| 227 | The association of miR34b/c and TP53 gene polymorphisms with Wilms tumor risk in Chinese children. Bioscience Reports, 2020, 40, . | 2.4 | 1 |
| 228 | <i>TP53</i> Arg72Pro polymorphism and neuroblastoma susceptibility in eastern Chinese children: a three-center case"control study. Bioscience Reports, 2020, 40, . | 2.4 | 1 |
| 229 | Transcriptome analysis of lncRNA expression patterns in human congenital lung malformations. BMC Genomics, 2021, 22, 861. | 2.8 | 1 |
| 230 | Global interpretation of novel alternative splicing events in human congenital pulmonary airway malformations: A pilot study. Journal of Cellular Biochemistry, 2022, , . | 2.6 | 1 |
| 231 | The Different Effects of Direct Bilirubin on Portopulmonary Hypertension and Idiopathic Pulmonary Arterial Hypertension. International Journal of Clinical Practice, 2022, 2022, 1-10. | 1.7 | 1 |
| 232 | <i>FTO</i> gene polymorphisms and hepatoblastoma susceptibility among Chinese children. Cell Cycle, 2022, 21, 1512-1518. | 2.6 | 1 |
| 233 | Association of<i>NEFL</i>Gene Polymorphisms with Wilms"™ Tumor Susceptibility in Chinese Children. Journal of Oncology, 2019, 2019, 1-7. | 1.3 | 0 |
| 234 | Association Between Arg72Pro Polymorphism in <i>TP53</i> and Malignant Abdominal Solid Tumor Risk in Hunan Children. Cancer Control, 2021, 28, 107327482110048. | 1.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Computer-aided quantitative MSCT measurements may be useful for congenital lung malformations surgical approach selection. <i>Pediatric Surgery International</i> , 2021, 37, 1273-1280. | 1.4 | 0 |
| 236 | Editorial: Molecular Diagnostics of Pediatric Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 777662. | 2.8 | 0 |