

Jiwen Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/434569/publications.pdf>

Version: 2024-02-01

236
papers

5,791
citations

101543

36
h-index

118850

62
g-index

240
all docs

240
docs citations

240
times ranked

7093
citing authors

#	ARTICLE	IF	CITATIONS
1	METTL14 gene polymorphisms influence hepatoblastoma predisposition in Chinese children: Evidences from a seven-center case-control study. <i>Gene</i> , 2022, 809, 146050.	2.2	5
2	Targeting RAS in neuroblastoma: Is it possible?. , 2022, 236, 108054.		9
3	Global interpretation of novel alternative splicing events in human congenital pulmonary airway malformations: A pilot study. <i>Journal of Cellular Biochemistry</i> , 2022, , .	2.6	1
4	The role of m6A modification in pediatric cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2022, 1877, 188691.	7.4	16
5	Functions, mechanisms, and therapeutic implications of METTL14 in human cancer. <i>Journal of Hematology and Oncology</i> , 2022, 15, 13.	17.0	34
6	The Different Effects of Direct Bilirubin on Portopulmonary Hypertension and Idiopathic Pulmonary Arterial Hypertension. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-10.	1.7	1
7	D-mannose facilitates immunotherapy and radiotherapy of triple-negative breast cancer via degradation of PD-L1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	66
8	<i>FTO</i> gene polymorphisms and hepatoblastoma susceptibility among Chinese children. <i>Cell Cycle</i> , 2022, 21, 1512-1518.	2.6	1
9	Long non-coding RNA BBOX1-AS1 exacerbates esophageal squamous cell carcinoma development by regulating HOXB7/ β -catenin axis. <i>Experimental Cell Research</i> , 2022, 415, 113117.	2.6	5
10	Therapeutic Effects of Synthetic Triblock Amphiphilic Short Antimicrobial Peptides on Human Lung Adenocarcinoma. <i>Pharmaceutics</i> , 2022, 14, 929.	4.5	3
11	Association between genetic polymorphisms of base excision repair pathway and glioma susceptibility in Chinese children. <i>World Journal of Pediatrics</i> , 2022, 18, 632-635.	1.8	7
12	ABIN3 Negatively Regulates Necroptosis-induced Intestinal Inflammation Through Recruiting A20 and Restricting the Ubiquitination of RIPK3 in Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 99-114.	1.3	27
13	Association between lncRNA H19 polymorphisms and hepatoblastoma risk in an ethnic Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 742-750.	3.6	12
14	<i>H19</i> gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Molecular Genetics & Genomic Medicine</i> , 2021, 9, e1584.	1.2	5
15	Association Between Arg72Pro Polymorphism in <i>TP53</i> and Malignant Abdominal Solid Tumor Risk in Hunan Children. <i>Cancer Control</i> , 2021, 28, 107327482110048.	1.8	0
16	LIN28A polymorphisms and hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2021, 12, 1373-1378.	2.5	3
17	<i>YTHDF1</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children: an eight-center case-control study. <i>Journal of Cancer</i> , 2021, 12, 2465-2471.	2.5	10
18	The contribution of <i>YTHDF2</i> gene rs3738067 A>G to the Wilms tumor susceptibility. <i>Journal of Cancer</i> , 2021, 12, 6165-6169.	2.5	4

#	ARTICLE	IF	CITATIONS
19	Identification of 38 novel loci for systemic lupus erythematosus and genetic heterogeneity between ancestral groups. <i>Nature Communications</i> , 2021, 12, 772.	12.8	128
20	ALKBH5 Gene Polymorphisms and Hepatoblastoma Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2021, 2021, 1-6.	1.3	11
21	Gene Expression Profile and Prognostic Value of m6A RNA Methylation Regulators in Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 85-101.	3.7	6
22	Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. <i>Molecular Therapy - Oncolytics</i> , 2021, 20, 3-11.	4.4	5
23	Obstetric outcomes for twins from different conception methods – A multicenter cross-sectional study from China. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1061-1067.	2.8	14
24	Genetic variants in m6A modification core genes are associated with glioma risk in Chinese children. <i>Molecular Therapy - Oncolytics</i> , 2021, 20, 199-208.	4.4	30
25	Perinatal Outcomes and Risk Factors for Preterm Birth in Twin Pregnancies in a Chinese Population: A Multi-center Retrospective Study. <i>Frontiers in Medicine</i> , 2021, 8, 657862.	2.6	7
26	FABP4 deactivates NF- κ B/ $\text{IL1}\beta$ pathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. <i>Clinical and Translational Medicine</i> , 2021, 11, e395.	4.0	22
27	YTHDC1 gene polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Gene</i> , 2021, 783, 145571.	2.2	3
28	Role of <i>FTO</i> gene polymorphisms in Wilms tumor predisposition: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2021, 23, e3348.	2.8	6
29	METTL3 restrains papillary thyroid cancer progression via m6A/c-Rel/IL-8-mediated neutrophil infiltration. <i>Molecular Therapy</i> , 2021, 29, 1821-1837.	8.2	75
30	OGT regulated O-GlcNAcylation promotes papillary thyroid cancer malignancy via activating YAP. <i>Oncogene</i> , 2021, 40, 4859-4871.	5.9	23
31	Impact of <i>YTHDF1</i> gene polymorphisms on Wilms tumor susceptibility: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23875.	2.1	8
32	Soluble ST2 and mixed venous oxygen saturation for prediction of mortality in patients with pulmonary hypertension. <i>Journal of Thoracic Disease</i> , 2021, 13, 3478-3488.	1.4	2
33	Predictors of Failed Intrauterine Balloon Tamponade in the Management of Severe Postpartum Hemorrhage. <i>Frontiers in Medicine</i> , 2021, 8, 656422.	2.6	6
34	Genetic variations in nucleotide excision repair pathway genes and hepatoblastoma susceptibility. <i>International Journal of Cancer</i> , 2021, 149, 1649-1658.	5.1	12
35	Computer-aided quantitative MSCT measurements may be useful for congenital lung malformations surgical approach selection. <i>Pediatric Surgery International</i> , 2021, 37, 1273-1280.	1.4	0
36	Incidence and Risk Factors of Postpartum Hemorrhage in China: A Multicenter Retrospective Study. <i>Frontiers in Medicine</i> , 2021, 8, 673500.	2.6	15

#	ARTICLE	IF	CITATIONS
37	IGSF11 is required for pericentric heterochromatin dissociation during meiotic diplotene. <i>PLoS Genetics</i> , 2021, 17, e1009778.	3.5	7
38	Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. <i>Gene</i> , 2021, 800, 145834.	2.2	8
39	Associations between WTAP gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Translational Pediatrics</i> , 2021, 10, 146-152.	1.2	7
40	CCNB2/SASP/Cathepsin B & PGE2 Axis Induce Cell Senescence Mediated Malignant Transformation. <i>International Journal of Biological Sciences</i> , 2021, 17, 3538-3553.	6.4	7
41	The Association of Polymorphisms in Base Excision Repair Genes with Ovarian Cancer Susceptibility in Chinese Women: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2021, 12, 264-269.	2.5	6
42	Editorial: Molecular Diagnostics of Pediatric Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 777662.	2.8	0
43	Transcriptome analysis of lncRNA expression patterns in human congenital lung malformations. <i>BMC Genomics</i> , 2021, 22, 861.	2.8	1
44	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , 2021, 21, 1294.	2.6	7
45	YTHDC1 gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Aging</i> , 2021, 13, 25426-25439.	3.1	10
46	YTHDF2 Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study. <i>Frontiers in Medicine</i> , 2021, 8, 797195.	2.6	7
47	Association of polymorphisms in <i>MALAT1</i> with the risk of endometrial cancer in Southern Chinese women. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23146.	2.1	12
48	Association of polymorphisms in MALAT1 with the risk of endometriosis in Southern Chinese women. <i>Biology of Reproduction</i> , 2020, 102, 943-949.	2.7	3
49	<i>LIN28A</i> gene polymorphisms modify neuroblastoma susceptibility: A four-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 1059-1066.	3.6	15
50	<i>HMG2</i> gene polymorphisms and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Biotechnology and Applied Biochemistry</i> , 2020, 67, 939-945.	3.1	4
51	NRAS rs2273267 A>T polymorphism reduces neuroblastoma risk in Chinese children. <i>Gene</i> , 2020, 727, 144262.	2.2	4
52	METTL14 Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 22, 17-26.	5.1	41
53	Histone Demethylase PHF8 Is Required for the Development of the Zebrafish Inner Ear and Posterior Lateral Line. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 566504.	3.7	1
54	Rotational constraint contributes to collective cell durotaxis. <i>Applied Physics Letters</i> , 2020, 117, .	3.3	4

#	ARTICLE	IF	CITATIONS
55	Predictive model for risk of gastric cancer using genetic variants from genome-wide association studies and high-evidence meta-analysis. <i>Cancer Medicine</i> , 2020, 9, 7310-7316.	2.8	9
56	<i>YTHDC1</i> gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3249.	2.8	17
57	WTAP Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. <i>Molecular Therapy - Oncolytics</i> , 2020, 18, 118-125.	4.4	24
58	<i>YTHDF1</i> rs6090311 A&G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. <i>Journal of Cancer</i> , 2020, 11, 5129-5134.	2.5	17
59	<i>METTL3</i> polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3255.	2.8	14
60	Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. <i>Cancer Communications</i> , 2020, 40, 641-646.	9.2	39
61	<i>lncRNA-uc003opf.1</i> rs11752942 A&G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , 2020, 19, 2367-2372.	2.6	4
62	Aromatic Ring Substituted Aaptamine Analogues as Potential Cytotoxic Agents against Extranodal Natural Killer/T-Cell Lymphoma. <i>Journal of Natural Products</i> , 2020, 83, 3758-3763.	3.0	4
63	The contribution of WTAP gene variants to Wilms tumor susceptibility. <i>Gene</i> , 2020, 754, 144839.	2.2	9
64	Association of CMYC polymorphisms with hepatoblastoma risk. <i>Translational Cancer Research</i> , 2020, 9, 849-855.	1.0	5
65	Association of <i>TP53</i> rs1042522 C&G and <i>miR-34b/c</i> rs4938723 T&C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3182.	2.8	15
66	Common genetic variants in pre-microRNAs are associated with cervical cancer susceptibility in southern Chinese women. <i>Journal of Cancer</i> , 2020, 11, 2133-2138.	2.5	8
67	Association between <i>METTL3</i> gene polymorphisms and neuroblastoma susceptibility: A nine-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9280-9286.	3.6	20
68	<i>HMGA2</i> Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study. <i>Pharmacogenomics and Personalized Medicine</i> , 2020, Volume 13, 51-57.	0.7	8
69	<i>ALKBH5</i> gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23251.	2.1	19
70	Sex differences of hemodynamics during acute vasoreactivity testing to predict the outcomes of chronic thromboembolic pulmonary hypertension. <i>Clinical Respiratory Journal</i> , 2020, 14, 611-621.	1.6	5
71	Prognostic role of pretreatment blood lymphocyte count in patients with solid tumors: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2020, 20, 15.	4.1	48
72	The association of RAN and RANBP2 gene polymorphisms with Wilms tumor risk in Chinese children. <i>Journal of Cancer</i> , 2020, 11, 804-809.	2.5	3

#	ARTICLE	IF	CITATIONS
73	<p><p>HMGA2 Gene rs756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study</p>. <i>OncoTargets and Therapy</i>, 2020, Volume 13, 465-472.</p>	2.0	3
74	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , 2020, 22, e3190.	2.8	6
75	<i>LIN28B</i> gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2020, 11, 3512-3518.	2.5	11
76	Variable predictors of acute pulmonary embolism recurrence with duration of follow-up. <i>Journal of Thoracic Disease</i> , 2020, 12, 403-413.	1.4	1
77	SLC34A2 simultaneously promotes papillary thyroid carcinoma growth and invasion through distinct mechanisms. <i>Oncogene</i> , 2020, 39, 2658-2675.	5.9	26
78	Acute vasoreactivity testing predicts outcome of idiopathic pulmonary arterial hypertension patients with a negative acute response. <i>Annals of Translational Medicine</i> , 2020, 8, 1650-1650.	1.7	2
79	The association of miR34b/c and TP53 gene polymorphisms with Wilms tumor risk in Chinese children. <i>Bioscience Reports</i> , 2020, 40, .	2.4	1
80	<i>TP53</i> Arg72Pro polymorphism and neuroblastoma susceptibility in eastern Chinese children: a three-center case-control study. <i>Bioscience Reports</i> , 2020, 40, .	2.4	1
81	Identification of an immune-related gene-based signature to predict prognosis of patients with gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2020, 12, 857-876.	2.0	35
82	<i>PARP1</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 4159-4164.	2.5	7
83	Flow structure of the entrance of a T-junction duct without/with a circular cylinder. <i>Journal of Turbulence</i> , 2019, 20, 337-359.	1.4	2
84	<i>APEX1</i> Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-8.	4.0	7
85	Association of the <i>TP53</i> rs1042522 C>G polymorphism and hepatoblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 3444-3449.	2.5	15
86	Association of miR-34b/c rs4938723 and TP53 Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. <i>Translational Oncology</i> , 2019, 12, 1282-1288.	3.7	8
87	<i>LIN28A</i> gene polymorphisms confer Wilms tumour susceptibility: A four-center case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 7105-7110.	3.6	12
88	MYC gene polymorphisms and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22988.	2.1	6
89	Predictive efficacy of the Braden Q Scale for pediatric pressure ulcer risk assessment in the PICU: a meta-analysis. <i>Pediatric Research</i> , 2019, 86, 436-443.	2.3	4
90	Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22930.	2.1	5

#	ARTICLE	IF	CITATIONS
91	miR-34b/c rs4938723 T>C Decreases Neuroblastoma Risk: A Replication Study in the Hunan Children. <i>Disease Markers</i> , 2019, 2019, 1-6.	1.3	8
92	AURKA rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	1.3	7
93	LINC00673 rs11655237 C>T and susceptibility to Wilms tumor: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2019, 21, e3133.	2.8	11
94	Identification and Validation of Core Genes Involved in the Development of Papillary Thyroid Carcinoma via Bioinformatics Analysis. <i>International Journal of Genomics</i> , 2019, 2019, 1-15.	1.6	7
95	<p>KRAS rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 7289-7295.	2.0	4
96	Coherent Structure of Flow Based on Denoised Signals in T-junction Ducts with Vertical Blades. <i>Entropy</i> , 2019, 21, 206.	2.2	3
97	<i>TP53</i> rs1042522 C>G polymorphism and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Bioscience Reports</i> , 2019, 39, .	2.4	10
98	Experimental Study of Flow Structure Characteristics for a T-Junction Duct With Horizontal Vanes. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2019, 141, .	1.5	6
99	LncRNA XIST facilitates cell growth, migration and invasion via modulating H3 histone methylation of DKK1 in neuroblastoma. <i>Cell Cycle</i> , 2019, 18, 1882-1892.	2.6	37
100	<i>LMO1</i> Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , 2019, 10, 1808-1813.	2.5	4
101	Association of <i>miR-146a</i>, <i>miR-149</i> and <i>miR-196a2</i> polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. <i>Bioscience Reports</i> , 2019, 39, .	2.4	6
102	LINC00673 rs11655237 C>T Polymorphism Impacts Hepatoblastoma Susceptibility in Chinese Children. <i>Frontiers in Genetics</i> , 2019, 10, 506.	2.3	29
103	Association of <i>NEFL</i> Gene Polymorphisms with Wilms's™ Tumor Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	1.3	0
104	NRAS and KRAS polymorphisms are not associated with hepatoblastoma susceptibility in Chinese children. <i>Experimental Hematology and Oncology</i> , 2019, 8, 11.	5.0	16
105	LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. <i>Gene</i> , 2019, 705, 90-94.	2.2	6
106	Arsenic trioxide inhibits EMT in hepatocellular carcinoma by promoting lncRNA MEG3 via PKM2. <i>Biochemical and Biophysical Research Communications</i> , 2019, 513, 834-840.	2.1	30
107	Associations between <i>H19</i> polymorphisms and neuroblastoma risk in Chinese children. <i>Bioscience Reports</i> , 2019, 39, .	2.4	16
108	<i>TP53</i> gene rs1042522 allele G decreases neuroblastoma risk: a two-centre case-control study. <i>Journal of Cancer</i> , 2019, 10, 467-471.	2.5	9

#	ARTICLE	IF	CITATIONS
109	Generation of induced pluripotent stem cell line, ZJUCHi002-A, from Charcot-Marie-Tooth disease type 2A (CMT2A) patient with a mutation of c.752C>T in MFN2. <i>Stem Cell Research</i> , 2019, 36, 101411.	0.7	1
110	Generation of a human Charcot-Marie-Tooth disease type 1B (CMT1B) iPSC line, ZJUCHi001-A, with a mutation of c.292C>T in MPZ. <i>Stem Cell Research</i> , 2019, 35, 101407.	0.7	1
111	Lack of associations between <i>LIG3</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 5722-5726.	2.5	1
112	Proton pump inhibitors can reverse the YAP mediated paclitaxel resistance in epithelial ovarian cancer. <i>BMC Molecular and Cell Biology</i> , 2019, 20, 49.	2.0	27
113	<i>H19</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children: a six-center case-control study. <i>Journal of Cancer</i> , 2019, 10, 6358-6363.	2.5	14
114	Genome-Wide Association Study of Susceptibility Loci for Radiation-Induced Brain Injury. <i>Journal of the National Cancer Institute</i> , 2019, 111, 620-628.	6.3	45
115	Association between <i>PHOX2B</i> gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. <i>Bioscience Reports</i> , 2019, 39, .	2.4	4
116	Pleiotropic effect of common PHOX2B variants in Hirschsprung disease and neuroblastoma. <i>Aging</i> , 2019, 11, 1252-1261.	3.1	12
117	Association of KRAS and NRAS gene polymorphisms with Wilms tumor risk: a four-center case-control study. <i>Aging</i> , 2019, 11, 1551-1563.	3.1	28
118	Additional data support the role of <i>LINC00673</i> rs11655237 C>T in the development of neuroblastoma. <i>Aging</i> , 2019, 11, 2369-2377.	3.1	19
119	MYC gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , 2019, 7, 475-475.	1.7	7
120	Bimanual irrigation-aspiration for ectopia lentis and use of a small incision for 4-point scleral-sutured foldable intraocular lens and anterior vitrectomy in patients with Marfan syndrome. <i>Indian Journal of Ophthalmology</i> , 2019, 67, 1629.	1.1	6
121	Induction of Sertoli-like cells from human fibroblasts by NR5A1 and GATA4. <i>ELife</i> , 2019, 8, .	6.0	40
122	Prognostic value of epithelial-mesenchymal transition related genes: SLUG and QKI in breast cancer patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2019, 12, 2009-2021.	0.5	3
123	Placenta-specific protein 1 promotes cell proliferation and invasion in non-small cell lung cancer. <i>Oncology Reports</i> , 2018, 39, 53-60.	2.6	16
124	<i>LINC00673</i> rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , 2018, 38, .	2.4	27
125	Solute carrier family 35 member F2 is indispensable for papillary thyroid carcinoma progression through activation of transforming growth factor- β type I receptor/apoptosis signal-regulating kinase 1/mitogen-activated protein kinase signaling axis. <i>Cancer Science</i> , 2018, 109, 642-655.	3.9	31
126	RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. <i>Gene</i> , 2018, 662, 83-87.	2.2	6

#	ARTICLE	IF	CITATIONS
127	<i>HOTAIR</i> gene polymorphisms contribute to increased neuroblastoma susceptibility in Chinese children. <i>Cancer</i> , 2018, 124, 2599-2606.	4.1	30
128	Lack of associations between AURKA gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Bioscience Reports</i> , 2018, 38, .	2.4	7
129	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , 2018, 30, 113-119.	6.1	85
130	Clinical and hemodynamic characteristics of pulmonary hypertension associated with interstitial lung disease in China. <i>Clinical Respiratory Journal</i> , 2018, 12, 915-921.	1.6	4
131	The correlation between <i>LIN28B</i> gene potentially functional variants and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	2.1	20
132	LMO1 Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. <i>Frontiers in Oncology</i> , 2018, 8, 468.	2.8	10
133	Functional Polymorphisms in <i>hOGG1</i> Gene and Neuroblastoma Risk in Chinese Children. <i>Journal of Cancer</i> , 2018, 9, 4521-4526.	2.5	6
134	METTL3 promotes ovarian carcinoma growth and invasion through the regulation of AXL translation and epithelial to mesenchymal transition. <i>Gynecologic Oncology</i> , 2018, 151, 356-365.	1.4	139
135	The rs2147578 A > G polymorphism in the Inc-LAMC2 "1:1 gene is associated with increased neuroblastoma risk in the Henan children. <i>BMC Cancer</i> , 2018, 18, 948.	2.6	10
136	Association between NEFL Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2018, 9, 535-539.	2.5	6
137	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 854-860.	5.1	39
138	MiR-181a/b induce the growth, invasion, and metastasis of neuroblastoma cells through targeting ABL1. <i>Molecular Carcinogenesis</i> , 2018, 57, 1237-1250.	2.7	24
139	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. <i>EBioMedicine</i> , 2018, 33, 88-93.	6.1	31
140	<i>miR-423</i> rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , 2018, 9, 2460-2465.	2.5	11
141	Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. <i>Cancer Management and Research</i> , 2018, Volume 10, 765-774.	1.9	27
142	<i>LMO1</i> super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2018, 9, 1592-1597.	2.5	17
143	Polymorphisms in <i>MYCN</i> gene and neuroblastoma risk in Chinese children: a 3-center case–control study. <i>Cancer Management and Research</i> , 2018, Volume 10, 1807-1816.	1.9	16
144	XPA gene polymorphisms and risk of neuroblastoma in Chinese children: a two-center case-control study. <i>Journal of Cancer</i> , 2018, 9, 2751-2756.	2.5	5

#	ARTICLE	IF	CITATIONS
145	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 11, 1-8.	5.1	98
146	Integrin Subunit beta 8 (ITGB8) Upregulation Is an Independent Predictor of Unfavorable Survival of High-Grade Serous Ovarian Carcinoma Patients. <i>Medical Science Monitor</i> , 2018, 24, 8933-8940.	1.1	26
147	Associations between lncRNA MEG3 polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , 2018, 10, 481-491.	3.1	40
148	RAN/RANBP2 polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. <i>Aging</i> , 2018, 10, 808-818.	3.1	22
149	Relevance of XPD polymorphisms to neuroblastoma risk in Chinese children: a four-center case-control study. <i>Aging</i> , 2018, 10, 1989-2000.	3.1	20
150	XRCC1 gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018, 10, 2944-2953.	3.1	17
151	miR-134: A Human Cancer Suppressor?. <i>Molecular Therapy - Nucleic Acids</i> , 2017, 6, 140-149.	5.1	96
152	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. <i>EBioMedicine</i> , 2017, 16, 101-105.	6.1	40
153	Effect of ApoA4 on SERPINA3 mediated by nuclear receptors NR4A1 and NR1D1 in hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 2017, 487, 327-332.	2.1	22
154	Sex-specific cardiopulmonary exercise testing indices related to hemodynamics in idiopathic pulmonary arterial hypertension. <i>Therapeutic Advances in Respiratory Disease</i> , 2017, 11, 135-145.	2.6	8
155	Dysregulation of miR-638 in hepatocellular carcinoma and its clinical significance. <i>Oncology Letters</i> , 2017, 13, 3859-3865.	1.8	16
156	Transcriptome analysis of EGFR tyrosine kinase inhibitors resistance associated long noncoding RNA in non-small cell lung cancer. <i>Biomedicine and Pharmacotherapy</i> , 2017, 87, 20-26.	5.6	50
157	MicroRNA expression profiles and networks in placentas complicated with selective intrauterine growth restriction. <i>Molecular Medicine Reports</i> , 2017, 16, 6650-6673.	2.4	25
158	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , 2017, 10, 936-941.	3.7	49
159	Association Between <i>HACE1</i> Gene Polymorphisms and Wilms' Tumor Risk in a Chinese Population. <i>Cancer Investigation</i> , 2017, 35, 633-638.	1.3	13
160	New Frontiers in Genetics, Gut Microbiota, and Immunity: A Rosetta Stone for the Pathogenesis of Inflammatory Bowel Disease. <i>BioMed Research International</i> , 2017, 2017, 1-17.	1.9	64
161	MDM2 promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 3773-3780.	2.0	6
162	miR-200c suppresses endometriosis by targeting MALAT1 in vitro and in vivo. <i>Stem Cell Research and Therapy</i> , 2017, 8, 251.	5.5	91

#	ARTICLE	IF	CITATIONS
163	Association of <i>MTRR</i> A66G polymorphism with cancer susceptibility: Evidence from 85 studies. <i>Journal of Cancer</i> , 2017, 8, 266-277.	2.5	13
164	<i>HSD17B12</i> gene rs11037575 C>T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1969-1975.	2.0	6
165	MALAT1 is a prognostic factor in glioblastoma multiforme and induces chemoresistance to temozolomide through suppressing miR-203 and promoting thymidylate synthase expression. <i>Oncotarget</i> , 2017, 8, 22783-22799.	1.8	122
166	Protein Regulator of Cytokinesis PRC1 Confers Chemoresistance and Predicts an Unfavorable Postoperative Survival of Hepatocellular Carcinoma Patients. <i>Journal of Cancer</i> , 2017, 8, 801-808.	2.5	34
167	Common variations within <i>HACE1</i> gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 703-709.	2.0	9
168	Association between <i>TP53</i> gene Arg72Pro polymorphism and Wilms' tumor risk in a Chinese population. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1149-1154.	2.0	25
169	The <i>TP53</i> gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , 2017, 9, 852-859.	3.1	58
170	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017, 8, 24362-24371.	1.8	21
171	<i>NFKB1</i> -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. <i>Oncotarget</i> , 2017, 8, 9806-9822.	1.8	49
172	<i>MDM4</i> genetic variants and risk of gastric cancer in an eastern chinese population. <i>Oncotarget</i> , 2017, 8, 19547-19555.	1.8	12
173	Associations between <i>LMO1</i> gene polymorphisms and Wilms' tumor susceptibility. <i>Oncotarget</i> , 2017, 8, 50665-50672.	1.8	13
174	LMO1 polymorphisms reduce neuroblastoma risk in Chinese children: a two-center case-control study. <i>Oncotarget</i> , 2017, 8, 65620-65626.	1.8	24
175	<i>CASC15</i> gene polymorphisms reduce neuroblastoma risk in Chinese children. <i>Oncotarget</i> , 2017, 8, 91343-91349.	1.8	17
176	Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. <i>Genes</i> , 2016, 7, 73.	2.4	24
177	The association between <i>RFC1</i> G80A polymorphism and cancer susceptibility: Evidence from 33 studies. <i>Journal of Cancer</i> , 2016, 7, 144-152.	2.5	9
178	<i>GSTT1</i> Null Genotype Significantly Increases the Susceptibility to Urinary System Cancer: Evidences from 63,876 Subjects. <i>Journal of Cancer</i> , 2016, 7, 1680-1693.	2.5	7
179	<i>PSCA</i> polymorphisms and gastric cancer susceptibility in an eastern Chinese population. <i>Oncotarget</i> , 2016, 7, 9420-9428.	1.8	15
180	The Association between GWAS-identified <i>BARD1</i> Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , 2016, 13, 133-138.	2.5	26

#	ARTICLE	IF	CITATIONS
181	Polymorphisms in the XPC gene and gastric cancer susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5513-5519.	2.0	18
182	Genetic variant rs4072037 of MUC1 and gastric cancer risk in an Eastern Chinese population. <i>Oncotarget</i> , 2016, 7, 15930-15936.	1.8	6
183	Lack of Associations between XPC Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. <i>BioMed Research International</i> , 2016, 2016, 1-6.	1.9	9
184	Association of the MDM2 SNP285 Polymorphism with Cancer Susceptibility: A Meta-Analysis. <i>Disease Markers</i> , 2016, 2016, 1-8.	1.3	2
185	XPG Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. <i>Journal of Cancer</i> , 2016, 7, 1731-1739.	2.5	27
186	Long non-coding RNA LINC01133 represses KLF2, P21 and E-cadherin transcription through binding with EZH2, LSD1 in non small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 11696-11707.	1.8	92
187	MicroRNA-20a-5p targets RUNX3 to regulate proliferation and migration of human hepatocellular cancer cells. <i>Oncology Reports</i> , 2016, 36, 3379-3386.	2.6	36
188	A Functional Polymorphism (rs2494752) in the AKT1 Promoter Region and Gastric Adenocarcinoma Risk in an Eastern Chinese Population. <i>Scientific Reports</i> , 2016, 6, 20008.	3.3	20
189	4-tert-butylphenoxy substituted phthalocyanine with RGD motif as highly selective one-photon and two-photon imaging probe for mitochondria and cancer cell. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016, 20, 397-406.	0.8	3
190	Blockade of Cannabinoid CB1 receptor attenuates the acquisition of morphine-induced conditioned place preference along with a downregulation of ERK, CREB phosphorylation, and BDNF expression in the nucleus accumbens and hippocampus. <i>Neuroscience Letters</i> , 2016, 630, 70-76.	2.1	30
191	Association of potentially functional variants in the XPG gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1481-1490.	3.6	105
192	Potentially functional polymorphisms in the LIN28B gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 1534-1541.	3.6	40
193	Preoperative aspartate aminotransferase-to-platelet ratio index (APRI) is a predictor on postoperative outcomes of hepatocellular carcinoma. <i>Medicine (United States)</i> , 2016, 95, e5486.	1.0	26
194	Inhibition of SALL4 reduces tumorigenicity involving epithelial-mesenchymal transition via Wnt/β-catenin pathway in esophageal squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 98.	8.6	75
195	Polymorphisms in the AKT1 and AKT2 genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 666-677.	3.6	31
196	CYP1A1 MspI polymorphism and the risk of oral squamous cell carcinoma: Evidence from a meta-analysis. <i>Molecular and Clinical Oncology</i> , 2016, 4, 660-666.	1.0	7
197	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , 2016, 37, 1635-1639.	1.8	37
198	Association between genetic variants in the XPC gene and gastric cancer risk in a Southern Chinese population. <i>Aging</i> , 2016, 8, 3311-3320.	3.1	30

#	ARTICLE	IF	CITATIONS
199	Associations between <i>CYP1A1</i> rs1048943 A > G and rs4646903 T > C genetic variations and colorectal cancer risk: Proof from 26 case-control studies. <i>Oncotarget</i> , 2016, 7, 51365-51374.	1.8	15
200	<i>XPG</i> rs2296147 T > C polymorphism predicted clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2016, 7, 11724-11732.	1.8	17
201	<i>LMO1</i> gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , 2016, 7, 22770-22778.	1.8	31
202	Downregulation of miRNA-638 promotes angiogenesis and growth of hepatocellular carcinoma by targeting VEGF. <i>Oncotarget</i> , 2016, 7, 30702-30711.	1.8	51
203	A novel TP53 variant (rs78378222 A > C) in the polyadenylation signal is associated with increased cancer susceptibility: evidence from a meta-analysis. <i>Oncotarget</i> , 2016, 7, 32854-32865.	1.8	24
204	Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. <i>Scientific Reports</i> , 2015, 5, 14237.	3.3	51
205	Association between PLCE1 rs2274223 A > G polymorphism and cancer risk: proof from a meta-analysis. <i>Scientific Reports</i> , 2015, 5, 7986.	3.3	31
206	Association of <i>IL10</i> -819C > T and -592C > A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence from Published Studies. <i>Journal of Cancer</i> , 2015, 6, 709-716.	2.5	5
207	Genetic variant of PRKAA1 and gastric cancer risk in an eastern Chinese population. <i>Oncotarget</i> , 2015, 6, 42661-42666.	1.8	18
208	Association of Interleukin-10 $\hat{\sim}$ 3575T > A and $\hat{\sim}$ 1082A > G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. <i>Molecular Genetics and Genomics</i> , 2015, 290, 2063-2073.	2.1	10
209	A Prospective, Randomized Comparison of Intramuscular Phloroglucinol Versus Oral Misoprostol for Cervix Pretreatment Before Diagnostic Hysteroscopy. <i>International Surgery</i> , 2015, 100, 1207-1211.	0.1	10
210	Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin's lymphoma: evidence from a meta-analysis. <i>Chinese Journal of Cancer</i> , 2015, 34, 108-114.	4.9	326
211	CASP7 variants modify susceptibility to cervical cancer in Chinese women. <i>Scientific Reports</i> , 2015, 5, 9225.	3.3	13
212	No association between MTR rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. <i>Leukemia and Lymphoma</i> , 2015, 56, 763-767.	1.3	13
213	Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2015, 4, 6159.	3.3	83
214	The Association between NQO1 Pro187Ser Polymorphism and Bladder Cancer Susceptibility: A Meta-Analysis of 15 Studies. <i>PLoS ONE</i> , 2015, 10, e0116500.	2.5	9
215	Expression of circulating microRNA-20a and let-7a in esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2015, 21, 4660-4665.	3.3	34
216	Prognostic Role of Pre-Treatment Serum AFP-L3% in Hepatocellular Carcinoma: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e87011.	2.5	55

#	ARTICLE	IF	CITATIONS
217	Large malignant ovarian tumors during pregnancy: two cases. <i>OncoTargets and Therapy</i> , 2014, 7, 2121.	2.0	3
218	Circulating miR-208b and miR-34a Are Associated with Left Ventricular Remodeling after Acute Myocardial Infarction. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5774-5788.	4.1	100
219	Pre-retrieval reperfusion decreases cancer recurrence after rat ischemic liver graft transplantation. <i>Journal of Hepatology</i> , 2014, 61, 962.	3.7	1
220	Sublethal heat treatment promotes epithelial-mesenchymal transition and enhances the malignant potential of hepatocellular carcinoma. <i>Hepatology</i> , 2014, 59, 1650-1650.	7.3	13
221	Meta-Analysis of the Prognostic and Diagnostic Significance of Serum/Plasma Osteopontin in Hepatocellular Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2014, 48, 806-814.	2.2	23
222	Major hepatectomy is safe for hepatocellular carcinoma in elderly patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 444-451.	1.6	22
223	Prognostic role of neutrophil-to-lymphocyte ratio in colorectal cancer: A systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2014, 134, 2403-2413.	5.1	354
224	Epidemiologic report and serologic findings for household contacts of three cases of influenza A (H7N9) virus infection. <i>Journal of Clinical Virology</i> , 2014, 59, 129-131.	3.1	9
225	Potentially functional polymorphisms in the ERCC2 gene and risk of Esophageal Squamous Cell Carcinoma in Chinese populations. <i>Scientific Reports</i> , 2014, 4, 6281.	3.3	23
226	Relevance of LIG4 gene polymorphisms with cancer susceptibility: Evidence from a meta-analysis. <i>Scientific Reports</i> , 2014, 4, 6630.	3.3	35
227	Association of BRCA2 N372H polymorphism with cancer susceptibility: A comprehensive review and meta-analysis. <i>Scientific Reports</i> , 2014, 4, 6791.	3.3	33
228	Reduced Fetal Telomere Length in Gestational Diabetes. <i>PLoS ONE</i> , 2014, 9, e86161.	2.5	52
229	Methylation levels at IGF2 and GNAS DMRs in infants born to preeclamptic pregnancies. <i>BMC Genomics</i> , 2013, 14, 472.	2.8	45
230	New progress of non-surgical treatments for hepatocellular carcinoma. <i>Medical Oncology</i> , 2013, 30, 381.	2.5	25
231	Genetic variations of mTORC1 genes and risk of gastric cancer in an eastern chinese population. <i>Molecular Carcinogenesis</i> , 2013, 52, 70-79.	2.7	118
232	Association of LEP G2548A and LEPR Q223R Polymorphisms with Cancer Susceptibility: Evidence from a Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e75135.	2.5	25
233	Molecular cloning and characterization of a new cDNA sequence encoding a venom peptide from the centipede <i>Scolopendra subspinipes mutilans</i> . <i>Molecular Biology</i> , 2012, 46, 508-513.	1.3	3
234	Polymorphisms in the XPG gene and risk of gastric cancer in Chinese populations. <i>Human Genetics</i> , 2012, 131, 1235-1244.	3.8	168

#	ARTICLE	IF	CITATIONS
235	Placental imbalance of Th1- and Th2-type cytokines in preeclampsia. Acta Obstetrica Et Gynecologica Scandinavica, 2005, 84, 788-793.	2.8	21
236	Increased serum levels of neopterin and soluble interleukin-2 receptor in intrahepatic cholestasis of pregnancy. Acta Obstetrica Et Gynecologica Scandinavica, 2004, 83, 1067-1070.	2.8	4