

Nicodemo G Passalacqua

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4350341/publications.pdf>

Version: 2024-02-01

70
papers

2,126
citations

331670
21
h-index

265206
42
g-index

71
all docs

71
docs citations

71
times ranked

2255
citing authors

#	ARTICLE	IF	CITATIONS
1	An Insight into <i>Salvia haematodes</i> L. (Lamiaceae) Bioactive Extracts Obtained by Traditional and Green Extraction Procedures. <i>Plants</i> , 2022, 11, 781.	3.5	2
2	Essential Oils and Extracts of <i>Juniperus macrocarpa</i> Sm. and <i>Juniperus oxycedrus</i> L.: Comparative Phytochemical Composition and Anti-Proliferative and Antioxidant Activities. <i>Plants</i> , 2022, 11, 1025.	3.5	7
3	Monitoring biomass in two heterogeneous mountain pasture communities by image based 3D point cloud derived predictors. <i>Ecological Indicators</i> , 2021, 121, 107126.	6.3	2
4	In Vitro Hypolipidemic and Hypoglycaemic Properties of Mushroom Extracts. , 2021, 6, .		0
5	<i>Salvia officinalis</i> L. from Italy: A Comparative Chemical and Biological Study of Its Essential Oil in the Mediterranean Context. <i>Molecules</i> , 2020, 25, 5826.	3.8	26
6	The Essential Oil of <i>Salvia rosmarinus</i> Spenn. from Italy as a Source of Health-Promoting Compounds: Chemical Profile and Antioxidant and Cholinesterase Inhibitory Activity. <i>Plants</i> , 2020, 9, 798.	3.5	32
7	An inventory of the names of native, non-endemic vascular plants described from Italy, their loci classici and types. <i>Phytotaxa</i> , 2019, 410, 1-215.	0.3	31
8	Surveying pasture communities in diachronic analyses by 3D models: the diachronic canopy variation model. <i>Ecosphere</i> , 2019, 10, e02613.	2.2	1
9	A new species of <i>Psathyrella</i> (<i>Psathyrellaceae</i> , <i>Agaricales</i>) from Italy. <i>MycoKeys</i> , 2019, 52, 89-102.	1.9	10
10	An updated checklist of the vascular flora native to Italy. <i>Plant Biosystems</i> , 2018, 152, 179-303.	1.6	508
11	An updated checklist of the vascular flora alien to Italy. <i>Plant Biosystems</i> , 2018, 152, 556-592.	1.6	300
12	A study of < i>Salvia fruticosa</i> Mill subsp. < i>thomasii</i> (Lacaita) Brullo, Guglielmo, Pavone & Terrasi, an endemic Sage of Southern Italy. <i>Plant Biosystems</i> , 2018, 152, 130-141.	1.6	8
13	It's a long way to the top: Plant species diversity in the transition from managed to old-growth forests. <i>Journal of Vegetation Science</i> , 2018, 29, 98-109.	2.2	26
14	Comparative evaluation of petitgrain oils from six < i>Citrus</i> species alone and in combination as potential functional anti-radicals and antioxidant agents. <i>Plant Biosystems</i> , 2018, 152, 986-993.	1.6	10
15	A new species of <i>Lavandula</i> sect. <i>Lavandula</i> (Lamiaceae) and review of species boundaries in <i>Lavandula angustifolia</i> . <i>Phytotaxa</i> , 2017, 292, 161.	0.3	21
16	Assessment of antioxidant, antitumor and pro-apoptotic effects of <i>Salvia fruticosa</i> Mill. subsp. <i>thomasii</i> (Lacaita) Brullo, Guglielmo, Pavone & Terrasi (Lamiaceae). <i>Food and Chemical Toxicology</i> , 2017, 106, 155-164.	3.6	42
17	At the intersection of cultural and natural heritage: Distribution and conservation of the type localities of Italian endemic vascular plants. <i>Biological Conservation</i> , 2017, 214, 109-118.	4.1	46
18	Exploring the acclimation to depth of <i>Posidonia oceanica</i> comparing the morphological variation to the histo-anatomical characteristics of the leaves. <i>Plant Biosystems</i> , 2017, 151, 1045-1053.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Lectotypification of four Lacaitaâ€™s names in the genus <i>Centaurea</i> (Asteraceae). <i>Phytotaxa</i> , 2016, 269, 54.	0.3	5
20	An inventory of the names of vascular plants endemic to Italy, their loci classici and types. <i>Phytotaxa</i> , 2015, 196, 1.	0.3	138
21	On the definition of element, chorotype and component in biogeography. <i>Journal of Biogeography</i> , 2015, 42, 611-618.	3.0	16
22	Histo-anatomical leaf variations related to depth in <i>Posidonia oceanica</i> . <i>Functional Plant Biology</i> , 2015, 42, 418.	2.1	2
23	< i>Berberis aetnensis</i> and < i>B. libanotica</i>: a comparative study on the chemical composition, inhibitory effect on key enzymes linked to Alzheimer's disease and antioxidant activity. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 1726-1735.	2.4	31
24	Typification of names and taxonomic notes within the genus < i>Thymus</i> L. (< i>Lamiaceae</i>). <i>Taxon</i> , 2013, 62, 1308-1314.	0.7	21
25	Antiproliferative Activities on Renal, Prostate and Melanoma Cancer Cell Lines of <i>Sarcopoterium spinosum</i> Aerial Parts and its Major Constituent Tormentic Acid. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2013, 13, 768-776.	1.7	24
26	Infraspecific classification of < i>Alyssum diffusum (Brassicaceae)</i> in Italy. <i>Willdenowia</i> , 2012, 42, 37-56.	0.8	22
27	Infraspecific classification of <i>Alyssum diffusum (Brassicaceae)</i> in Italy. <i>Willdenowia</i> , 2012, 42, 37-56.	0.8	1
28	Intricate variation patterns in the diploidâ€“polyploid complex of < i>Alyssum montanumâ€“A. repens</i> (Brassicaceae) in the Apennine Peninsula: Evidence for longâ€“term persistence and diversification. <i>American Journal of Botany</i> , 2011, 98, 1887-1904.	1.7	33
29	Acetylcholinesterase and butyrylcholinesterase inhibitory activity of < i>Pinus</i> species essential oils and their constituents. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2010, 25, 622-628.	5.2	92
30	Conservation priorities differ at opposing species borders of a European orchid. <i>Biological Conservation</i> , 2010, 143, 2207-2220.	4.1	30
31	Nonâ€“native flora of Italy: Species distribution and threats. <i>Plant Biosystems</i> , 2010, 144, 12-28.	1.6	103
32	< i>In vitro</i> cytotoxic effects of < i>Senecio stabianus</i> Lacaita (Asteraceae) on human cancer cell lines. <i>Natural Product Research</i> , 2009, 23, 1707-1718.	1.8	46
33	Phylogeography and genetic structure of the orchid < i>Himantoglossum hircinum</i> (L.) Spreng. across its European centralâ€“marginal gradient. <i>Journal of Biogeography</i> , 2009, 36, 2353-2365.	3.0	46
34	Taxonomy of the < i>Onosma echiodoides</i> (L.) L. complex (Boraginaceae) based on morphometric analysis. <i>Botanical Journal of the Linnean Society</i> , 2008, 157, 763-774.	1.6	33
35	A biosystematic study of the < i>Jacobaea maritima</i> group (Asteraceae, < i>Senecioneae</i>) in the Central Mediterranean area. <i>Taxon</i> , 2008, 57, 893-906.	0.7	9
36	Pyrrolizidine Alkaloid Profiles of the <i>Senecio cineraria</i> Group (Asteraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007, 62, 467-472.	1.4	13

#	ARTICLE	IF	CITATIONS
37	<i>In vitro</i> angiotensin converting enzyme inhibiting activity of<i>Salsola oppositifolia</i>. Desf.,<i>Salsola soda</i> L. and<i>Salsola tragus</i> L.. Natural Product Research, 2007, 21, 846-851.	1.8	18
38	Contribution to the knowledge of the folk plant medicine in Calabria region (Southern Italy). FÃ¬toterapÃ¢, 2007, 78, 52-68.	2.2	140
39	Contribution to the knowledge of the veterinary science and of the ethnobotany in Calabria region (Southern Italy). Journal of Ethnobiology and Ethnomedicine, 2006, 2, 52.	2.6	53
40	Typification of the accepted names in the <i>Jacobaea maritima</i> group (<i>Asteraceae</i>). Taxon, 2006, 55, 1001-1004.	0.7	6
41	Comparative chemical variability of the non-polar extracts from <i>Senecio cineraria</i> group (Asteraceae). Biochemical Systematics and Ecology, 2005, 33, 1071-1076.	1.3	8
42	Re-evaluation of <i>Polygala apiculata</i> (Polygalaceae), a rare endemic of S Italy. Willdenowia, 2005, 35, 65.	0.8	2
43	On the lectotypification of the names of four species described by Desfontaines reported for Calabria (S. Italy). Taxon, 2004, 53, 543-547.	0.7	3
44	Lectotypification of <i>Aizoon hispanicum</i>, <i>Plantago albicans</i>, and <i>Staphylea pinnata</i>, names of three Linnaean species occurring in Calabria (S. Italy). Taxon, 2004, 53, 540-542.	0.7	3
45	The genus <i>Paeonia</i> L. in Italy: taxonomic survey and revision. Webbia, 2004, 59, 215-268.	0.3	8
46	On a new subspecies of <i>Adoxa moschatellina</i> (Adoxaceae), apoendemic in Calabria (S Italy). Nordic Journal of Botany, 2004, 24, 249-256.	0.5	2
47	<i>Plantago sinuata</i> Lam. (Plantaginaceae), a misinterpreted unit, typical of moist places. Morphological and karyological evidence. Webbia, 2003, 58, 441-450.	0.3	2
48	On<i>Ranunculus aspromontanus</i> (Ranunculaceae)</i>and its taxonomic relationship. Willdenowia, 2003, 33, 255-264.	0.8	5
49	Biosystematic and taxonomic considerations about Italian units of the genus <i>Ornithogalum</i> (Hyacinthaceae) showing reflexed pedicels. Webbia, 2002, 57, 193-216.	0.3	8
50	<i>Paeonia morisii</i> sp. nov. (Paeoniaceae), a new species from Sardinia. Webbia, 2001, 56, 229-240.	0.3	4
51	On the taxonomy and distribution of <i>Paeonia mascula</i>. l. in Italy based on rDNA ITS1 sequences. Plant Biosystems, 2000, 134, 61-66.	1.6	1
52	Considerazioni floristiche e fitogeografiche sulla flora lito-casmofila di alcune cime dell'Appennino meridionale. Webbia, 1998, 52, 213-264.	0.3	8
53	Conservazione Della Natura. Giornale Botanico Italiano (Florence, Italy: 1962), 1995, 129, 93-108.	0.0	0
54	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 11. Italian Botanist, 0, 11, 45-61.	0.0	2

#	ARTICLE	IF	CITATIONS
55	Notulae to the Italian native vascular flora: 3. <i>Italian Botanist</i> , 0, 3, 29-48.	0.0	2
56	Notulae to the Italian native vascular flora: 3. <i>Italian Botanist</i> , 0, 3, 29-48.	0.0	6
57	Notulae to the Italian native vascular flora: 5. <i>Italian Botanist</i> , 0, 5, 71-81.	0.0	21
58	Notulae to the Italian native vascular flora: 6. <i>Italian Botanist</i> , 0, 6, 45-64.	0.0	25
59	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 7. <i>Italian Botanist</i> , 0, 7, 69-91.	0.0	3
60	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 8. <i>Italian Botanist</i> , 0, 8, 47-62.	0.0	3
61	Notulae to the Italian native vascular flora: 8. <i>Italian Botanist</i> , 0, 8, 95-116.	0.0	13
62	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 9. <i>Italian Botanist</i> , 0, 9, 35-46.	0.0	3
63	Notulae to the Italian alien vascular flora: 9. <i>Italian Botanist</i> , 0, 9, 71-86.	0.0	11
64	Notulae to the Italian native vascular flora: 9. <i>Italian Botanist</i> , 0, 9, 71-86.	0.0	10
65	Global and Regional IUCN Red List Assessments: 9. <i>Italian Botanist</i> , 0, 9, 111-123.	0.0	5
66	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 12. <i>Italian Botanist</i> , 0, 12, 49-62.	0.0	2
67	Notulae to the Italian native vascular flora: 12. <i>Italian Botanist</i> , 0, 12, 85-103.	0.0	2
68	Notulae to the Italian alien vascular flora: 12. <i>Italian Botanist</i> , 0, 12, 105-121.	0.0	6
69	Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 13. <i>Italian Botanist</i> , 0, 13, 1-17.	0.0	2
70	Do marginal plant populations enhance the fitness of larger core units under ongoing climate change? Empirical insights from a rare carnation. <i>AoB PLANTS</i> , 0, , .	2.3	0