Jesper Wallentin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/435099/publications.pdf

Version: 2024-02-01

| | | 218677 | 155660 |
|----------|----------------|--------------|----------------|
| 75 | 3,116 | 26 | 55 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 78 | 78 | 78 | 3633 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|---|-------------------|
| 1 | X-ray in-line holography and holotomography at the NanoMAX beamline. Journal of Synchrotron Radiation, 2022, 29, 224-229. | 2.4 | 7 |
| 2 | Optical demonstration of crystallography and reciprocal space using laser diffraction from Au microdisc arrays. Journal of Applied Crystallography, 2022, 55, 168-171. | 4.5 | 0 |
| 3 | Perovskite-Compatible Electron-Beam-Lithography Process Based on Nonpolar Solvents for Single-Nanowire Devices. ACS Applied Nano Materials, 2022, 5, 3177-3182. | 5.0 | 9 |
| 4 | Free-Standing Metal Halide Perovskite Nanowire Arrays with Blue-Green Heterostructures. Nano Letters, 2022, 22, 2941-2947. | 9.1 | 8 |
| 5 | Single-Crystalline Perovskite Nanowire Arrays for Stable X-ray Scintillators with Micrometer Spatial Resolution. ACS Applied Nano Materials, 2022, 5, 881-889. | 5.0 | 30 |
| 6 | <i>In situ</i> imaging of temperature-dependent fast and reversible nanoscale domain switching in a single-crystal perovskite. Physical Review Materials, 2022, 6, . | 2.4 | 2 |
| 7 | Three-dimensional in situ imaging of single-grain growth in polycrystalline In2O3:Zr films. Communications Materials, 2022, 3, . | 6.9 | 6 |
| 8 | Compositional analysis of oxide-embedded III–V nanostructures. Nanotechnology, 2022, 33, 375705. | 2.6 | 0 |
| 9 | Vertically Aligned CsPbBr3 Nanowire Arrays with Template-Induced Crystal Phase Transition and Stability. Journal of Physical Chemistry C, 2021, 125, 4860-4868. | 3.1 | 12 |
| 10 | Inducing ferroelastic domains in single-crystal <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mi>CsPbBr</mml:mi><mml:mn>3<td>nl202410><td>ान्नी:msub><!--।</td--></td></td></mml:mn></mml:msub></mml:math> | nl 2 024 1 0> <td>ान्नी:msub><!--।</td--></td> | ान्नी:msub> ।</td |
| 11 | Three-dimensional coherent x-ray diffraction imaging of ferroelastic domains in single CsPbBr ₃ perovskite nanoparticles. New Journal of Physics, 2021, 23, 063035. | 2.9 | 11 |
| 12 | Off-axis multilayer zone plate with $16\hat{a}\in$ nm $\tilde{A}-28\hat{a}\in$ nm focus for high-resolution X-ray beam induced current imaging. Journal of Synchrotron Radiation, 2021, 28, 1573-1582. | 2.4 | 5 |
| 13 | <i>In Situ</i> Imaging of Ferroelastic Domain Dynamics in CsPbBr ₃ Perovskite Nanowires by Nanofocused Scanning X-ray Diffraction. ACS Nano, 2020, 14, 15973-15982. | 14.6 | 21 |
| 14 | Ultrafast Optical Generation of Coherent Bright and Dark Surface Phonon Polaritons in Nanowires. ACS Photonics, 2020, 7, 1923-1931. | 6.6 | 2 |
| 15 | Three-Dimensional Coherent Bragg Imaging of Rotating Nanoparticles. Physical Review Letters, 2020, 125, 246101. | 7.8 | 12 |
| 16 | Direct Three-Dimensional Imaging of an X-ray Nanofocus Using a Single 60 nm Diameter Nanowire Device. Nano Letters, 2020, 20, 8326-8331. | 9.1 | 8 |
| 17 | Strain mapping inside an individual processed vertical nanowire transistor using scanning X-ray nanodiffraction. Nanoscale, 2020, 12, 14487-14493. | 5.6 | 7 |
| 18 | High resolution strain mapping of a single axially heterostructured nanowire using scanning X-ray diffraction. Nano Research, 2020, 13, 2460-2468. | 10.4 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 19 | Experimental optimization of X-ray propagation-based phase contrast imaging geometry. Optics Express, 2020, 28, 29562. | 3.4 | 5 |
| 20 | Combining Nanofocused X-Rays with Electrical Measurements at the NanoMAX Beamline. Crystals, 2019, 9, 432. | 2.2 | 11 |
| 21 | Characterization of Nanowire Devices Using Nano-Focused X-Ray Beams. , 2019, , . | | 0 |
| 22 | Simultaneous Growth of Pure Wurtzite and Zinc Blende Nanowires. Nano Letters, 2019, 19, 2723-2730. | 9.1 | 13 |
| 23 | Nanoscale mapping of carrier collection in single nanowire solar cells using X-ray beam induced current. Journal of Synchrotron Radiation, 2019, 26, 102-108. | 2.4 | 12 |
| 24 | Nanobeam X-ray Fluorescence Dopant Mapping Reveals Dynamics of in Situ Zn-Doping in Nanowires. Nano Letters, 2018, 18, 6461-6468. | 9.1 | 19 |
| 25 | Spectrally resolved x-ray beam induced current in a single InGaP nanowire. Nanotechnology, 2018, 29, 454001. | 2.6 | 9 |
| 26 | Bending and Twisting Lattice Tilt in Strained Core–Shell Nanowires Revealed by Nanofocused X-ray Diffraction. Nano Letters, 2017, 17, 4143-4150. | 9.1 | 43 |
| 27 | Simulated sample heating from a nanofocused X-ray beam. Journal of Synchrotron Radiation, 2017, 24, 925-933. | 2.4 | 50 |
| 28 | Bragg coherent x-ray diffractive imaging of a single indium phosphide nanowire. Journal of Optics (United Kingdom), 2016, 18, 064007. | 2.2 | 30 |
| 29 | Strategies to obtain pattern fidelity in nanowire growth from large-area surfaces patterned using nanoimprint lithography. Nano Research, 2016, 9, 2852-2861. | 10.4 | 56 |
| 30 | Confinement effects on Brillouin scattering in semiconductor nanowire photonic crystal. Physical Review B, 2016, 94, . | 3. 2 | 7 |
| 31 | In Operando Xâ€Ray Nanodiffraction Reveals Electrically Induced Bending and Lattice Contraction in a Single Nanowire Device. Advanced Materials, 2016, 28, 1788-1792. | 21.0 | 14 |
| 32 | Holographic imaging with a hard x-ray nanoprobe: ptychographic versus conventional phase retrieval. Optics Letters, 2016, 41, 5519. | 3.3 | 11 |
| 33 | Simultaneous high-resolution scanning Bragg contrast and ptychographic imaging of a single solar cell nanowire. Journal of Applied Crystallography, 2015, 48, 1818-1826. | 4.5 | 4 |
| 34 | Towards multi-order hard X-ray imaging with multilayer zone plates. Journal of Applied Crystallography, 2015, 48, 116-124. | 4.5 | 10 |
| 35 | Progress on multi-order hard x-ray imaging with multilayer zone plates. , 2015, , . | | 0 |
| 36 | Carrier Recombination Dynamics in Sulfur-Doped InP Nanowires. Nano Letters, 2015, 15, 7238-7244. | 9.1 | 26 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 37 | Photon upconversion in degenerately sulfur doped InP nanowires. Nanoscale, 2015, 7, 20503-20509. | 5 . 6 | 1 |
| 38 | Bulk-like transverse electron mobility in an array of heavily <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>n</mml:mi></mml:math> -doped InP nanowires probed by terahertz spectroscopy. Physical Review B, 2014, 90, . | 3.2 | 24 |
| 39 | Hard X-ray Detection Using a Single 100 nm Diameter Nanowire. Nano Letters, 2014, 14, 7071-7076. | 9.1 | 20 |
| 40 | High-flux ptychographic imaging using the new 55â€Âµm-pixel detector `Lambda' based on the Medipix3 readout chip. Acta Crystallographica Section A: Foundations and Advances, 2014, 70, 552-562. | 0.1 | 16 |
| 41 | Study of photocurrent generation in InP nanowire-based p+-i-n+ photodetectors. Nano Research, 2014, 7, 544-552. | 10.4 | 37 |
| 42 | Au-Seeded Growth of Vertical and in-Plane III–V Nanowires on Graphite Substrates. Nano Letters, 2014, 14, 1707-1713. | 9.1 | 41 |
| 43 | A General Approach for Sharp Crystal Phase Switching in InAs, GaAs, InP, and GaP Nanowires Using Only Group V Flow. Nano Letters, 2013, 13, 4099-4105. | 9.1 | 156 |
| 44 | Large-energy-shift photon upconversion in degenerately doped InP nanowires by direct excitation into the electron gas. Nano Research, 2013, 6, 752-757. | 10.4 | 6 |
| 45 | Fluorescent Nanowire Heterostructures as a Versatile Tool for Biology Applications. Nano Letters, 2013, 13, 4728-4732. | 9.1 | 43 |
| 46 | Photoluminescence study of Zn-doped wurtzite InP core-shell nanowires. Applied Physics Letters, 2013, 102, 032105. | 3.3 | 3 |
| 47 | Semiconductor-Oxide Heterostructured Nanowires Using Postgrowth Oxidation. Nano Letters, 2013, 13, 5961-5966. | 9.1 | 8 |
| 48 | InP Nanowire Array Solar Cells Achieving 13.8% Efficiency by Exceeding the Ray Optics Limit. Science, 2013, 339, 1057-1060. | 12.6 | 1,093 |
| 49 | Structural investigation of GalnP nanowires using X-ray diffraction. Thin Solid Films, 2013, 543, 100-105. | 1.8 | 15 |
| 50 | Current–Voltage Characterization of Individual As-Grown Nanowires Using a Scanning Tunneling Microscope. Nano Letters, 2013, 13, 5182-5189. | 9.1 | 16 |
| 51 | Solid–liquid–vapor metal-catalyzed etching of lateral and vertical nanopores. Nanotechnology, 2013, 24, 415303. | 2.6 | 4 |
| 52 | Transparently wrap-gated semiconductor nanowire arrays for studies of gate-controlled photoluminescence., 2013,,. | | 1 |
| 53 | Single GalnP nanowire p-i-n junctions near the direct to indirect bandgap crossover point. Applied Physics Letters, 2012, 100, 251103. | 3.3 | 13 |
| 54 | Electron Trapping in InP Nanowire FETs with Stacking Faults. Nano Letters, 2012, 12, 151-155. | 9.1 | 102 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 55 | Tunnel Field-Effect Transistors Based on InP-GaAs Heterostructure Nanowires. ACS Nano, 2012, 6, 3109-3113. | 14.6 | 89 |
| 56 | Surface Chemistry, Structure, and Electronic Properties from Microns to the Atomic Scale of Axially Doped Semiconductor Nanowires. ACS Nano, 2012, 6, 9679-9689. | 14.6 | 37 |
| 57 | Electrical and optical properties of InP nanowire ensemble p ⁺ –i–n ⁺ photodetectors. Nanotechnology, 2012, 23, 135201. | 2.6 | 31 |
| 58 | Particle-assisted Ga _{<i>x</i>} In _{1â^'<i>x</i>} P nanowire growth for designed bandgap structures. Nanotechnology, 2012, 23, 245601. | 2.6 | 48 |
| 59 | Creating dynamic nanowire devices using wrapped gates., 2011,,. | | 0 |
| 60 | Gate-Induced Fermi Level Tuning in InP Nanowires at Efficiency Close to the Thermal Limit. Nano Letters, 2011, 11, 1127-1130. | 9.1 | 19 |
| 61 | Probing the Wurtzite Conduction Band Structure Using State Filling in Highly Doped InP Nanowires. Nano Letters, 2011, 11, 2286-2290. | 9.1 | 66 |
| 62 | Unit cell parameters of wurtzite InP nanowires determined by x-ray diffraction. Nanotechnology, 2011, 22, 425704. | 2.6 | 49 |
| 63 | A New Route toward Semiconductor Nanospintronics: Highly Mn-Doped GaAs Nanowires Realized by Ion-Implantation under Dynamic Annealing Conditions. Nano Letters, 2011, 11, 3935-3940. | 9.1 | 47 |
| 64 | Growth of doped InAsyP1â~y nanowires with InP shells. Journal of Crystal Growth, 2011, 331, 8-14. | 1.5 | 27 |
| 65 | Photovoltaics with piezoelectric core-shell nanowires. AIP Conference Proceedings, 2011, , . | 0.4 | 2 |
| 66 | Dual-gate induced InP nanowire diode. , 2011, , . | | 0 |
| 67 | Nanowires With Promise for Photovoltaics. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1050-1061. | 2.9 | 123 |
| 68 | Dynamics of extremely anisotropic etching of InP nanowires by HCl. Chemical Physics Letters, 2011, 502, 222-224. | 2.6 | 16 |
| 69 | Fabrication and characterization of AlP-GaP core-shell nanowires. Journal of Crystal Growth, 2011, 324, 290-295. | 1.5 | 6 |
| 70 | Doping profile of InP nanowires directly imaged by photoemission electron microscopy. Applied Physics Letters, 2011, 99, 233113. | 3.3 | 16 |
| 71 | Degenerate p-doping of InP nanowires for large area tunnel diodes. Applied Physics Letters, 2011, 99, . | 3.3 | 28 |
| 72 | Doping of semiconductor nanowires. Journal of Materials Research, 2011, 26, 2142-2156. | 2.6 | 139 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | In situ etching for total control over axial and radial nanowire growth. Nano Research, 2010, 3, 264-270. | 10.4 | 135 |
| 74 | Changes in Contact Angle of Seed Particle Correlated with Increased Zincblende Formation in Doped InP Nanowires. Nano Letters, 2010, 10, 4807-4812. | 9.1 | 83 |
| 75 | High-Performance Single Nanowire Tunnel Diodes. Nano Letters, 2010, 10, 974-979. | 9.1 | 77 |