List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4354828/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of) Tj ETQq1 1 0	.784£14 rgB	Γ¢Overloc₹
2	Interbrain emotional connection during music performances is driven by physical proximity and individual traits. Annals of the New York Academy of Sciences, 2022, 1508, 178-195.	3.8	13
3	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479.	4.8	7
4	Transcranial direct current stimulation (tDCS) reduces motivation to drink ethanol and reacquisition of ethanol self-administration in female mice. Scientific Reports, 2022, 12, 198.	3.3	4
5	Self-Reported Pain and Emotional Reactivity in Bipolar Disorder: A Prospective FACE-BD Study. Journal of Clinical Medicine, 2022, 11, 893.	2.4	2
6	Beneficial effects of prolonged 2-phenylethyl alcohol inhalation on chronic distress-induced anxio-depressive-like phenotype in female mice. Biomedicine and Pharmacotherapy, 2022, 151, 113100.	5.6	2
7	Association between anhedonia and suicidal events in patients with mood disorders: A 3â€year prospective study. Depression and Anxiety, 2021, 38, 17-27.	4.1	25
8	Nonâ€alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACEâ€BD cohort. Acta Psychiatrica Scandinavica, 2021, 143, 82-91.	4.5	11
9	Characterization of depressed bipolar patients with current suicidal ideation. Australian and New Zealand Journal of Psychiatry, 2021, 55, 289-304.	2.3	12
10	Enhancing the role played by clinical pharmacists in psychiatric settings to better integrate clinical psychopharmacology into the decision-making process. Therapie, 2021, 76, 149-156.	1.0	3
11	Clinical characteristics of bipolar disorders with postpartum depressive onset. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 107, 110225.	4.8	6
12	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. Journal of Affective Disorders, 2021, 282, 812-819.	4.1	12
13	The Anti-inflammatory Effect of the Tricyclic Antidepressant Clomipramine and Its High Penetration in the Brain Might Be Useful to Prevent the Psychiatric Consequences of SARS-CoV-2 Infection. Frontiers in Pharmacology, 2021, 12, 615695.	3.5	16
14	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27.	3.1	11
15	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. PLoS ONE, 2021, 16, e0250148.	2.5	4
16	Validity and Usage of the Seasonal Pattern Assessment Questionnaire (SPAQ) in a French Population of Patients with Depression, Bipolar Disorders and Controls. Journal of Clinical Medicine, 2021, 10, 1897.	2.4	10
17	(±)- BIGI-3h : Pentatarget-Directed Ligand combining Cholinesterase, Monoamine Oxidase, and Glycogen Synthase Kinase 3β Inhibition with Calcium Channel Antagonism and Antiaggregating Properties for Alzheimer's Disease. ACS Chemical Neuroscience, 2021, 12, 1328-1342.	3.5	21
18	Towards a Functional Neuromarker of Impulsivity: Feedback-Related Brain Potential during Risky Decision-Making Associated with Self-Reported Impulsivity in a Non-Clinical Sample. Brain Sciences, 2021, 11, 671.	2.3	6

#	Article	IF	CITATIONS
19	Emotional Effects Induced by the Application of a Cosmetic Product: A Real-Time Electrophysiological Evaluation. Applied Sciences (Switzerland), 2021, 11, 4766.	2.5	8
20	Effect of transcranial direct current stimulation on the psychomotor, cognitive, and motor performances of power athletes. Scientific Reports, 2021, 11, 9731.	3.3	19
21	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. Journal of Affective Disorders, 2021, 287, 196-203.	4.1	5
22	Chronic exposure to glucocorticoids induces suboptimal decision-making in mice. European Neuropsychopharmacology, 2021, 46, 56-67.	0.7	9
23	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort✰. Journal of Affective Disorders, 2021, 286, 309-319.	4.1	4
24	Pharmacological treatment profiles in the FACE-BD cohort: Treatment description and complete data for bipolar subtypes. Data in Brief, 2021, 36, 107004.	1.0	0
25	Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Cognitive Impairment in Alzheimer's Disease and Its Impact on Self-Rated Quality of Life and Caregiver's Burden. Brain Sciences, 2021, 11, 740.	2.3	5
26	Chronic Distress in Male Mice Impairs Motivation Compromising Both Effort and Reward Processing With Altered Anterior Insular Cortex and Basolateral Amygdala Neural Activation. Frontiers in Behavioral Neuroscience, 2021, 15, 717701.	2.0	6
27	Psychotropics and COVID-19: An analysis of safety and prophylaxis. L'Encephale, 2021, 47, 564-588.	0.9	2
28	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. Psychoneuroendocrinology, 2021, 131, 105327.	2.7	3
29	Cognitive Impairment in Late-Life Depression: A Comparative Study of Healthy Older People, Late-Life Depression, and Mild Alzheimer's Disease Using Multivariate Base Rates of Low Scores. Frontiers in Psychology, 2021, 12, 724731.	2.1	5
30	Saccadic Eye Movements in Elderly Depressed Patients With Suicidal Behaviors: An Exploratory Eye-Tracking Study. Frontiers in Psychology, 2021, 12, 712347.	2.1	2
31	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics. Frontiers in Psychiatry, 2021, 12, 795666.	2.6	3
32	Psychiatric symptoms and quality of life in older adults with schizophrenia spectrum disorder: results from a multicenter study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 673-688.	3.2	14
33	How does decisional capacity evolve with normal cognitive aging: systematic review of the literature. European Geriatric Medicine, 2020, 11, 117-129.	2.8	10
34	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. Journal of Affective Disorders, 2020, 264, 318-323.	4.1	9
35	Acceptability, attitudes and knowledge towards Transcranial Magnetic Stimulation (TMS) among psychiatrists in France. L'Encephale, 2020, 46, 88-95.	0.9	8
36	Can transcranial direct current stimulation (tDCS) improve impulsivity in healthy and psychiatric adult populations? A systematic review. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 98, 109814.	4.8	25

#	Article	IF	CITATIONS
37	Efficacy and acceptability of transcranial direct current stimulation (tDCS) for major depressive disorder: An individual patient data meta-analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 99, 109836.	4.8	96
38	Modelling decision-making under uncertainty: A direct comparison study between human and mouse gambling data. European Neuropsychopharmacology, 2020, 31, 58-68.	0.7	13
39	Skin conductance response and emotional response in women with psychogenic non-epileptic seizures. Seizure: the Journal of the British Epilepsy Association, 2020, 81, 123-131.	2.0	12
40	Open-tES: An open-source stimulator for transcranial electrical stimulation designed for rodent research. PLoS ONE, 2020, 15, e0236061.	2.5	4
41	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2020, 276, 963-969.	4.1	6
42	Comparison of Noninvasive Imagery Methods to Observe Healthy and Degenerated Olfactory Epithelium in Mice for the Early Diagnosis of Neurodegenerative Diseases. Frontiers in Neuroanatomy, 2020, 14, 34.	1.7	3
43	Cortical Patterns of Pleasurable Musical Chills Revealed by High-Density EEG. Frontiers in Neuroscience, 2020, 14, 565815.	2.8	26
44	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. Brain Sciences, 2020, 10, 962.	2.3	9
45	Influence of Transcranial Direct Current Stimulation on Psychomotor Symptoms in Major Depression. Brain Sciences, 2020, 10, 792.	2.3	0
46	Event-Related Potentials (ERP) Indices of Motivation during the Effort Expenditure for Reward Task. Brain Sciences, 2020, 10, 283.	2.3	7
47	Cost-utility analysis of transcranial direct current stimulation (tDCS) in non-treatment-resistant depression: the DISCO randomised controlled study protocol. BMJ Open, 2020, 10, e033376.	1.9	8
48	Effect of transcranial direct current stimulation on sports performance for two profiles of athletes (power and endurance) (COMPETE): a protocol for a randomised, crossover, double blind, controlled exploratory trial. Trials, 2020, 21, 461.	1.6	10
49	Behavioral and Neural Arguments of Motivational Influence on Decision Making During Uncertainty. Frontiers in Neuroscience, 2020, 14, 583.	2.8	5
50	Clomipramine Could Be Useful in Preventing Neurological Complications of SARS-CoV-2 Infection. Journal of NeuroImmune Pharmacology, 2020, 15, 347-348.	4.1	13
51	Using filled prescription sequences to rank antidepressants according to their acceptability in the general population: The Constances cohort. Journal of Psychiatric Research, 2020, 123, 72-80.	3.1	4
52	Cost-utility analysis of curative and maintenance repetitive transcranial magnetic stimulation (rTMS) for treatment-resistant unipolar depression: a randomized controlled trial protocol. Trials, 2020, 21, 312.	1.6	4
53	Childhood maltreatment and clinical severity of treatmentâ€resistant depression in a French cohort of outpatients (FACEâ€DR): Oneâ€year followâ€up. Depression and Anxiety, 2020, 37, 365-374.	4.1	16
54	Are the new mobile wireless EEG headsets reliable for the evaluation of musical pleasure?. PLoS ONE, 2020, 15, e0244820.	2.5	8

#	Article	IF	CITATIONS
55	An Artistic Approach to Neurofeedback for Emotion Regulation. NeuroRegulation, 2020, 7, 84-94.	1.2	3
56	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. BMC Psychiatry, 2019, 19, 262.	2.6	56
57	Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. Journal of Affective Disorders, 2019, 259, 210-217.	4.1	14
58	Effects of High Frequency Repetitive Transcranial Magnetic Stimulation (HF-rTMS) on Delay Discounting in Major Depressive Disorder: An Open-Label Uncontrolled Pilot Study. Brain Sciences, 2019, 9, 230.	2.3	8
59	Behavioral and Electrophysiological Arguments in Favor of a Relationship between Impulsivity, Risk-Taking, and Success on the Iowa Gambling Task. Brain Sciences, 2019, 9, 248.	2.3	11
60	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) Tj ETQq0 0 0 rgBT	/Ovædock	10119 50 537
61	New Research in Obsessive-Compulsive Disorder and Major Depression. Brain Sciences, 2019, 9, 140.	2.3	2
62	Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. Journal of Affective Disorders, 2019, 256, 164-175.	4.1	19
63	Efficacy of transcranial direct current stimulation in reducing impulsivity in borderline personality disorder (TIMBER): study protocol of a randomized controlled clinical trial. Trials, 2019, 20, 347.	1.6	10
64	Vortioxetine for Cognitive Enhancement in Major Depression: From Animal Models to Clinical Research. Frontiers in Psychiatry, 2019, 10, 771.	2.6	41
65	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. International Journal of Bipolar Disorders, 2019, 7, 20.	2.2	41
66	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2019, 80, .	2.2	21
67	Evidence for a neural signature of musical preference during silence. International Journal of Psychophysiology, 2018, 125, 50-56.	1.0	5
68	Cognitive effects of transcranial direct current stimulation treatment in patients with major depressive disorder: An individual patient data meta-analysis of randomised, sham-controlled trials. Neuroscience and Biobehavioral Reviews, 2018, 90, 137-145.	6.1	51
69	Serotonin transporter gene expression predicts the worsening of suicidal ideation and suicide attempts along a long-term follow-up of a Major Depressive Episode. European Neuropsychopharmacology, 2018, 28, 401-414.	0.7	18
70	Predictors of remission to antidepressants in late-life depression: a systematic review. Psychologie & Neuropsychiatrie Du Vieillissement, 2018, 16, 189-196.	0.2	0
71	Effects of a 20-Min Nap Post Normal and Jet Lag Conditions on P300 Components in Athletes. International Journal of Sports Medicine, 2018, 39, 508-516.	1.7	13
72	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). Frontiers in Psychiatry, 2018, 9, 326.	2.6	14

#	Article	IF	CITATIONS
73	Early weight gain predicts later weight gain in depressed patients treated with antidepressants: Findings from the METADAP cohort. Journal of Affective Disorders, 2018, 241, 22-28.	4.1	5
74	Transcranial Direct Current Stimulation (tDCS): A Promising Treatment for Major Depressive Disorder?. Brain Sciences, 2018, 8, 81.	2.3	89
75	Glycogen synthase kinase-3β genetic polymorphisms and insomnia in depressed patients: A prospective study. Journal of Affective Disorders, 2018, 240, 230-236.	4.1	11
76	In Vivo Inspection of the Olfactory Epithelium: Feasibility of Robotized Optical Biopsy. Annals of Biomedical Engineering, 2018, 46, 1951-1961.	2.5	11
77	Early weight gain predicts later metabolic syndrome in depressed patients treated with antidepressants: Findings from the METADAP cohort. Journal of Psychiatric Research, 2018, 107, 120-127.	3.1	8
78	Motor Resonance Mechanisms during Action Imitation in Depression. Neuropsychiatry, 2018, 08, .	0.4	1
79	Transcranial direct current stimulation produces long-lasting attenuation of cocaine-induced behavioral responses and gene regulation in corticostriatal circuits. Addiction Biology, 2017, 22, 1267-1278.	2.6	15
80	Safety and acceptability of transcranial direct current stimulation for the acute treatment of major depressive episodes: Analysis of individual patient data. Journal of Affective Disorders, 2017, 221, 1-5.	4.1	40
81	The antidepressant-like effect of tDCS in mice: A behavioral and neurobiological characterization. Brain Stimulation, 2017, 10, 748-756.	1.6	27
82	Severe insomnia is associated with hypertriglyceridemia in women with major depression treated in psychiatry settings. Journal of Affective Disorders, 2017, 217, 159-162.	4.1	7
83	Management of treatment resistant depression: A comparison between French expert consensus guidelines and international evidence based guidelines. European Psychiatry, 2017, 41, S525-S525.	0.2	Ο
84	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). BMC Pharmacology & Toxicology, 2017, 18, 70.	2.4	7
85	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). Frontiers in Psychiatry, 2017, 8, 244.	2.6	11
86	Motivational Influence on Decision-Making under Uncertainty during the Iowa Gambling Task: A Review of the Literature. International Journal of Indian Psychology, 2017, 4, .	0.0	1
87	High prevalence of psychiatric disorders in patients with skin-restricted lupus: a case-control study. British Journal of Dermatology, 2016, 174, 1051-1060.	1.5	17
88	Don't forget the lyrics! Spatiotemporal dynamics of neural mechanisms spontaneously evoked by gaps of silence in familiar and newly learned songs. Neurobiology of Learning and Memory, 2016, 132, 18-28.	1.9	7
89	Left Prefrontal Repetitive Transcranial Magnetic Stimulation in a Logopenic Variant of Primary Progressive Aphasia: A Case Report. European Neurology, 2016, 76, 12-18.	1.4	19
90	Effects of smoking status and MADRS retardation factor on response to low frequency repetitive transcranial magnetic stimulation for depression. European Psychiatry, 2016, 38, 40-44.	0.2	7

#	Article	IF	CITATIONS
91	A Bayesian framework systematic review and meta-analysis of anesthetic agents effectiveness/tolerability profile in electroconvulsive therapy for major depression. Scientific Reports, 2016, 6, 19847.	3.3	29
92	Transcranial direct current stimulation for acute major depressive episodes: Meta-analysis of individual patient data. British Journal of Psychiatry, 2016, 208, 522-531.	2.8	300
93	Mast cells' involvement in inflammation pathways linked to depression: evidence in mastocytosis. Molecular Psychiatry, 2016, 21, 1511-1516.	7.9	64
94	Protocol Design Challenges in the Detection of Awareness in Aware Subjects Using EEG Signals. Clinical EEG and Neuroscience, 2016, 47, 266-275.	1.7	6
95	Bedside Evaluation of the Functional Organization of the Auditory Cortex in Patients with Disorders of Consciousness. PLoS ONE, 2016, 11, e0146788.	2.5	3
96	Treating major depressive episodes with antidepressants can induce or worsen metabolic syndrome: results of the METADAP cohort. World Psychiatry, 2015, 14, 366-367.	10.4	42
97	Markers of Individual Drug Metabolism: Towards the Development of a Personalized Antidepressant Prescription. Current Drug Metabolism, 2015, 16, 17-45.	1.2	10
98	Neural Correlates of Successful and Unsuccessful Strategical Mechanisms Involved in Uncertain Decision-Making. PLoS ONE, 2015, 10, e0130871.	2.5	18
99	Eye Movement in Unipolar and Bipolar Depression: A Systematic Review of the Literature. Frontiers in Psychology, 2015, 6, 1809.	2.1	49
100	On the difficulty to communicate with fMRI-based protocols used to identify covert awareness. Neuroscience, 2015, 300, 448-459.	2.3	9
101	Substitute or complement? Defining the relative place of EEG and fMRI in the detection of voluntary brain reactions. Neuroscience, 2015, 290, 435-444.	2.3	15
102	Visual scanning behavior during processing of emotional faces in older adults with major depression. Aging and Mental Health, 2015, 19, 264-273.	2.8	15
103	Pilot study of feasibility of the effect of treatment with tDCS in patients suffering from treatment-resistant depression treated with escitalopram. Clinical Neurophysiology, 2015, 126, 1185-1189.	1.5	99
104	Google Trends®: Ready for real-time suicide prevention or just a Zeta-Jones effect? An exploratory study. Psychiatry Research, 2015, 228, 913-917.	3.3	34
105	Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141.	4.1	95
106	Motor Imagery in Unipolar Major Depression. Frontiers in Behavioral Neuroscience, 2014, 8, 413.	2.0	10
107	Can transcranial direct current stimulation (tDCS) alleviate symptoms and improve cognition in psychiatric disorders?. World Journal of Biological Psychiatry, 2014, 15, 261-275.	2.6	86
108	Clinical Manifestations of Hysteria: An Epistemological Perspective or How Historical Dynamics Illuminate Current Practice. Frontiers of Neurology and Neuroscience, 2014, 35, 28-43.	2.8	6

#	Article	IF	CITATIONS
109	Why medical students choose psychiatry - a 20 country cross-sectional survey. BMC Medical Education, 2014, 14, 12.	2.4	85
110	Metacognition Training for Schizophrenia: A French Pilot Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2014, 26, E32-E33.	1.8	3
111	The Efficacy and Safety of Low Frequency Repetitive Transcranial Magnetic Stimulation for Treatment-resistant Depression: TheÂResults From a Large Multicenter French RCT. Brain Stimulation, 2014, 7, 855-863.	1.6	87
112	Transcranial direct current stimulation for memory enhancement: from clinical research to animal models. Frontiers in Systems Neuroscience, 2014, 8, 159.	2.5	66
113	A 20-min nap in athletes changes subsequent sleep architecture but does not alter physical performances after normal sleep or 5-h phase-advance conditions. European Journal of Applied Physiology, 2014, 114, 305-315.	2.5	56
114	tDCS dans le traitement de la dépressionÂ: un exemple de recherche clinique translationnelle. European Psychiatry, 2014, 29, 668-668.	0.2	0
115	Impact of 5-h phase advance on sleep architecture and physical performance in athletes. Applied Physiology, Nutrition and Metabolism, 2014, 39, 1230-1236.	1.9	9
116	Repeated Transcranial Direct Current Stimulation Prevents Abnormal Behaviors Associated with Abstinence from Chronic Nicotine Consumption. Neuropsychopharmacology, 2014, 39, 981-988.	5.4	47
117	Metacognitive training for schizophrenia: A multicentre randomised controlled trial. Schizophrenia Research, 2014, 157, 99-106.	2.0	51
118	Leukocyte telomere length in mastocytosis: Correlations with depression and perceived stress. Brain, Behavior, and Immunity, 2014, 35, 51-57.	4.1	25
119	Interest of targeting either cortical area Brodmann 9 or 46 in rTMS treatment for depression: A preliminary randomized study. Clinical Neurophysiology, 2014, 125, 2384-2389.	1.5	13
120	Encouraging French medical students to choose a career in psychiatry: How and why?. International Review of Psychiatry, 2013, 25, 460-465.	2.8	9
121	Vers un réseau national de soins spécifiques de la dépression résistante. European Psychiatry, 2013, 28, 42-42.	0.2	0
122	Transient improvement in sensorimotor conversion during post-anoxic encephalopathy with bilateral medial temporal ischemia. Neurocase, 2013, 19, 576-582.	0.6	0
123	Nocturnal Rapid Eye Movement Sleep Latency for Identifying Patients With Narcolepsy/Hypocretin Deficiency. JAMA Neurology, 2013, 70, 891.	9.0	142
124	Time-of-Day Effects on Psychomotor and Physical Performances in Highly Trained Cyclists. Perceptual and Motor Skills, 2013, 117, 376-388.	1.3	8
125	Psychomotor Retardation in Depression: A Systematic Review of Diagnostic, Pathophysiologic, and Therapeutic Implications. BioMed Research International, 2013, 2013, 1-18.	1.9	152
126	Intragenic <i>CAMTA1</i> rearrangements cause non-progressive congenital ataxia with or without intellectual disability. Journal of Medical Genetics, 2012, 49, 400-408.	3.2	39

#	Article	IF	CITATIONS
127	A case report of daily left prefrontal repetitive transcranial magnetic stimulation (rTMS) as an adjunctive treatment for Alzheimer disease. Brain Stimulation, 2012, 5, 264-266.	1.6	53
128	Sociodemographic and psychopathological risk factors in repeated suicide attempts: Gender differences in a prospective study. Journal of Affective Disorders, 2012, 136, 35-43.	4.1	93
129	Resting motor threshold changes and clinical response to prefrontal repetitive transcranial magnetic stimulation in depressed patients. Psychiatry and Clinical Neurosciences, 2012, 66, 344-352.	1.8	14
130	Factors influencing French medical students towards a career in psychiatry. Psychiatria Danubina, 2012, 24 Suppl 1, S185-90.	0.4	2
131	Bipolar disorder and dementia: where is the link?. Psychogeriatrics, 2011, 11, 60-67.	1.2	28
132	Massively multiplayer online role-playing games: comparing characteristics of addict vsnon-addict on online recruited gamers in a French adult population. BMC Psychiatry, 2011, 11, 144.	2.6	142
133	Stimulation magnétique transcrânienne répétée (rTMS) en psychiatrieÂ: principes, utilisation pratique, effets secondaires et sécurité d'emploi. Annales Medico-Psychologiques, 2010, 168, 382-386.	0.4	3
134	Self-rated residual symptoms do not predict 1-year recurrence of depression. European Psychiatry, 2010, 25, 52-57.	0.2	8
135	Traitements pharmacologiques des troubles psychocomportementaux dans la maladie d'Alzheimer. Annales Medico-Psychologiques, 2009, 167, 219-223.	0.4	3
136	Pharmacogenetics and Drug Therapy in Psychiatry - The Role of the CYP2D6 Polymorphism. Current Pharmaceutical Design, 2007, 13, 241-250.	1.9	18
137	Does hospitalisation affect hypnotic and anxiolytic drug prescribing?. International Journal of Clinical Pharmacy, 2007, 29, 611-618.	1.4	15
138	Odor perception in patients with mood disorders. Journal of Affective Disorders, 2006, 90, 187-191.	4.1	140
139	Clomipramine, fluoxetine and CYP2D6 metabolic capacity in depressed patients. Human Psychopharmacology, 2004, 19, 293-298.	1.5	14
140	Population Pharmacokinetics of Clomipramine, Desmethylclomipramine, and Hydroxylated Metabolites in Patients With Depression Receiving Chronic Treatment: Model Evaluation. Therapeutic Drug Monitoring, 2000, 22, 701-711.	2.0	12
141	Influence of CYP2D6*2 and CYP2D6*4 alleles on phenotype in polymedicated depressed inpatients: therapeutic consequences?. European Journal of Clinical Pharmacology, 2000, 55, 877-879.	1.9	1
142	On the Assessment of Drug Metabolism by Assays of Codeine and Its Main Metabolites. Therapeutic Drug Monitoring, 2000, 22, 258-265.	2.0	14
143	Relationship between the severity of alcoholic liver cirrhosis and the metabolism of caffeine in 226 patients. International Journal of Clinical Pharmacology and Therapeutics, 2000, 38, 467-475.	0.6	13
144	Drug extrapyramidal side-effects or not: is there a dextromethorphan phenotype difference?. Therapie, 2000, 55, 349-53.	1.0	2

#	Article	IF	CITATIONS
145	Citalopram: an Interaction Study with Clomipramine in a Patient Heterozygous for CYP2D6 Genotype. Pharmacopsychiatry, 1999, 32, 232-234.	3.3	14
146	Drug extrapyramidal side effects. CYP2D6 genotypes and phenotypes. European Journal of Clinical Pharmacology, 1999, 55, 659-665.	1.9	57