Ana Velasco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4354965/publications.pdf

Version: 2024-02-01

623734 794594 19 681 14 19 h-index citations g-index papers 19 19 19 1077 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Recent Advances on Immunosuppressive Drugs and Remyelination Enhancers for the Treatment of Multiple Sclerosis. Current Pharmaceutical Design, 2021, 27, 3273-3280.	1.9	1
2	Prenatal Administration of Oleic Acid or Linolenic Acid Reduces Neuromorphological and Cognitive Alterations in Ts65dn Down Syndrome Mice. Journal of Nutrition, 2020, 150, 1631-1643.	2.9	16
3	Fatty Acids and Antioxidants in Multiple Sclerosis: Therapeutic Role of GEMSP. Current Pharmaceutical Design, 2019, 25, 376-380.	1.9	5
4	Endocytosis and Transcytosis of Amyloid-β Peptides by Astrocytes: A Possible Mechanism for Amyloid-β Clearance in Alzheimer's Disease. Journal of Alzheimer's Disease, 2018, 65, 1109-1124.	2.6	26
5	Restrained Phosphatidylcholine Synthesis in a Cellular Model of Down's Syndrome is Associated with the Overexpression of Dyrk1A. Molecular Neurobiology, 2017, 54, 1092-1100.	4.0	3
6	The role of Omega-3 and Omega-9 fatty acids for the treatment of neuropathic pain after neurotrauma. Biochimica Et Biophysica Acta - Biomembranes, 2017, 1859, 1629-1635.	2.6	37
7	Aberrant Co-localization of Synaptic Proteins Promoted by Alzheimer's Disease Amyloid-β Peptides: Protective Effect ofÂHuman Serum Albumin. Journal of Alzheimer's Disease, 2016, 55, 171-182.	2.6	18
8	Oleic Acid and Cholinergic dysfunction in Down Syndrome Models of the Central Nervous System. Journal of Neurology and Neuromedicine, 2016, 1, 1-5.	0.9	1
9	Overexpression of DYRK1A inhibits choline acetyltransferase induction by oleic acid in cellular models of Down syndrome. Experimental Neurology, 2013, 239, 229-234.	4.1	9
10	Albumin endocytosis via megalin in astrocytes is caveola―and Dabâ€1 dependent and is required for the synthesis of the neurotrophic factor oleic acid. Journal of Neurochemistry, 2009, 111, 49-60.	3.9	43
11	Neuronal differentiation is triggered by oleic acid synthesized and released by astrocytes. Journal of Neurochemistry, 2008, 79, 606-616.	3.9	100
12	<i>In vitro</i> high affinity αâ€synuclein binding sites for the amyloid imaging agent PIB are not matched by binding to Lewy bodies in postmortem human brain ¹ . Journal of Neurochemistry, 2008, 105, 1428-1437.	3.9	84
13	Megalin is a receptor for albumin in astrocytes and is required for the synthesis of the neurotrophic factor oleic acid. Journal of Neurochemistry, 2008, 106, 1149-1159.	3.9	61
14	Detection of filamentous tau inclusions by the fluorescent Congo red derivative FSB [(<i>trans</i> , <i>trans</i>)â€1â€fluoroâ€2,5â€bis(3â€hydroxycarbonylâ€4â€hydroxy)styrylbenzene]. FEBS Lett 2008, 582, 901-906.	:er 2, 8	38
15	The neurotrophic effect of oleic acid includes dendritic differentiation and the expression of the neuronal basic helix-loop-helix transcription factor NeuroD2. Journal of Neurochemistry, 2004, 88, 1041-1051.	3.9	55
16	Role of oleic acid as a neurotrophic factor is supported in vivo by the expression of GAP-43 subsequent to the activation of SREBP-1 and the up-regulation of stearoyl-CoA desaturase during postnatal development of the brain. Brain Research, 2003, 977, 103-111.	2.2	45
17	Transcytosis of Albumin in Astrocytes Activates the Sterol Regulatory Element-binding Protein-1, Which Promotes the Synthesis of the Neurotrophic Factor Oleic Acid. Journal of Biological Chemistry, 2002, 277, 4240-4246.	3.4	71
18	The enhancement of glucose uptake caused by the collapse of gap junction communication is due to an increase in astrocyte proliferation. Journal of Neurochemistry, 2001, 78, 890-898.	3.9	38

Ana Velasco

#	ARTICLE	IF	CITATIONS
19	ATP-Sensitive Potassium Channel Regulates Astrocytic Gap Junction Permeability by a Ca2+-Independent Mechanism. Journal of Neurochemistry, 2000, 74, 1249-1256.	3.9	30