

Ching-Yu Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4356672/publications.pdf>

Version: 2024-02-01

111
papers

3,706
citations

101543

36
h-index

155660

55
g-index

114
all docs

114
docs citations

114
times ranked

5180
citing authors

#	ARTICLE	IF	CITATIONS
1	Histone Deacetylase Inhibitors Sensitize Prostate Cancer Cells to Agents that Produce DNA Double-Strand Breaks by Targeting Ku70 Acetylation. <i>Cancer Research</i> , 2007, 67, 5318-5327.	0.9	179
2	Sarcopenic obesity is closely associated with metabolic syndrome. <i>Obesity Research and Clinical Practice</i> , 2013, 7, e301-e307.	1.8	155
3	Sedation for Refractory Symptoms of Terminal Cancer Patients in Taiwan. <i>Journal of Pain and Symptom Management</i> , 2001, 21, 467-472.	1.2	137
4	A pilot randomized controlled trial to improve geriatric frailty. <i>BMC Geriatrics</i> , 2012, 12, 58.	2.7	112
5	Symptom patterns of advanced cancer patients in a palliative care unit. <i>Palliative Medicine</i> , 2006, 20, 617-622.	3.1	108
6	Social support and family functioning on psychological symptoms in elderly Chinese. <i>Archives of Gerontology and Geriatrics</i> , 2007, 44, 203-213.	3.0	105
7	Prediction of survival in terminal cancer patients in Taiwan: constructing a prognostic scale. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 115-122.	1.2	101
8	Epidemiology of sarcopenia among community-dwelling older adults in Taiwan: A pooled analysis for a broader adoption of sarcopenia assessments. <i>Geriatrics and Gerontology International</i> , 2014, 14, 52-60.	1.5	101
9	Antitumor Effects of a Novel Phenylbutyrate-Based Histone Deacetylase Inhibitor, (S)-HDAC-42, in Prostate Cancer. <i>Clinical Cancer Research</i> , 2006, 12, 5199-5206.	7.0	93
10	Metabolic stereoisomeric inversion of ibuprofen in mammals. <i>BBA - Proteins and Proteomics</i> , 1991, 1078, 411-417.	2.1	84
11	Prevalence and severity of symptoms in terminal cancer patients: a study in Taiwan. <i>Supportive Care in Cancer</i> , 2000, 8, 311-313.	2.2	78
12	Overcoming Trastuzumab Resistance in HER2-Overexpressing Breast Cancer Cells by Using a Novel Celecoxib-Derived Phosphoinositide-Dependent Kinase-1 Inhibitor. <i>Molecular Pharmacology</i> , 2006, 70, 1534-1541.	2.3	74
13	Prevalence and Correlates of Geriatric Frailty in a Northern Taiwan Community. <i>Journal of the Formosan Medical Association</i> , 2011, 110, 247-257.	1.7	71
14	Does Dying at Home Influence the Good Death of Terminal Cancer Patients?. <i>Journal of Pain and Symptom Management</i> , 2007, 34, 497-504.	1.2	70
15	Validation of the Chinese-Canadian study of health and aging clinical frailty scale (CSHA-CFS) telephone version. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, e74-e80.	3.0	70
16	The Influence of Awareness of Terminal Condition on Spiritual Well-Being in Terminal Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2006, 31, 449-456.	1.2	68
17	Terminal cancer patients' wishes and influencing factors toward the provision of artificial nutrition and hydration in Taiwan. <i>Journal of Pain and Symptom Management</i> , 2004, 27, 206-214.	1.2	64
18	Solving Family-related Barriers to Truthfulness in Cases of Terminal Cancer in Taiwan. <i>Cancer Nursing</i> , 2002, 25, 486-492.	1.5	61

#	ARTICLE	IF	CITATIONS
19	Dietary Pattern Associated with Frailty: Results from Nutrition and Health Survey in Taiwan. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2009-2015.	2.6	58
20	Significance of Symptom Clustering in Palliative Care of Advanced Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2010, 39, 655-662.	1.2	56
21	Integrated care for geriatric frailty and sarcopenia: a randomized control trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 78-88.	7.3	56
22	Dyspnea and its correlates in taiwanese patients with terminal cancer. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 123-132.	1.2	55
23	Metabolic risks, white matter hyperintensities, and arterial stiffness in high-functioning healthy adults. <i>International Journal of Cardiology</i> , 2010, 143, 184-191.	1.7	53
24	Prevailing Ethical Dilemmas in Terminal Care for Patients With Cancer in Taiwan. <i>Journal of Clinical Oncology</i> , 2009, 27, 3964-3968.	1.6	50
25	Development of Small-Molecule Cyclin D1-Ablative Agents. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 4684-4689.	6.4	49
26	Serum selenium concentration is associated with metabolic factors in the elderly: a cross-sectional study. <i>Nutrition and Metabolism</i> , 2010, 7, 38.	3.0	47
27	Fear of Death and Good Death Among the Young and Elderly with Terminal Cancers in Taiwan. <i>Journal of Pain and Symptom Management</i> , 2005, 29, 344-351.	1.2	46
28	Vitamin D insufficiency and frailty syndrome in older adults living in a Northern Taiwan community. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, S17-S21.	3.0	46
29	The impacts of sarcopenia and obesity on physical performance in the elderly. <i>Obesity Research and Clinical Practice</i> , 2015, 9, 256-265.	1.8	46
30	Can a Good Death and Quality of Life Be Achieved for Patients with Terminal Cancer in a Palliative Care Unit?. <i>Journal of Palliative Medicine</i> , 2010, 13, 1433-1438.	1.1	41
31	Plasma Adiponectin Levels Correlate Positively with an Increasing Number of Components of Frailty in Male Elders. <i>PLoS ONE</i> , 2013, 8, e56250.	2.5	41
32	Review of telemedicine projects in Taiwan. <i>International Journal of Medical Informatics</i> , 2001, 61, 117-129.	3.3	40
33	Gender-Specific Association Between Self-reported Sleep Duration and Falls in High-Functioning Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 190-196.	3.6	40
34	Hospice shared-care saved medical expenditure and reduced the likelihood of intensive medical utilization among advanced cancer patients in Taiwan—a nationwide survey. <i>Supportive Care in Cancer</i> , 2014, 22, 1907-1914.	2.2	39
35	Combine body mass index and body fat percentage measures to improve the accuracy of obesity screening in young adults. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 11-18.	1.8	39
36	Bright Liver and Alanine Aminotransferase Are Associated with Metabolic Syndrome in Adults. <i>Obesity</i> , 2005, 13, 1238-1245.	4.0	38

#	ARTICLE	IF	CITATIONS
37	Age-Period-Cohort Analysis of Hepatocellular Carcinoma Mortality in Taiwan, 1976-2005. <i>Annals of Epidemiology</i> , 2009, 19, 323-328.	1.9	36
38	Combined association of chronic disease and low skeletal muscle mass with physical performance in older adults in the Sarcopenia and Translational Aging Research in Taiwan (START) study. <i>BMC Geriatrics</i> , 2015, 15, 11.	2.7	36
39	Factors that influence the participation of healthcare professionals in advance care planning for patients with terminal cancer: A nationwide survey in Taiwan. <i>Social Science and Medicine</i> , 2010, 70, 1701-1704.	3.8	35
40	Thigh muscle volume predicted by anthropometric measurements and correlated with physical function in the older adults. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 433-438.	3.3	35
41	Factors Affecting the Improvement of Quality of Dying of Terminally Ill Patients with Cancer through Palliative Care: A Ten-Year Experience. <i>Journal of Palliative Medicine</i> , 2012, 15, 854-862.	1.1	34
42	The Bioavailability of β -Carotene in Stir- or Deep-Fried Vegetables in Men Determined by Measuring the Serum Response to a Single Ingestion. <i>Journal of Nutrition</i> , 2000, 130, 534-540.	2.9	33
43	Why Taiwanese hospice patients want to stay in hospital: health-care professionals' beliefs and solutions. <i>Supportive Care in Cancer</i> , 2004, 12, 285-292.	2.2	32
44	Family experience with difficult decisions in end-of-life care. <i>Psycho-Oncology</i> , 2012, 21, 785-791.	2.3	32
45	All-cause and Cardiovascular Disease Mortality Increased With Metabolic Syndrome in Taiwanese. <i>Obesity</i> , 2008, 16, 684-689.	3.0	31
46	Risk Factors for Hip Fracture Sites and Mortality in Older Adults. <i>Journal of Trauma</i> , 2011, 71, 191-197.	2.3	31
47	Does the Awareness of Terminal Illness Influence Cancer Patients' Psycho-spiritual State, and Their DNR Signing: A Survey in Taiwan. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 910-916.	1.3	28
48	Criterion-Referenced Values of Grip Strength and Usual Gait Speed Using Instrumental Activities of Daily Living Disability as the Criterion. <i>Journal of Geriatric Physical Therapy</i> , 2018, 41, 14-19.	1.1	27
49	Factors that influence physicians in providing palliative care in rural communities in Taiwan. <i>Supportive Care in Cancer</i> , 2005, 13, 781-789.	2.2	26
50	Effect of a Compassion-Focused Training Program in Palliative Care Education for Medical Students. <i>American Journal of Hospice and Palliative Medicine</i> , 2013, 30, 114-120.	1.4	26
51	Activation of Akt by Advanced Glycation End Products (AGEs): Involvement of IGF-1 Receptor and Caveolin-1. <i>PLoS ONE</i> , 2013, 8, e58100.	2.5	26
52	Association between Dietary Fiber Intake and Physical Performance in Older Adults: A Nationwide Study in Taiwan. <i>PLoS ONE</i> , 2013, 8, e80209.	2.5	26
53	Factors Affecting Students' Evaluation in a Community Service-Learning Program. <i>Advances in Health Sciences Education</i> , 2007, 12, 475-490.	3.3	25
54	Patient Preferences versus Family Physicians' Perceptions Regarding the Place of End-of-Life Care and Death: A Nationwide Study in Taiwan. <i>Journal of Palliative Medicine</i> , 2015, 18, 625-630.	1.1	25

#	ARTICLE	IF	CITATIONS
55	Interrelations Between Mitochondrial DNA Copy Number and Inflammation in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 937-944.	3.6	25
56	Comparison of Proxy Ratings of Main Family Caregivers and Physicians on the Quality of Dying of Terminally Ill Cancer Patients. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 795-804.	1.3	22
57	A quick dementia screening tool for primary care physicians. <i>Archives of Gerontology and Geriatrics</i> , 2011, 53, 100-103.	3.0	21
58	The relationship between pain management and psychospiritual distress in patients with advanced cancer following admission to a palliative care unit. <i>BMC Palliative Care</i> , 2015, 14, 69.	1.8	20
59	Morphine for dyspnea control in terminal cancer patients: is it appropriate in Taiwan?. <i>Journal of Pain and Symptom Management</i> , 2004, 28, 356-363.	1.2	19
60	A Computer-assisted Model for Predicting Probability of Dying Within 7 Days of Hospice Admission in Patients with Terminal Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 449-455.	1.3	19
61	Effects of the hospital-based palliative care team on the care for cancer patients: An evaluation study. <i>International Journal of Nursing Studies</i> , 2014, 51, 226-235.	5.6	19
62	Nurses' Willingness and the Predictors of Willingness to Provide Palliative Care in Rural Communities of Taiwan. <i>Journal of Pain and Symptom Management</i> , 2003, 26, 760-768.	1.2	18
63	Is It Appropriate To Withdraw Antibiotics in Terminal Patients with Cancer with Infection?. <i>Journal of Palliative Medicine</i> , 2013, 16, 1417-1422.	1.1	18
64	Implementation and evaluation of a multifunctional telemedicine system in NTUH. <i>International Journal of Medical Informatics</i> , 2001, 61, 175-187.	3.3	17
65	Association between Abnormal Liver Function and Risk Factors for Metabolic Syndrome among Freshmen. <i>Journal of Adolescent Health</i> , 2007, 41, 132-137.	2.5	17
66	Evaluation of Inpatient Multidisciplinary Palliative Care Unit on Terminally Ill Cancer Patients from Providers' Perspectives: A Propensity Score Analysis. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 161-169.	1.3	17
67	Plasma zinc β 2-microglobulin levels are elevated in smokers and correlated with metabolic syndrome. <i>European Journal of Clinical Investigation</i> , 2015, 45, 452-459.	3.4	17
68	Rosiglitazone inhibits monocyte/macrophage adhesion through de novo adiponectin production in human monocytes. <i>Journal of Cellular Biochemistry</i> , 2010, 110, 1410-1419.	2.6	15
69	Smokers show reduced circulating adiponectin levels and adiponectin mRNA expression in peripheral blood mononuclear cells. <i>Atherosclerosis</i> , 2011, 218, 168-173.	0.8	15
70	Wishes of Patients With Terminal Cancer and Influencing Factors Toward the Use of Antibiotics in Taiwan. <i>American Journal of Hospice and Palliative Medicine</i> , 2015, 32, 537-543.	1.4	15
71	A 10-year review of health care reform on Family Practice Integrated Care Project—Taiwan experience. <i>Family Practice</i> , 2018, 35, 352-357.	1.9	15
72	What do laypersons consider as a good death. <i>Supportive Care in Cancer</i> , 2009, 17, 691-699.	2.2	14

#	ARTICLE	IF	CITATIONS
73	Self-reported exhaustion, physical activity, and grip strength predict frailty transitions in older outpatients with chronic diseases. <i>Medicine (United States)</i> , 2018, 97, e10933.	1.0	14
74	Home environmental problems and physical function in Taiwanese older adults. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, 335-338.	3.0	13
75	Diabetes mellitus and functional impairment in Taiwanese older men and women. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, S6-S10.	3.0	13
76	Advances of Hospice Palliative Care in Taiwan. <i>The Korean Journal of Hospice and Palliative Care</i> , 2016, 19, 292-295.	0.7	13
77	Cancer patient autonomy and quality of dying-a prospective nationwide survey in Taiwan. <i>Psycho-Oncology</i> , 2016, 25, 179-186.	2.3	12
78	Protective Effect of Calcium Channel Blockers Against Frailty in Older Adults with Hypertension. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1356-1358.	2.6	11
79	Overview of studies related to geriatric syndrome in Taiwan. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2012, 3, 14-20.	0.7	10
80	Plasma zinc alpha2-glycoprotein levels correlate positively with frailty severity in female elders. <i>Medicine (United States)</i> , 2016, 95, e4753.	1.0	10
81	Truth Telling and Treatment Strategies in End-of-Life Care in Physician-Led Accountable Care Organizations. <i>Medicine (United States)</i> , 2015, 94, e657.	1.0	9
82	Active Engagement in Social Groups as a Predictor for Mental and Physical Health Among Taiwanese Older Adults: A 4-year Longitudinal Study. <i>International Journal of Gerontology</i> , 2015, 9, 1-6.	0.6	9
83	Identification of traumatic acid as a potential plasma biomarker for sarcopenia using a metabolomics-based approach. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 276-286.	7.3	9
84	What can family physicians contribute in palliative home care in Taiwan?. <i>Family Practice</i> , 2009, 26, 287-293.	1.9	8
85	The evaluation of a Taiwanese training program in smoking cessation and the trainees' adherence to a practice guideline. <i>BMC Public Health</i> , 2010, 10, 77.	2.9	8
86	What Factors Are Important in Increasing Junior Doctors' Willingness To Provide Palliative Care in Taiwan? An Educational Intervention Study. <i>Journal of Palliative Medicine</i> , 2010, 13, 1245-1251.	1.1	8
87	Troglitazone and β 2-Troglitazone Enhance Adiponectin Expression in Monocytes/Macrophages through the AMP-Activated Protein Kinase Pathway. <i>Mediators of Inflammation</i> , 2014, 2014, 1-12.	3.0	8
88	Paradoxical Relationship Between Glycated Hemoglobin and Longitudinal Change in Physical Functioning in Older Adults: A Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 949-956.	3.6	8
89	Perceptions and practices of spiritual care among hospice physicians and nurses in a Taiwanese tertiary hospital: a qualitative study. <i>BMC Palliative Care</i> , 2020, 19, 96.	1.8	8
90	A quasi-experimental evaluation of advance care planning improves consistency between elderly individuals and their surrogates regarding end-of-life care preferences: Development and application of a decision aid with cartoon pictures. <i>Patient Education and Counseling</i> , 2021, 104, 815-825.	2.2	7

#	ARTICLE	IF	CITATIONS
91	U-Care for the elderly: Implementation of a Comprehensive Living and Health Care Network. , 2007, , .		6
92	Correlates of Fatigue Phenomenon in Palliative Care Patients with Advanced Cancers in Taiwan. Journal of Palliative Medicine, 2012, 15, 737-743.	1.1	5
93	What Influences the Willingness of Community Physicians to Provide Palliative Care for Patients with Terminal Cancer? Evidence from a Nationwide Survey. Japanese Journal of Clinical Oncology, 2013, 43, 278-285.	1.3	5
94	Enhancing elderly health examination effectiveness by adding physical function evaluations and interventions. Archives of Gerontology and Geriatrics, 2017, 70, 38-43.	3.0	5
95	Upregulation of cluster of differentiation 36 mRNA expression in peripheral blood mononuclear cells correlates with frailty severity in older adults. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 1948-1955.	7.3	5
96	Response to the letter entitled "Comment on the impacts of sarcopenia and obesity on physical performance in the elderly". Obesity Research and Clinical Practice, 2014, 8, e624-e625.	1.8	4
97	Plasma vascular adhesion protein-1 levels correlate positively with frailty severity in older adults. Medicine (United States), 2020, 99, e21192.	1.0	4
98	Polypharmacy Is Significantly and Positively Associated with the Frailty Status Assessed Using the 5-Item FRAIL Scale, Cardiovascular Health Phenotypic Classification of Frailty Index, and Study of Osteoporotic Fractures Scale. Journal of Clinical Medicine, 2021, 10, 4413.	2.4	4
99	Changes of serum adiponectin and soluble intercellular adhesion molecule-1 concentrations after smoking cessation. Clinical Chemistry and Laboratory Medicine, 2012, 50, 1063-9.	2.3	3
100	Quick screening tool for patients with severe negative emotional reactions to chronic illness: psychometric study of the negative emotions due to chronic illness screening test (NECIS). Family Practice, 2018, 35, 34-40.	1.9	3
101	Age-dependent messenger RNA expression of toll-like receptor 4 and intercellular adhesion molecule-1 in peripheral blood mononuclear cells. European Journal of Clinical Investigation, 2021, 51, e13522.	3.4	3
102	Integrated approach for multimorbid patients in a hospitalist setting: Survival analysis of a two-year prospective study. Journal of the Formosan Medical Association, 2021, , .	1.7	3
103	Clinical Implications of Using Racemic Drugs. Clinical Research and Regulatory Affairs, 1992, 9, 247-259.	2.1	2
104	Evaluation of the present status of academic family medicine in Taiwan. Asia Pacific Family Medicine, 2003, 2, 114-119.	0.4	2
105	PBMC expressed adiponectin mRNA is predictive of survival in patients with gastric cancer. Clinical Chemistry and Laboratory Medicine, 2013, 51, e313-6.	2.3	1
106	Consciousness Levels One Week after Admission to a Palliative Care Unit Improve Survival Prediction in Advanced Cancer Patients. Journal of Palliative Medicine, 2015, 18, 170-175.	1.1	1
107	Correlation between plasma ZAG and adiponectin in older adults: gender modification and frailty specificity. BMC Geriatrics, 2021, 21, 442.	2.7	1
108	Is the Metabolic Syndrome Associated with Cardiovascular Disease, Diabetes Mellitus, and Increased Physical Limitations in an Elderly Population if Multiple Chronic Illnesses are Taken into Consideration?. International Journal of Gerontology, 2011, 5, 146-149.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Direct mechanoelectrical coupling during manual chest compression for asystole. Heart Rhythm, 2015, 12, 252-253.	0.7	0
110	Nutritional Support in Palliative Care. , 2011, , 121-131.		0
111	Promotion of case management with coordinated care for fatigued patients with advanced cancer. Annals of Palliative Medicine, 2013, 2, 98-100.	1.2	0