

Chun-Hsing Liao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4358585/publications.pdf>

Version: 2024-02-01

222
papers

5,570
citations

87888

38
h-index

138484

58
g-index

227
all docs

227
docs citations

227
times ranked

6424
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid response of a medical center upon the surge of COVID-19 epidemic in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2022, 55, 1-5.	3.1	16
2	Evaluating NG-Test CARBA 5 Multiplex Immunochromatographic and Cepheid Xpert CARBA-R Assays among Carbapenem-Resistant <i>Enterobacterales</i> Isolates Associated with Bloodstream Infection. <i>Microbiology Spectrum</i> , 2022, 10, e0172821.	3.0	12
3	Novel design of amine and metal hydroxide functional group modified onto sludge biochar for arsenic removal. <i>Water Science and Technology</i> , 2022, 85, 1384-1399.	2.5	6
4	Impact of neutropenia on clinical manifestations and outcome of <i>Staphylococcus aureus</i> bloodstream infection: a propensity score-based overlap weight analysis in two large, prospectively evaluated cohorts. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1149.e1-1149.e9.	6.0	2
5	Multicenter Surveillance of Capsular Serotypes, Virulence Genes, and Antimicrobial Susceptibilities of <i>Klebsiella pneumoniae</i> Causing Bacteremia in Taiwan, 2017–2019. <i>Frontiers in Microbiology</i> , 2022, 13, 783523.	3.5	7
6	A multipeptide SARS-CoV-2 vaccine provides long-lasting B cell and T cell immunity against Delta and Omicron variants. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	49
7	Humoral antibody response to the first dose of the <i>ChAdOx1 nCoV-19</i> vaccine in Asian patients undergoing hemodialysis. <i>Hemodialysis International</i> , 2022, .	0.9	2
8	The <i>fciTABC</i> and <i>feoABI</i> systems contribute to ferric citrate acquisition in <i>Stenotrophomonas maltophilia</i> . <i>Journal of Biomedical Science</i> , 2022, 29, 26.	7.0	3
9	Clinical and molecular epidemiology of human listeriosis in Taiwan. <i>International Journal of Infectious Diseases</i> , 2021, 104, 718-724.	3.3	12
10	Impact of Immunosuppressive Agents on Clinical Manifestations and Outcome of <i>Staphylococcus aureus</i> Bloodstream Infection: A Propensity Score–Matched Analysis in 2 Large, Prospectively Evaluated Cohorts. <i>Clinical Infectious Diseases</i> , 2021, 73, 1239-1247.	5.8	4
11	Preventive strategy of gastrointestinal endoscopy unit against COVID-19: A tertiary center experience in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2021, 54, 1003-1005.	3.1	0
12	Interplay between <i>OmpA</i> and <i>RpoN</i> Regulates Flagellar Synthesis in <i>Stenotrophomonas maltophilia</i> . <i>Microorganisms</i> , 2021, 9, 1216.	3.6	10
13	Antimicrobial susceptibility of bacteremic vancomycin-resistant <i>Enterococcus faecium</i> to eravacycline, omadacycline, lipoglycopeptides, and other comparator antibiotics: Results from the 2019–2020 Nationwide Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART). <i>International Journal of Antimicrobial Agents</i> , 2021, 58, 106353.	2.5	7
14	Comparison of Etest and broth microdilution for evaluating the susceptibility of <i>Staphylococcus aureus</i> and <i>Streptococcus pneumoniae</i> to ceftaroline and of carbapenem-resistant <i>Enterobacterales</i> and <i>Pseudomonas aeruginosa</i> to ceftazidime/avibactam. <i>Journal of Global Antimicrobial Resistance</i> , 2021, 26, 301-307.	2.2	4
15	Clinical characteristics of bacteremia caused by <i>Haemophilus</i> and <i>Aggregatibacter</i> species and antimicrobial susceptibilities of the isolates. <i>Journal of Microbiology, Immunology and Infection</i> , 2021, 54, 1130-1138.	3.1	10
16	Vancomycin-loaded oxidized hyaluronic acid and adipic acid dihydrazide hydrogel: Bio-compatibility, drug release, antimicrobial activity, and biofilm model. <i>Journal of Microbiology, Immunology and Infection</i> , 2020, 53, 525-531.	3.1	24
17	Linezolid as salvage therapy for central nervous system infections due to methicillin-resistant <i>Staphylococcus aureus</i> at two medical centers in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2020, 53, 909-915.	3.1	9
18	Defining persistent <i>Staphylococcus aureus</i> bacteraemia: secondary analysis of a prospective cohort study. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 1409-1417.	9.1	84

#	ARTICLE	IF	CITATIONS
19	<i>Klebsiella pneumoniae</i> bacteremia revisited: Comparison between 2007 and 2017 prospective cohorts at a medical center in Taiwan. <i>Journal of Infection</i> , 2020, 81, 753-757.	3.3	5
20	AmpR of <i>Stenotrophomonas maltophilia</i> is involved in stenobactin synthesis and enhanced β -lactam resistance in an iron-depleted condition. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 3544-3551.	3.0	11
21	Molecular Evidence for Intra- and Inter-Farm Spread of Porcine mcr-1-Carrying <i>Escherichia coli</i> in Taiwan. <i>Frontiers in Microbiology</i> , 2020, 11, 1967.	3.5	2
22	ABO424â€¦PREDICTORS OF SLE FLARE-UP AND PREMATURE DELIVERY IN PREGNANCY. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1511.1-1512.	0.9	0
23	Emergence and Spread of <i>Neisseria gonorrhoeae</i> Strains with High-Level Resistance to Azithromycin in Taiwan from 2001 to 2018. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	14
24	Role of nasal swab culture in guiding antimicrobial therapy for acute cellulitis in the era of community-acquired methicillin-resistant <i>Staphylococcus aureus</i> : A prospective study of 89 patients. <i>Journal of Microbiology, Immunology and Infection</i> , 2019, 52, 494-497.	3.1	8
25	Antimicrobial activities of ceftazidime–avibactam, ceftolozane–tazobactam, and other agents against <i>Escherichia coli</i> , <i>Klebsiella pneumoniae</i> , and <i>Pseudomonas aeruginosa</i> isolated from intensive care units in Taiwan: results from the Surveillance of Multicenter Antimicrobial Resistance in Taiwan in 2016. <i>Journal of Infection and Drug Resistance</i> , 2019, Volume 12, 545-552.	2.7	24
26	Effective disinfection of airborne microbial contamination in hospital wards using a zero-valent nano-silver/TiO ₂ chitosan composite. <i>Indoor Air</i> , 2019, 29, 439-449.	4.3	19
27	In vitro activities of cefiderocol, ceftolozane/tazobactam, ceftazidime/avibactam and other comparative drugs against imipenem-resistant <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> , and <i>Stenotrophomonas maltophilia</i> , all associated with bloodstream infections in Taiwan. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 380-386.	3.0	77
28	Clinical and microbiological characteristics of patients with bacteremia caused by <i>Campylobacter</i> species with an emphasis on the subspecies of <i>C. fetus</i> . <i>Journal of Microbiology, Immunology and Infection</i> , 2019, 52, 122-131.	3.1	18
29	Emergence of multidrug-resistant sequence type 45 strains among mecA-positive borderline oxacillin-resistant <i>Staphylococcus aureus</i> causing bacteraemia in a medical centre in Taiwan. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 70-75.	2.5	13
30	Utility of a blood culture time to positivity-incorporated scoring model in predicting vascular infections in adults with nontyphoid <i>Salmonella</i> bacteremia. <i>Journal of Microbiology, Immunology and Infection</i> , 2018, 51, 652-658.	3.1	5
31	Value of blood culture time to positivity in identifying complicated nontyphoidal <i>Salmonella</i> bacteremia. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 91, 210-216.	1.8	9
32	Clinical characteristics of bacteraemia caused by <i>Burkholderia cepacia</i> complex species and antimicrobial susceptibility of the isolates in a medical centre in Taiwan. <i>International Journal of Antimicrobial Agents</i> , 2018, 51, 357-364.	2.5	12
33	The prevalence of rectal carriage of <i>Klebsiella pneumoniae</i> amongst diabetic patients and their clinical relevance in Taiwan: A five-year prospective study. <i>Journal of Microbiology, Immunology and Infection</i> , 2018, 51, 510-518.	3.1	14
34	Targeting the 15-keto-PGE2-PTGR2 axis modulates systemic inflammation and survival in experimental sepsis. <i>Free Radical Biology and Medicine</i> , 2018, 115, 113-126.	2.9	30
35	Characterization of rifampin-resistant <i>Staphylococcus aureus</i> ; nasal carriage in patients receiving rifampin-containing regimens for tuberculosis. <i>Infection and Drug Resistance</i> , 2018, Volume 11, 1175-1182.	2.7	7
36	Survival following <i>Staphylococcus aureus</i> bloodstream infection: A prospective multinational cohort study assessing the impact of place of care. <i>Journal of Infection</i> , 2018, 77, 516-525.	3.3	48

#	ARTICLE	IF	CITATIONS
37	Antimicrobial susceptibilities and molecular typing of neisseria gonorrhoeae isolates at a medical centre in Taiwan, 2001–2013 with an emphasis on high rate of azithromycin resistance among the isolates. <i>International Journal of Antimicrobial Agents</i> , 2018, 51, 768-774.	2.5	9
38	Accurate differentiation of novel <i>Staphylococcus argenteus</i> from <i>Staphylococcus aureus</i> using MALDI-TOF MS. <i>Future Microbiology</i> , 2018, 13, 997-1006.	2.0	25
39	Genes and Proteins Involved in <i>qnrS1</i> Induction. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	6
40	High mortality impact of <i>Staphylococcus argenteus</i> on patients with community-onset staphylococcal bacteraemia. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 747-753.	2.5	38
41	Comparison of commonly used antimicrobial susceptibility testing methods for evaluating susceptibilities of clinical isolates of Enterobacteriaceae and nonfermentative Gram-negative bacilli to cefoperazone–sulbactam. <i>Journal of Microbiology, Immunology and Infection</i> , 2017, 50, 454-463.	3.1	22
42	Comparison of in vitro synergy of various β -lactams with vancomycin against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Infection</i> , 2017, 74, 324-325.	3.3	2
43	Clinical features of patients with bacteraemia caused by <i>Mycobacterium avium</i> complex species and antimicrobial susceptibility of the isolates at a medical centre in Taiwan, 2008–2014. <i>International Journal of Antimicrobial Agents</i> , 2017, 50, 35-40.	2.5	10
44	Evaluation of the automated Becton Dickinson MAX real-time PCR platform for detection of <i>Pneumocystis jirovecii</i> . <i>Future Microbiology</i> , 2017, 12, 29-37.	2.0	12
45	Applicability of an in-House Saponin-Based Extraction Method in Bruker Biotyper Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry System for Identification of Bacterial and Fungal Species in Positively Flagged Blood Cultures. <i>Frontiers in Microbiology</i> , 2016, 7, 1432.	3.5	15
46	Image Gallery: Cutaneous infections caused by <i>Alternaria alternata</i> and <i>Mucor irregularis</i> 1 year apart in a patient with iatrogenic Cushing syndrome. <i>British Journal of Dermatology</i> , 2016, 174, e82.	1.5	2
47	Identification of a capsular variant and characterization of capsular acetylation in <i>Klebsiella pneumoniae</i> PLA-associated type K57. <i>Scientific Reports</i> , 2016, 6, 31946.	3.3	26
48	Reinfection and relapse of recurrent bacteremia caused by <i>Klebsiella pneumoniae</i> in a medical center in Taiwan. <i>Future Microbiology</i> , 2016, 11, 1157-1165.	2.0	6
49	Rates of susceptibility of carbapenems, ceftobiprole, and colistin against clinically important bacteria collected from intensive care units in 2007: Results from the Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART). <i>Journal of Microbiology, Immunology and Infection</i> , 2016, 49, 969-976.	3.1	18
50	Differences of microbiota in small bowel and faeces between irritable bowel syndrome patients and healthy subjects. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 410-419.	1.5	80
51	Efficacy of chlorine dioxide disinfection to non-fermentative Gram-negative bacilli and non-tuberculous mycobacteria in a hospital water system. <i>Journal of Hospital Infection</i> , 2016, 93, 22-28.	2.9	12
52	Time to positivity in blood cultures of adults with nontyphoidal <i>Salmonella</i> bacteremia. <i>Journal of Microbiology, Immunology and Infection</i> , 2016, 49, 417-423.	3.1	13
53	Restoration of erectile function with intracavernous injections of endothelial progenitor cells after bilateral cavernous nerve injury in rats. <i>Andrology</i> , 2015, 3, 924-932.	3.5	10
54	Evaluation of the matrix-assisted laser desorption/ionization time-of-flight mass spectrometry Bruker Biotyper for identification of <i>Penicillium marneffeii</i> , <i>Paecilomyces</i> species, <i>Fusarium solani</i> , <i>Rhizopus</i> species, and <i>Pseudallescheria boydii</i> . <i>Frontiers in Microbiology</i> , 2015, 6, 679.	3.5	30

#	ARTICLE	IF	CITATIONS
55	Disease Burden of Invasive Listeriosis and Molecular Characterization of Clinical Isolates in Taiwan, 2000-2013. PLoS ONE, 2015, 10, e0141241.	2.5	43
56	Excess Mortality Associated With Colistin-Tigecycline Compared With Colistin-Carbapenem Combination Therapy for Extensively Drug-Resistant <i>Acinetobacter baumannii</i> Bacteremia. Critical Care Medicine, 2015, 43, 1194-1204.	0.9	112
57	Occult <i>Klebsiella pneumoniae</i> bacteremia at an emergency department: A single center experience. Journal of Microbiology, Immunology and Infection, 2015, 48, 684-691.	3.1	10
58	Disseminated <i>Penicillium marneffei</i> mimicking paradoxical response and relapse in a non-HIV patient with pulmonary tuberculosis. Journal of the Chinese Medical Association, 2015, 78, 258-260.	1.4	10
59	The effect of applying polymerase chain reaction to detect methicillin-resistant and -susceptible <i>Staphylococcus aureus</i> in blood culture of patient with Gram-positive coccus bacteremia. Journal of Microbiology, Immunology and Infection, 2015, 48, S61.	3.1	0
60	The efficacy of chlorine dioxide in eradicating <i>Legionella</i> , non-tuberculosis mycobacterium, and heterotrophic bacteria from a hospital water system. Journal of Microbiology, Immunology and Infection, 2015, 48, S101.	3.1	0
61	Carbapenem susceptibility among <i>Escherichia coli</i> , <i>Klebsiella pneumoniae</i> , and <i>Enterobacter cloacae</i> isolates obtained from patients in intensive care units in Taiwan in 2005, 2007, and 2009. Diagnostic Microbiology and Infectious Disease, 2015, 81, 290-295.	1.8	5
62	In vitro synergy of penicillin, ceftriaxone and levofloxacin against serotype 19A <i>Streptococcus pneumoniae</i> . International Journal of Antimicrobial Agents, 2015, 46, 722-725.	2.5	1
63	In Vitro Activities of Tedizolid and Linezolid against Gram-Positive Cocci Associated with Acute Bacterial Skin and Skin Structure Infections and Pneumonia. Antimicrobial Agents and Chemotherapy, 2015, 59, 6262-6265.	3.2	32
64	Usefulness of pulsed-field gel electrophoresis profiles for the determination of <i>Salmonella</i> serovars. International Journal of Food Microbiology, 2015, 214, 1-3.	4.7	16
65	<i>Haemophilus parainfluenzae</i> urethritis among homosexual men. Journal of Microbiology, Immunology and Infection, 2015, 48, 450-452.	3.1	21
66	Relationship between the distribution of cefepime minimum inhibitory concentrations and detection of extended-spectrum β -lactamase production among clinically important Enterobacteriaceae isolates obtained from patients in intensive care units in Taiwan: Results from the Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART) in 2007. Journal of Microbiology, Immunology and Infection, 2015, 48, 85-91.	3.1	12
67	Fatal pneumonia and empyema thoracis caused by imipenem-resistant <i>Nocardia abscessus</i> in a cancer patient. Journal of Microbiology, Immunology and Infection, 2015, 48, 706-708.	3.1	7
68	An Association of Genotypes and Antimicrobial Resistance Patterns among <i>Salmonella</i> Isolates from Pigs and Humans in Taiwan. PLoS ONE, 2014, 9, e95772.	2.5	44
69	Increase in the rate of azithromycin-resistant <i>Streptococcus pneumoniae</i> isolates carrying the <i>erm(B)</i> and <i>mef(A)</i> genes in Taiwan, 2006-2010. BMC Infectious Diseases, 2014, 14, 704.	2.9	5
70	Daptomycin-Loaded Polymethylmethacrylate Bone Cement for Joint Arthroplasty Surgery. Artificial Organs, 2014, 38, 484-492.	1.9	11
71	Sequential time to positivity of blood cultures can be a predictor of prognosis of patients with persistent <i>Staphylococcus aureus</i> bacteraemia. Clinical Microbiology and Infection, 2014, 20, 892-898.	6.0	23
72	Epidemiology and staphylococcal cassette chromosome <i>mec</i> typing of methicillin-resistant <i>Staphylococcus aureus</i> isolates in Taiwan: A multicenter study. Journal of the Formosan Medical Association, 2014, 113, 409-416.	1.7	8

#	ARTICLE	IF	CITATIONS
73	In vitro synergy of ampicillin with gentamicin, ceftriaxone and ciprofloxacin against <i>Enterococcus faecalis</i> . <i>International Journal of Antimicrobial Agents</i> , 2014, 44, 85-86.	2.5	13
74	Capsular serotypes and multilocus sequence types of bacteremic <i>Klebsiella pneumoniae</i> isolates associated with different types of infections. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 365-369.	2.9	62
75	Decline in the incidence of invasive pneumococcal disease at a medical center in Taiwan, 2000-2012. <i>BMC Infectious Diseases</i> , 2014, 14, 76.	2.9	16
76	Trends in the susceptibility of methicillin-resistant <i>Staphylococcus aureus</i> to nine antimicrobial agents, including ceftobiprole, nemonoxacin, and tyrothricin: results from the Tigecycline In Vitro Surveillance in Taiwan (TIST) study, 2006-2010. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 233-239.	2.9	21
77	Bruker Biotyper Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry System for Identification of <i>Nocardia</i> , <i>Rhodococcus</i> , <i>Kocuria</i> , <i>Gordonia</i> , <i>Tsukamurella</i> , and <i>Listeria</i> Species. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2371-2379.	3.9	64
78	Method-specific performance of vancomycin MIC susceptibility tests in predicting mortality of patients with methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 211-218.	3.0	29
79	Antifungal Susceptibilities of <i>Candida</i> Isolates Causing Bloodstream Infections at a Medical Center in Taiwan, 2009-2010. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3814-3819.	3.2	31
80	Carbapenems and piperacillin/tazobactam for the treatment of bacteremia caused by extended-spectrum β -lactamase-producing <i>Proteus mirabilis</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 80, 222-226.	1.8	39
81	Trends in the susceptibility of commonly encountered clinically significant anaerobes and susceptibilities of blood isolates of anaerobes to 16 antimicrobial agents, including fidaxomicin and rifaximin, 2008-2012, northern Taiwan. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 2041-2052.	2.9	28
82	Trend in vancomycin susceptibility and correlation with molecular characteristics of methicillin-resistant <i>Staphylococcus aureus</i> causing invasive infections in Taiwan: results from the Tigecycline in vitro Surveillance in Taiwan (TIST) study, 2006-2010. <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 80, 162-167.	1.8	6
83	Clinical manifestations of <i>Clostridium difficile</i> infection in a medical center in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2014, 47, 491-496.	3.1	10
84	Clinical and pathological characteristics of mycobacterial tenosynovitis and arthritis. <i>Infection</i> , 2013, 41, 457-464.	4.7	32
85	Carbapenem susceptibilities and non-susceptibility concordance to different carbapenems amongst clinically important Gram-negative bacteria isolated from intensive care units in Taiwan: Results from the Surveillance of Multicentre Antimicrobial Resistance in Taiwan (SMART) in 2009. <i>International Journal of Antimicrobial Agents</i> , 2013, 41, 457-462.	2.5	26
86	Bacteremia caused by <i>Pantoea agglomerans</i> at a medical center in Taiwan, 2000-2010. <i>Journal of Microbiology, Immunology and Infection</i> , 2013, 46, 187-194.	3.1	57
87	Trends in the antimicrobial susceptibilities and serotypes of <i>Streptococcus pneumoniae</i> : results from the Tigecycline In Vitro Surveillance in Taiwan (TIST) study, 2006-2010. <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 312-316.	2.5	12
88	Vancomycin in the treatment of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) infection: End of an era?. <i>Journal of Global Antimicrobial Resistance</i> , 2013, 1, 23-30.	2.2	12
89	Extrapulmonary infections caused by a dominant strain of <i>Mycobacterium massiliense</i> (<i>Mycobacterium</i>) Tj ETQq1 1.0.784314 rgBT /Ove	6.0	19
90	Risk factors and clinical characteristics of patients with qnr-positive <i>Klebsiella pneumoniae</i> bacteraemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2907-2914.	3.0	31

#	ARTICLE	IF	CITATIONS
91	Decline in Ciprofloxacin-Resistant <i>Salmonella enterica</i> Serovar Choleraesuis in Taiwan, 2001–2011: Figure 1.. <i>Clinical Infectious Diseases</i> , 2013, 56, 1357-1359.	5.8	5
92	<i>Salmonella enterica</i> Serovar Typhi Variants in Long-Term Carriers. <i>Journal of Clinical Microbiology</i> , 2013, 51, 669-672.	3.9	12
93	Characteristics of patients with <i>Clostridium difficile</i> infection in Taiwan. <i>Epidemiology and Infection</i> , 2013, 141, 2031-2038.	2.1	6
94	<i>Cronobacter</i> Infections Not from Infant Formula, Taiwan. <i>Emerging Infectious Diseases</i> , 2013, 19, 167-169.	4.3	28
95	Otitis Media and Otomastoiditis Caused by <i>Mycobacterium massiliense</i> (<i>Mycobacterium abscessus</i>) Tj ETQq1 1 0.784314 rgBT / Overl...	3.9	19
96	Clinical and Microbiological Characteristics of Bacteremia Caused by <i>Eggerthella</i> , <i>Paraeggerthella</i> , and <i>Eubacterium</i> Species at a University Hospital in Taiwan from 2001 to 2010. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2053-2055.	3.9	41
97	Agreement Assessment of Tigecycline Susceptibilities Determined by the Disk Diffusion and Broth Microdilution Methods among Commonly Encountered Resistant Bacterial Isolates: Results from the Tigecycline <i>In Vitro</i> Surveillance in Taiwan (TIST) Study, 2008 to 2010. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 1414-1417.	3.2	27
98	Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Staphylococcal Cassette Chromosome <i>mec</i> Genotype Effects Outcomes of Patients With Healthcare-Associated MRSA Bacteremia Independently of Vancomycin Minimum Inhibitory Concentration. <i>Clinical Infectious Diseases</i> , 2012, 55, 1329-1337.	5.8	35
99	Performance Assessment of the DR. TBDR/NTM IVD Kit for Direct Detection of <i>Mycobacterium tuberculosis</i> Isolates, Including Rifampin-Resistant Isolates, and Nontuberculous <i>Mycobacteria</i> . <i>Journal of Clinical Microbiology</i> , 2012, 50, 3398-3401.	3.9	15
100	Cutaneous Infection Caused by <i>Gordonia amicalis</i> after a Traumatic Injury. <i>Journal of Clinical Microbiology</i> , 2012, 50, 1821-1822.	3.9	11
101	Outbreak of <i>Klebsiella pneumoniae</i> Carbapenemase-2-Producing <i>K. pneumoniae</i> Sequence Type 11 in Taiwan in 2011. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 5016-5022.	3.2	38
102	In vitro susceptibilities of clinical isolates of ertapenem-non-susceptible Enterobacteriaceae to cefotaxime, ceftazidime, cefepime and aztreonam. <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1413-1421.	3.0	4
103	Trends in Susceptibility of Vancomycin-Resistant <i>Enterococcus faecium</i> to Tigecycline, Daptomycin, and Linezolid and Molecular Epidemiology of the Isolates: Results from the Tigecycline <i>In Vitro</i> Surveillance in Taiwan (TIST) Study, 2006 to 2010. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 3402-3405.	3.2	22
104	Trends in the Susceptibility of Clinically Important Resistant Bacteria to Tigecycline: Results from the Tigecycline <i>In Vitro</i> Surveillance in Taiwan Study, 2006 to 2010. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 1452-1457.	3.2	37
105	Central Venous Oxygen Saturation Under Non-Protocolized Resuscitation Is Not Related to Survival in Severe Sepsis or Septic Shock. <i>Shock</i> , 2012, 38, 584-591.	2.1	16
106	<i>Mycobacterium abscessus</i> Granulomatous Prostatitis. <i>American Journal of Surgical Pathology</i> , 2012, 36, 418-422.	3.7	16
107	Bacteremia caused by <i>Acinetobacter junii</i> at a medical center in Taiwan, 2000–2010. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012, 31, 2737-2743.	2.9	13
108	Recurrent Bacteremia Caused by the <i>Acinetobacter calcoaceticus</i> - <i>Acinetobacter baumannii</i> Complex. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2982-2986.	3.9	26

#	ARTICLE	IF	CITATIONS
109	Staphylococcus lugdunensis endocarditis with isolated tricuspid valve involvement. Journal of Microbiology, Immunology and Infection, 2012, 45, 248-250.	3.1	8
110	Nontuberculous mycobacterial infections in cancer patients in a medical center in Taiwan, 2005-2008. Diagnostic Microbiology and Infectious Disease, 2012, 72, 161-165.	1.8	20
111	Isolation of methicillin-resistant Staphylococcus aureus sequence type 9 in pigs in Taiwan. International Journal of Antimicrobial Agents, 2012, 39, 449-451.	2.5	9
112	Association between incidence of candidaemia and consumption of antifungal agents at a medical centre in Taiwan. International Journal of Antimicrobial Agents, 2012, 40, 349-353.	2.5	24
113	Streptococcus suis infection in Taiwan, 2000-2011. Diagnostic Microbiology and Infectious Disease, 2012, 74, 75-77.	1.8	13
114	Infections caused by Candida lipolytica. Journal of Infection, 2012, 65, 372-374.	3.3	14
115	Bacteremia caused by antimicrobial resistant Campylobacter species at a medical center in Taiwan, 1998-2008. Journal of Infection, 2012, 65, 392-399.	3.3	21
116	Emergence of tigecycline-resistant Klebsiella pneumoniae after tigecycline therapy for complicated urinary tract infection caused by carbapenem-resistant Escherichia coli. Journal of Infection, 2012, 65, 584-586.	3.3	14
117	Changing trends in antimicrobial susceptibility of Streptococcus pneumoniae isolates in Taiwan, 2006-2007. Journal of Microbiology, Immunology and Infection, 2012, 45, 305-310.	3.1	7
118	Characterizations of Clinical Isolates of Clostridium difficile by Toxin Genotypes and by Susceptibility to 12 Antimicrobial Agents, Including Fidaxomicin (OPT-80) and Rifaximin: a Multicenter Study in Taiwan. Antimicrobial Agents and Chemotherapy, 2012, 56, 3943-3949.	3.2	43
119	Mycobacterial infections in adult patients with hematological malignancy. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 1059-1066.	2.9	38
120	Fluoroquinolone use and resistance of Gram-negative bacteria causing healthcare-associated infections at a university hospital in Taiwan from 2000 to 2008. Journal of Infection, 2012, 64, 618-620.	3.3	2
121	Quinolone Induction of <i>qnrVS1</i> in <i>Vibrio splendidus</i> and Plasmid-Carried <i>qnrS1</i> in <i>Escherichia coli</i> , a Mechanism Independent of the SOS System. Antimicrobial Agents and Chemotherapy, 2011, 55, 5942-5945.	3.2	22
122	In vitro susceptibilities of clinical isolates of ertapenem-non-susceptible Enterobacteriaceae to nemonoxacin, tigecycline, fosfomycin and other antimicrobial agents. International Journal of Antimicrobial Agents, 2011, 37, 276-278.	2.5	22
123	Increased rifampicin resistance in blood isolates of methicillin-resistant Staphylococcus aureus (MRSA) amongst patients exposed to rifampicin-containing antituberculous treatment. International Journal of Antimicrobial Agents, 2011, 37, 550-553.	2.5	12
124	Clinical characteristics of infections caused by Tsukamurella spp. and antimicrobial susceptibilities of the isolates. International Journal of Antimicrobial Agents, 2011, 38, 534-537.	2.5	44
125	Diagnostic value of an enzyme-linked immunospot assay for interferon- γ in cutaneous tuberculosis. Diagnostic Microbiology and Infectious Disease, 2011, 70, 60-64.	1.8	20
126	Clinical characteristics and outcomes of patients with Burkholderia cepacia bacteremia in an intensive care unit. Diagnostic Microbiology and Infectious Disease, 2011, 70, 260-266.	1.8	37

#	ARTICLE	IF	CITATIONS
127	Diagnostic performance of whole-blood interferon- γ assay and enzyme-linked immunospot assay for active tuberculosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 71, 139-143.	1.8	32
128	Diagnostic utility of enzyme-linked immunospot assay for interferon- γ in a patient with tuberculous arthritis and pyomyositis. <i>Journal of Microbiology, Immunology and Infection</i> , 2011, 44, 397-400.	3.1	4
129	Consensus statement on the role of fluoroquinolones in the management of urinary tract infections. <i>Journal of Microbiology, Immunology and Infection</i> , 2011, 44, 79-82.	3.1	10
130	Bakkenolide G, a Natural PAF-receptor Antagonist. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 49, 1248-1253.	2.4	12
131	Bacteremic pneumonia caused by <i>Nocardia veterana</i> in an HIV-infected patient. <i>International Journal of Infectious Diseases</i> , 2011, 15, e430-e432.	3.3	17
132	Listeriosis, Taiwan, 1996-2008. <i>Emerging Infectious Diseases</i> , 2011, 17, 1731-1733.	4.3	14
133	<i>Klebsiella pneumoniae</i> Bacteremia and Capsular Serotypes, Taiwan. <i>Emerging Infectious Diseases</i> , 2011, 17, 1113-1115.	4.3	7
134	Isoniazid-Resistant Tuberculosis, Taiwan, 2000-2010. <i>Emerging Infectious Diseases</i> , 2011, 17, 1769-1770.	4.3	4
135	A multicentre surveillance study on the characteristics, bacterial aetiologies and <i>in vitro</i> antibiotic susceptibilities in patients with acute exacerbations of chronic bronchitis. <i>Respirology</i> , 2011, 16, 532-539.	2.3	27
136	Catheter-related bacteraemia and infective endocarditis caused by <i>Kocuria</i> species. <i>Clinical Microbiology and Infection</i> , 2011, 17, 190-192.	6.0	56
137	Bacteraemia caused by <i>Weissella confusa</i> at a university hospital in Taiwan, 1997-2007. <i>Clinical Microbiology and Infection</i> , 2011, 17, 1226-1231.	6.0	38
138	Healthcare-associated bacteraemia caused by <i>Leuconostoc</i> species at a university hospital in Taiwan between 1995 and 2008. <i>Journal of Hospital Infection</i> , 2011, 78, 45-49.	2.9	21
139	Diagnostic performance of an enzyme-linked immunospot assay for interferon- γ in skeletal tuberculosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2011, 30, 767-771.	2.9	14
140	Clinical significance of nontuberculous mycobacteria isolates in elderly Taiwanese patients. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2011, 30, 779-783.	2.9	16
141	Bacteremia caused by <i>Brevundimonas</i> species at a tertiary care hospital in Taiwan, 2000-2010. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2011, 30, 1185-1191.	2.9	52
142	Time to positivity in blood cultures of staphylococci: Clinical significance in bacteremia. <i>Journal of Infection</i> , 2011, 62, 249-251.	3.3	4
143	Liver abscess due to <i>Actinomyces odontolyticus</i> in an immunocompetent patient. <i>Infection</i> , 2011, 39, 77-79.	4.7	22
144	<i>Acinetobacter baumannii</i> and <i>Acinetobacter</i> genospecies 13TU and 3 bacteraemia: comparison of clinical features, prognostic factors and outcomes. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1839-1846.	3.0	89

#	ARTICLE	IF	CITATIONS
145	Fluoroquinolone-resistant tuberculosis at a medical centre in Taiwan, 2005-10. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 2437-2438.	3.0	3
146	Nasal Carriage of Methicillin-resistant <i>Staphylococcus aureus</i> Is Associated with Higher All-Cause Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 167-174.	4.5	49
147	Implication of the NorB Efflux Pump in the Adaptation of <i>Staphylococcus aureus</i> to Growth at Acid pH and in Resistance to Moxifloxacin. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3214-3219.	3.2	41
148	<i>Escherichia fergusonii</i> Bacteremia in a Diabetic Patient with Pancreatic Cancer. <i>Journal of Clinical Microbiology</i> , 2011, 49, 4001-4002.	3.9	18
149	Antimicrobial Susceptibilities and Molecular Epidemiology of Clinical Isolates of <i>Clostridium difficile</i> in Taiwan. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1701-1705.	3.2	44
150	Antimicrobial Susceptibilities of Commonly Encountered Bacterial Isolates to Fosfomycin Determined by Agar Dilution and Disk Diffusion Methods. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 4295-4301.	3.2	86
151	Skin and soft-tissue infection caused by non-tuberculous mycobacteria in Taiwan, 1997-2008. <i>Epidemiology and Infection</i> , 2011, 139, 121-129.	2.1	32
152	<i>Klebsiella pneumoniae</i> Bacteremia and Capsular Serotypes, Taiwan. <i>Emerging Infectious Diseases</i> , 2011, 17, 1113-1115.	4.3	20
153	Diagnosis of Active Tuberculosis by Enzyme-Linked Immunospot Assay for Interferon- γ in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 546-547.	2.1	8
154	Molecular Evidence of False-Positive Cultures for <i>Mycobacterium tuberculosis</i> in a Taiwanese Hospital With a High Incidence of TB. <i>Chest</i> , 2010, 137, 1065-1070.	0.8	13
155	Antiplatelet Effect of Marchantinquinone, Isolated from <i>Reboulia hemisphaerica</i> , in Rabbit Washed Platelets. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 52, 353-359.	2.4	12
156	Bacteremia caused by non-faecalis and non-faecium enterococcus species at a Medical center in Taiwan, 2000 to 2008. <i>Journal of Infection</i> , 2010, 61, 34-43.	3.3	53
157	Impact of pneumococcal vaccines on invasive pneumococcal disease in Taiwan. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2010, 29, 489-492.	2.9	35
158	Clinical and genotypic characteristics of extensively drug-resistant and multidrug-resistant tuberculosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2010, 29, 597-600.	2.9	16
159	Hospital-Acquired Pneumonia and Bacteremia Caused by <i>Legionella pneumophila</i> in an Immunocompromised Patient. <i>Infection</i> , 2010, 38, 135-137.	4.7	16
160	Bacteraemia caused by non-freundii, non-koseri <i>Citrobacter</i> species in Taiwan. <i>Journal of Hospital Infection</i> , 2010, 76, 332-335.	2.9	24
161	Diagnostic Value of Procalcitonin for Bacterial Infection in Elderly Patients in the Emergency Department. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 518-522.	2.6	57
162	EMERGENCE OF RIFAMPICIN RESISTANCE DURING RIFAMPICIN-CONTAINING TREATMENT IN ELDERLY PATIENTS WITH PERSISTENT METHICILLIN-RESISTANT <i>STAPHYLOCOCCUS AUREUS</i> BACTEREMIA. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1001-1003.	2.6	12

#	ARTICLE	IF	CITATIONS
163	ASSOCIATION BETWEEN EARLY AND LATE CATHETER REMOVAL AND OUTCOME OF ELDERLY PATIENTS WITH CATHETER-RELATED BLOODSTREAM INFECTION AND PERSISTENT BACTEREMIA CAUSED BY METHICILLIN-RESISTANT <i>STAPHYLOCOCCUS AUREUS</i> . <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1197-1199.	2.6	2
164	Rapid identification of fungal pathogens in positive blood cultures using oligonucleotide array hybridization. <i>Clinical Microbiology and Infection</i> , 2010, 16, 493-500.	6.0	28
165	Strain relatedness of methicillin-resistant <i>Staphylococcus aureus</i> isolates recovered from patients with repeated bacteraemia. <i>Clinical Microbiology and Infection</i> , 2010, 16, 463-469.	6.0	18
166	Mycobacterial bacteraemia in patients infected and not infected with human immunodeficiency virus, Taiwan. <i>Clinical Microbiology and Infection</i> , 2010, 16, 627-630.	6.0	11
167	Clinical and microbiological characteristics of Nocardiosis including those caused by emerging <i>Nocardia</i> species in Taiwan, 1998-2008. <i>Clinical Microbiology and Infection</i> , 2010, 16, 966-972.	6.0	74
168	Risk factors for mortality in patients with persistent methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia in a tertiary care hospital in Taiwan. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 1792-1798.	3.0	41
169	Enzyme-linked immunospot assay for interferon-gamma to support the diagnosis of tuberculosis in diabetic patients. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 752-756.	1.5	9
170	Fatal <i>Citrobacter farmeri</i> Meningitis in a Patient with Nasopharyngeal Cancer. <i>Journal of Clinical Microbiology</i> , 2010, 48, 1499-1500.	3.9	11
171	Jarisch-Herxheimer Reaction after Penicillin Therapy among Patients with Syphilis in the Era of the HIV Infection Epidemic: Incidence and Risk Factors. <i>Clinical Infectious Diseases</i> , 2010, 51, 976-979.	5.8	74
172	Incidence of and Risk Factors for Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Acquired Infection or Colonization in Intensive-Care-Unit Patients. <i>Journal of Clinical Microbiology</i> , 2010, 48, 4439-4444.	3.9	21
173	Increasing Incidence of Nontuberculous Mycobacteria, Taiwan, 2000-2008. <i>Emerging Infectious Diseases</i> , 2010, 16, 294-296.	4.3	223
174	Increasing Incidence of Nontuberculous Mycobacteria, Taiwan, 2000-2008. <i>Emerging Infectious Diseases</i> , 2010, 16, 1047b-1048.	4.3	4
175	Diagnostic usefulness of enzyme-linked immunospot assay for interferon-gamma for tuberculosis in cancer patients. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 851-856.	1.5	3
176	Severe and refractory <i>Clostridium difficile</i> infection successfully treated with tigecycline and metronidazole. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 311-312.	2.5	39
177	Antimicrobial susceptibility of <i>Neisseria gonorrhoeae</i> isolates determined by the agar dilution, disk diffusion and Etest methods: comparison of results using GC agar and chocolate agar. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 457-460.	2.5	22
178	Comparison of clinical features, antimicrobial susceptibility, serotype distribution and outcomes of patients with hospital- and community-associated invasive pneumococcal disease. <i>International Journal of Antimicrobial Agents</i> , 2010, 36, 119-123.	2.5	9
179	Diagnostic value of an enzyme-linked immunospot assay for interferon- γ in genitourinary tuberculosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2010, 68, 247-250.	1.8	8
180	Changing Epidemiology of Nosocomial Bloodstream Infections in 11 Teaching Hospitals in Taiwan Between 1993 and 2006. <i>Journal of Microbiology, Immunology and Infection</i> , 2010, 43, 416-429.	3.1	27

#	ARTICLE	IF	CITATIONS
181	A multicenter study of risk factors and outcome of hospitalized patients with infections due to carbapenem-resistant <i>Acinetobacter baumannii</i> . <i>International Journal of Infectious Diseases</i> , 2010, 14, e764-e769.	3.3	112
182	Performance of the BD GeneOhm Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) PCR Assay for Detecting MRSA Nasal Colonization in Taiwanese Adults. <i>Journal of Microbiology, Immunology and Infection</i> , 2010, 43, 372-377.	3.1	5
183	Differential Diagnosis of Crohn's Disease and Intestinal Tuberculosis by Enzyme-Linked Immunospot Assay for Interferon- γ . <i>American Journal of Gastroenterology</i> , 2009, 104, 2121-2122.	0.4	17
184	Diagnosis of pulmonary tuberculosis among dialysis patients by enzyme-linked immunospot assay for interferon- γ . <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2605-2606.	0.7	8
185	Comparative in vitro activities of the new quinolone nemonoxacin (TG-873870), gemifloxacin and other quinolones against clinical isolates of <i>Mycobacterium tuberculosis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 428-429.	3.0	23
186	Comparative in vitro activities of nemonoxacin, doripenem, tigecycline and 16 other antimicrobials against <i>Nocardia brasiliensis</i> , <i>Nocardia asteroides</i> and unusual <i>Nocardia</i> species. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 73-78.	3.0	55
187	Reply to Chang et al.. <i>Clinical Infectious Diseases</i> , 2009, 48, 1633-1634.	5.8	0
188	Rapidly Fatal Bacteremia Caused by <i>Shigella sonnei</i> without Preceding Gastrointestinal Symptoms in an Adult Patient with Lung Cancer. <i>Clinical Infectious Diseases</i> , 2009, 48, 1635-1636.	5.8	10
189	Prevalence of and Risk Factors for Colonization by Methicillin-Resistant <i>Staphylococcus aureus</i> among Adults in Community Settings in Taiwan. <i>Journal of Clinical Microbiology</i> , 2009, 47, 2957-2963.	3.9	78
190	Risk factors for nosocomial infection during extracorporeal membrane oxygenation. <i>Journal of Hospital Infection</i> , 2009, 73, 210-216.	2.9	111
191	Subcutaneous abscess caused by <i>Mycobacterium conceptionense</i> in an immunocompetent patient. <i>Journal of Infection</i> , 2009, 58, 308-309.	3.3	15
192	RAPID DIAGNOSIS OF ACTIVE PULMONARY TUBERCULOSIS IN THE ELDERLY USING ENZYME-LINKED IMMUNOSPOT ASSAY FOR INTERFERON- γ . <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2361-2362.	2.6	2
193	Correlation between time to positivity of blood cultures with clinical presentation and outcomes in patients with <i>Klebsiella pneumoniae</i> bacteraemia: prospective cohort study. <i>Clinical Microbiology and Infection</i> , 2009, 15, 1119-1125.	6.0	50
194	False-negative results by enzyme-linked immunospot assay for interferon- γ among patients with culture-confirmed tuberculosis. <i>Journal of Infection</i> , 2009, 59, 421-423.	3.3	27
195	Diagnostic performance of an enzyme-linked immunospot assay for interferon- γ in extrapulmonary tuberculosis varies between different sites of disease. <i>Journal of Infection</i> , 2009, 59, 402-408.	3.3	74
196	National survey of invasive pneumococcal diseases in Taiwan under partial PCV7 vaccination in 2007: Emergence of serotype 19A with high invasive potential. <i>Vaccine</i> , 2009, 27, 5513-5518.	3.8	98
197	Diagnosis of Peripheral Tuberculous Lymphadenitis by Enzyme-Linked Immunospot Assay for Interferon- γ . <i>American Journal of Medicine</i> , 2009, 122, e3.	1.5	13
198	Fatal bacteraemia caused by daptomycin-non-susceptible, vancomycin-intermediate, methicillin-resistant <i>Staphylococcus aureus</i> in a patient with chronic kidney disease. <i>International Journal of Antimicrobial Agents</i> , 2009, 33, 96-98.	2.5	8

#	ARTICLE	IF	CITATIONS
199	Infections Caused by <i>Gordonia</i> Species at a Medical Center in Taiwan, 1997 to 2008. <i>Clinical Microbiology and Infection</i> , 2009, 16, 1448-53.	6.0	22
200	Comparative bactericidal activities of daptomycin, glycopeptides, linezolid and tigecycline against blood isolates of Gram-positive bacteria in Taiwan. <i>Clinical Microbiology and Infection</i> , 2008, 14, 124-129.	6.0	24
201	Nationwide surveillance in Taiwan of the in-vitro activity of tigecycline against clinical isolates of extended-spectrum β -lactamase-producing Enterobacteriaceae. <i>International Journal of Antimicrobial Agents</i> , 2008, 32, S179-S183.	2.5	13
202	Nationwide surveillance in Taiwan of the in-vitro activity of tigecycline against clinical isolates of Gram-positive cocci. <i>International Journal of Antimicrobial Agents</i> , 2008, 32, S184-S187.	2.5	5
203	In-vitro activity of tigecycline against clinical isolates of <i>Acinetobacter baumannii</i> in Taiwan. <i>International Journal of Antimicrobial Agents</i> , 2008, 32, S188-S191.	2.5	17
204	In-vitro activity of tigecycline against clinical isolates of <i>Acinetobacter baumannii</i> in Taiwan determined by the broth microdilution and disk diffusion methods. <i>International Journal of Antimicrobial Agents</i> , 2008, 32, S192-S196.	2.5	22
205	Outcome of patients with methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia at an emergency department of a medical centre in Taiwan. <i>International Journal of Antimicrobial Agents</i> , 2008, 32, 326-332.	2.5	30
206	Catheter-related septicemia due to <i>Aureobasidium pullulans</i> . <i>International Journal of Infectious Diseases</i> , 2008, 12, e137-e139.	3.3	26
207	Increasing Trends in Antimicrobial Resistance among Clinically Important Anaerobes and <i>Bacteroides fragilis</i> Isolates Causing Nosocomial Infections: Emerging Resistance to Carbapenems. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 3161-3168.	3.2	142
208	Bacteremia and Infective Endocarditis Caused by a Non-Daptomycin-Susceptible, Vancomycin-Intermediate, and Methicillin-Resistant <i>Staphylococcus aureus</i> Strain in Taiwan. <i>Journal of Clinical Microbiology</i> , 2008, 46, 1132-1136.	3.9	38
209	In Vitro Activities of Tigecycline against Clinical Isolates of <i>Aeromonas</i> , <i>Vibrio</i> , and <i>Salmonella</i> Species in Taiwan. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 2677-2679.	3.2	24
210	Bacteremia Caused by Group G Streptococci, Taiwan. <i>Emerging Infectious Diseases</i> , 2008, 14, 837-840.	4.3	47
211	Lack of increase in time to blood culture positivity in a patient with persistent methicillin-resistant <i>Staphylococcus aureus</i> bacteremia predicts failure of antimicrobial therapy. <i>Journal of Microbiology, Immunology and Infection</i> , 2008, 41, 355-7.	3.1	6
212	Detection of Circulating Galactomannan in Serum Samples for Diagnosis of <i>Penicillium marneffei</i> Infection and Cryptococcosis among Patients Infected with Human Immunodeficiency Virus. <i>Journal of Clinical Microbiology</i> , 2007, 45, 2858-2862.	3.9	82
213	Daptomycin Susceptibility of Unusual Gram-Positive Bacteria: Comparison of Results Obtained by the Etest and the Broth Microdilution Method. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1570-1572.	3.2	31
214	Predictive value of the serum bactericidal test for mortality in patients infected with multidrug-resistant <i>Acinetobacter baumannii</i> . <i>Journal of Infection</i> , 2007, 55, 149-157.	3.3	12
215	Multidrug-resistant <i>Acinetobacter baumannii</i> bacteraemia: clinical features, antimicrobial therapy and outcome. <i>Clinical Microbiology and Infection</i> , 2007, 13, 196-198.	6.0	86
216	Skin and soft tissue infection caused by non-tuberculous mycobacteria. <i>International Journal of Tuberculosis and Lung Disease</i> , 2007, 11, 96-102.	1.2	33

#	ARTICLE	IF	CITATIONS
217	Characteristics of community-acquired and health care-associated <i>Staphylococcus aureus</i> bacteremia in patients treated at the emergency department of a teaching hospital. <i>Diagnostic Microbiology and Infectious Disease</i> , 2005, 53, 85-92.	1.8	24
218	Effect of percent free prostate-specific antigen measurement on improving the specificity of serum prostate-specific antigen testing in Taiwanese patients. <i>Journal of the Formosan Medical Association</i> , 2001, 100, 113-9.	1.7	1
219	Effectiveness of transperitoneal and trans-retroperitoneal laparoscopic adrenalectomy versus open adrenalectomy. <i>Journal of the Formosan Medical Association</i> , 2001, 100, 186-91.	1.7	15
220	Cyclic AMP and cyclic GMP phosphodiesterase inhibition by an antiplatelet agent, 6-[(3-methylene-2-oxo-5-phenyl-5-tetrahydrofuranyl)methoxy]quinolinone (CCT-62). <i>European Journal of Pharmacology</i> , 1998, 349, 107-114.	3.5	18
221	Effect of PPIID-1, a Synthetic Antiplatelet Compound, on Rabbit Platelets. <i>The Japanese Journal of Pharmacology</i> , 1998, 76, 141-148.	1.2	5
222	Antiplatelet effect of demethyldiisoeugenol. <i>Canadian Journal of Physiology and Pharmacology</i> , 1996, 74, 1111-1116.	1.4	0