## Sophie Trincaz-Duvoid

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/437036/publications.pdf Version: 2024-02-01

|                 |                       | 57758               | 42399                  |
|-----------------|-----------------------|---------------------|------------------------|
| 137             | 8,846                 | 44                  | 92                     |
| papers          | citations             | h-index             | g-index                |
|                 |                       |                     |                        |
| 143<br>all docs | 143<br>docs citations | 143<br>times ranked | 7031<br>citing authors |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.  | 3.9 | 6         |
| 2  | Measurement of the c-jet mistagging efficiency in \$\$tar{t}\$\$Âevents using pp collision data at<br>\$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ collected with the ATLAS detector. European Physical Journal C, 2022,<br>82, .   | 3.9 | 14        |
| 3  | Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse<br>momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy<br>Physics, 2022, 2022, 1.  | 4.7 | 2         |
| 4  | Observation of electroweak production of two jets in association with an isolated photon and<br>missing transverse momentum, and search for a Higgs boson decaying into invisible particles at<br>13Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1. | 3.9 | 8         |
| 5  | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with<br>the ATLAS detector with 139 fbâ `1 of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy<br>Physics, 2022, 2022, 1.   | 4.7 | 10        |
| 6  | AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.  | 2.9 | 23        |
| 7  | Measurement of the energy response of the ATLASÂcalorimeter to chargedÂpions from \$\$W^{pm<br>}ightarrow au ^{pm }(ightarrow pi ^{pm }u _{au })u _{au }\$\$ events in RunÂ2 data.<br>European Physical Journal C, 2022, 82, 1.   | 3.9 | 4         |
| 8  | The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. European<br>Physical Journal C, 2022, 82, 1.  | 3.9 | 5         |
| 9  | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2022, 82, .  | 3.9 | 7         |
| 10 | Measurement of the energy asymmetry in \$\$t{ar{t}}j\$\$ production at \$\$13,\$\$TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .   | 3.9 | 2         |
| 11 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at \$\$\$qrt{s} = 7\$\$, 8 and 13ÂTeV. European Physical Journal C, 2022, 82, 1.   | 3.9 | 12        |
| 12 | Measurement of hadronic event shapes in high-pT multijet final states at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 4         |
| 13 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139<br>fbâ~1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collision data with the ATLAS detector. Journal of High Energy<br>Physics, 2021, 2021, 1.  | 4.7 | 37        |
| 14 | Differential cross-section measurements for the electroweak production of dijets in association with<br>a Z boson in proton–proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.   | 3.9 | 12        |
| 15 | Measurements of WH and ZH production in the \$\$H ightarrow bar{b}\$\$ decay channel in pp<br>collisions at \$\$13,ext {Te}ext {V}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81,<br>1.  | 3.9 | 38        |
| 16 | Search for dark matter in association with an energetic photon in pp collisions at \$\$ sqrt{s} \$\$ = 13<br>TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 18        |
| 17 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at \$\$ sqrt{s} = 13,{ext {TeV}} \$\$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 3.9 | 17        |
| 18 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbâ^'1 of Pb+Pb<br>data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 19        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion<br>with decay into bottom quark pairs at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High<br>Energy Physics, 2021, 2021, 1.  | 4.7 | 6         |
| 20 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing<br>transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of<br>High Energy Physics, 2021, 2021, 1.  | 4.7 | 14        |
| 21 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse<br>momentum in pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of<br>High Energy Physics, 2021, 2021, 1.   | 4.7 | 22        |
| 22 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons<br>and top quarks in proton–proton collisions at \$\$sqrt{s}\$\$ = 13ÂTeV with the ATLAS detector.<br>European Physical Journal C, 2021, 81, 1.   | 3.9 | 18        |
| 23 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13ÂTeV proton–proton collisions. European Physical Journal C, 2021, 81, 1.   | 3.9 | 15        |
| 24 | Search for heavy resonances decaying into a pair of Z bosons in the \$\$ell ^+ell ^-ell '^+ell '^-\$\$ and<br>\$\$ell ^+ell ^-u {{ar{u }}}\$ final states using 139 \$\$mathrm {fb}^{-1}\$\$ of proton–proton<br>collisions at \$\$sqrt{s} = 13,\$\$TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 40        |
| 25 | Search for new phenomena in final states with b-jets and missing transverse momentum in \$\$<br>sqrt{mathrm{s}} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics,<br>2021, 2021, 1.   | 4.7 | 18        |
| 26 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the \$\$ell<br>ell bb\$\$ and \$\$ell ell WW\$\$ final states in pp collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the<br>ATLAS detector. European Physical Journal C, 2021, 81, 1.                                       | 3.9 | 26        |
| 27 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 23        |
| 28 | Measurements of W+Wâ <sup>*</sup> + $a$ ‰¥ 1 jet production cross-sections in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 8         |
| 29 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at \$\$<br>sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 46        |
| 30 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at \$\$sqrt{s}=13,ext {TeV}\$\$. European Physical Journal C, 2021, 81, 1.  | 3.9 | 14        |
| 31 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a<br>Ï"-lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy<br>Physics, 2021, 2021, 1.   | 4.7 | 27        |
| 32 | Search for supersymmetry in events with four or more charged leptons in 139 fbâ^'1 of \$\$ sqrt{s} \$\$ = 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 12        |
| 33 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential W± and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 10        |
| 34 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 8         |
| 35 | A search for the decays of stopped long-lived particles at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 5         |
| 36 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set<br>at \$\$sqrt{s}=13\$\$ TeV. European Physical Journal C, 2021, 81, 1.  | 3.9 | 82        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at \$\$sqrt{s}=13\$\$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                                     | 3.9 | 13        |
| 38 | Measurement of single top-quark production in association with a W boson in the single-lepton<br>channel at \$\$sqrt{s} = 8,ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2021, 81,<br>1.                                 | 3.9 | 3         |
| 39 | Jet energy scale and resolution measured in proton–proton collisions at \$\$sqrt{s}=13\$\$ÂTeV with the<br>ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 64        |
| 40 | Measurements of the inclusive and differential production cross sections of a top-quark–antiquark<br>pair in association with a ZÂboson at \$\$sqrt{s} = 13\$\$ÂTeV with the ATLAS detector. European Physical<br>Journal C, 2021, 81, 1.       | 3.9 | 12        |
| 41 | Search for dark matter produced in association with a single top quark in \$\$sqrt{s}=13\$\$ÂTeV \$\$pp\$\$<br>collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 9         |
| 42 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic<br>channel in pp collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV using the ATLAS detector. Journal of High<br>Energy Physics, 2021, 2021, 1. | 4.7 | 14        |
| 43 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.   | 3.9 | 5         |
| 44 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into<br>two photons in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High<br>Energy Physics, 2021, 2021, 1.      | 4.7 | 12        |
| 45 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the<br>ATLAS experiment using \$\$sqrt{s} = 13hbox { TeV}\$\$ proton–proton collision data. European Physical<br>Journal C, 2021, 81, 1.     | 3.9 | 7         |
| 46 | Measurement of the t\$\$ overline{t} \$\$t\$\$ overline{t} \$\$ production cross section in pp collisions<br>at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                              | 4.7 | 10        |
| 47 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into<br>b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021,<br>2021, 1.                              | 4.7 | 10        |
| 48 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 4         |
| 49 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$<br>= 13 TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021,<br>1.                 | 4.7 | 4         |
| 50 | Search for chargino–neutralino pair production in final states with three leptons and missing<br>transverse momentum in \$\$sqrt{s} = 13\$\$ÂTeV pp collisions with the ATLAS detector. European<br>Physical Journal C, 2021, 81, 1.            | 3.9 | 28        |
| 51 | Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.   | 3.9 | 7         |
| 52 | Measurement of b-quark fragmentation properties in jets using the decay B± → J/Ĩ`K± in pp collisions at \$\$<br>sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                                   | 4.7 | 3         |
| 53 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 17        |
| 54 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector.<br>Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 24        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4\$\$ell \$\$<br>decay channel at \$\$sqrt{s}\$\$ = 13 TeV. European Physical Journal C, 2020, 80, 1.   | 3.9 | 32        |
| 56 | Search for direct production of electroweakinos in final states with one lepton, missing transverse<br>momentum and a Higgs boson decaying into two b-jets in \$\$pp\$\$ collisions at \$\$sqrt{s}=13\$\$ÂTeV with<br>the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 34        |
| 57 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 11        |
| 58 | Search for the HH → \$\$ boverline{b}boverline{b} \$\$ process via vector-boson fusion production using proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 17        |
| 59 | Observation of the associated production of a top quark and a Z boson in pp collisions at \$\$ sqrt{s}<br>\$\$= 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 12        |
| 60 | Measurements of top-quark pair spin correlations in the \$\$emu \$\$ channel at \$\$sqrt{s} = 13\$\$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 22        |
| 61 | Higgs boson production cross-section measurements and their EFT interpretation in the \$\$4ell \$\$<br>decay channel at \$\$sqrt{s}=\$\$13ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 41        |
| 62 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in \$\$ sqrt{s} \$\$<br>= 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 36        |
| 63 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fbâ~'1 of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 19        |
| 64 | Search for \$\$ toverline{t} \$\$ resonances in fully hadronic final states in pp collisions at \$\$ sqrt{s}<br>\$\$ = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 14        |
| 65 | Reconstruction and identification of boosted di-ï" systems in a search for Higgs boson pairs using 13<br>TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 8         |
| 66 | Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.  | 3.9 | 93        |
| 67 | Search for top squarks in events with a Higgs or Z boson using 139Âfb\$\$^{-1}\$\$ of pp collision data at<br>\$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 4         |
| 68 | Evidence for \$\$tar{t}tar{t}\$\$ production in the multilepton final state in proton–proton<br>collisions at \$\$sqrt{s}=13\$\$Â\$\$ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C,<br>2020, 80, 1.  | 3.9 | 30        |
| 69 | Search for heavy diboson resonances in semileptonic final states in pp collisions at<br>\$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 29        |
| 70 | Search for a scalar partner of the top quark in the all-hadronic \$\$t{ar{t}}\$\$ plus missing<br>transverse momentum final state at \$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical<br>Journal C, 2020, 80, 1.   | 3.9 | 36        |
| 71 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.   | 3.9 | 12        |
| 72 | Determination of jet calibration and energy resolution in proton–proton collisions at \$\$sqrt{s} =<br>8~hbox {TeV}\$\$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 15        |

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 73 | Constraints on mediator-based dark matter and scalar dark energy models using \$\$ sqrt{s} \$\$ = 13<br>TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7          | 49        |
| 74 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton–proton<br>collisions at \$\$sqrt{s}=8~ext {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2019,<br>79, 1.   | 3.9          | 24        |
| 75 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC<br>proton–proton collision data at \$\$sqrt{s} = 13\$\$Â\$\$ext {TeV}\$\$. European Physical Journal C, 2019,<br>79, 1.   | 3.9          | 77        |
| 76 | Measurement of VH, \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ production as a function<br>of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of<br>High Energy Physics, 2019, 2019, 1.                    | 4.7          | 14        |
| 77 | Performance of top-quark and \$\$varvec{W}\$\$ W -boson tagging with ATLAS in Run 2 of the LHC.<br>European Physical Journal C, 2019, 79, 1.   | 3.9          | 42        |
| 78 | Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.  | 1.2          | 37        |
| 79 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.   | 3.9          | 46        |
| 80 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at \$\$ sqrt{s} \$\$ = 13 and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7          | 6         |
| 81 | Search for pair production of Higgs bosons in the \$\$ boverline{b}boverline{b} \$\$ final state using proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.                            | 4.7          | 55        |
| 82 | Measurement of fiducial and differential \$\$W^+W^-\$\$ production cross-sections at<br>\$\$sqrt{s}=13\$\$ÂTeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 3.9          | 24        |
| 83 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson<br>in proton–proton collisions at 8ÂTeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 3.9          | 9         |
| 84 | ATLAS b-jet identification performance and efficiency measurement with \$\$t{ar{t}}\$\$ events in pp<br>collisions at \$\$sqrt{s}=13\$\$ÂTeV. European Physical Journal C, 2019, 79, 1.  | 3.9          | 130       |
| 85 | Measurements of top-quark pair differential and double-differential cross-sections in the \$\$ell<br>\$\$+jets channel with pp collisions at \$\$sqrt{s}=13\$\$ TeV using the ATLAS detector. European Physical<br>Journal C, 2019, 79, 1.                     | 3.9          | 34        |
| 86 | Measurement of the Higgs boson coupling properties in the H → ZZâ^— → 4â"" decay channel at \$\$ sqrt{s}=13<br>TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | \$\$.<br>4.7 | 46        |
| 87 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7          | 30        |
| 88 | Performance of missing transverse momentum reconstruction with the ATLAS detector using<br>proton–proton collisions at \$\$sqrt{s}=13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018,<br>78, 903.  | 3.9          | 181       |
| 89 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse<br>momentum using 36 fbâr'1 of \$\$ sqrt{s}=13 \$\$ TeV pp collision data with the ATLAS detector. Journal of<br>High Energy Physics, 2018, 2018, 1.       | 4.7          | 48        |
| 90 | Prompt and non-prompt \$\$J/psi \$\$ J / ï and \$\$psi (2mathrm {S})\$\$ ï ( 2 S ) suppression at high transverse<br>momentum in \$\$5.02~mathrm {TeV}\$\$ 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European<br>Physical Journal C, 2018, 78, 762. | 3.9          | 61        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Measurements of b-jet tagging efficiency with the ATLAS detector using \$\$ toverline{t} \$\$ events at<br>\$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 40        |
| 92  | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at \$\$ sqrt{s}=13 \$\$<br>TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 17        |
| 93  | Measurement of differential cross sections and W+/Wâ^' cross-section ratios for W boson production<br>in association with jets at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy<br>Physics, 2018, 2018, 1.           | 4.7 | 16        |
| 94  | A measurement of the calorimeter response to single hadrons and determination of the jet energy<br>scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical<br>Journal C, 2017, 77, 26.                  | 3.9 | 29        |
| 95  | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European<br>Physical Journal C, 2017, 77, 490.   | 3.9 | 325       |
| 96  | Measurements of electroweak \$\$Wjj \$\$ W j j production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.  | 3.9 | 26        |
| 97  | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical<br>Journal C, 2017, 77, 466.   | 3.9 | 145       |
| 98  | Measurement of inclusive and differential cross sections in the H → ZZ * → 4â,," decay channel in pp<br>collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017,<br>2017, 1.               | 4.7 | 31        |
| 99  | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2.<br>European Physical Journal C, 2017, 77, 673.  | 3.9 | 75        |
| 100 | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.   | 3.9 | 489       |
| 101 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.   | 3.9 | 71        |
| 102 | Precision measurement and interpretation of inclusive \$\$W^+\$\$ W + , \$\$W^-\$\$ W European Physical<br>Journal C, 2017, 77, 367.   | 3.9 | 145       |
| 103 | Search for dark matter at \$\$sqrt{s}=13~mathrm{TeV}\$\$ s = 13 TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.                  | 3.9 | 80        |
| 104 | Search for direct top squark pair production in final states with two leptons in \$\$sqrt{s} = 13\$\$ s = 13 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.  | 3.9 | 50        |
| 105 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing<br>transverse momentum in s = 13 \$\$ sqrt{s}=13 \$\$ TeV pp collisions with the ATLAS detector. Journal of<br>High Energy Physics, 2017, 2017, 1. | 4.7 | 8         |
| 106 | Measurement of the inclusive jet cross-sections in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$<br>TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 23        |
| 107 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at s = 8 \$\$ sqrt{s}=8<br>\$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 28        |
| 108 | Evidence for the H → b b Â <sup>-</sup> \$\$ Ho boverline{b} \$\$ decay with the ATLAS detector. Journal of High Energy<br>Physics, 2017, 2017, 1.   | 4.7 | 64        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical<br>Journal C, 2016, 76, 526.   | 3.9 | 21        |
| 110 | Muon reconstruction performance of the ATLAS detector in proton–proton collision data at<br>\$\$sqrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.  | 3.9 | 453       |
| 111 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal<br>Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C,<br>2016, 76, 658.  | 3.9 | 48        |
| 112 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.   | 3.9 | 50        |
| 113 | Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$.<br>European Physical Journal C, 2016, 76, 581.   | 3.9 | 298       |
| 114 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions<br>at \$\$sqrt{s}=8,~{mathrm {TeV}}\$\$ s = 8 TeV using the ATLAS detector. European Physical Journal C,<br>2016, 76, 538.   | 3.9 | 115       |
| 115 | Luminosity determination in pp collisions at \$\$sqrt{s}\$\$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.   | 3.9 | 279       |
| 116 | Search for the Standard Model Higgs boson decaying into b b Â <sup>-</sup> \$\$ boverline{b} \$\$ produced in<br>association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with<br>the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 21        |
| 117 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp<br>collision data at \$\$sqrt{s}=7\$\$ s = 7 and 8ÂTeV in the ATLAS experiment. European Physical Journal C,<br>2016, 76, 6.   | 3.9 | 274       |
| 118 | Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$<br>s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.  | 3.9 | 268       |
| 119 | Search for the b b $\hat{A}^-$ \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 89        |
| 120 | Measurement of the inclusive jet cross-section in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$<br>TeV using 4.5 fbâ^'1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 35        |
| 121 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment<br>in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.  | 3.9 | 70        |
| 122 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European<br>Physical Journal C, 2015, 75, 476.   | 3.9 | 174       |
| 123 | Measurement of the inclusive jet cross-section in proton-proton collisions at ( sqrt{s}=7 ) TeV using 4.5 fbâ^'1 of data with the ATLAS detector. , 2015, 2015, 1.  |     | 3         |
| 124 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.   | 3.9 | 213       |
| 125 | Measurement of the $Z/\hat{1}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 131       |
| 126 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions<br>sensitive to vector boson fusion in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV using the ATLAS<br>detector. Journal of High Energy Physics, 2014, 2014, 1.                        | 4.7 | 22        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Search for supersymmetry at \$sqrt{s}\$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 45        |
| 128 | Search for direct top squark pair production in events with a \$\$Z\$\$ Z boson, \$\$b\$\$ b -jets and missing<br>transverse momentum in \$\$sqrt{s}=8\$\$ s = 8 TeV \$\$pp\$\$ p p collisions with the ATLAS detector.<br>European Physical Journal C, 2014, 74, 2883. | 3.9 | 55        |
| 129 | Measurement of k T splitting scales in W→â,,"ν events at \$sqrt{s} = 7 mathrm{TeV}\$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.  | 3.9 | 19        |
| 130 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at \$<br>sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 52        |
|     |   |     |           |