

Muhammad Aslam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4371317/publications.pdf>

Version: 2024-02-01

467
papers

7,686
citations

70961

41
h-index

133063

59
g-index

474
all docs

474
docs citations

474
times ranked

2584
citing authors

#	ARTICLE	IF	CITATIONS
1	Designing of a hybrid exponentially weighted moving average control chart using repetitive sampling. International Journal of Advanced Manufacturing Technology, 2015, 77, 1927-1933.	1.5	156
2	A group acceptance sampling plan for truncated life test having Weibull distribution. Journal of Applied Statistics, 2009, 36, 1021-1027.	0.6	121
3	Strengthening of RC beams using prestressed fiber reinforced polymers “ A review. Construction and Building Materials, 2015, 82, 235-256.	3.2	118
4	Spherical fuzzy sets and its representation of spherical fuzzy t-norms and t-conorms. Journal of Intelligent and Fuzzy Systems, 2019, 36, 6089-6102.	0.8	114
5	Bipolar fuzzy soft sets and its applications in decision making problem. Journal of Intelligent and Fuzzy Systems, 2014, 27, 729-742.	0.8	107
6	Oil-palm by-products as lightweight aggregate in concrete mixture: a review. Journal of Cleaner Production, 2016, 126, 56-73.	4.6	107
7	A New Sampling Plan Using Neutrosophic Process Loss Consideration. Symmetry, 2018, 10, 132.	1.1	104
8	Variables sampling inspection scheme for resubmitted lots based on the process capability index Cpk. European Journal of Operational Research, 2012, 217, 560-566.	3.5	102
9	Variable sampling inspection for resubmitted lots based on process capability index Cpk for normally distributed items. Applied Mathematical Modelling, 2013, 37, 667-675.	2.2	99
10	Time truncated acceptance sampling plans for generalized exponential distribution. Journal of Applied Statistics, 2010, 37, 555-566.	0.6	90
11	Capability indices for Birnbaum “Saunders processes applied to electronic and food industries. Journal of Applied Statistics, 2014, 41, 1881-1902.	0.6	84
12	Benefits of using blended waste coarse lightweight aggregates in structural lightweight aggregate concrete. Journal of Cleaner Production, 2016, 119, 108-117.	4.6	77
13	Designing of X-bar control charts based on process capability index using repetitive sampling. Transactions of the Institute of Measurement and Control, 2014, 36, 367-374.	1.1	73
14	Manufacturing of high-strength lightweight aggregate concrete using blended coarse lightweight aggregates. Journal of Building Engineering, 2017, 13, 53-62.	1.6	73
15	Designing of a new monitoring t-chart using repetitive sampling. Information Sciences, 2014, 269, 210-216.	4.0	71
16	Burr-XII Distribution Parametric Estimation and Estimation of Reliability of Multicomponent Stress-Strength. Communications in Statistics - Theory and Methods, 2015, 44, 4953-4961.	0.6	70
17	A mixed repetitive sampling plan based on process capability index. Applied Mathematical Modelling, 2013, 37, 10027-10035.	2.2	69
18	Neutrosophic analysis of variance: application to university students. Complex & Intelligent Systems, 2019, 5, 403-407.	4.0	67

#	ARTICLE	IF	CITATIONS
19	N-soft topology and its applications to multi-criteria group decision making. Journal of Intelligent and Fuzzy Systems, 2019, 36, 6521-6536.	0.8	65
20	Developing a variables repetitive group sampling plan based on process capability index with unknown mean and variance. Journal of Statistical Computation and Simulation, 2013, 83, 1507-1517.	0.7	63
21	A control chart for an exponential distribution using multiple dependent state sampling. Quality and Quantity, 2015, 49, 455-462.	2.0	60
22	Nanomedicine in treatment of breast cancer – A challenge to conventional therapy. Seminars in Cancer Biology, 2021, 69, 279-292.	4.3	59
23	Multiple dependent state variable sampling plans with process loss consideration. International Journal of Advanced Manufacturing Technology, 2014, 71, 1337-1343.	1.5	58
24	A new attribute control chart using multiple dependent state sampling. Transactions of the Institute of Measurement and Control, 2015, 37, 569-576.	1.1	58
25	Utilization of sugarcane bagasse ash as cement replacement for the production of sustainable concrete – A review. Construction and Building Materials, 2021, 270, 121371.	3.2	58
26	Multiple Dependent State Sampling Plan Based on Process Capability Index. Journal of Testing and Evaluation, 2013, 41, 340-346.	0.4	58
27	Design of Sampling Plan for Exponential Distribution Under Neutrosophic Statistical Interval Method. IEEE Access, 2018, 6, 64153-64158.	2.6	56
28	A new exponentially weighted moving average sign chart using repetitive sampling. Journal of Process Control, 2014, 24, 1149-1153.	1.7	54
29	Cleaner Production Evaluation in Gold Mines Using Novel Distance Measure Method with Cubic Picture Fuzzy Numbers. International Journal of Fuzzy Systems, 2019, 21, 2448-2461.	2.3	54
30	Design of a New Attribute Control Chart Under Neutrosophic Statistics. International Journal of Fuzzy Systems, 2019, 21, 433-440.	2.3	54
31	Utilizing Linguistic Picture Fuzzy Aggregation Operators for Multiple-Attribute Decision-Making Problems. International Journal of Fuzzy Systems, 2020, 22, 310-320.	2.3	54
32	Variable repetitive group sampling plans with process loss consideration. Journal of Statistical Computation and Simulation, 2011, 81, 1417-1432.	0.7	53
33	Attribute Control Charts for the Weibull Distribution under Truncated Life Tests. Quality Engineering, 2015, 27, 283-288.	0.7	51
34	Testing of Grouped Product for the Weibull Distribution Using Neutrosophic Statistics. Symmetry, 2018, 10, 403.	1.1	50
35	A mixed control chart to monitor the process. International Journal of Production Research, 2015, 53, 4684-4693.	4.9	48
36	Drying shrinkage behaviour of structural lightweight aggregate concrete containing blended oil palm bio-products. Journal of Cleaner Production, 2016, 127, 183-194.	4.6	46

#	ARTICLE	IF	CITATIONS
37	Repetitive variable acceptance sampling plan for one-sided specification. <i>Journal of Statistical Computation and Simulation</i> , 2015, 85, 1102-1116.	0.7	45
38	Novel Approach for Third-Party Reverse Logistic Provider Selection Process under Linear Diophantine Fuzzy Prioritized Aggregation Operators. <i>Symmetry</i> , 2021, 13, 1152.	1.1	45
39	Multiple dependent state repetitive group sampling plan for Burr XII distribution. <i>Quality Engineering</i> , 2016, 28, 231-237.	0.7	44
40	Monitoring the Variability in the Process Using Neutrosophic Statistical Interval Method. <i>Symmetry</i> , 2018, 10, 562.	1.1	44
41	Assessment of Rheological and Piezoresistive Properties of Graphene based Cement Composites. <i>International Journal of Concrete Structures and Materials</i> , 2018, 12, .	1.4	44
42	Introducing Kolmogorov-Smirnov Tests under Uncertainty: An Application to Radioactive Data. <i>ACS Omega</i> , 2020, 5, 914-917.	1.6	44
43	Construction of chaotic quantum magnets and matrix Lorenz systems S-boxes and their applications. <i>Chinese Journal of Physics</i> , 2018, 56, 1609-1621.	2.0	43
44	New multicriteria group decision support systems for small hydropower plant locations selection based on intuitionistic cubic fuzzy aggregation information. <i>International Journal of Intelligent Systems</i> , 2020, 35, 983-1020.	3.3	43
45	New Attributes and Variables Control Charts under Repetitive Sampling. <i>Industrial Engineering and Management Systems</i> , 2014, 13, 101-106.	0.3	43
46	Linear Diophantine Fuzzy Relations and Their Algebraic Properties with Decision Making. <i>Symmetry</i> , 2021, 13, 945.	1.1	42
47	New acceptance sampling plans based on life tests for Birnbaum-Saunders distributions. <i>Journal of Statistical Computation and Simulation</i> , 2011, 81, 461-470.	0.7	41
48	Bootstrap Confidence Intervals of the Modified Process Capability Index for Weibull distribution. <i>Arabian Journal for Science and Engineering</i> , 2017, 42, 4565-4573.	1.7	39
49	Mixed Acceptance Sampling Plans for Product Inspection Using Process Capability Index. <i>Quality Engineering</i> , 2014, 26, 450-459.	0.7	38
50	Design of a Control Chart Using a Modified EWMA Statistic. <i>Quality and Reliability Engineering International</i> , 2017, 33, 1095-1104.	1.4	38
51	Psychometric study of depression, anxiety and stress among university students. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 211-217.	0.8	38
52	New Diagnosis Test under the Neutrosophic Statistics: An Application to Diabetic Patients. <i>BioMed Research International</i> , 2020, 2020, 1-7.	0.9	38
53	Design of progressively censored group sampling plans for Weibull distributions: An optimization problem. <i>European Journal of Operational Research</i> , 2011, 211, 525-532.	3.5	37
54	A control chart using an auxiliary variable and repetitive sampling for monitoring process mean. <i>Journal of Statistical Computation and Simulation</i> , 2015, 85, 3289-3296.	0.7	37

#	ARTICLE	IF	CITATIONS
55	Application of Neutrosophic Logic to Evaluate Correlation between Prostate Cancer Mortality and Dietary Fat Assumption. <i>Symmetry</i> , 2019, 11, 330.	1.1	37
56	A double acceptance sampling plan for generalized log-logistic distributions with known shape parameters. <i>Journal of Applied Statistics</i> , 2010, 37, 405-414.	0.6	36
57	The design of a new repetitive sampling control chart based on process capability index. <i>Transactions of the Institute of Measurement and Control</i> , 2016, 38, 971-980.	1.1	36
58	Bootstrap confidence intervals of CNpk for inverse Rayleigh and log-logistic distributions. <i>Journal of Statistical Computation and Simulation</i> , 2016, 86, 862-873.	0.7	36
59	On detecting outliers in complex data using Dixon's test under neutrosophic statistics. <i>Journal of King Saud University - Science</i> , 2020, 32, 2005-2008.	1.6	36
60	Another View of Complex Intuitionistic Fuzzy Soft Sets Based on Prioritized Aggregation Operators and Their Applications to Multiattribute Decision Making. <i>Mathematics</i> , 2021, 9, 1922.	1.1	36
61	Repetitive acceptance sampling plans for burr type XII percentiles. <i>International Journal of Advanced Manufacturing Technology</i> , 2013, 68, 495-507.	1.5	35
62	A lot inspection sampling plan based on EWMA yield index. <i>International Journal of Advanced Manufacturing Technology</i> , 2014, 75, 861-868.	1.5	35
63	A EWMA Control Chart for Exponential Distributed Quality Based on Moving Average Statistics. <i>Quality and Reliability Engineering International</i> , 2016, 32, 1179-1190.	1.4	35
64	An algorithm for the construction of substitution box for block ciphers based on projective general linear group. <i>AIP Advances</i> , 2017, 7, .	0.6	35
65	A noise resistant symmetric key cryptosystem based on S8 S-boxes and chaotic maps. <i>European Physical Journal Plus</i> , 2018, 133, 1.	1.2	34
66	A Mixed EWMA-CUSUM Control Chart for Weibull Distributed Quality Characteristics. <i>Quality and Reliability Engineering International</i> , 2016, 32, 2987-2994.	1.4	33
67	Capability Indices for Non-Normal Distribution Using Gini's Mean Difference as Measure of Variability. <i>IEEE Access</i> , 2016, 4, 7322-7330.	2.6	32
68	A new attribute sampling plan using neutrosophic statistical interval method. <i>Complex & Intelligent Systems</i> , 2019, 5, 365-370.	4.0	32
69	A new control chart for exponential distributed life using EWMA. <i>Transactions of the Institute of Measurement and Control</i> , 2015, 37, 205-210.	1.1	30
70	A new approach to estimate damage in concrete beams using non-linearity. <i>Construction and Building Materials</i> , 2016, 124, 1081-1089.	3.2	30
71	Acceptance sampling plans based on truncated life tests for weighted exponential distribution. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2017, 46, 2138-2151.	0.6	29
72	A New Attribute Control Chart Using Multiple Dependent State Repetitive Sampling. <i>IEEE Access</i> , 2017, 5, 6192-6197.	2.6	29

#	ARTICLE	IF	CITATIONS
73	Marshall's Olkin Power Lomax distribution for modeling of wind speed data. Energy Reports, 2020, 6, 1118-1123.	2.5	29
74	A Control Chart for COM-Poisson Distribution Using Multiple Dependent State Sampling. Quality and Reliability Engineering International, 2016, 32, 2803-2812.	1.4	28
75	Recent research on cold-formed steel beams and columns subjected to elevated temperature: A review. Construction and Building Materials, 2017, 144, 686-701.	3.2	28
76	A new nonparametric double exponentially weighted moving average control chart. Quality and Reliability Engineering International, 2020, 36, 68-87.	1.4	28
77	Optimal designing of an SkSP-V skip-lot sampling plan with double-sampling plan as the reference plan. International Journal of Advanced Manufacturing Technology, 2012, 60, 733-740.	1.5	27
78	Multiple states repetitive group sampling plans with process loss consideration. Applied Mathematical Modelling, 2013, 37, 9063-9075.	2.2	27
79	A new S_{2k}^2 control chart using repetitive sampling. Journal of Applied Statistics, 2015, 42, 2485-2496.	0.6	27
80	A control chart for multivariate Poisson distribution using repetitive sampling. Journal of Applied Statistics, 2017, 44, 123-136.	0.6	27
81	Optimum Oil Palm Shell Content as Coarse Aggregate in Concrete Based on Mechanical and Durability Properties. Advances in Materials Science and Engineering, 2018, 2018, 1-14.	1.0	27
82	Introducing Grubbs's test for detecting outliers under neutrosophic statistics – An application to medical data. Journal of King Saud University - Science, 2020, 32, 2696-2700.	1.6	27
83	Novel q-rung orthopair fuzzy interaction aggregation operators and their application to low-carbon green supply chain management. Journal of Intelligent and Fuzzy Systems, 2021, 41, 4109-4126.	0.8	27
84	A Two Parameter Discrete Lindley Distribution. Revista Colombiana De Estadística, 2016, 39, 45-61.	0.2	27
85	A repetitive group sampling plan by variables inspection for product acceptance determination. European Journal of Industrial Engineering, 2015, 9, 308.	0.5	26
86	Mixed Control Charts Using EWMA Statistics. IEEE Access, 2016, 4, 8286-8293.	2.6	26
87	Optimal Design of Skip Lot Group Acceptance Sampling Plans for the Weibull Distribution and the Generalized Exponential Distribution. Quality Engineering, 2013, 25, 237-246.	0.7	25
88	Skip-Lot Sampling Plan of Type SkSP-2 with Two-Stage Group Acceptance Sampling Plan as Reference Plan. Communications in Statistics Part B: Simulation and Computation, 2014, 43, 777-789.	0.6	25
89	A control chart for time truncated life tests using Pareto distribution of second kind. Journal of Statistical Computation and Simulation, 2016, 86, 2113-2122.	0.7	25
90	Attribute Control Chart Using the Repetitive Sampling Under Neutrosophic System. IEEE Access, 2019, 7, 15367-15374.	2.6	25

#	ARTICLE	IF	CITATIONS
91	Design of New Sampling Plans for Multiple Manufacturing Lines Under Uncertainty. International Journal of Fuzzy Systems, 2019, 21, 978-992.	2.3	25
92	Two-Stage Variables Acceptance Sampling Plans Using Process Loss Functions. Communications in Statistics - Theory and Methods, 2012, 41, 3633-3647.	0.6	24
93	A New System of Skip-Lot Sampling Plans including Resampling. Scientific World Journal, The, 2014, 2014, 1-6.	0.8	24
94	A Multiple Dependent State Control Chart Based on Double Control Limits. Research Journal of Applied Sciences, Engineering and Technology, 2014, 7, 4490-4493.	0.1	24
95	Repetitive Group Sampling Plan Based on Truncated Tests for Weibull Models. Research Journal of Applied Sciences, Engineering and Technology, 2014, 7, 1917-1924.	0.1	24
96	Multiple dependent state repetitive sampling plans based on one-sided process capability indices. Communications in Statistics - Theory and Methods, 2018, 47, 1403-1412.	0.6	24
97	Design of a Control Chart Using Extended EWMA Statistic. Technologies, 2018, 6, 108.	3.0	24
98	A new method to analyze rock joint roughness coefficient based on neutrosophic statistics. Measurement: Journal of the International Measurement Confederation, 2019, 146, 65-71.	2.5	24
99	A new multiple dependent state sampling plan based on the process capability index. Communications in Statistics Part B: Simulation and Computation, 2021, 50, 1711-1727.	0.6	24
100	An attribute control chart for a Weibull distribution under accelerated hybrid censoring. PLoS ONE, 2017, 12, e0173406.	1.1	24
101	A control chart for COM-Poisson distribution using a modified EWMA statistic. Journal of Statistical Computation and Simulation, 2017, 87, 3491-3502.	0.7	23
102	Estimation of reliability in multicomponent stress-strength based on two parameter exponentiated Weibull Distribution. Communications in Statistics - Theory and Methods, 2017, 46, 7495-7502.	0.6	23
103	Control Chart for Failure-Censored Reliability Tests under Uncertainty Environment. Symmetry, 2018, 10, 690.	1.1	23
104	A Control Chart for Gamma Distribution using Multiple Dependent State Sampling. Industrial Engineering and Management Systems, 2017, 16, 109-117.	0.3	23
105	Analysis of COVID-19 data using neutrosophic Kruskal Wallis H test. BMC Medical Research Methodology, 2021, 21, 215.	1.4	23
106	Acceptance sampling plans for multi-stage process based on time-truncated test for Weibull distribution. International Journal of Advanced Manufacturing Technology, 2015, 79, 1779-1785.	1.5	22
107	A hybrid exponentially weighted moving average chart for COM-Poisson distribution. Transactions of the Institute of Measurement and Control, 2018, 40, 456-461.	1.1	22
108	A new variable control chart using neutrosophic interval method-an application to automobile industry. Journal of Intelligent and Fuzzy Systems, 2019, 36, 2615-2623.	0.8	22

#	ARTICLE	IF	CITATIONS
109	A new type of fuzzy normal subgroups and fuzzy cosets. Journal of Intelligent and Fuzzy Systems, 2013, 25, 37-47.	0.8	21
110	A Control Chart for COM-Poisson Distribution Using Resampling and Exponentially Weighted Moving Average. Quality and Reliability Engineering International, 2016, 32, 727-735.	1.4	21
111	Log-logistic distribution for survival data analysis using MCMC. SpringerPlus, 2016, 5, 1774.	1.2	21
112	A modified-mxEWMA location chart for the improved process monitoring using auxiliary information and its application in wood industry. Quality Technology and Quantitative Management, 2020, 17, 561-579.	1.1	21
113	Rough M-hypersystems and fuzzy M-hypersystems in U_γ -semihypergroups. Neural Computing and Applications, 2012, 21, 281-287.	3.2	20
114	Various repetitive sampling plans using process capability index of multiple quality characteristics. Applied Stochastic Models in Business and Industry, 2015, 31, 823-835.	0.9	20
115	A New Failure-Censored Reliability Test Using Neutrosophic Statistical Interval Method. International Journal of Fuzzy Systems, 2019, 21, 1214-1220.	2.3	20
116	A new variable control chart under failure-censored reliability tests for Weibull distribution. Quality and Reliability Engineering International, 2019, 35, 572-581.	1.4	20
117	A study on skewness and kurtosis estimators of wind speed distribution under indeterminacy. Theoretical and Applied Climatology, 2021, 143, 1227-1234.	1.3	20
118	Identification and Classification of Aggregation Operators Using Bipolar Complex Fuzzy Settings and Their Application in Decision Support Systems. Mathematics, 2022, 10, 1726.	1.1	20
119	Structures of bipolar fuzzy \hat{I} -hyperideals in \hat{I} -semihypergroups. Journal of Intelligent and Fuzzy Systems, 2014, 27, 3015-3032.	0.8	19
120	A Variable Acceptance Sampling Plan under Neutrosophic Statistical Interval Method. Symmetry, 2019, 11, 114.	1.1	19
121	Presenting post hoc multiple comparison tests under neutrosophic statistics. Journal of King Saud University - Science, 2020, 32, 2728-2732.	1.6	19
122	A Control Chart for Gamma Distributed Variables Using Repetitive Sampling Scheme. Pakistan Journal of Statistics and Operation Research, 2017, 13, 47.	1.1	19
123	A Robust Watermarking Scheme for Online Multimedia Copyright Protection Using New Chaotic Map. Security and Communication Networks, 2018, 2018, 1-20.	1.0	18
124	Design of control charts for multivariate Poisson distribution using generalized multiple dependent state sampling. Quality Technology and Quantitative Management, 2019, 16, 629-650.	1.1	18
125	A mixed double sampling plan based on C_{pk} . Communications in Statistics - Theory and Methods, 2020, 49, 1840-1857.	0.6	18
126	Economic Design of SkSP-R Skip-Lot Sampling Plan. Journal of Testing and Evaluation, 2015, 43, 20140081.	0.4	18

#	ARTICLE	IF	CITATIONS
127	High Strength Lightweight Aggregate Concrete using Blended Coarse Lightweight Aggregate Origin from Palm Oil Industry. Sains Malaysiana, 2017, 46, 667-675.	0.3	18
128	Neutrosophic statistical analysis of resistance depending on the temperature variance of conducting material. Scientific Reports, 2021, 11, 23939.	1.6	18
129	A new mixed acceptance sampling plan based on sudden death testing under the Weibull distribution. Journal of the Chinese Institute of Industrial Engineers, 2012, 29, 427-433.	0.5	17
130	Left almost semigroups characterized by their interval valued fuzzy ideals. Afrika Matematika, 2013, 24, 231-245.	0.4	17
131	Determination of a new mixed variable lot-size multiple dependent state sampling plan based on the process capability index. Communications in Statistics - Theory and Methods, 2018, 47, 615-627.	0.6	17
132	A Nonparametric Repetitive Sampling DEWMA Control Chart Based on Linear Prediction. IEEE Access, 2020, 8, 74977-74990.	2.6	17
133	Testing average wind speed using sampling plan for Weibull distribution under indeterminacy. Scientific Reports, 2021, 11, 7532.	1.6	17
134	A new neutrosophic sign test: An application to COVID-19 data. PLoS ONE, 2021, 16, e0255671.	1.1	17
135	An Economic Design of a Group Sampling Plan for a Weibull Distribution Using a Bayesian Approach. Journal of Testing and Evaluation, 2015, 43, 20140041.	0.4	17
136	$\langle \text{mml:math altimg= 'sl1.gif' display= 'inline' overflow= 'scroll'}$ $\text{xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema"}$ $\text{xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"}$ $\text{xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd"}$ $\text{xmlns:ce="http://www.elsevier.com/x"}$	1.4	16
137	A new lot inspection procedure based on exponentially weighted moving average. International Journal of Systems Science, 0, , 1-9.	3.7	16
138	A multiple dependent state repetitive sampling plan for linear profiles. Journal of the Operational Research Society, 2018, 69, 467-473.	2.1	16
139	A HEWMA-CUSUM control chart for the Weibull distribution. Communications in Statistics - Theory and Methods, 2018, 47, 5973-5985.	0.6	16
140	An approach towards decision making and shortest path problems using the concepts of interval-valued Pythagorean fuzzy information. International Journal of Intelligent Systems, 2019, 34, 2403-2428.	3.3	16
141	Control Charts for Monitoring Process Capability Index Using Median Absolute Deviation for Some Popular Distributions. Processes, 2019, 7, 287.	1.3	16
142	Monitoring process variation using modified EWMA. Quality and Reliability Engineering International, 2020, 36, 328-339.	1.4	16
143	Appropriate drying shrinkage prediction models for lightweight concrete containing coarse agro-waste aggregate. Journal of Building Engineering, 2020, 29, 101148.	1.6	16
144	Generalized Multiple Dependent State Sampling Plans in Presence of Measurement Data. IEEE Access, 2020, 8, 162775-162784.	2.6	16

#	ARTICLE	IF	CITATIONS
145	A new goodness of fit test in the presence of uncertain parameters. <i>Complex & Intelligent Systems</i> , 2021, 7, 359-365.	4.0	16
146	Extension of TOPSIS method for group decision-making under triangular linguistic neutrosophic cubic sets. <i>Soft Computing</i> , 2021, 25, 3359-3376.	2.1	16
147	Tubulin Proteins in Cancer Resistance: A Review. <i>Current Drug Metabolism</i> , 2020, 21, 178-185.	0.7	16
148	Group acceptance sampling plans for resubmitted lots under Burr-type XII distributions. <i>Journal of the Chinese Institute of Industrial Engineers</i> , 2011, 28, 606-615.	0.5	15
149	Structural Lightweight Aggregate Concrete by Incorporating Solid Wastes as Coarse Lightweight Aggregate. <i>Applied Mechanics and Materials</i> , 0, 749, 337-342.	0.2	15
150	Cubic soft expert sets and their application in decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2016, 31, 1585-1596.	0.8	15
151	Attribute control chart for some popular distributions. <i>Communications in Statistics - Theory and Methods</i> , 2018, 47, 1978-1988.	0.6	15
152	An attribute control chart for multivariate Poisson distribution using multiple dependent state repetitive sampling. <i>Quality and Reliability Engineering International</i> , 2019, 35, 627-643.	1.4	15
153	Monitoring the Process Based on Belief Statistic for Neutrosophic Gamma Distributed Product Processes. 2019, 7, 209.	1.3	15
154	Control Chart for Variance Using Repetitive Sampling Under Neutrosophic Statistical Interval System. <i>IEEE Access</i> , 2019, 7, 25253-25262.	2.6	15
155	Ranking methodology of induced Pythagorean trapezoidal fuzzy aggregation operators based on Einstein operations in group decision making. <i>Soft Computing</i> , 2020, 24, 7319-7334.	2.1	15
156	Approaches to multiple attribute group decision making based on triangular cubic linguistic uncertain fuzzy aggregation operators. <i>Soft Computing</i> , 2020, 24, 11511-11533.	2.1	15
157	CEV-Hybrid Dewma charts for censored data using Weibull distribution. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2021, 50, 446-461.	0.6	15
158	Generalized interval-valued picture fuzzy linguistic induced hybrid operator and TOPSIS method for linguistic group decision-making. <i>Soft Computing</i> , 2021, 25, 5037-5054.	2.1	15
159	Analyzing wind power data using analysis of means under neutrosophic statistics. <i>Soft Computing</i> , 2021, 25, 7087-7093.	2.1	15
160	Applying the Dijkstra Algorithm to Solve a Linear Diophantine Fuzzy Environment. <i>Symmetry</i> , 2021, 13, 1616.	1.1	15
161	Mixed Multiple Dependent State Sampling Plans Based on Process Capability Index. <i>Journal of Testing and Evaluation</i> , 2015, 43, 20130009.	0.4	15
162	Fabrication of a surface type humidity sensor based on methyl green thin film, with the analysis of capacitance and resistance through neutrosophic statistics. <i>RSC Advances</i> , 2021, 11, 38674-38682.	1.7	15

#	ARTICLE	IF	CITATIONS
163	Dispersion chart for some popular distributions under repetitive sampling. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2016, 10, JAMDSM0058-JAMDSM0058.	0.3	14
164	SkSP-R sampling plan based on process capability index. Communications in Statistics - Theory and Methods, 2017, 46, 2955-2966.	0.6	14
165	Design of a sign chart using a new EWMA statistic. Communications in Statistics - Theory and Methods, 2020, 49, 1299-1310.	0.6	14
166	Type-I heavy tailed family with applications in medicine, engineering and insurance. PLoS ONE, 2020, 15, e0237462.	1.1	14
167	Design of X-bar control chart based on Inverse Rayleigh Distribution under repetitive group sampling. Ain Shams Engineering Journal, 2021, 12, 943-953.	3.5	14
168	SkSP-V sampling plan for accelerated life tests. Proceedings of the Institution of Mechanical Engineers, Part O: Journal of Risk and Reliability, 2015, 229, 193-199.	0.6	13
169	Interval valued intuitionistic fuzzy sets in Γ -semihypergroups. International Journal of Machine Learning and Cybernetics, 2016, 7, 217-228.	2.3	13
170	Attribute-variable Inspection Policy for Lots Using Resampling Based on EWMA. Communications in Statistics Part B: Simulation and Computation, 2016, 45, 3014-3035.	0.6	13
171	Double moving average EWMA control chart for exponentially distributed quality. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 7351-7364.	0.6	13
172	A mixed control chart using process capability index. Sequential Analysis, 2017, 36, 278-289.	0.2	13
173	Acceptance sampling plan for multiple manufacturing lines using EWMA process capability index. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2017, 11, JAMDSM0004-JAMDSM0004.	0.3	13
174	Design of Sampling Plan Using Regression Estimator under Indeterminacy. Symmetry, 2018, 10, 754.	1.1	13
175	Design of Fuzzy Sampling Plan Using the Birnbaum-Saunders Distribution. Mathematics, 2019, 7, 9.	1.1	13
176	A New X-Bar Control Chart for Using Neutrosophic Exponentially Weighted Moving Average. Mathematics, 2019, 7, 957.	1.1	13
177	Modified EWMA control chart for transformed gamma data. Communications in Statistics Part B: Simulation and Computation, 2019, , 1-14.	0.6	13
178	EWMA and DEWMA repetitive control charts under non-normal processes. Journal of Applied Statistics, 2021, 48, 4-40.	0.6	13
179	Two-Stage Group Acceptance Sampling Plan for Burr Type X Percentiles. Journal of Testing and Evaluation, 2013, 41, 525-533.	0.4	13
180	Fabrication of flexible temperature sensors to explore indeterministic data analysis for robots as an application of Internet of Things. RSC Advances, 2022, 12, 17138-17145.	1.7	13

#	ARTICLE	IF	CITATIONS
181	A new economical design of acceptance sampling models using Bayesian inference. <i>Accreditation and Quality Assurance</i> , 2013, 18, 187-195.	0.4	12
182	Improved Acceptance Sampling Plan Based on EWMA Statistic. <i>Sequential Analysis</i> , 2015, 34, 406-422.	0.2	12
183	An Attribute Control Chart Based on the Birnbaum-Saunders Distribution Using Repetitive Sampling. <i>IEEE Access</i> , 2016, 4, 9350-9360.	2.6	12
184	Improved double acceptance sampling plan based on truncated life test for some popular statistical distributions. <i>Journal of Statistical Computation and Simulation</i> , 2016, 86, 477-493.	0.7	12
185	A variable sampling plan using generalized multiple dependent state based on a one-sided process capability index. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2021, 50, 2666-2677.	0.6	12
186	Trapezoidal Linguistic Cubic Fuzzy TOPSIS Method and Application in a Group Decision Making Program. <i>Journal of Intelligent Systems</i> , 2019, 29, 1283-1300.	1.2	12
187	A Variable Control Chart Based on Process Capability Index Under Generalized Multiple Dependent State Sampling. <i>IEEE Access</i> , 2019, 7, 34031-34044.	2.6	12
188	Design of a Control Chart for Gamma Distributed Variables Under the Indeterminate Environment. <i>IEEE Access</i> , 2019, 7, 8858-8864.	2.6	12
189	Attacks by predators on artificial cryptic and aposematic insect larvae. <i>Entomologia Experimentalis Et Applicata</i> , 2020, 168, 184-190.	0.7	12
190	Innovative q-rung orthopair fuzzy prioritized aggregation operators based on priority degrees with application to sustainable energy planning: A case study of Gwadar. <i>AIMS Mathematics</i> , 2021, 6, 12795-12831.	0.7	12
191	Economic Determination of Modified Multiple Dependent State Sampling Plan under Some Lifetime Distributions. <i>Journal of Mathematics</i> , 2021, 2021, 1-13.	0.5	12
192	Evaluation of Modified Non-Normal Process Capability Index and Its Bootstrap Confidence Intervals. <i>IEEE Access</i> , 2017, 5, 12135-12142.	2.6	12
193	Inspection plan for COVID-19 patients for Weibull distribution using repetitive sampling under indeterminacy. <i>BMC Medical Research Methodology</i> , 2021, 21, 229.	1.4	12
194	Rough Fuzzy Hyperideals in Ternary Semihypergroups. <i>Advances in Fuzzy Systems</i> , 2012, 2012, 1-9.	0.6	11
195	Decision Rule Based on Group Sampling Plan Under the Inverse Gaussian Distribution. <i>Sequential Analysis</i> , 2013, 32, 71-82.	0.2	11
196	Two stage group acceptance sampling plan for half normal percentiles. <i>Journal of King Saud University - Science</i> , 2015, 27, 239-243.	1.6	11
197	Dependent Mixed and Mixed Repetitive Sampling Plans for Linear Profiles. <i>Quality and Reliability Engineering International</i> , 2017, 33, 1669-1683.	1.4	11
198	Acceptance sampling plans for linear profiles with one-sided specifications. <i>Journal of Statistical Computation and Simulation</i> , 2017, 87, 806-816.	0.7	11

#	ARTICLE	IF	CITATIONS
199	Personality Traits as Predictor of Emotional Intelligence among the University Teachers as Advisors. Education Research International, 2017, 2017, 1-6.	0.6	11
200	A Multivariate Control Chart for Monitoring Several Exponential Quality Characteristics Using EWMA. IEEE Access, 2018, 6, 70349-70358.	2.6	11
201	An EWMA control chart using two parametric ratio estimator. Journal of Industrial and Production Engineering, 2018, 35, 298-308.	2.1	11
202	A robust steganographic technique based on improved chaotic-range systems. Chinese Journal of Physics, 2019, 61, 301-309.	2.0	11
203	Evaluation of Bootstrap Confidence Intervals Using a New Non-Normal Process Capability Index. Symmetry, 2019, 11, 484.	1.1	11
204	Time-Truncated Group Plan under a Weibull Distribution based on Neutrosophic Statistics. Mathematics, 2019, 7, 905.	1.1	11
205	Multi-criteria group decision making with Pythagorean fuzzy soft topology. Journal of Intelligent and Fuzzy Systems, 2020, 39, 6703-6720.	0.8	11
206	Design of NEWMA np control chart for monitoring neutrosophic nonconforming items. Soft Computing, 2020, 24, 16617-16626.	2.1	11
207	Neutrosophic Dâ€™Agostino Test of Normality: An Application to Water Data. Journal of Mathematics, 2021, 2021, 1-5.	0.5	11
208	Radar data analysis in the presence of uncertainty. European Journal of Remote Sensing, 2021, 54, 140-144.	1.7	11
209	Rough prime bi- $\hat{\mathcal{I}}$ -hyperideals and fuzzy prime bi- $\hat{\mathcal{I}}$ -hyperideals of $\hat{\mathcal{I}}$ -semihypergroups. Filomat, 2017, 31, 4167-4183.	0.2	11
210	A new variable sample size control chart using MDS sampling. Journal of Statistical Computation and Simulation, 2016, 86, 3620-3628.	0.7	10
211	A new t-chart using process capability index. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 5141-5150.	0.6	10
212	Developing a variables two-plan sampling system for product acceptance determination. Communications in Statistics - Theory and Methods, 2017, 46, 706-720.	0.6	10
213	A Time Truncated Moving Average Chart for the Weibull Distribution. IEEE Access, 2017, 5, 7216-7222.	2.6	10
214	Time-truncated attribute sampling plans using EWMA for Weibull and Burr type X distributions. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 4173-4184.	0.6	10
215	A New S_{2k} Control Chart Using Multiple Dependent State Repetitive Sampling. IEEE Access, 2018, 6, 49224-49236.	2.6	10
216	Sampling Plan Using EWMA Statistic of Regression Estimator. Iranian Journal of Science and Technology, Transaction A: Science, 2018, 42, 115-127.	0.7	10

#	ARTICLE	IF	CITATIONS
217	A Fuzzy EWMA Attribute Control Chart to Monitor Process Mean. Information (Switzerland), 2018, 9, 312.	1.7	10
218	Determination of multiple dependent state repetitive group sampling plan based on the process capability index. Sequential Analysis, 2019, 38, 385-399.	0.2	10
219	Determination and economic design of a generalized multiple dependent state sampling plan. Communications in Statistics Part B: Simulation and Computation, 2021, 50, 3465-3482.	0.6	10
220	A EWMA control chart based on an auxiliary variable and repetitive sampling for monitoring process location. Communications in Statistics Part B: Simulation and Computation, 2019, 48, 2034-2045.	0.6	10
221	Analyzing alloy melting points data using a new Mann-Whitney test under indeterminacy. Journal of King Saud University - Science, 2020, 32, 2831-2834.	1.6	10
222	Monitoring circuit boards products in the presence of indeterminacy. Measurement: Journal of the International Measurement Confederation, 2021, 168, 108404.	2.5	10
223	Single-stage and two-stage total failure-based group-sampling plans for the Weibull distribution under neutrosophic statistics. Complex & Intelligent Systems, 2021, 7, 891-900.	4.0	10
224	A new CUSUM control chart under uncertainty with applications in petroleum and meteorology. PLoS ONE, 2021, 16, e0246185.	1.1	10
225	A homogeneously weighted moving average control chart for Conway's Maxwell Poisson distribution. Journal of Applied Statistics, 2022, 49, 3090-3119.	0.6	10
226	Repetitive Acceptance Sampling Plan Based on Exponentially Weighted Moving Average Regression Estimator. Journal of Computational and Theoretical Nanoscience, 2016, 13, 4413-4426.	0.4	10
227	Design of SkSP-R Variables Sampling Plans. Revista Colombiana De Estadística, 2015, 38, 413-429.	0.2	10
228	Commutators of the Fractional Hardy Operator on Weighted Variable Herz-Morrey Spaces. Journal of Function Spaces, 2021, 2021, 1-10.	0.4	10
229	A new generalization of Lindley distribution for modeling of wind speed data. Energy Reports, 2022, 8, 1-11.	2.5	10
230	Analyzing imprecise graphene foam resistance data. Materials Research Express, 0, , .	0.8	10
231	Resubmitted lots with single sampling plans by attributes under the conditions of zero-inflated poisson distribution. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 1814-1824.	0.6	9
232	Optimal designing of an SkSP-R double sampling plan. Communications in Statistics - Theory and Methods, 2018, 47, 4329-4337.	0.6	9
233	A control chart for monitoring process variation using multiple dependent state sampling. Communications in Statistics Part B: Simulation and Computation, 2018, 47, 2216-2233.	0.6	9
234	Designing of an attribute control chart for two-stage process. Measurement and Control, 2018, 51, 285-292.	0.9	9

#	ARTICLE	IF	CITATIONS
235	Statistical Monitoring of Process Capability Index Having One Sided Specification Under Repetitive Sampling Using an Exact Distribution. IEEE Access, 2018, 6, 25270-25276.	2.6	9
236	A Multiple Dependent State Repetitive Sampling Plan Based on Performance Index for Lifetime Data with Type II Censoring. IEEE Access, 2019, 7, 49377-49391.	2.6	9
237	Product Acceptance Determination with Measurement Error Using the Neutrosophic Statistics. Advances in Fuzzy Systems, 2019, 2019, 1-8.	0.6	9
238	Multiple dependent state repetitive sampling plans with or without auxiliary variable. Communications in Statistics Part B: Simulation and Computation, 2019, 48, 1055-1069.	0.6	9
239	Time truncated attribute control chart for the Weibull distribution using multiple dependent state sampling. Communications in Statistics Part B: Simulation and Computation, 2019, 48, 1219-1228.	0.6	9
240	The W/S Test for Data Having Neutrosophic Numbers: An Application to USA Village Population. Complexity, 2020, 2020, 1-8.	0.9	9
241	Monitoring the road traffic crashes using NEWMA chart and repetitive sampling. International Journal of Injury Control and Safety Promotion, 2021, 28, 39-45.	1.0	9
242	Designing of control chart of extended EWMA statistic using repetitive sampling scheme. Ain Shams Engineering Journal, 2021, 12, 1049-1058.	3.5	9
243	Time between events control charts for gamma distribution. Quality and Reliability Engineering International, 2021, 37, 785-803.	1.4	9
244	Neutrosophic ratio-type estimators for estimating the population mean. Complex & Intelligent Systems, 2021, 7, 2991-3001.	4.0	9
245	Chi-square test under indeterminacy: an application using pulse count data. BMC Medical Research Methodology, 2021, 21, 201.	1.4	9
246	Prime (m,n) Bi- $\tilde{\mu}$ -Hyperideals in $\tilde{\mu}$ -Semihypergroups. Applied Mathematics and Information Sciences, 2014, 8, 2243-2249.	0.7	9
247	Group Acceptance Sampling Plans for Pareto Distribution of the Second Kind. Journal of Testing and Evaluation, 2010, 38, 143-150.	0.4	9
248	Tightened-Normal-Tightened Group Acceptance Sampling Plan for Assuring Percentile Life. Industrial Engineering and Management Systems, 2012, 11, 390-396.	0.3	9
249	Vague data analysis using neutrosophic Jarqueâ€“Bera test. PLoS ONE, 2021, 16, e0260689.	1.1	9
250	Comparisons of decision tree methods using water data. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 2924-2934.	0.6	8
251	A Control Chart for Monitoring the Process Mean Using Successive Sampling Over Two Occasions. Arabian Journal for Science and Engineering, 2017, 42, 2915-2926.	1.7	8
252	Approximations of bipolar fuzzy Γ -hyperideals of Γ -semihypergroups. Afrika Matematika, 2018, 29, 869-886.	0.4	8

#	ARTICLE	IF	CITATIONS
253	Acceptance sampling plans for two-stage process for multiple manufacturing lines under neutrosophic statistics. Journal of Intelligent and Fuzzy Systems, 2019, 37, 7839-7850.	0.8	8
254	Design of SN2-NEWMA Control Chart for Monitoring Process having Indeterminate Production Data. Processes, 2019, 7, 742.	1.3	8
255	Design of variables sampling plans based on lifetime-performance index in presence of hybrid censoring scheme. Journal of Applied Statistics, 2019, 46, 2975-2986.	0.6	8
256	Design of hybrid EWMA- S^2 control chart. Journal of Industrial and Production Engineering, 2019, 36, 554-562.	2.1	8
257	Monitoring Non-Conforming Products Using Multiple Dependent State Sampling Under Indeterminacy-An Application to Juice Industry. IEEE Access, 2020, 8, 172379-172386.	2.6	8
258	Multiple Dependent State Sampling-Based Chart Using Belief Statistic under Neutrosophic Statistics. Journal of Mathematics, 2020, 2020, 1-14.	0.5	8
259	Parameter Estimation Effect of the Homogeneously Weighted Moving Average Chart to Monitor the Mean of Autocorrelated Observations With Measurement Errors. IEEE Access, 2020, 8, 221352-221366.	2.6	8
260	Analyzing the Solar Energy Data Using a New Anderson-Darling Test under Indeterminacy. International Journal of Photoenergy, 2020, 2020, 1-6.	1.4	8
261	Performance of a New Time-Truncated Control Chart for Weibull Distribution Under Uncertainty. International Journal of Computational Intelligence Systems, 2021, 14, 1256.	1.6	8
262	Monitoring Mortality Caused by COVID-19 Using Gamma-Distributed Variables Based on Generalized Multiple Dependent State Sampling. Computational and Mathematical Methods in Medicine, 2021, 2021, 1-17.	0.7	8
263	Decision Procedure for the Weibull Distribution Based on Run Lengths of Conforming Items. Journal of Testing and Evaluation, 2013, 41, 826-832.	0.4	8
264	Mechanical properties, drying shrinkage and structural performance of coconut shell lightweight concrete. Structures, 2022, 35, 26-35.	1.7	8
265	A two-stage group sampling plan based on truncated life tests for a general distribution. Journal of Statistical Computation and Simulation, 2011, 81, 1927-1938.	0.7	7
266	Characterization of regular LA-semigroups by interval-valued $(\overline{\alpha}, \overline{\eta})$ Tj ETQq0 0 0 rgBT /Overlock 1Q Tf 50 222	0.4	7
267	A new generally weighted moving average control chart based on Taguchi's loss function to monitor process mean and dispersion. Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 2016, 230, 1537-1547.	1.5	7
268	Design of sampling plan using auxiliary information. Communications in Statistics - Theory and Methods, 2017, 46, 3772-3781.	0.6	7
269	The Efficacy of Process Capability Indices Using Median Absolute Deviation and Their Bootstrap Confidence Intervals. Arabian Journal for Science and Engineering, 2017, 42, 4941-4955.	1.7	7
270	A New Control Chart for Monitoring Reliability Using Sudden Death Testing Under Weibull Distribution. IEEE Access, 2017, 5, 23358-23365.	2.6	7

#	ARTICLE	IF	CITATIONS
271	Linear triangular optimization technique and pricing scheme in residential energy management systems. Results in Physics, 2018, 9, 858-865.	2.0	7
272	A New Generalized Range Control Chart for the Weibull Distribution. Complexity, 2018, 2018, 1-8.	0.9	7
273	Design of a Control Chart Based on COM-Poisson Distribution for the Uncertainty Environment. Complexity, 2019, 2019, 1-9.	0.9	7
274	Design of X-Bar Control Chart Using Multiple Dependent State Sampling Under Indeterminacy Environment. IEEE Access, 2019, 7, 152233-152242.	2.6	7
275	Design of X-Bar Control Chart for Resampling Under Uncertainty Environment. IEEE Access, 2019, 7, 60661-60671.	2.6	7
276	A Nonparametric HEWMA-p Control Chart for Variance in Monitoring Processes. Symmetry, 2019, 11, 356.	1.1	7
277	Design of Variable Sampling Plan for Pareto Distribution Using Neutrosophic Statistical Interval Method. Symmetry, 2019, 11, 80.	1.1	7
278	Design of a \bar{c} chart using generalized multiple dependent state sampling. Quality and Reliability Engineering International, 2019, 35, 1789-1802.	1.4	7
279	A new control chart using GINI C_{PK} . Communications in Statistics - Theory and Methods, 2022, 51, 197-211.	0.6	7
280	Generalized Hamacher Aggregation Operators Based on Linear Diophantine Uncertain Linguistic Setting and Their Applications in Decision-Making Problems. IEEE Access, 2021, 9, 126748-126764.	2.6	7
281	Process Monitoring for Gamma Distributed Product under Neutrosophic Statistics Using Resampling Scheme. Journal of Mathematics, 2021, 2021, 1-12.	0.5	7
282	Design of tests for mean and variance under complexity-an application to rock measurement data. Measurement: Journal of the International Measurement Confederation, 2021, 177, 109312.	2.5	7
283	Novel concepts of m -polar spherical fuzzy sets and new correlation measures with application to pattern recognition and medical diagnosis. AIMS Mathematics, 2021, 6, 11346-11379.	0.7	7
284	Analysing Gray Cast Iron Data using a New Shapiro-Wilks test for Normality under Indeterminacy. International Journal of Cast Metals Research, 2021, 34, 1-5.	0.5	7
285	X-Bar Control Charts for Non-Normal Correlated Data Under Repetitive Sampling. Journal of Testing and Evaluation, 2016, 44, 20140290.	0.4	7
286	An Acceptance Sampling Plan under Frechet Distribution Assuring Median Life. Research Journal of Applied Sciences, Engineering and Technology, 2013, 06, 4519-4523.	0.1	7
287	An empirical study on quality of life and related factors of Pakistani breast cancer survivors. Scientific Reports, 2021, 11, 24391.	1.6	7
288	Comparison of GASP for Pareto distribution of the 2nd kind using Poisson and weighted Poisson distributions. International Journal of Quality and Reliability Management, 2011, 28, 867-884.	1.3	6

#	ARTICLE	IF	CITATIONS
289	Generalized rough approximations in \hat{I}^* -semihypergroups. Journal of Intelligent and Fuzzy Systems, 2014, 27, 2445-2452.	0.8	6
290	Designing of two mixed variable lot-size sampling plans using repetitive sampling and resampling based on the process capability index. Sequential Analysis, 2016, 35, 413-422.	0.2	6
291	Mixed sampling plan based on exponentially weighted moving average statistic. Communications in Statistics - Theory and Methods, 2016, 45, 6709-6719.	0.6	6
292	Double moving average control chart for exponential distributed life using EWMA. AIP Conference Proceedings, 2017, , .	0.3	6
293	Design of a New Synthetic Acceptance Sampling Plan. Symmetry, 2018, 10, 653.	1.1	6
294	Designing of repetitive group sampling plan under truncated life test based on generalized inverted exponential distribution. Journal of Statistics and Management Systems, 2018, 21, 955-970.	0.3	6
295	Drying Shrinkage Strain of Palm-oil by-products Lightweight Concrete: A Comparison between Experimental and Prediction Models. KSCE Journal of Civil Engineering, 2018, 22, 4997-5008.	0.9	6
296	EWMA Control Chart Using Repetitive Sampling for Monitoring Blood Glucose Levels in Type-II Diabetes Patients. Symmetry, 2019, 11, 57.	1.1	6
297	A hybrid EWMA chart using coefficient of variation. International Journal of Quality and Reliability Management, 2019, 36, 587-600.	1.3	6
298	Two-stage sampling plan using process loss index under neutrosophic statistics. Communications in Statistics Part B: Simulation and Computation, 2022, 51, 2831-2841.	0.6	6
299	A new variable control chart under generalized multiple dependent state sampling. Communications in Statistics Part B: Simulation and Computation, 2020, 49, 2321-2332.	0.6	6
300	New approach of triangular neutrosophic cubic linguistic hesitant fuzzy aggregation operators. Granular Computing, 2020, 5, 527-543.	4.4	6
301	Designing a control chart of extended EWMA statistic based on multiple dependent state sampling. Journal of Applied Statistics, 2020, 47, 1482-1492.	0.6	6
302	Evaluating the relationship between climate variability and agricultural crops under indeterminacy. Theoretical and Applied Climatology, 2020, 142, 1641-1648.	1.3	6
303	Forecasting of the wind speed under uncertainty. Scientific Reports, 2020, 10, 20300.	1.6	6
304	A control chart for monitoring the lognormal process variation using repetitive sampling. Quality and Reliability Engineering International, 2020, 36, 1028-1047.	1.4	6
305	Distribution-free composite Shewhart-WMA Mann-Whitney charts for monitoring the process location. Quality and Reliability Engineering International, 2021, 37, 1409-1435.	1.4	6
306	On Testing Autocorrelation in Metrology Data Under Indeterminacy. Mapan - Journal of Metrology Society of India, 2021, 36, 515-519.	1.0	6

#	ARTICLE	IF	CITATIONS
307	Clinical laboratory medicine measurements correlation analysis under uncertainty. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 000456322110064.	0.8	6
308	M-Parameterized N-Soft Topology-Based TOPSIS Approach for Multi-Attribute Decision Making. <i>Symmetry</i> , 2021, 13, 748.	1.1	6
309	Mean ranked acceptance sampling plan under exponential distribution. <i>Ain Shams Engineering Journal</i> , 2021, 12, 4125-4131.	3.5	6
310	Novel multi-criteria decision-making methods with soft rough q-rung orthopair fuzzy sets and q-rung orthopair fuzzy soft rough sets. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021, 41, 955-973.	0.8	6
311	Testing Internal Quality Control of Clinical Laboratory Data Using Paired t -Test under Uncertainty. <i>BioMed Research International</i> , 2021, 2021, 1-6.	0.9	6
312	A Novel Approach Toward Roughness of Bipolar Soft Sets and Their Applications in MCGDM. <i>IEEE Access</i> , 2021, 9, 135102-135120.	2.6	6
313	Inspection of Batches Through Skip-R Lot Sampling Plan. <i>Journal of Testing and Evaluation</i> , 2014, 42, 20130100.	0.4	6
314	Effect of Substitution of Normal Weight Coarse Aggregate with Oil-Palm-Boiler Clinker on Properties of Concrete. <i>Sains Malaysiana</i> , 2017, 46, 645-653.	0.3	6
315	Decision support model for the patient admission scheduling problem based on picture fuzzy aggregation information and TOPSIS methodology. <i>Mathematical Biosciences and Engineering</i> , 2022, 19, 3147-3176.	1.0	6
316	On rough Quasi- Γ -hyperideals in Γ -semihypergroups. <i>Afrika Matematika</i> , 2015, 26, 303-315.	0.4	5
317	Design of acceptance sampling plan using a modified EWMA statistic. <i>Communications in Statistics - Theory and Methods</i> , 2018, 47, 2881-2891.	0.6	5
318	Design of a New Variable Shewhart Control Chart Using Multiple Dependent State Repetitive Sampling. <i>Symmetry</i> , 2018, 10, 641.	1.1	5
319	Test of Association in the Presence of Complex Environment. <i>Complexity</i> , 2020, 2020, 1-6.	0.9	5
320	Multivariate Analysis under Indeterminacy: An Application to Chemical Content Data. <i>Journal of Analytical Methods in Chemistry</i> , 2020, 2020, 1-6.	0.7	5
321	Multiple Dependent State Repetitive Sampling-Based Control Chart for Birnbaum's Saunders Distribution. <i>Journal of Mathematics</i> , 2020, 2020, 1-11.	0.5	5
322	Monitoring customer complaints using the repetitive sampling. <i>Communications in Statistics - Theory and Methods</i> , 2022, 51, 313-327.	0.6	5
323	Designing of an attribute control chart based on modified multiple dependent state sampling using accelerated life test under Weibull distribution. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2021, 50, 902-916.	0.6	5
324	The use of fast initial response features on the homogeneously weighted moving average chart with estimated parameters under the effect of measurement errors. <i>Quality and Reliability Engineering International</i> , 2021, 37, 2568-2586.	1.4	5

#	ARTICLE	IF	CITATIONS
325	Weibull-Exponential Distribution and Its Application in Monitoring Industrial Process. Mathematical Problems in Engineering, 2021, 2021, 1-13.	0.6	5
326	Cubic M-polar Fuzzy Hybrid Aggregation Operators with Dombi's T-norm and T-conorm with Application. Symmetry, 2021, 13, 646.	1.1	5
327	Enhanced statistical tests under indeterminacy with application to earth speed data. Earth Science Informatics, 2021, 14, 1261-1267.	1.6	5
328	Neutrosophic entropy measures for the Weibull distribution: theory and applications. Complex & Intelligent Systems, 2021, 7, 3067-3076.	4.0	5
329	Kannan-Type Contractions on New Extended b -Metric Spaces. Journal of Function Spaces, 2021, 2021, 1-12.	0.4	5
330	SkSP-V Sampling Plan for the Exponentiated Weibull Distribution. Journal of Testing and Evaluation, 2014, 42, 20130051.	0.4	5
331	Resubmitted Sampling Inspection Plan for Exponentiated Weibull Distribution. Journal of Testing and Evaluation, 2015, 43, 20130263.	0.4	5
332	Factors influencing exclusive breastfeeding duration in Pakistan: a population-based cross-sectional study. BMC Public Health, 2021, 21, 1998.	1.2	5
333	Monitoring road accident and injury using indeterminacy based Shewhart control chart using multiple dependent state repetitive sampling. International Journal of Injury Control and Safety Promotion, 2022, 29, 331-339.	1.0	5
334	A new neutrosophic model using DUS-Weibull transformation with application. Complex & Intelligent Systems, 2022, 8, 4079-4088.	4.0	5
335	Design of a new Z-test for the uncertainty of Covid-19 events under Neutrosophic statistics. BMC Medical Research Methodology, 2022, 22, 99.	1.4	5
336	Evaluation of the product quality of the online shopping platform using t-spherical fuzzy preference relations. Journal of Intelligent and Fuzzy Systems, 2021, 41, 6245-6262.	0.8	5
337	Modeling and forecasting the total number of cases and deaths due to pandemic. Journal of Medical Virology, 2022, 94, 1592-1605.	2.5	5
338	A study on average run length of fuzzy EWMA control chart. Soft Computing, 2022, 26, 9117-9124.	2.1	5
339	Interval valued (\hat{I}_\pm, \hat{I}^2) -intuitionistic fuzzy ideals in hemirings. Journal of Intelligent and Fuzzy Systems, 2014, 26, 2873-2888.	0.8	4
340	Developing Sampling Plans Using HEWMA Statistic. Journal of Computational and Theoretical Nanoscience, 2016, 13, 1656-1661.	0.4	4
341	Group SkSP-R sampling plan for accelerated life tests. Sadhana - Academy Proceedings in Engineering Sciences, 2017, 42, 1783-1791.	0.8	4
342	Design of Control Chart in Presence of Hybrid Censoring Scheme. IEEE Access, 2018, 6, 14895-14907.	2.6	4

#	ARTICLE	IF	CITATIONS
343	Exponentially Weighted Moving Average Control Charts for the Process Mean Using Exponential Ratio Type Estimator. <i>Journal of Probability and Statistics</i> , 2018, 2018, 1-15.	0.3	4
344	A Variable Control Chart under the Truncated Life Test for a Weibull Distribution. <i>Technologies</i> , 2018, 6, 55.	3.0	4
345	Sampling Plan Using Process Loss Index Using Multiple Dependent State Sampling Under Neutrosophic Statistics. <i>IEEE Access</i> , 2019, 7, 38568-38576.	2.6	4
346	Shewhart Attribute and Variable Control Charts Using Modified Multiple Dependent State Sampling. <i>Symmetry</i> , 2019, 11, 53.	1.1	4
347	Estimation of Reliability in a Multicomponent Stress-Strength System for the Exponentiated Moment-Based Exponential Distribution. <i>Algorithms</i> , 2019, 12, 246.	1.2	4
348	Selecting better process based on difference statistic using double sampling plan. <i>Communications in Statistics - Theory and Methods</i> , 2019, 48, 2641-2656.	0.6	4
349	New work of trapezoidal cubic linguistic uncertain fuzzy Einstein hybrid weighted averaging operator and decision making. <i>Soft Computing</i> , 2020, 24, 3331-3354.	2.1	4
350	Socioeconomic and demographic factors determining the underweight prevalence among children under-five in Punjab. <i>BMC Public Health</i> , 2020, 20, 1817.	1.2	4
351	Projected decision background based on q-rung orthopair triangular fuzzy aggregation operators. <i>Granular Computing</i> , 2020, 6, 931.	4.4	4
352	New type of cancer patients based on triangular cubic hesitant fuzzy TOPSIS method. <i>International Journal of Biomathematics</i> , 2020, 13, 2050002.	1.5	4
353	Some weighted estimates for the commutators of p -adic Hardy operator on two weighted p -adic Herz-type spaces. <i>AIMS Mathematics</i> , 2021, 6, 9633-9646.	0.7	4
354	A new sudden death chart for the Weibull distribution under complexity. <i>Complex & Intelligent Systems</i> , 2021, 7, 2093-2101.	4.0	4
355	Monitoring Road Accidents and Injuries Using Variance Chart under Resampling and Having Indeterminacy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5247.	1.2	4
356	Distribution-free double sampling precedence monitoring scheme to detect unknown shifts in the location parameter. <i>Quality and Reliability Engineering International</i> , 2021, 37, 3580-3599.	1.4	4
357	Medical diagnosis of nephrotic syndrome using m-polar spherical fuzzy sets. <i>International Journal of Biomathematics</i> , 2022, 15, .	1.5	4
358	Statistical Analysis for Food Quality in the Presence of Vague Information. <i>Journal of Food Quality</i> , 2021, 2021, 1-5.	1.4	4
359	A New Mixed Variable Lot Size Sampling Plan Based on Process Capability Index. <i>Journal of Testing and Evaluation</i> , 2015, 43, 20140054.	0.4	4
360	Identification of climate induced optimal rice yield and vulnerable districts rankings of the Punjab, Pakistan. <i>Scientific Reports</i> , 2021, 11, 23393.	1.6	4

#	ARTICLE	IF	CITATIONS
361	Power Inverted Nadarajah-Haghighi Distribution: Properties, Estimation, and Applications. Journal of Mathematics, 2022, 2022, 1-10.	0.5	4
362	Fuzzy acceptance sampling plan for transmuted Weibull distribution. Complex & Intelligent Systems, 2022, 8, 4783-4795.	4.0	4
363	The use of Statistical Methods in Mechanical Engineering. Research Journal of Applied Sciences, Engineering and Technology, 2013, 5, 2327-2331.	0.1	3
364	Monitoring process mean using generally weighted moving average chart for exponentially distributed characteristics. Communications in Statistics Part B: Simulation and Computation, 0, , 1-11.	0.6	3
365	Designing of a control chart using belief statistic for exponential distribution. Communications in Statistics Part B: Simulation and Computation, 2016, , 1-13.	0.6	3
366	Effect of replacement of oil-palm-boiler clinker with oil palm shell on the properties of concrete. AIP Conference Proceedings, 2016, , .	0.3	3
367	An EWMA-DiD Control Chart to Capture Small Shifts in the Process Average Using Auxiliary Information. Technologies, 2018, 6, 69.	3.0	3
368	Inspection Strategy under Indeterminacy Based on Neutrosophic Coefficient of Variation. Symmetry, 2019, 11, 193.	1.1	3
369	Analysis of migraine in multicellular organism based on trapezoidal neutrosophic cubic hesitant fuzzy TOPSIS method. International Journal of Biomathematics, 2019, 12, 1950084.	1.5	3
370	Plan for Food Inspection for Inflated-Pareto Data Under Uncertainty Environment. IEEE Access, 2019, 7, 164186-164193.	2.6	3
371	Analysis of process yield in a cost-effective double acceptance sampling plan. Communications in Statistics - Theory and Methods, 2020, 49, 5975-5987.	0.6	3
372	Monitoring number of non-conforming items based on multiple dependent state repetitive sampling under truncated life tests. Communications in Statistics - Theory and Methods, 2022, 51, 5806-5825.	0.6	3
373	A study on measurement system analysis in the presence of indeterminacy. Measurement: Journal of the International Measurement Confederation, 2020, 166, 108201.	2.5	3
374	Generalized multiple dependent state sampling plans for coefficient of variation. Communications in Statistics - Theory and Methods, 2022, 51, 6990-7005.	0.6	3
375	Robust Distribution-Free Hybrid Exponentially Weighted Moving Average Schemes Based on Simple Random Sampling and Ranked Set Sampling Techniques. Mathematical Problems in Engineering, 2021, 2021, 1-21.	0.6	3
376	Cubic bipolar fuzzy Dombi averaging aggregation operators with application to multi-criteria decision-making. Journal of Intelligent and Fuzzy Systems, 2021, 41, 3373-3393.	0.8	3
377	Normality Test of Temperature in Jeddah City Using Cochran's Test Under Indeterminacy. Mapan - Journal of Metrology Society of India, 2021, 36, 589-598.	1.0	3
378	Mixed Multiple Dependent State Sampling Plan Using Exponentially Weighted Moving Average. Journal of Computational and Theoretical Nanoscience, 2016, 13, 1649-1655.	0.4	3

#	ARTICLE	IF	CITATIONS
379	THE EWMA MOVING AVERAGE CONTROL CHART FOR EXPONENTIAL DISTRIBUTION USING MULTIPLE DEPENDENT STATE SAMPLING. <i>Advances and Applications in Statistics</i> , 2017, 50, 51-71.	0.0	3
380	A Sampling Plan for the Selection of Supplier using Process Yield Index based on Linear Profiles. <i>Industrial Engineering and Management Systems</i> , 2017, 16, 195-204.	0.3	3
381	Process Monitoring using Successive Sampling and a Repetitive Scheme. <i>Industrial Engineering and Management Systems</i> , 2018, 17, 82-90.	0.3	3
382	A New Neutrosophic Negative Binomial Distribution: Properties and Applications. <i>Journal of Mathematics</i> , 2021, 2021, 1-12.	0.5	3
383	A New X-bar Control Chart for Multiple Dependent State Sampling Using Neutrosophic Exponentially Weighted Moving Average Statistics with Application to Monitoring Road Accidents and Road Injuries. <i>International Journal of Computational Intelligence Systems</i> , 2021, 14, .	1.6	3
384	Analyzing and controlling computer security threats based on complex q-rung orthopair fuzzy heronian mean operators. <i>Journal of Intelligent and Fuzzy Systems</i> , 2021, 41, 6949-6981.	0.8	3
385	Sampling Inspection Plan to Test Daily COVID-19 Cases Using Gamma Distribution under Indeterminacy Based on Multiple Dependent Scheme. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5308.	1.2	3
386	Time Truncated Testing Strategy using Multiple Testers: Lognormal Distributed Lifetime. <i>Research Journal of Applied Sciences, Engineering and Technology</i> , 2014, 7, 4745-4748.	0.1	2
387	On Monitoring Mixture Weibull Processes Using Mixture Quantity Charts. <i>Quality Technology and Quantitative Management</i> , 2015, 12, 481-500.	1.1	2
388	Developing a variable repetitive group sampling plan based on the coefficient of variation. <i>Journal of Industrial and Production Engineering</i> , 2017, 34, 398-405.	2.1	2
389	A New Control Chart for Monitoring the Process Mean Using Successive Sampling and Multiple Dependent State Repetitive Sampling. <i>Technologies</i> , 2018, 6, 70.	3.0	2
390	An attribute control chart using discriminant limits for monitoring process under the Weibull distribution. <i>Production Engineering</i> , 2018, 12, 659-665.	1.1	2
391	An efficient double exponentially weighted moving average Benjamini-Hochberg control chart to control false discovery rate. <i>Quality and Reliability Engineering International</i> , 2019, 35, 2677-2686.	1.4	2
392	Classification of the State of Manufacturing Process under Indeterminacy. <i>Mathematics</i> , 2019, 7, 870.	1.1	2
393	Application of classification methods to analyze chemicals in drinking water quality. <i>Accreditation and Quality Assurance</i> , 2019, 24, 227-235.	0.4	2
394	Approximate Bayesian analysis of doubly censored samples from mixture of two Weibull distributions. <i>Communications in Statistics - Theory and Methods</i> , 2019, 48, 2862-2878.	0.6	2
395	A successive sampling control chart using multiple dependent state sampling over two successive occasions. <i>Quality and Reliability Engineering International</i> , 2020, 36, 577-591.	1.4	2
396	Probable daily return on investments in gold. <i>Gold Bulletin</i> , 2020, 53, 47-54.	1.1	2

#	ARTICLE	IF	CITATIONS
397	Generalized trapezoidal cubic linguistic fuzzy ordered weighted average operator and group decision-making. <i>Soft Computing</i> , 2020, 24, 3155-3171.	2.1	2
398	A mixed control chart for monitoring failure times under accelerated hybrid censoring. <i>Journal of Applied Statistics</i> , 2021, 48, 138-153.	0.6	2
399	A homogenously weighted moving average scheme for observations under the effect of serial dependence and measurement inaccuracy. <i>International Journal of Industrial Engineering Computations</i> , 2021, 12, 401-414.	0.4	2
400	Refined double sampling scheme with measures and application. <i>Stat</i> , 2021, 10, e368.	0.3	2
401	Moving average EWMA chart for the Weibull distribution. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2023, 52, 2231-2240.	0.6	2
402	Cost model of variable multiple dependent state sampling plan with rectifying inspection. <i>Communications in Statistics Part B: Simulation and Computation</i> , 0, , 1-16.	0.6	2
403	Tracking Temperature Under Uncertainty Using EWMA-MA Control Chart. <i>Mapan - Journal of Metrology Society of India</i> , 2021, 36, 497-508.	1.0	2
404	Coincidence Point Results on Relation Theoretic $\langle \text{math} \text{xmlns="http://www.w3.org/1998/Math/MathML" id="M1"} \rangle \langle \text{msub} \rangle \langle \text{mrow} \rangle \langle \text{mfenced open="("} \rangle \text{Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50}$ 2021, 1-10.	0.4	2
405	An insight into control charts using EWMA. <i>Communications in Statistics - Theory and Methods</i> , 0, , 1-5.	0.6	2
406	Boundedness for Commutators of Rough $\langle \text{math} \text{xmlns="http://www.w3.org/1998/Math/MathML" id="M1"} \rangle \langle \text{mi} \rangle \text{p} \langle \text{mi} \rangle \langle \text{math} \rangle$ -Adic Hardy Operator on $\langle \text{math} \text{xmlns="http://www.w3.org/1998/Math/MathML" id="M2"} \rangle \langle \text{mi} \rangle \text{p} \langle \text{mi} \rangle \langle \text{math} \rangle$ -Adic Central Morrey Spaces. <i>Journal of Function Spaces</i> , 2021, 2021, 1-5.	0.4	2
407	Assessing the Significance of Relationship Between Metrology Variables under Indeterminacy. <i>Mapan - Journal of Metrology Society of India</i> , 2022, 37, 119-124.	1.0	2
408	A study on various pollutants in water and their effect on blood of the consumers. <i>Applied Water Science</i> , 2021, 11, 1.	2.8	2
409	Attribute Control Chart for a Lognormal Distribution Under Accelerated Time-Censoring. <i>Journal of Computational and Theoretical Nanoscience</i> , 2018, 15, 919-923.	0.4	2
410	Designing of Group Sampling Plans Based on Gamma-Poisson Distribution. <i>Journal of Testing and Evaluation</i> , 2012, 40, 939-944.	0.4	2
411	MIXED REPETITIVE SAMPLING PLAN USING EWMA. <i>Advances and Applications in Statistics</i> , 2017, 51, 167-186.	0.0	2
412	Restricted Repetitive Sampling in Designing of Control Charts. <i>Pakistan Journal of Statistics and Operation Research</i> , 2017, 13, 297.	1.1	2
413	A EWMA Control Chart based on Repetitive Sampling to Monitor Process Mean with Geometric Poisson Characteristics. <i>Industrial Engineering and Management Systems</i> , 2017, 16, 186-194.	0.3	2
414	Aggregative effect on rice production due to climate change using index number under indeterminate environment: a case study from Punjab, Pakistan. <i>Theoretical and Applied Climatology</i> , 2022, 147, 283-290.	1.3	2

#	ARTICLE	IF	CITATIONS
415	On designing CUSUM charts using ratio-type estimators for monitoring the location of normal processes. <i>Scientia Iranica</i> , 2018, .	0.3	2
416	A Control Chart for Exponentially Distributed Characteristics Using Modified Multiple Dependent State Sampling. <i>Mathematical Problems in Engineering</i> , 2020, 2020, 1-26.	0.6	2
417	Inspection of the Production Lot Using Two Successive Occasions Sampling Under Neutrosophy. <i>International Journal of Computational Intelligence Systems</i> , 2022, 15, 1.	1.6	2
418	On interval-valued $(\text{in}_{\{\gamma\}}, \text{in}_{\{\gamma\}} \vee q_{\{\delta\}})$ -fuzzy k-ideals in hemirings. <i>Neural Computing and Applications</i> , 2012, 21, 231-244.	3.2	1
419	Three Steps Strategy to Search for Optimum Classification Trees. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2016, 45, 548-565.	0.6	1
420	Design of Control Chart for Processes with Multiple Independent Manufacturing Lines. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2017, 41, 901-908.	0.7	1
421	Evaluating modified generalized information criterion in presence of multicollinearity. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2017, 46, 6298-6307.	0.6	1
422	Properties of Exponential Ratio Type Estimators in Equal Probability Sampling: A Simulation Study. <i>Communications in Mathematics and Statistics</i> , 2018, 6, 91-118.	0.9	1
423	Design of a Quick Switching Sampling System Based on the Coefficient of Variation. <i>Technologies</i> , 2018, 6, 98.	3.0	1
424	On fuzzy subsets in $\text{Gamma } \hat{\Gamma}$ -semihypergroup through left operator semihypergroup. <i>Afrika Matematika</i> , 2018, 29, 1215-1224.	0.4	1
425	Reliability and sensitivity comparisons and average run lengths of CUSUM scale chart. <i>Communications in Statistics - Theory and Methods</i> , 2019, 48, 2147-2162.	0.6	1
426	A new approach of interval-valued intuitionistic neutrosophic fuzzy weighted averaging operator based on decision making problem. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020, 38, 3027-3039.	0.8	1
427	Efficient designs of modeling attribute control charts for a Weibull distribution under truncated life tests. <i>Opsearch</i> , 2021, 58, 942.	1.1	1
428	Improving the efficiency of various Shewhart control charts. <i>Journal of Statistics and Management Systems</i> , 0, , 1-16.	0.3	1
429	Radar Circular Data Analysis Using a New Watson's Goodness of Test under Complexity. <i>Journal of Sensors</i> , 2021, 2021, 1-5.	0.6	1
430	On process capability and system availability analysis of the inverse Rayleigh distribution. <i>Pakistan Journal of Statistics and Operation Research</i> , 2015, 11, 53.	1.1	1
431	Design of Attribute Control Chart Based on Regression Estimator. <i>Pakistan Journal of Statistics and Operation Research</i> , 2017, 13, 589.	1.1	1
432	Uncertainty-Based Trimmed Coefficient of Variation with Application. <i>Journal of Mathematics</i> , 2021, 2021, 1-6.	0.5	1

#	ARTICLE	IF	CITATIONS
433	On Maximum Likelihood Estimation for Left Censored Burr Type III Distribution. Pakistan Journal of Statistics and Operation Research, 2015, 11, 497.	1.1	1
434	ATTRIBUTE-VARIABLE RESUBMITTED SAMPLING PLAN FOR CONTROLLING LOT FRACTION NONCONFORMING. Advances and Applications in Statistics, 2017, 50, 243-259.	0.0	1
435	A Control Chart Based on Two-piece Normal Distribution Using Repetitive Sampling. Pakistan Journal of Statistics and Operation Research, 0, , 961-973.	1.1	1
436	Attribute np Control Charts using Resampling Systems for Monitoring Non-Conforming Items using Exponentiated Half Logistic Distribution. Operations Research and Decisions, 2020, 30, .	0.2	1
437	Impact of Different Repetitive Sampling Schemes on the Performance of X-bar Control Chart. Pakistan Journal of Statistics and Operation Research, 0, , 191-201.	1.1	1
438	Correlated Proportions Test under Indeterminacy. Journal of Mathematics, 2021, 2021, 1-5.	0.5	1
439	Response Surface Models Using the Wavelet Technique for Reservoir Inflow Prediction. Mathematical Problems in Engineering, 2022, 2022, 1-10.	0.6	1
440	A New Variable-Censoring Control Chart Using Lifetime Performance Index under Exponential and Weibull Distributions. Computational Intelligence and Neuroscience, 2021, 2021, 1-8.	1.1	1
441	A Novel Method of Audio Steganography using Advanced Encryption Standard. Nonlinear Engineering, 2015, 4, .	1.4	0
442	n-Dimensional fuzzy hyperideals in semihyperrings. International Journal of Machine Learning and Cybernetics, 2017, 8, 255-262.	2.3	0
443	A new way of handling multi-attribute group decision making problems. Journal of Intelligent and Fuzzy Systems, 2020, 39, 3921-3929.	0.8	0
444	Product acceptance determination using repetitive sampling based on process loss consideration under neutrosophic numbers. , 2020, , 45-61.		0
445	A new sudden death testing using repetitive sampling under a neutrosophic statistical interval system. , 2020, , 137-150.		0
446	Two successive occasions resubmitted sampling schemeâ€based control chart. Quality and Reliability Engineering International, 2021, 37, 950-965.	1.4	0
447	Cubic linguistic uncertain Einstein averaging operators and decision-making problems. Soft Computing, 2021, 25, 7231-7246.	2.1	0
448	Comparative Analysis of Climate Variability and Wheat Crop under Neutrosophic Environment. Mapan - Journal of Metrology Society of India, 2022, 37, 25-32.	1.0	0
449	Testing the normality of heart associated variables having neutrosophic numbers. Journal of Intelligent and Fuzzy Systems, 2021, 41, 1523-1529.	0.8	0
450	The Rayleigh Paired Comparison Model with Bayesian Analysis. Hacettepe Journal of Mathematics and Statistics, 2015, 45, 1-1.	0.3	0

#	ARTICLE	IF	CITATIONS
451	Lindley-Shannon Information for Comparison of Priors Under Paired Comparisons Model. Pakistan Journal of Statistics and Operation Research, 2015, 11, 317.	1.1	0
452	Design and Construction of Plan for Exponential Distribution Using Repetitive Sampling. Journal of Computational and Theoretical Nanoscience, 2016, 13, 6568-6575.	0.4	0
453	Improving Benchmarking Student Learning Outcomes Using Repetitive Sampling Control Chart. Journal of Computational and Theoretical Nanoscience, 2016, 13, 7036-7039.	0.4	0
454	New Sampling Plan for Testing of Multiple Lots. Journal of Computational and Theoretical Nanoscience, 2016, 13, 8254-8260.	0.4	0
455	Weighted Erlang and Lomax Distributions. Industrial Engineering and Management Systems, 2017, 16, 375-383.	0.3	0
456	Hybrid Exponentially Weighted Moving Average Chart Using Exponential Distribution. Journal of Computational and Theoretical Nanoscience, 2017, 14, 5309-5314.	0.4	0
457	Demystifying Undergraduate Student Perceptions in a Course Feedback Process. Journal of Computational and Theoretical Nanoscience, 2018, 15, 161-170.	0.4	0
458	RATIO TYPE ESTIMATORS IN UNEQUAL PROBABILITY SAMPLING: A NUMERICAL STUDY. Advances and Applications in Statistics, 2018, 53, 457-471.	0.0	0
459	Moving Average control charts for Burr X and Inverse Gaussian distributions. Operations Research and Decisions, 2020, 30, .	0.2	0
460	Reservoir Inflow Prediction by Employing Response Surface-Based Models Conjunction with Wavelet and Bootstrap Techniques. Mathematical Problems in Engineering, 2021, 2021, 1-9.	0.6	0
461	A new generalization of logistic Weibull distribution with theory and practical illustration. Journal of Statistics and Management Systems, 0, , 1-23.	0.3	0
462	Design of SkSP-R Plan for Popular Statistical Distributions. Journal of Modern Applied Statistical Methods, 2020, 19, .	0.2	0
463	A study on factors leading to poor mental health of children in Punjab, Pakistan. Journal of Community Psychology, 2022, , .	1.0	0
464	Food Quality Inspection Using Uncertain Rank Data. Food Analytical Methods, 0, , .	1.3	0
465	Selecting the covariance structure for the seemingly unrelated regression models. Journal of King Saud University - Science, 2022, , 102027.	1.6	0
466	Monitoring largest extreme observations using Frechet distribution based on weighted variance method. Communications in Statistics - Theory and Methods, 0, , 1-16.	0.6	0
467	A resubmission-based variable control chart. Communications in Statistics - Theory and Methods, 0, , 1-13.	0.6	0