

Muhammad Aslam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4371317/publications.pdf>

Version: 2024-02-01

467
papers

7,686
citations

70961

41
h-index

133063

59
g-index

474
all docs

474
docs citations

474
times ranked

2584
citing authors

#	ARTICLE	IF	CITATIONS
1	Moving average EWMA chart for the Weibull distribution. Communications in Statistics Part B: Simulation and Computation, 2023, 52, 2231-2240.	0.6	2
2	Two-stage sampling plan using process loss index under neutrosophic statistics. Communications in Statistics Part B: Simulation and Computation, 2022, 51, 2831-2841.	0.6	6
3	Monitoring number of non-conforming items based on multiple dependent state repetitive sampling under truncated life tests. Communications in Statistics - Theory and Methods, 2022, 51, 5806-5825.	0.6	3
4	A new control chart using GINI C_{PK} . Communications in Statistics - Theory and Methods, 2022, 51, 197-211.	0.6	7
5	Monitoring customer complaints using the repetitive sampling. Communications in Statistics - Theory and Methods, 2022, 51, 313-327.	0.6	5
6	Generalized multiple dependent state sampling plans for coefficient of variation. Communications in Statistics - Theory and Methods, 2022, 51, 6990-7005.	0.6	3
7	A homogeneously weighted moving average control chart for Conway's Maxwell Poisson distribution. Journal of Applied Statistics, 2022, 49, 3090-3119.	0.6	10
8	Comparative Analysis of Climate Variability and Wheat Crop under Neutrosophic Environment. Mapan - Journal of Metrology Society of India, 2022, 37, 25-32.	1.0	0
9	Medical diagnosis of nephrotic syndrome using m-polar spherical fuzzy sets. International Journal of Biomathematics, 2022, 15, .	1.5	4
10	Assessing the Significance of Relationship Between Metrology Variables under Indeterminacy. Mapan - Journal of Metrology Society of India, 2022, 37, 119-124.	1.0	2
11	Aggregative effect on rice production due to climate change using index number under indeterminate environment: a case study from Punjab, Pakistan. Theoretical and Applied Climatology, 2022, 147, 283-290.	1.3	2
12	Mechanical properties, drying shrinkage and structural performance of coconut shell lightweight concrete. Structures, 2022, 35, 26-35.	1.7	8
13	A new generalization of Lindley distribution for modeling of wind speed data. Energy Reports, 2022, 8, 1-11.	2.5	10
14	Decision support model for the patient admission scheduling problem based on picture fuzzy aggregation information and TOPSIS methodology. Mathematical Biosciences and Engineering, 2022, 19, 3147-3176.	1.0	6
15	A study on factors leading to poor mental health of children in Punjab, Pakistan. Journal of Community Psychology, 2022, , .	1.0	0
16	Monitoring road accident and injury using indeterminacy based Shewhart control chart using multiple dependent state repetitive sampling. International Journal of Injury Control and Safety Promotion, 2022, 29, 331-339.	1.0	5
17	Inspection of the Production Lot Using Two Successive Occasions Sampling Under Neutrosophy. International Journal of Computational Intelligence Systems, 2022, 15, 1.	1.6	2
18	Power Inverted Nadarajah's Haghghi Distribution: Properties, Estimation, and Applications. Journal of Mathematics, 2022, 2022, 1-10.	0.5	4

#	ARTICLE	IF	CITATIONS
19	A new neutrosophic model using DUS-Weibull transformation with application. Complex & Intelligent Systems, 2022, 8, 4079-4088.	4.0	5
20	Response Surface Models Using the Wavelet Technique for Reservoir Inflow Prediction. Mathematical Problems in Engineering, 2022, 2022, 1-10.	0.6	1
21	Design of a new Z-test for the uncertainty of Covid-19 events under Neutrosophic statistics. BMC Medical Research Methodology, 2022, 22, 99.	1.4	5
22	Modeling and forecasting the total number of cases and deaths due to pandemic. Journal of Medical Virology, 2022, 94, 1592-1605.	2.5	5
23	Selecting the covariance structure for the seemingly unrelated regression models. Journal of King Saud University - Science, 2022, , 102027.	1.6	0
24	Fuzzy acceptance sampling plan for transmuted Weibull distribution. Complex & Intelligent Systems, 2022, 8, 4783-4795.	4.0	4
25	Sampling Inspection Plan to Test Daily COVID-19 Cases Using Gamma Distribution under Indeterminacy Based on Multiple Dependent Scheme. International Journal of Environmental Research and Public Health, 2022, 19, 5308.	1.2	3
26	Identification and Classification of Aggregation Operators Using Bipolar Complex Fuzzy Settings and Their Application in Decision Support Systems. Mathematics, 2022, 10, 1726.	1.1	20
27	Fabrication of flexible temperature sensors to explore indeterministic data analysis for robots as an application of Internet of Things. RSC Advances, 2022, 12, 17138-17145.	1.7	13
28	A study on average run length of fuzzy EWMA control chart. Soft Computing, 2022, 26, 9117-9124.	2.1	5
29	Determination and economic design of a generalized multiple dependent state sampling plan. Communications in Statistics Part B: Simulation and Computation, 2021, 50, 3465-3482.	0.6	10
30	A variable sampling plan using generalized multiple dependent state based on a one-sided process capability index. Communications in Statistics Part B: Simulation and Computation, 2021, 50, 2666-2677.	0.6	12
31	A new multiple dependent state sampling plan based on the process capability index. Communications in Statistics Part B: Simulation and Computation, 2021, 50, 1711-1727.	0.6	24
32	A mixed control chart for monitoring failure times under accelerated hybrid censoring. Journal of Applied Statistics, 2021, 48, 138-153.	0.6	2
33	CEV-Hybrid Dewma charts for censored data using Weibull distribution. Communications in Statistics Part B: Simulation and Computation, 2021, 50, 446-461.	0.6	15
34	Designing of an attribute control chart based on modified multiple dependent state sampling using accelerated life test under Weibull distribution. Communications in Statistics Part B: Simulation and Computation, 2021, 50, 902-916.	0.6	5
35	Design of X-bar control chart based on Inverse Rayleigh Distribution under repetitive group sampling. Ain Shams Engineering Journal, 2021, 12, 943-953.	3.5	14
36	A new goodness of fit test in the presence of uncertain parameters. Complex & Intelligent Systems, 2021, 7, 359-365.	4.0	16

#	ARTICLE	IF	CITATIONS
37	Two successive occasions resubmitted sampling scheme-based control chart. Quality and Reliability Engineering International, 2021, 37, 950-965.	1.4	0
38	Distribution-free composite Shewhart-WMA Mann-Whitney charts for monitoring the process location. Quality and Reliability Engineering International, 2021, 37, 1409-1435.	1.4	6
39	Utilization of sugarcane bagasse ash as cement replacement for the production of sustainable concrete - A review. Construction and Building Materials, 2021, 270, 121371.	3.2	58
40	Monitoring the road traffic crashes using NEWMA chart and repetitive sampling. International Journal of Injury Control and Safety Promotion, 2021, 28, 39-45.	1.0	9
41	Monitoring circuit boards products in the presence of indeterminacy. Measurement: Journal of the International Measurement Confederation, 2021, 168, 108404.	2.5	10
42	Designing of control chart of extended EWMA statistic using repetitive sampling scheme. Ain Shams Engineering Journal, 2021, 12, 1049-1058.	3.5	9
43	Time between events control charts for gamma distribution. Quality and Reliability Engineering International, 2021, 37, 785-803.	1.4	9
44	Nanomedicine in treatment of breast cancer - A challenge to conventional therapy. Seminars in Cancer Biology, 2021, 69, 279-292.	4.3	59
45	EWMA and DEWMA repetitive control charts under non-normal processes. Journal of Applied Statistics, 2021, 48, 4-40.	0.6	13
46	A study on skewness and kurtosis estimators of wind speed distribution under indeterminacy. Theoretical and Applied Climatology, 2021, 143, 1227-1234.	1.3	20
47	Innovative q-rung orthopair fuzzy prioritized aggregation operators based on priority degrees with application to sustainable energy planning: A case study of Gwadar. AIMS Mathematics, 2021, 6, 12795-12831.	0.7	12
48	Economic Determination of Modified Multiple Dependent State Sampling Plan under Some Lifetime Distributions. Journal of Mathematics, 2021, 2021, 1-13.	0.5	12
49	A homogenously weighted moving average scheme for observations under the effect of serial dependence and measurement inaccuracy. International Journal of Industrial Engineering Computations, 2021, 12, 401-414.	0.4	2
50	Single-stage and two-stage total failure-based group-sampling plans for the Weibull distribution under neutrosophic statistics. Complex & Intelligent Systems, 2021, 7, 891-900.	4.0	10
51	Some weighted estimates for the commutators of p -adic Hardy operator on two weighted p -adic Herz-type spaces. AIMS Mathematics, 2021, 6, 9633-9646.	0.7	4
52	Generalized Hamacher Aggregation Operators Based on Linear Diophantine Uncertain Linguistic Setting and Their Applications in Decision-Making Problems. IEEE Access, 2021, 9, 126748-126764.	2.6	7
53	Performance of a New Time-Truncated Control Chart for Weibull Distribution Under Uncertainty. International Journal of Computational Intelligence Systems, 2021, 14, 1256.	1.6	8
54	Generalized interval-valued picture fuzzy linguistic induced hybrid operator and TOPSIS method for linguistic group decision-making. Soft Computing, 2021, 25, 5037-5054.	2.1	15

#	ARTICLE	IF	CITATIONS
55	A new CUSUM control chart under uncertainty with applications in petroleum and meteorology. PLoS ONE, 2021, 16, e0246185.	1.1	10
56	Neutrosophic Dâ€™Agostino Test of Normality: An Application to Water Data. Journal of Mathematics, 2021, 2021, 1-5.	0.5	11
57	Extension of TOPSIS method for group decision-making under triangular linguistic neutrosophic cubic sets. Soft Computing, 2021, 25, 3359-3376.	2.1	16
58	Process Monitoring for Gamma Distributed Product under Neutrosophic Statistics Using Resampling Scheme. Journal of Mathematics, 2021, 2021, 1-12.	0.5	7
59	The use of fast initial response features on the homogeneously weighted moving average chart with estimated parameters under the effect of measurement errors. Quality and Reliability Engineering International, 2021, 37, 2568-2586.	1.4	5
60	Analyzing wind power data using analysis of means under neutrosophic statistics. Soft Computing, 2021, 25, 7087-7093.	2.1	15
61	Weibull-Exponential Distribution and Its Application in Monitoring Industrial Process. Mathematical Problems in Engineering, 2021, 2021, 1-13.	0.6	5
62	A new sudden death chart for the Weibull distribution under complexity. Complex & Intelligent Systems, 2021, 7, 2093-2101.	4.0	4
63	Refined double sampling scheme with measures and application. Stat, 2021, 10, e368.	0.3	2
64	Efficient designs of modeling attribute control charts for a Weibull distribution under truncated life tests. Opsearch, 2021, 58, 942.	1.1	1
65	On Testing Autocorrelation in Metrology Data Under Indeterminacy. Mapan - Journal of Metrology Society of India, 2021, 36, 515-519.	1.0	6
66	Cubic M-polar Fuzzy Hybrid Aggregation Operators with Dombiâ€™s T-norm and T-conorm with Application. Symmetry, 2021, 13, 646.	1.1	5
67	Monitoring Mortality Caused by COVID-19 Using Gamma-Distributed Variables Based on Generalized Multiple Dependent State Sampling. Computational and Mathematical Methods in Medicine, 2021, 2021, 1-17.	0.7	8
68	Cubic linguistic uncertain Einstein averaging operators and decision-making problems. Soft Computing, 2021, 25, 7231-7246.	2.1	0
69	Clinical laboratory medicine measurements correlation analysis under uncertainty. Annals of Clinical Biochemistry, 2021, 58, 000456322110064.	0.8	6
70	Testing average wind speed using sampling plan for Weibull distribution under indeterminacy. Scientific Reports, 2021, 11, 7532.	1.6	17
71	Tracking Temperature Under Uncertainty Using EWMA-MA Control Chart. Mapan - Journal of Metrology Society of India, 2021, 36, 497-508.	1.0	2
72	M-Parameterized N-Soft Topology-Based TOPSIS Approach for Multi-Attribute Decision Making. Symmetry, 2021, 13, 748.	1.1	6

#	ARTICLE	IF	CITATIONS
91	Chi-square test under indeterminacy: an application using pulse count data. BMC Medical Research Methodology, 2021, 21, 201.	1.4	9
92	Kannan-Type Contractions on New Extended b -Metric Spaces. Journal of Function Spaces, 2021, 2021, 1-12.	0.4	5
93	Radar Circular Data Analysis Using a New Watson's Goodness of Test under Complexity. Journal of Sensors, 2021, 2021, 1-5.	0.6	1
94	Cubic bipolar fuzzy Dombi averaging aggregation operators with application to multi-criteria decision-making. Journal of Intelligent and Fuzzy Systems, 2021, 41, 3373-3393.	0.8	3
95	A study on various pollutants in water and their effect on blood of the consumers. Applied Water Science, 2021, 11, 1.	2.8	2
96	Statistical Analysis for Food Quality in the Presence of Vague Information. Journal of Food Quality, 2021, 2021, 1-5.	1.4	4
97	Testing Internal Quality Control of Clinical Laboratory Data Using Paired t -Test under Uncertainty. BioMed Research International, 2021, 2021, 1-6.	0.9	6
98	Novel concepts of m -polar spherical fuzzy sets and new correlation measures with application to pattern recognition and medical diagnosis. AIMS Mathematics, 2021, 6, 11346-11379.	0.7	7
99	A Novel Approach Toward Roughness of Bipolar Soft Sets and Their Applications in MCGDM. IEEE Access, 2021, 9, 135102-135120.	2.6	6
100	Normality Test of Temperature in Jeddah City Using Cochran's Test Under Indeterminacy. Mapan - Journal of Metrology Society of India, 2021, 36, 589-598.	1.0	3
101	Radar data analysis in the presence of uncertainty. European Journal of Remote Sensing, 2021, 54, 140-144.	1.7	11
102	Analysing Gray Cast Iron Data using a New Shapiro-Wilks test for Normality under Indeterminacy. International Journal of Cast Metals Research, 2021, 34, 1-5.	0.5	7
103	Inspection plan for COVID-19 patients for Weibull distribution using repetitive sampling under indeterminacy. BMC Medical Research Methodology, 2021, 21, 229.	1.4	12
104	Analysis of COVID-19 data using neutrosophic Kruskal Wallis H test. BMC Medical Research Methodology, 2021, 21, 215.	1.4	23
105	Commutators of the Fractional Hardy Operator on Weighted Variable Herz-Morrey Spaces. Journal of Function Spaces, 2021, 2021, 1-10.	0.4	10
106	Uncertainty-Based Trimmed Coefficient of Variation with Application. Journal of Mathematics, 2021, 2021, 1-6.	0.5	1
107	Correlated Proportions Test under Indeterminacy. Journal of Mathematics, 2021, 2021, 1-5.	0.5	1
108	Factors influencing exclusive breastfeeding duration in Pakistan: a population-based cross-sectional study. BMC Public Health, 2021, 21, 1998.	1.2	5

#	ARTICLE	IF	CITATIONS
109	A New Neutrosophic Negative Binomial Distribution: Properties and Applications. Journal of Mathematics, 2021, 2021, 1-12.	0.5	3
110	Reservoir Inflow Prediction by Employing Response Surface-Based Models Conjunction with Wavelet and Bootstrap Techniques. Mathematical Problems in Engineering, 2021, 2021, 1-9.	0.6	0
111	Identification of climate induced optimal rice yield and vulnerable districts rankings of the Punjab, Pakistan. Scientific Reports, 2021, 11, 23393.	1.6	4
112	Fabrication of a surface type humidity sensor based on methyl green thin film, with the analysis of capacitance and resistance through neutrosophic statistics. RSC Advances, 2021, 11, 38674-38682.	1.7	15
113	A New X-bar Control Chart for Multiple Dependent State Sampling Using Neutrosophic Exponentially Weighted Moving Average Statistics with Application to Monitoring Road Accidents and Road Injuries. International Journal of Computational Intelligence Systems, 2021, 14, .	1.6	3
114	Analyzing and controlling computer security threats based on complex q-rung orthopair fuzzy heronian mean operators. Journal of Intelligent and Fuzzy Systems, 2021, 41, 6949-6981.	0.8	3
115	Evaluation of the product quality of the online shopping platform using t-spherical fuzzy preference relations. Journal of Intelligent and Fuzzy Systems, 2021, 41, 6245-6262.	0.8	5
116	A New Variable-Censoring Control Chart Using Lifetime Performance Index under Exponential and Weibull Distributions. Computational Intelligence and Neuroscience, 2021, 2021, 1-8.	1.1	1
117	An empirical study on quality of life and related factors of Pakistani breast cancer survivors. Scientific Reports, 2021, 11, 24391.	1.6	7
118	Neutrosophic statistical analysis of resistance depending on the temperature variance of conducting material. Scientific Reports, 2021, 11, 23939.	1.6	18
119	Vague data analysis using neutrosophic Jarqueâ€“Bera test. PLoS ONE, 2021, 16, e0260689.	1.1	9
120	A mixed double sampling plan based on C_{pk} . Communications in Statistics - Theory and Methods, 2020, 49, 1840-1857.	0.6	18
121	A new variable control chart under generalized multiple dependent state sampling. Communications in Statistics Part B: Simulation and Computation, 2020, 49, 2321-2332.	0.6	6
122	Design of a sign chart using a new EWMA statistic. Communications in Statistics - Theory and Methods, 2020, 49, 1299-1310.	0.6	14
123	New approach of triangular neutrosophic cubic linguistic hesitant fuzzy aggregation operators. Granular Computing, 2020, 5, 527-543.	4.4	6
124	New work of trapezoidal cubic linguistic uncertain fuzzy Einstein hybrid weighted averaging operator and decision making. Soft Computing, 2020, 24, 3331-3354.	2.1	4
125	Analysis of process yield in a cost-effective double acceptance sampling plan. Communications in Statistics - Theory and Methods, 2020, 49, 5975-5987.	0.6	3
126	Ranking methodology of induced Pythagorean trapezoidal fuzzy aggregation operators based on Einstein operations in group decision making. Soft Computing, 2020, 24, 7319-7334.	2.1	15

#	ARTICLE	IF	CITATIONS
127	Designing a control chart of extended EWMA statistic based on multiple dependent state sampling. <i>Journal of Applied Statistics</i> , 2020, 47, 1482-1492.	0.6	6
128	Monitoring process variation using modified EWMA. <i>Quality and Reliability Engineering International</i> , 2020, 36, 328-339.	1.4	16
129	A new nonparametric double exponentially weighted moving average control chart. <i>Quality and Reliability Engineering International</i> , 2020, 36, 68-87.	1.4	28
130	Introducing Kolmogorov-Smirnov Tests under Uncertainty: An Application to Radioactive Data. <i>ACS Omega</i> , 2020, 5, 914-917.	1.6	44
131	Approaches to multiple attribute group decision making based on triangular cubic linguistic uncertain fuzzy aggregation operators. <i>Soft Computing</i> , 2020, 24, 11511-11533.	2.1	15
132	Appropriate drying shrinkage prediction models for lightweight concrete containing coarse agro-waste aggregate. <i>Journal of Building Engineering</i> , 2020, 29, 101148.	1.6	16
133	Utilizing Linguistic Picture Fuzzy Aggregation Operators for Multiple-Attribute Decision-Making Problems. <i>International Journal of Fuzzy Systems</i> , 2020, 22, 310-320.	2.3	54
134	A modified-mxEWMA location chart for the improved process monitoring using auxiliary information and its application in wood industry. <i>Quality Technology and Quantitative Management</i> , 2020, 17, 561-579.	1.1	21
135	A successive sampling control chart using multiple dependent state sampling over two successive occasions. <i>Quality and Reliability Engineering International</i> , 2020, 36, 577-591.	1.4	2
136	Monitoring Non-Conforming Products Using Multiple Dependent State Sampling Under Indeterminacy-An Application to Juice Industry. <i>IEEE Access</i> , 2020, 8, 172379-172386.	2.6	8
137	Test of Association in the Presence of Complex Environment. <i>Complexity</i> , 2020, 2020, 1-6.	0.9	5
138	Introducing Grubbs's test for detecting outliers under neutrosophic statistics - An application to medical data. <i>Journal of King Saud University - Science</i> , 2020, 32, 2696-2700.	1.6	27
139	Analyzing alloy melting points data using a new Mann-Whitney test under indeterminacy. <i>Journal of King Saud University - Science</i> , 2020, 32, 2831-2834.	1.6	10
140	Evaluating the relationship between climate variability and agricultural crops under indeterminacy. <i>Theoretical and Applied Climatology</i> , 2020, 142, 1641-1648.	1.3	6
141	Presenting post hoc multiple comparison tests under neutrosophic statistics. <i>Journal of King Saud University - Science</i> , 2020, 32, 2728-2732.	1.6	19
142	Socioeconomic and demographic factors determining the underweight prevalence among children under-five in Punjab. <i>BMC Public Health</i> , 2020, 20, 1817.	1.2	4
143	A study on measurement system analysis in the presence of indeterminacy. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020, 166, 108201.	2.5	3
144	A new way of handling multi-attribute group decision making problems. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020, 39, 3921-3929.	0.8	0

#	ARTICLE	IF	CITATIONS
145	Multivariate Analysis under Indeterminacy: An Application to Chemical Content Data. Journal of Analytical Methods in Chemistry, 2020, 2020, 1-6.	0.7	5
146	Multi-criteria group decision making with Pythagorean fuzzy soft topology. Journal of Intelligent and Fuzzy Systems, 2020, 39, 6703-6720.	0.8	11
147	Multiple Dependent State Repetitive Sampling-Based Control Chart for Birnbaum's Saunders Distribution. Journal of Mathematics, 2020, 2020, 1-11.	0.5	5
148	Type-I heavy tailed family with applications in medicine, engineering and insurance. PLoS ONE, 2020, 15, e0237462.	1.1	14
149	Generalized Multiple Dependent State Sampling Plans in Presence of Measurement Data. IEEE Access, 2020, 8, 162775-162784.	2.6	16
150	Multiple Dependent State Sampling-Based Chart Using Belief Statistic under Neutrosophic Statistics. Journal of Mathematics, 2020, 2020, 1-14.	0.5	8
151	Forecasting of the wind speed under uncertainty. Scientific Reports, 2020, 10, 20300.	1.6	6
152	Parameter Estimation Effect of the Homogeneously Weighted Moving Average Chart to Monitor the Mean of Autocorrelated Observations With Measurement Errors. IEEE Access, 2020, 8, 221352-221366.	2.6	8
153	Analyzing the Solar Energy Data Using a New Anderson-Darling Test under Indeterminacy. International Journal of Photoenergy, 2020, 2020, 1-6.	1.4	8
154	Projected decision background based on q-rung orthopair triangular fuzzy aggregation operators. Granular Computing, 2020, 6, 931.	4.4	4
155	A Nonparametric Repetitive Sampling DEWMA Control Chart Based on Linear Prediction. IEEE Access, 2020, 8, 74977-74990.	2.6	17
156	Design of NEWMA np control chart for monitoring neutrosophic nonconforming items. Soft Computing, 2020, 24, 16617-16626.	2.1	11
157	A new approach of interval-valued intuitionistic neutrosophic fuzzy weighted averaging operator based on decision making problem. Journal of Intelligent and Fuzzy Systems, 2020, 38, 3027-3039.	0.8	1
158	Probable daily return on investments in gold. Gold Bulletin, 2020, 53, 47-54.	1.1	2
159	New multicriteria group decision support systems for small hydropower plant locations selection based on intuitionistic cubic fuzzy aggregation information. International Journal of Intelligent Systems, 2020, 35, 983-1020.	3.3	43
160	New Diagnosis Test under the Neutrosophic Statistics: An Application to Diabetic Patients. BioMed Research International, 2020, 2020, 1-7.	0.9	38
161	The W/S Test for Data Having Neutrosophic Numbers: An Application to USA Village Population. Complexity, 2020, 2020, 1-8.	0.9	9
162	New type of cancer patients based on triangular cubic hesitant fuzzy TOPSIS method. International Journal of Biomathematics, 2020, 13, 2050002.	1.5	4

#	ARTICLE	IF	CITATIONS
163	On detecting outliers in complex data using Dixon's test under neutrosophic statistics. Journal of King Saud University - Science, 2020, 32, 2005-2008.	1.6	36
164	Attacks by predators on artificial cryptic and aposematic insect larvae. Entomologia Experimentalis Et Applicata, 2020, 168, 184-190.	0.7	12
165	A control chart for monitoring the lognormal process variation using repetitive sampling. Quality and Reliability Engineering International, 2020, 36, 1028-1047.	1.4	6
166	Product acceptance determination using repetitive sampling based on process loss consideration under neutrosophic numbers. , 2020, , 45-61.		0
167	A new sudden death testing using repetitive sampling under a neutrosophic statistical interval system. , 2020, , 137-150.		0
168	Generalized trapezoidal cubic linguistic fuzzy ordered weighted average operator and group decision-making. Soft Computing, 2020, 24, 3155-3171.	2.1	2
169	Marshall's Olkin Power Lomax distribution for modeling of wind speed data. Energy Reports, 2020, 6, 1118-1123.	2.5	29
170	Tubulin Proteins in Cancer Resistance: A Review. Current Drug Metabolism, 2020, 21, 178-185.	0.7	16
171	A Control Chart for Exponentially Distributed Characteristics Using Modified Multiple Dependent State Sampling. Mathematical Problems in Engineering, 2020, 2020, 1-26.	0.6	2
172	Attribute np Control Charts using Resampling Systems for Monitoring Non-Conforming Items using Exponentiated Half Logistic Distribution. Operations Research and Decisions, 2020, 30, .	0.2	1
173	Moving Average control charts for Burr X and Inverse Gaussian distributions. Operations Research and Decisions, 2020, 30, .	0.2	0
174	Design of SkSP-R Plan for Popular Statistical Distributions. Journal of Modern Applied Statistical Methods, 2020, 19, .	0.2	0
175	An attribute control chart for multivariate Poisson distribution using multiple dependent state repetitive sampling. Quality and Reliability Engineering International, 2019, 35, 627-643.	1.4	15
176	Reliability and sensitivity comparisons and average run lengths of CUSUM scale chart. Communications in Statistics - Theory and Methods, 2019, 48, 2147-2162.	0.6	1
177	Design of control charts for multivariate Poisson distribution using generalized multiple dependent state sampling. Quality Technology and Quantitative Management, 2019, 16, 629-650.	1.1	18
178	Design of Fuzzy Sampling Plan Using the Birnbaum-Saunders Distribution. Mathematics, 2019, 7, 9.	1.1	13
179	Inspection Strategy under Indeterminacy Based on Neutrosophic Coefficient of Variation. Symmetry, 2019, 11, 193.	1.1	3
180	An efficient double exponentially weighted moving average Benjamini-Hochberg control chart to control false discovery rate. Quality and Reliability Engineering International, 2019, 35, 2677-2686.	1.4	2

#	ARTICLE	IF	CITATIONS
181	Sampling Plan Using Process Loss Index Using Multiple Dependent State Sampling Under Neutrosophic Statistics. IEEE Access, 2019, 7, 38568-38576.	2.6	4
182	Design of a Control Chart Based on COM-Poisson Distribution for the Uncertainty Environment. Complexity, 2019, 2019, 1-9.	0.9	7
183	An approach towards decision making and shortest path problems using the concepts of interval-valued Pythagorean fuzzy information. International Journal of Intelligent Systems, 2019, 34, 2403-2428.	3.3	16
184	Neutrosophic analysis of variance: application to university students. Complex & Intelligent Systems, 2019, 5, 403-407.	4.0	67
185	N-soft topology and its applications to multi-criteria group decision making. Journal of Intelligent and Fuzzy Systems, 2019, 36, 6521-6536.	0.8	65
186	Determination of multiple dependent state repetitive group sampling plan based on the process capability index. Sequential Analysis, 2019, 38, 385-399.	0.2	10
187	Acceptance sampling plans for two-stage process for multiple manufacturing lines under neutrosophic statistics. Journal of Intelligent and Fuzzy Systems, 2019, 37, 7839-7850.	0.8	8
188	A New X-Bar Control Chart for Using Neutrosophic Exponentially Weighted Moving Average. Mathematics, 2019, 7, 957.	1.1	13
189	Design of SN2-NEWMA Control Chart for Monitoring Process having Indeterminate Production Data. Processes, 2019, 7, 742.	1.3	8
190	Design of X-Bar Control Chart Using Multiple Dependent State Sampling Under Indeterminacy Environment. IEEE Access, 2019, 7, 152233-152242.	2.6	7
191	Analysis of migraine in multicellular organism based on trapezoidal neutrosophic cubic hesitant fuzzy TOPSIS method. International Journal of Biomathematics, 2019, 12, 1950084.	1.5	3
192	Classification of the State of Manufacturing Process under Indeterminacy. Mathematics, 2019, 7, 870.	1.1	2
193	Cleaner Production Evaluation in Gold Mines Using Novel Distance Measure Method with Cubic Picture Fuzzy Numbers. International Journal of Fuzzy Systems, 2019, 21, 2448-2461.	2.3	54
194	A robust steganographic technique based on improved chaotic-range systems. Chinese Journal of Physics, 2019, 61, 301-309.	2.0	11
195	A new attribute sampling plan using neutrosophic statistical interval method. Complex & Intelligent Systems, 2019, 5, 365-370.	4.0	32
196	Attribute Control Chart Using the Repetitive Sampling Under Neutrosophic System. IEEE Access, 2019, 7, 15367-15374.	2.6	25
197	A Variable Acceptance Sampling Plan under Neutrosophic Statistical Interval Method. Symmetry, 2019, 11, 114.	1.1	19
198	Control Charts for Monitoring Process Capability Index Using Median Absolute Deviation for Some Popular Distributions. Processes, 2019, 7, 287.	1.3	16

#	ARTICLE	IF	CITATIONS
199	Design of X-Bar Control Chart for Resampling Under Uncertainty Environment. IEEE Access, 2019, 7, 60661-60671.	2.6	7
200	A new method to analyze rock joint roughness coefficient based on neutrosophic statistics. Measurement: Journal of the International Measurement Confederation, 2019, 146, 65-71.	2.5	24
201	Spherical fuzzy sets and its representation of spherical fuzzy t-norms and t-conorms. Journal of Intelligent and Fuzzy Systems, 2019, 36, 6089-6102.	0.8	114
202	Design of variables sampling plans based on lifetime-performance index in presence of hybrid censoring scheme. Journal of Applied Statistics, 2019, 46, 2975-2986.	0.6	8
203	Modified EWMA control chart for transformed gamma data. Communications in Statistics Part B: Simulation and Computation, 2019, , 1-14.	0.6	13
204	A Multiple Dependent State Repetitive Sampling Plan Based on Performance Index for Lifetime Data with Type II Censoring. IEEE Access, 2019, 7, 49377-49391.	2.6	9
205	Evaluation of Bootstrap Confidence Intervals Using a New Non-Normal Process Capability Index. Symmetry, 2019, 11, 484.	1.1	11
206	Trapezoidal Linguistic Cubic Fuzzy TOPSIS Method and Application in a Group Decision Making Program. Journal of Intelligent Systems, 2019, 29, 1283-1300.	1.2	12
207	Monitoring the Process Based on Belief Statistic for Neutrosophic Gamma Distributed Product. Processes, 2019, 7, 209.	1.3	15
208	Application of classification methods to analyze chemicals in drinking water quality. Accreditation and Quality Assurance, 2019, 24, 227-235.	0.4	2
209	Application of Neutrosophic Logic to Evaluate Correlation between Prostate Cancer Mortality and Dietary Fat Assumption. Symmetry, 2019, 11, 330.	1.1	37
210	A Nonparametric HEWMA-p Control Chart for Variance in Monitoring Processes. Symmetry, 2019, 11, 356.	1.1	7
211	A Variable Control Chart Based on Process Capability Index Under Generalized Multiple Dependent State Sampling. IEEE Access, 2019, 7, 34031-34044.	2.6	12
212	A new variable control chart using neutrosophic interval method-an application to automobile industry. Journal of Intelligent and Fuzzy Systems, 2019, 36, 2615-2623.	0.8	22
213	Design of a Control Chart for Gamma Distributed Variables Under the Indeterminate Environment. IEEE Access, 2019, 7, 8858-8864.	2.6	12
214	Design of Variable Sampling Plan for Pareto Distribution Using Neutrosophic Statistical Interval Method. Symmetry, 2019, 11, 80.	1.1	7
215	Control Chart for Variance Using Repetitive Sampling Under Neutrosophic Statistical Interval System. IEEE Access, 2019, 7, 25253-25262.	2.6	15
216	Design of a t-chart using generalized multiple dependent state sampling. Quality and Reliability Engineering International, 2019, 35, 1789-1802.	1.4	7

#	ARTICLE	IF	CITATIONS
217	EWMA Control Chart Using Repetitive Sampling for Monitoring Blood Glucose Levels in Type-II Diabetes Patients. <i>Symmetry</i> , 2019, 11, 57.	1.1	6
218	A hybrid EWMA chart using coefficient of variation. <i>International Journal of Quality and Reliability Management</i> , 2019, 36, 587-600.	1.3	6
219	Time-Truncated Group Plan under a Weibull Distribution based on Neutrosophic Statistics. <i>Mathematics</i> , 2019, 7, 905.	1.1	11
220	Shewhart Attribute and Variable Control Charts Using Modified Multiple Dependent State Sampling. <i>Symmetry</i> , 2019, 11, 53.	1.1	4
221	Plan for Food Inspection for Inflated-Pareto Data Under Uncertainty Environment. <i>IEEE Access</i> , 2019, 7, 164186-164193.	2.6	3
222	Design of hybrid EWMA control chart. <i>Journal of Industrial and Production Engineering</i> , 2019, 36, 554-562.	2.1	8
223	Estimation of Reliability in a Multicomponent Stress-Strength System for the Exponentiated Moment-Based Exponential Distribution. <i>Algorithms</i> , 2019, 12, 246.	1.2	4
224	A New Failure-Censored Reliability Test Using Neutrosophic Statistical Interval Method. <i>International Journal of Fuzzy Systems</i> , 2019, 21, 1214-1220.	2.3	20
225	A new variable control chart under failure-censored reliability tests for Weibull distribution. <i>Quality and Reliability Engineering International</i> , 2019, 35, 572-581.	1.4	20
226	Design of a New Attribute Control Chart Under Neutrosophic Statistics. <i>International Journal of Fuzzy Systems</i> , 2019, 21, 433-440.	2.3	54
227	Product Acceptance Determination with Measurement Error Using the Neutrosophic Statistics. <i>Advances in Fuzzy Systems</i> , 2019, 2019, 1-8.	0.6	9
228	Selecting better process based on difference statistic using double sampling plan. <i>Communications in Statistics - Theory and Methods</i> , 2019, 48, 2641-2656.	0.6	4
229	Design of New Sampling Plans for Multiple Manufacturing Lines Under Uncertainty. <i>International Journal of Fuzzy Systems</i> , 2019, 21, 978-992.	2.3	25
230	Approximate Bayesian analysis of doubly censored samples from mixture of two Weibull distributions. <i>Communications in Statistics - Theory and Methods</i> , 2019, 48, 2862-2878.	0.6	2
231	A EWMA control chart based on an auxiliary variable and repetitive sampling for monitoring process location. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2019, 48, 2034-2045.	0.6	10
232	Multiple dependent state repetitive sampling plans with or without auxiliary variable. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2019, 48, 1055-1069.	0.6	9
233	Time truncated attribute control chart for the Weibull distribution using multiple dependent state sampling. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2019, 48, 1219-1228.	0.6	9
234	A New S ² Control Chart Using Multiple Dependent State Repetitive Sampling. <i>IEEE Access</i> , 2018, 6, 49224-49236.	2.6	10

#	ARTICLE	IF	CITATIONS
235	Construction of chaotic quantum magnets and matrix Lorenz systems S-boxes and their applications. Chinese Journal of Physics, 2018, 56, 1609-1621.	2.0	43
236	Approximations of bipolar fuzzy Γ -hyperideals of Γ -semihypergroups. Afrika Matematika, 2018, 29, 869-886.	0.4	8
237	Optimal designing of an SkSP-R double sampling plan. Communications in Statistics - Theory and Methods, 2018, 47, 4329-4337.	0.6	9
238	Properties of Exponential Ratio Type Estimators in Equal Probability Sampling: A Simulation Study. Communications in Mathematics and Statistics, 2018, 6, 91-118.	0.9	1
239	A noise resistant symmetric key cryptosystem based on S8 S-boxes and chaotic maps. European Physical Journal Plus, 2018, 133, 1.	1.2	34
240	Linear triangular optimization technique and pricing scheme in residential energy management systems. Results in Physics, 2018, 9, 858-865.	2.0	7
241	Sampling Plan Using EWMA Statistic of Regression Estimator. Iranian Journal of Science and Technology, Transaction A: Science, 2018, 42, 115-127.	0.7	10
242	Design of Control Chart in Presence of Hybrid Censoring Scheme. IEEE Access, 2018, 6, 14895-14907.	2.6	4
243	A hybrid exponentially weighted moving average chart for COM-Poisson distribution. Transactions of the Institute of Measurement and Control, 2018, 40, 456-461.	1.1	22
244	A multiple dependent state repetitive sampling plan for linear profiles. Journal of the Operational Research Society, 2018, 69, 467-473.	2.1	16
245	Multiple dependent state repetitive sampling plans based on one-sided process capability indices. Communications in Statistics - Theory and Methods, 2018, 47, 1403-1412.	0.6	24
246	Attribute control chart for some popular distributions. Communications in Statistics - Theory and Methods, 2018, 47, 1978-1988.	0.6	15
247	A control chart for monitoring process variation using multiple dependent state sampling. Communications in Statistics Part B: Simulation and Computation, 2018, 47, 2216-2233.	0.6	9
248	Determination of a new mixed variable lot-size multiple dependent state sampling plan based on the process capability index. Communications in Statistics - Theory and Methods, 2018, 47, 615-627.	0.6	17
249	Design of acceptance sampling plan using a modified EWMA statistic. Communications in Statistics - Theory and Methods, 2018, 47, 2881-2891.	0.6	5
250	Psychometric study of depression, anxiety and stress among university students. Zeitschrift Fur Gesundheitswissenschaften, 2018, 26, 211-217.	0.8	38
251	A HEWMA-CUSUM control chart for the Weibull distribution. Communications in Statistics - Theory and Methods, 2018, 47, 5973-5985.	0.6	16
252	Optimum Oil Palm Shell Content as Coarse Aggregate in Concrete Based on Mechanical and Durability Properties. Advances in Materials Science and Engineering, 2018, 2018, 1-14.	1.0	27

#	ARTICLE	IF	CITATIONS
253	Design of a Quick Switching Sampling System Based on the Coefficient of Variation. Technologies, 2018, 6, 98.	3.0	1
254	A New Control Chart for Monitoring the Process Mean Using Successive Sampling and Multiple Dependent State Repetitive Sampling. Technologies, 2018, 6, 70.	3.0	2
255	Control Chart for Failure-Censored Reliability Tests under Uncertainty Environment. Symmetry, 2018, 10, 690.	1.1	23
256	Design of Sampling Plan Using Regression Estimator under Indeterminacy. Symmetry, 2018, 10, 754.	1.1	13
257	Monitoring the Variability in the Process Using Neutrosophic Statistical Interval Method. Symmetry, 2018, 10, 562.	1.1	44
258	Design of a New Variable Shewhart Control Chart Using Multiple Dependent State Repetitive Sampling. Symmetry, 2018, 10, 641.	1.1	5
259	Design of a Control Chart Using Extended EWMA Statistic. Technologies, 2018, 6, 108.	3.0	24
260	A New Generalized Range Control Chart for the Weibull Distribution. Complexity, 2018, 2018, 1-8.	0.9	7
261	A Multivariate Control Chart for Monitoring Several Exponential Quality Characteristics Using EWMA. IEEE Access, 2018, 6, 70349-70358.	2.6	11
262	Assessment of Rheological and Piezoresistive Properties of Graphene based Cement Composites. International Journal of Concrete Structures and Materials, 2018, 12, .	1.4	44
263	A Fuzzy EWMA Attribute Control Chart to Monitor Process Mean. Information (Switzerland), 2018, 9, 312.	1.7	10
264	Design of a New Synthetic Acceptance Sampling Plan. Symmetry, 2018, 10, 653.	1.1	6
265	Testing of Grouped Product for the Weibull Distribution Using Neutrosophic Statistics. Symmetry, 2018, 10, 403.	1.1	50
266	Exponentially Weighted Moving Average Control Charts for the Process Mean Using Exponential Ratio Type Estimator. Journal of Probability and Statistics, 2018, 2018, 1-15.	0.3	4
267	Designing of repetitive group sampling plan under truncated life test based on generalized inverted exponential distribution. Journal of Statistics and Management Systems, 2018, 21, 955-970.	0.3	6
268	Drying Shrinkage Strain of Palm-oil by-products Lightweight Concrete: A Comparison between Experimental and Prediction Models. KSCE Journal of Civil Engineering, 2018, 22, 4997-5008.	0.9	6
269	Design of Sampling Plan for Exponential Distribution Under Neutrosophic Statistical Interval Method. IEEE Access, 2018, 6, 64153-64158.	2.6	56
270	A Robust Watermarking Scheme for Online Multimedia Copyright Protection Using New Chaotic Map. Security and Communication Networks, 2018, 2018, 1-20.	1.0	18

#	ARTICLE	IF	CITATIONS
271	An EWMA control chart using two parametric ratio estimator. Journal of Industrial and Production Engineering, 2018, 35, 298-308.	2.1	11
272	An attribute control chart using discriminant limits for monitoring process under the Weibull distribution. Production Engineering, 2018, 12, 659-665.	1.1	2
273	Designing of an attribute control chart for two-stage process. Measurement and Control, 2018, 51, 285-292.	0.9	9
274	Statistical Monitoring of Process Capability Index Having One Sided Specification Under Repetitive Sampling Using an Exact Distribution. IEEE Access, 2018, 6, 25270-25276.	2.6	9
275	A Variable Control Chart under the Truncated Life Test for a Weibull Distribution. Technologies, 2018, 6, 55.	3.0	4
276	A New Sampling Plan Using Neutrosophic Process Loss Consideration. Symmetry, 2018, 10, 132.	1.1	104
277	On fuzzy subsets in $\langle \Gamma, \hat{\cdot} \rangle$ -semihypergroup through left operator semihypergroup. Afrika Matematika, 2018, 29, 1215-1224.	0.4	1
278	An EWMA-DiD Control Chart to Capture Small Shifts in the Process Average Using Auxiliary Information. Technologies, 2018, 6, 69.	3.0	3
279	Attribute Control Chart for a Lognormal Distribution Under Accelerated Time-Censoring. Journal of Computational and Theoretical Nanoscience, 2018, 15, 919-923.	0.4	2
280	Demystifying Undergraduate Student Perceptions in a Course Feedback Process. Journal of Computational and Theoretical Nanoscience, 2018, 15, 161-170.	0.4	0
281	Process Monitoring using Successive Sampling and a Repetitive Scheme. Industrial Engineering and Management Systems, 2018, 17, 82-90.	0.3	3
282	RATIO TYPE ESTIMATORS IN UNEQUAL PROBABILITY SAMPLING: A NUMERICAL STUDY. Advances and Applications in Statistics, 2018, 53, 457-471.	0.0	0
283	On designing CUSUM charts using ratio-type estimators for monitoring the location of normal processes. Scientia Iranica, 2018, .	0.3	2
284	n-Dimensional fuzzy hyperideals in semihyperring. International Journal of Machine Learning and Cybernetics, 2017, 8, 255-262.	2.3	0
285	Acceptance sampling plans based on truncated life tests for weighted exponential distribution. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 2138-2151.	0.6	29
286	A new t-chart using process capability index. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 5141-5150.	0.6	10
287	Developing a variables two-plan sampling system for product acceptance determination. Communications in Statistics - Theory and Methods, 2017, 46, 706-720.	0.6	10
288	Resubmitted lots with single sampling plans by attributes under the conditions of zero-inflated poisson distribution. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 1814-1824.	0.6	9

#	ARTICLE	IF	CITATIONS
289	Comparisons of decision tree methods using water data. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 2924-2934.	0.6	8
290	Design of sampling plan using auxiliary information. Communications in Statistics - Theory and Methods, 2017, 46, 3772-3781.	0.6	7
291	A control chart for multivariate Poisson distribution using repetitive sampling. Journal of Applied Statistics, 2017, 44, 123-136.	0.6	27
292	SkSP-R sampling plan based on process capability index. Communications in Statistics - Theory and Methods, 2017, 46, 2955-2966.	0.6	14
293	Dependent Mixed and Mixed Repetitive Sampling Plans for Linear Profiles. Quality and Reliability Engineering International, 2017, 33, 1669-1683.	1.4	11
294	A Time Truncated Moving Average Chart for the Weibull Distribution. IEEE Access, 2017, 5, 7216-7222.	2.6	10
295	An algorithm for the construction of substitution box for block ciphers based on projective general linear group. AIP Advances, 2017, 7, .	0.6	35
296	Bootstrap Confidence Intervals of the Modified Process Capability Index for Weibull distribution. Arabian Journal for Science and Engineering, 2017, 42, 4565-4573.	1.7	39
297	Developing a variable repetitive group sampling plan based on the coefficient of variation. Journal of Industrial and Production Engineering, 2017, 34, 398-405.	2.1	2
298	Recent research on cold-formed steel beams and columns subjected to elevated temperature: A review. Construction and Building Materials, 2017, 144, 686-701.	3.2	28
299	A Control Chart for Monitoring the Process Mean Using Successive Sampling Over Two Occasions. Arabian Journal for Science and Engineering, 2017, 42, 2915-2926.	1.7	8
300	Double moving average EWMA control chart for exponentially distributed quality. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 7351-7364.	0.6	13
301	Design of Control Chart for Processes with Multiple Independent Manufacturing Lines. Iranian Journal of Science and Technology, Transaction A: Science, 2017, 41, 901-908.	0.7	1
302	Group SkSP-R sampling plan for accelerated life tests. Sadhana - Academy Proceedings in Engineering Sciences, 2017, 42, 1783-1791.	0.8	4
303	A control chart for COM-Poisson distribution using a modified EWMA statistic. Journal of Statistical Computation and Simulation, 2017, 87, 3491-3502.	0.7	23
304	The Efficacy of Process Capability Indices Using Median Absolute Deviation and Their Bootstrap Confidence Intervals. Arabian Journal for Science and Engineering, 2017, 42, 4941-4955.	1.7	7
305	Time-truncated attribute sampling plans using EWMA for Weibull and Burr type X distributions. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 4173-4184.	0.6	10
306	Double moving average control chart for exponential distributed life using EWMA. AIP Conference Proceedings, 2017, , .	0.3	6

#	ARTICLE	IF	CITATIONS
307	Manufacturing of high-strength lightweight aggregate concrete using blended coarse lightweight aggregates. <i>Journal of Building Engineering</i> , 2017, 13, 53-62.	1.6	73
308	A mixed control chart using process capability index. <i>Sequential Analysis</i> , 2017, 36, 278-289.	0.2	13
309	Design of a Control Chart Using a Modified EWMA Statistic. <i>Quality and Reliability Engineering International</i> , 2017, 33, 1095-1104.	1.4	38
310	Evaluating modified generalized information criterion in presence of multicollinearity. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2017, 46, 6298-6307.	0.6	1
311	Estimation of reliability in multicomponent stress-strength based on two parameter exponentiated Weibull Distribution. <i>Communications in Statistics - Theory and Methods</i> , 2017, 46, 7495-7502.	0.6	23
312	Acceptance sampling plans for linear profiles with one-sided specifications. <i>Journal of Statistical Computation and Simulation</i> , 2017, 87, 806-816.	0.7	11
313	A New Attribute Control Chart Using Multiple Dependent State Repetitive Sampling. <i>IEEE Access</i> , 2017, 5, 6192-6197.	2.6	29
314	A New Control Chart for Monitoring Reliability Using Sudden Death Testing Under Weibull Distribution. <i>IEEE Access</i> , 2017, 5, 23358-23365.	2.6	7
315	Acceptance sampling plan for multiple manufacturing lines using EWMA process capability index. <i>Journal of Advanced Mechanical Design, Systems and Manufacturing</i> , 2017, 11, JAMDSM0004-JAMDSM0004.	0.3	13
316	Personality Traits as Predictor of Emotional Intelligence among the University Teachers as Advisors. <i>Education Research International</i> , 2017, 2017, 1-6.	0.6	11
317	Evaluation of Modified Non-Normal Process Capability Index and Its Bootstrap Confidence Intervals. <i>IEEE Access</i> , 2017, 5, 12135-12142.	2.6	12
318	An attribute control chart for a Weibull distribution under accelerated hybrid censoring. <i>PLoS ONE</i> , 2017, 12, e0173406.	1.1	24
319	Effect of Substitution of Normal Weight Coarse Aggregate with Oil-Palm-Boiler Clinker on Properties of Concrete. <i>Sains Malaysiana</i> , 2017, 46, 645-653.	0.3	6
320	High Strength Lightweight Aggregate Concrete using Blended Coarse Lightweight Aggregate Origin from Palm Oil Industry. <i>Sains Malaysiana</i> , 2017, 46, 667-675.	0.3	18
321	THE EWMA MOVING AVERAGE CONTROL CHART FOR EXPONENTIAL DISTRIBUTION USING MULTIPLE DEPENDENT STATE SAMPLING. <i>Advances and Applications in Statistics</i> , 2017, 50, 51-71.	0.0	3
322	MIXED REPETITIVE SAMPLING PLAN USING EWMA. <i>Advances and Applications in Statistics</i> , 2017, 51, 167-186.	0.0	2
323	A Control Chart for Gamma Distributed Variables Using Repetitive Sampling Scheme. <i>Pakistan Journal of Statistics and Operation Research</i> , 2017, 13, 47.	1.1	19
324	Restricted Repetitive Sampling in Designing of Control Charts. <i>Pakistan Journal of Statistics and Operation Research</i> , 2017, 13, 297.	1.1	2

#	ARTICLE	IF	CITATIONS
325	Design of Attribute Control Chart Based on Regression Estimator. Pakistan Journal of Statistics and Operation Research, 2017, 13, 589.	1.1	1
326	Rough prime bi- \hat{I}^c -hyperideals and fuzzy prime bi- \hat{I}^c -hyperideals of \hat{I}^c -semihypergroups. Filomat, 2017, 31, 4167-4183.	0.2	11
327	A Control Chart for Gamma Distribution using Multiple Dependent State Sampling. Industrial Engineering and Management Systems, 2017, 16, 109-117.	0.3	23
328	A EWMA Control Chart based on Repetitive Sampling to Monitor Process Mean with Geometric Poisson Characteristics. Industrial Engineering and Management Systems, 2017, 16, 186-194.	0.3	2
329	A Sampling Plan for the Selection of Supplier using Process Yield Index based on Linear Profiles. Industrial Engineering and Management Systems, 2017, 16, 195-204.	0.3	3
330	ATTRIBUTE-VARIABLE RESUBMITTED SAMPLING PLAN FOR CONTROLLING LOT FRACTION NONCONFORMING. Advances and Applications in Statistics, 2017, 50, 243-259.	0.0	1
331	Weighted Erlang and Lomax Distributions. Industrial Engineering and Management Systems, 2017, 16, 375-383.	0.3	0
332	Hybrid Exponentially Weighted Moving Average Chart Using Exponential Distribution. Journal of Computational and Theoretical Nanoscience, 2017, 14, 5309-5314.	0.4	0
333	Interval valued intuitionistic fuzzy sets in Γ -semihypergroups. International Journal of Machine Learning and Cybernetics, 2016, 7, 217-228.	2.3	13
334	Attribute-variable Inspection Policy for Lots Using Resampling Based on EWMA. Communications in Statistics Part B: Simulation and Computation, 2016, 45, 3014-3035.	0.6	13
335	Developing Sampling Plans Using HEWMA Statistic. Journal of Computational and Theoretical Nanoscience, 2016, 13, 1656-1661.	0.4	4
336	A Control Chart for COM-Poisson Distribution Using Resampling and Exponentially Weighted Moving Average. Quality and Reliability Engineering International, 2016, 32, 727-735.	1.4	21
337	A Mixed EWMA-CUSUM Control Chart for Weibull Distributed Quality Characteristics. Quality and Reliability Engineering International, 2016, 32, 2987-2994.	1.4	33
338	A EWMA Control Chart for Exponential Distributed Quality Based on Moving Average Statistics. Quality and Reliability Engineering International, 2016, 32, 1179-1190.	1.4	35
339	Dispersion chart for some popular distributions under repetitive sampling. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2016, 10, JAMDSM0058-JAMDSM0058.	0.3	14
340	Log-logistic distribution for survival data analysis using MCMC. SpringerPlus, 2016, 5, 1774.	1.2	21
341	An Attribute Control Chart Based on the Birnbaum-Saunders Distribution Using Repetitive Sampling. IEEE Access, 2016, 4, 9350-9360.	2.6	12
342	Capability Indices for Non-Normal Distribution Using Gini's Mean Difference as Measure of Variability. IEEE Access, 2016, 4, 7322-7330.	2.6	32

#	ARTICLE	IF	CITATIONS
343	Designing of two mixed variable lot-size sampling plans using repetitive sampling and resampling based on the process capability index. <i>Sequential Analysis</i> , 2016, 35, 413-422.	0.2	6
344	Three Steps Strategy to Search for Optimum Classification Trees. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2016, 45, 548-565.	0.6	1
345	Designing of a control chart using belief statistic for exponential distribution. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2016, , 1-13.	0.6	3
346	Oil-palm by-products as lightweight aggregate in concrete mixture: a review. <i>Journal of Cleaner Production</i> , 2016, 126, 56-73.	4.6	107
347	A new variable sample size control chart using MDS sampling. <i>Journal of Statistical Computation and Simulation</i> , 2016, 86, 3620-3628.	0.7	10
348	Drying shrinkage behaviour of structural lightweight aggregate concrete containing blended oil palm bio-products. <i>Journal of Cleaner Production</i> , 2016, 127, 183-194.	4.6	46
349	A new approach to estimate damage in concrete beams using non-linearity. <i>Construction and Building Materials</i> , 2016, 124, 1081-1089.	3.2	30
350	Cubic soft expert sets and their application in decision making. <i>Journal of Intelligent and Fuzzy Systems</i> , 2016, 31, 1585-1596.	0.8	15
351	Mixed Control Charts Using EWMA Statistics. <i>IEEE Access</i> , 2016, 4, 8286-8293.	2.6	26
352	Effect of replacement of oil-palm-boiler clinker with oil palm shell on the properties of concrete. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	3
353	A Control Chart for COMâ€™Poisson Distribution Using Multiple Dependent State Sampling. <i>Quality and Reliability Engineering International</i> , 2016, 32, 2803-2812.	1.4	28
354	Improved double acceptance sampling plan based on truncated life test for some popular statistical distributions. <i>Journal of Statistical Computation and Simulation</i> , 2016, 86, 477-493.	0.7	12
355	Benefits of using blended waste coarse lightweight aggregates in structural lightweight aggregate concrete. <i>Journal of Cleaner Production</i> , 2016, 119, 108-117.	4.6	77
356	A new generally weighted moving average control chart based on Taguchiâ€™s loss function to monitor process mean and dispersion. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2016, 230, 1537-1547.	1.5	7
357	Mixed sampling plan based on exponentially weighted moving average statistic. <i>Communications in Statistics - Theory and Methods</i> , 2016, 45, 6709-6719.	0.6	6
358	A control chart for time truncated life tests using Pareto distribution of second kind. <i>Journal of Statistical Computation and Simulation</i> , 2016, 86, 2113-2122.	0.7	25
359	Multiple dependent state repetitive group sampling plan for Burr XII distribution. <i>Quality Engineering</i> , 2016, 28, 231-237.	0.7	44
360	The design of a new repetitive sampling control chart based on process capability index. <i>Transactions of the Institute of Measurement and Control</i> , 2016, 38, 971-980.	1.1	36

#	ARTICLE	IF	CITATIONS
361	Bootstrap confidence intervals of CNpkfor inverse Rayleigh and log-logistic distributions. Journal of Statistical Computation and Simulation, 2016, 86, 862-873.	0.7	36
362	Mixed Multiple Dependent State Sampling Plan Using Exponentially Weighted Moving Average. Journal of Computational and Theoretical Nanoscience, 2016, 13, 1649-1655.	0.4	3
363	Repetitive Acceptance Sampling Plan Based on Exponentially Weighted Moving Average Regression Estimator. Journal of Computational and Theoretical Nanoscience, 2016, 13, 4413-4426.	0.4	10
364	X-Bar Control Charts for Non-Normal Correlated Data Under Repetitive Sampling. Journal of Testing and Evaluation, 2016, 44, 20140290.	0.4	7
365	A Two Parameter Discrete Lindley Distribution. Revista Colombiana De Estadística, 2016, 39, 45-61.	0.2	27
366	Design and Construction of Plan for Exponential Distribution Using Repetitive Sampling. Journal of Computational and Theoretical Nanoscience, 2016, 13, 6568-6575.	0.4	0
367	Improving Benchmarking Student Learning Outcomes Using Repetitive Sampling Control Chart. Journal of Computational and Theoretical Nanoscience, 2016, 13, 7036-7039.	0.4	0
368	New Sampling Plan for Testing of Multiple Lots. Journal of Computational and Theoretical Nanoscience, 2016, 13, 8254-8260.	0.4	0
369	On Monitoring Mixture Weibull Processes Using Mixture Quantity Charts. Quality Technology and Quantitative Management, 2015, 12, 481-500.	1.1	2
370	Various repetitive sampling plans using process capability index of multiple quality characteristics. Applied Stochastic Models in Business and Industry, 2015, 31, 823-835.	0.9	20
371	SkSP-V sampling plan for accelerated life tests. Proceedings of the Institution of Mechanical Engineers, Part O: Journal of Risk and Reliability, 2015, 229, 193-199.	0.6	13
372	A repetitive group sampling plan by variables inspection for product acceptance determination. European Journal of Industrial Engineering, 2015, 9, 308.	0.5	26
373	Burr-XII Distribution Parametric Estimation and Estimation of Reliability of Multicomponent Stress-Strength. Communications in Statistics - Theory and Methods, 2015, 44, 4953-4961.	0.6	70
374	Repetitive variable acceptance sampling plan for one-sided specification. Journal of Statistical Computation and Simulation, 2015, 85, 1102-1116.	0.7	45
375	A new control chart for exponential distributed life using EWMA. Transactions of the Institute of Measurement and Control, 2015, 37, 205-210.	1.1	30
376	Designing of a hybrid exponentially weighted moving average control chart using repetitive sampling. International Journal of Advanced Manufacturing Technology, 2015, 77, 1927-1933.	1.5	156
377	Attribute Control Charts for the Weibull Distribution under Truncated Life Tests. Quality Engineering, 2015, 27, 283-288.	0.7	51
378	Strengthening of RC beams using prestressed fiber reinforced polymers – A review. Construction and Building Materials, 2015, 82, 235-256.	3.2	118

#	ARTICLE	IF	CITATIONS
379	Acceptance sampling plans for multi-stage process based on time-truncated test for Weibull distribution. International Journal of Advanced Manufacturing Technology, 2015, 79, 1779-1785.	1.5	22
380	A new S^2 control chart using repetitive sampling. Journal of Applied Statistics, 2015, 42, 2485-2496.	0.6	27
381	A mixed control chart to monitor the process. International Journal of Production Research, 2015, 53, 4684-4693.	4.9	48
382	Improved Acceptance Sampling Plan Based on EWMA Statistic. Sequential Analysis, 2015, 34, 406-422.	0.2	12
383	A control chart using an auxiliary variable and repetitive sampling for monitoring process mean. Journal of Statistical Computation and Simulation, 2015, 85, 3289-3296.	0.7	37
384	Two stage group acceptance sampling plan for half normal percentiles. Journal of King Saud University - Science, 2015, 27, 239-243.	1.6	11
385	A Novel Method of Audio Steganography using Advanced Encryption Standard. Nonlinear Engineering, 2015, 4, .	1.4	0
386	On rough Quasi- Γ -hyperideals in Γ -semihypergroups. Afrika Matematika, 2015, 26, 303-315.	0.4	5
387	A control chart for an exponential distribution using multiple dependent state sampling. Quality and Quantity, 2015, 49, 455-462.	2.0	60
388	A new attribute control chart using multiple dependent state sampling. Transactions of the Institute of Measurement and Control, 2015, 37, 569-576.	1.1	58
389	Mixed Multiple Dependent State Sampling Plans Based on Process Capability Index. Journal of Testing and Evaluation, 2015, 43, 20130009.	0.4	15
390	Resubmitted Sampling Inspection Plan for Exponentiated Weibull Distribution. Journal of Testing and Evaluation, 2015, 43, 20130263.	0.4	5
391	An Economic Design of a Group Sampling Plan for a Weibull Distribution Using a Bayesian Approach. Journal of Testing and Evaluation, 2015, 43, 20140041.	0.4	17
392	A New Mixed Variable Lot Size Sampling Plan Based on Process Capability Index. Journal of Testing and Evaluation, 2015, 43, 20140054.	0.4	4
393	Economic Design of SkSP-R Skip-Lot Sampling Plan. Journal of Testing and Evaluation, 2015, 43, 20140081.	0.4	18
394	Design of SkSP-R Variables Sampling Plans. Revista Colombiana De Estadística, 2015, 38, 413-429.	0.2	10
395	On process capability and system availability analysis of the inverse Rayleigh distribution. Pakistan Journal of Statistics and Operation Research, 2015, 11, 53.	1.1	1
396	The Rayleigh Paired Comparison Model with Bayesian Analysis. Hacettepe Journal of Mathematics and Statistics, 2015, 45, 1-1.	0.3	0

#	ARTICLE	IF	CITATIONS
397	Lindley-Shannon Information for Comparison of Priors Under Paired Comparisons Model. Pakistan Journal of Statistics and Operation Research, 2015, 11, 317.	1.1	0
398	On Maximum Likelihood Estimation for Left Censored Burr Type III Distribution. Pakistan Journal of Statistics and Operation Research, 2015, 11, 497.	1.1	1
399	A New System of Skip-Lot Sampling Plans including Resampling. Scientific World Journal, The, 2014, 2014, 1-6.	0.8	24
400	A Multiple Dependent State Control Chart Based on Double Control Limits. Research Journal of Applied Sciences, Engineering and Technology, 2014, 7, 4490-4493.	0.1	24
401	Repetitive Group Sampling Plan Based on Truncated Tests for Weibull Models. Research Journal of Applied Sciences, Engineering and Technology, 2014, 7, 1917-1924.	0.1	24
402	Time Truncated Testing Strategy using Multiple Testers: Lognormal Distributed Lifetime. Research Journal of Applied Sciences, Engineering and Technology, 2014, 7, 4745-4748.	0.1	2
403	Mixed Acceptance Sampling Plans for Product Inspection Using Process Capability Index. Quality Engineering, 2014, 26, 450-459.	0.7	38
404	A lot inspection sampling plan based on EWMA yield index. International Journal of Advanced Manufacturing Technology, 2014, 75, 861-868.	1.5	35
405	Interval valued $(\hat{I}_\pm, \hat{I}_\pm^2)$ -intuitionistic fuzzy ideals in hemirings. Journal of Intelligent and Fuzzy Systems, 2014, 26, 2873-2888.	0.8	4
406	Bipolar fuzzy soft sets and its applications in decision making problem. Journal of Intelligent and Fuzzy Systems, 2014, 27, 729-742.	0.8	107
407	Generalized rough approximations in \hat{I}^* -semihypergroups. Journal of Intelligent and Fuzzy Systems, 2014, 27, 2445-2452.	0.8	6
408	Structures of bipolar fuzzy \hat{I}^* -hyperideals in \hat{I}^* -semihypergroups. Journal of Intelligent and Fuzzy Systems, 2014, 27, 3015-3032.	0.8	19
409	Capability indices for Birnbaum's Saunders processes applied to electronic and food industries. Journal of Applied Statistics, 2014, 41, 1881-1902.	0.6	84
410	Characterization of regular LA-semigroups by interval-valued $(\overline{\alpha}, \overline{\eta})$ Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222	0.4	7
411	Multiple dependent state variable sampling plans with process loss consideration. International Journal of Advanced Manufacturing Technology, 2014, 71, 1337-1343.	1.5	58
412	Skip-Lot Sampling Plan of Type SkSP-2 with Two-Stage Group Acceptance Sampling Plan as Reference Plan. Communications in Statistics Part B: Simulation and Computation, 2014, 43, 777-789.	0.6	25
413	Designing of X-bar control charts based on process capability index using repetitive sampling. Transactions of the Institute of Measurement and Control, 2014, 36, 367-374.	1.1	73
414	A new exponentially weighted moving average sign chart using repetitive sampling. Journal of Process Control, 2014, 24, 1149-1153.	1.7	54

#	ARTICLE	IF	CITATIONS
415	Designing of a new monitoring t-chart using repetitive sampling. Information Sciences, 2014, 269, 210-216.	4.0	71
416	Prime (m,n) Bi- \hat{I}^{α} -Hyperideals in \hat{I}^{α} -Semihypergroups. Applied Mathematics and Information Sciences, 2014, 8, 2243-2249.	0.7	9
417	SkSP-V Sampling Plan for the Exponentiated Weibull Distribution. Journal of Testing and Evaluation, 2014, 42, 20130051.	0.4	5
418	Inspection of Batches Through Skip-R Lot Sampling Plan. Journal of Testing and Evaluation, 2014, 42, 20130100.	0.4	6
419	New Attributes and Variables Control Charts under Repetitive Sampling. Industrial Engineering and Management Systems, 2014, 13, 101-106.	0.3	43
420	Left almost semigroups characterized by their interval valued fuzzy ideals. Afrika Matematika, 2013, 24, 231-245.	0.4	17
421	Repetitive acceptance sampling plans for burr type XII percentiles. International Journal of Advanced Manufacturing Technology, 2013, 68, 495-507.	1.5	35
422	A new economical design of acceptance sampling models using Bayesian inference. Accreditation and Quality Assurance, 2013, 18, 187-195.	0.4	12
423	Decision Rule Based on Group Sampling Plan Under the Inverse Gaussian Distribution. Sequential Analysis, 2013, 32, 71-82.	0.2	11
424	A mixed repetitive sampling plan based on process capability index. Applied Mathematical Modelling, 2013, 37, 10027-10035.	2.2	69
425	Multiple states repetitive group sampling plans with process loss consideration. Applied Mathematical Modelling, 2013, 37, 9063-9075.	2.2	27
426	Variable sampling inspection for resubmitted lots based on process capability index Cpk for normally distributed items. Applied Mathematical Modelling, 2013, 37, 667-675.	2.2	99
427	A new type of fuzzy normal subgroups and fuzzy cosets. Journal of Intelligent and Fuzzy Systems, 2013, 25, 37-47.	0.8	21
428	Developing a variables repetitive group sampling plan based on process capability index C_{pk} with unknown mean and variance. Journal of Statistical Computation and Simulation, 2013, 83, 1507-1517.	0.7	63
429	Optimal Design of Skip Lot Group Acceptance Sampling Plans for the Weibull Distribution and the Generalized Exponential Distribution. Quality Engineering, 2013, 25, 237-246.	0.7	25
430	The use of Statistical Methods in Mechanical Engineering. Research Journal of Applied Sciences, Engineering and Technology, 2013, 5, 2327-2331.	0.1	3
431	Multiple Dependent State Sampling Plan Based on Process Capability Index. Journal of Testing and Evaluation, 2013, 41, 340-346.	0.4	58
432	Two-Stage Group Acceptance Sampling Plan for Burr Type X Percentiles. Journal of Testing and Evaluation, 2013, 41, 525-533.	0.4	13

#	ARTICLE	IF	CITATIONS
433	Decision Procedure for the Weibull Distribution Based on Run Lengths of Conforming Items. Journal of Testing and Evaluation, 2013, 41, 826-832.	0.4	8
434	An Acceptance Sampling Plan under Frechet Distribution Assuring Median Life. Research Journal of Applied Sciences, Engineering and Technology, 2013, 06, 4519-4523.	0.1	7
435	Rough Fuzzy Hyperideals in Ternary Semihypergroups. Advances in Fuzzy Systems, 2012, 2012, 1-9.	0.6	11
436	A new mixed acceptance sampling plan based on sudden death testing under the Weibull distribution. Journal of the Chinese Institute of Industrial Engineers, 2012, 29, 427-433.	0.5	17
437	Two-Stage Variables Acceptance Sampling Plans Using Process Loss Functions. Communications in Statistics - Theory and Methods, 2012, 41, 3633-3647.	0.6	24
438	On interval-valued $(\text{in}_{\gamma}, \text{in}_{\gamma} \vee q_{\Delta})$ -fuzzy k-ideals in hemirings. Neural Computing and Applications, 2012, 21, 231-244.	3.2	1
439	Rough M-hypersystems and fuzzy M-hypersystems in U_{γ} -semihypergroups. Neural Computing and Applications, 2012, 21, 281-287.	3.2	20
440	Optimal designing of an SkSP-V skip-lot sampling plan with double-sampling plan as the reference plan. International Journal of Advanced Manufacturing Technology, 2012, 60, 733-740.	1.5	27
441	Variables sampling inspection scheme for resubmitted lots based on the process capability index Cpk. European Journal of Operational Research, 2012, 217, 560-566.	3.5	102
442	Designing of Group Sampling Plans Based on Gamma-Poisson Distribution. Journal of Testing and Evaluation, 2012, 40, 939-944.	0.4	2
443	Tightened-Normal-Tightened Group Acceptance Sampling Plan for Assuring Percentile Life. Industrial Engineering and Management Systems, 2012, 11, 390-396.	0.3	9
444	Comparison of GASP for Pareto distribution of the 2nd kind using Poisson and weighted Poisson distributions. International Journal of Quality and Reliability Management, 2011, 28, 867-884.	1.3	6
445	$\text{xmlns:xocs} = \text{http://www.elsevier.com/xml/xocs/dtd}$ $\text{xmlns:xs} = \text{http://www.w3.org/2001/XMLSchema}$ $\text{xmlns:xsi} = \text{http://www.w3.org/2001/XMLSchema-instance}$ $\text{xmlns} = \text{http://www.elsevier.com/xml/ja/dtd}$ $\text{xmlns:ja} = \text{http://www.elsevier.com/xml/ja/dtd}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{xmlns:tb} = \text{http://www.elsevier.com/xml/common/table/dtd}$ $\text{xmlns:tbl} = \text{http://www.elsevier.com/xml/common/struct-bib/dtd}$ $\text{xmlns:sc} = \text{http://www.elsevier.com/}$	1.4	16
446	Design of progressively censored group sampling plans for Weibull distributions: An optimization problem. European Journal of Operational Research, 2011, 211, 525-532.	3.5	37
447	Variable repetitive group sampling plans with process loss consideration. Journal of Statistical Computation and Simulation, 2011, 81, 1417-1432.	0.7	53
448	New acceptance sampling plans based on life tests for Birnbaum-Saunders distributions. Journal of Statistical Computation and Simulation, 2011, 81, 461-470.	0.7	41
449	Group acceptance sampling plans for resubmitted lots under Burr-type XII distributions. Journal of the Chinese Institute of Industrial Engineers, 2011, 28, 606-615.	0.5	15
450	A two-stage group sampling plan based on truncated life tests for a general distribution. Journal of Statistical Computation and Simulation, 2011, 81, 1927-1938.	0.7	7

#	ARTICLE	IF	CITATIONS
451	A double acceptance sampling plan for generalized log-logistic distributions with known shape parameters. <i>Journal of Applied Statistics</i> , 2010, 37, 405-414.	0.6	36
452	Time truncated acceptance sampling plans for generalized exponential distribution. <i>Journal of Applied Statistics</i> , 2010, 37, 555-566.	0.6	90
453	Group Acceptance Sampling Plans for Pareto Distribution of the Second Kind. <i>Journal of Testing and Evaluation</i> , 2010, 38, 143-150.	0.4	9
454	A group acceptance sampling plan for truncated life test having Weibull distribution. <i>Journal of Applied Statistics</i> , 2009, 36, 1021-1027.	0.6	121
455	A new lot inspection procedure based on exponentially weighted moving average. <i>International Journal of Systems Science</i> , 0, , 1-9.	3.7	16
456	Monitoring process mean using generally weighted moving average chart for exponentially distributed characteristics. <i>Communications in Statistics Part B: Simulation and Computation</i> , 0, , 1-11.	0.6	3
457	Structural Lightweight Aggregate Concrete by Incorporating Solid Wastes as Coarse Lightweight Aggregate. <i>Applied Mechanics and Materials</i> , 0, 749, 337-342.	0.2	15
458	Cost model of variable multiple dependent state sampling plan with rectifying inspection. <i>Communications in Statistics Part B: Simulation and Computation</i> , 0, , 1-16.	0.6	2
459	An insight into control charts using EWMA. <i>Communications in Statistics - Theory and Methods</i> , 0, , 1-5.	0.6	2
460	Improving the efficiency of various Shewhart control charts. <i>Journal of Statistics and Management Systems</i> , 0, , 1-16.	0.3	1
461	A Control Chart Based on Two-piece Normal Distribution Using Repetitive Sampling. <i>Pakistan Journal of Statistics and Operation Research</i> , 0, , 961-973.	1.1	1
462	Impact of Different Repetitive Sampling Schemes on the Performance of X-bar Control Chart. <i>Pakistan Journal of Statistics and Operation Research</i> , 0, , 191-201.	1.1	1
463	A new generalization of logistic Weibull distribution with theory and practical illustration. <i>Journal of Statistics and Management Systems</i> , 0, , 1-23.	0.3	0
464	Analyzing imprecise graphene foam resistance data. <i>Materials Research Express</i> , 0, , .	0.8	10
465	Food Quality Inspection Using Uncertain Rank Data. <i>Food Analytical Methods</i> , 0, , .	1.3	0
466	Monitoring largest extreme observations using Frechet distribution based on weighted variance method. <i>Communications in Statistics - Theory and Methods</i> , 0, , 1-16.	0.6	0
467	A resubmission-based variable control chart. <i>Communications in Statistics - Theory and Methods</i> , 0, , 1-13.	0.6	0