

# Yong J Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/437842/publications.pdf>

Version: 2024-02-01

115  
papers

10,811  
citations

66315

42  
h-index

31818

101  
g-index

118  
all docs

118  
docs citations

118  
times ranked

20492  
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
2	Sulforaphane-induced Cell Death in Human Prostate Cancer Cells Is Initiated by Reactive Oxygen Species. <i>Journal of Biological Chemistry</i> , 2005, 280, 19911-19924.	1.6	321
3	Effects of low dose quercetin: Cancer cell-specific inhibition of cell cycle progression. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 73-82.	1.2	292
4	Glucose Deprivation-Induced Oxidative Stress in Human Tumor Cells: A Fundamental Defect in Metabolism?. <i>Annals of the New York Academy of Sciences</i> , 2000, 899, 349-362.	1.8	288
5	Diallyl trisulfide-induced apoptosis in human prostate cancer cells involves c-Jun N-terminal kinase and extracellular-signal regulated kinase-mediated phosphorylation of Bcl-2. <i>Oncogene</i> , 2004, 23, 5594-5606.	2.6	255
6	Role of Glutaredoxin in Metabolic Oxidative Stress. <i>Journal of Biological Chemistry</i> , 2002, 277, 46566-46575.	1.6	240
7	Role of the IL-6-JAK1-STAT3-Oct-4 pathway in the conversion of non-stem cancer cells into cancer stem-like cells. <i>Cellular Signalling</i> , 2013, 25, 961-969.	1.7	239
8	Ferroptosis-Induced Endoplasmic Reticulum Stress: Cross-talk between Ferroptosis and Apoptosis. <i>Molecular Cancer Research</i> , 2018, 16, 1073-1076.	1.5	233
9	Glucose Deprivation-induced Cytotoxicity and Alterations in Mitogen-activated Protein Kinase Activation Are Mediated by Oxidative Stress in Multidrug-resistant Human Breast Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 5294-5299.	1.6	195
10	Astaxanthin protects against MPTP/MPP+-induced mitochondrial dysfunction and ROS production in vivo and in vitro. <i>Food and Chemical Toxicology</i> , 2011, 49, 271-280.	1.8	181
11	Differential role of glutaredoxin and thioredoxin in metabolic oxidative stress-induced activation of apoptosis signal-regulating kinase 1. <i>Biochemical Journal</i> , 2003, 373, 845-853.	1.7	164
12	Quercetin augments TRAIL-induced apoptotic death: Involvement of the ERK signal transduction pathway. <i>Biochemical Pharmacology</i> , 2008, 75, 1946-1958.	2.0	156
13	Molecular crosstalk between ferroptosis and apoptosis: emerging role of ER stress-induced p53-independent PUMA expression. <i>Oncotarget</i> , 2017, 8, 115164-115178.	0.8	127
14	Role of p53, PUMA, and Bax in wogonin-induced apoptosis in human cancer cells. <i>Biochemical Pharmacology</i> , 2008, 75, 2020-2033.	2.0	119
15	Magnolol induces apoptosis via inhibiting the EGFR/PI3K/Akt signaling pathway in human prostate cancer cells. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 1113-1122.	1.2	102
16	Role of Bax in quercetin-induced apoptosis in human prostate cancer cells. <i>Biochemical Pharmacology</i> , 2008, 75, 2345-2355.	2.0	101
17	Quercetin enhances TRAIL-induced apoptosis in prostate cancer cells via increased protein stability of death receptor 5. <i>Life Sciences</i> , 2010, 86, 351-357.	2.0	93
18	Role of small heat shock protein HSP25 in radioresistance and glutathione-redox cycle. <i>Journal of Cellular Physiology</i> , 2000, 183, 100-107.	2.0	88

#	ARTICLE	IF	CITATIONS
19	TRAIL apoptosis is enhanced by quercetin through Akt dephosphorylation. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 998-1009.	1.2	84
20	Role of the ASK1-SEK1-JNK1-HIPK1 Signal in Daxx Trafficking and ASK1 Oligomerization. <i>Journal of Biological Chemistry</i> , 2003, 278, 47245-47252.	1.6	79
21	Role of Galectin-3 in Breast Cancer Metastasis. <i>American Journal of Pathology</i> , 2002, 160, 1069-1075.	1.9	78
22	Reactive oxygen species up-regulate p53 and Puma; a possible mechanism for apoptosis during combined treatment with TRAIL and wogonin. <i>British Journal of Pharmacology</i> , 2009, 157, 1189-1202.	2.7	77
23	Flavonoids-induced accumulation of hypoxia-inducible factor (HIF)-1 $\alpha$ /2 $\alpha$ is mediated through chelation of iron. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 1989-1998.	1.2	72
24	Sodium nitroprusside enhances TRAIL-induced apoptosis via a mitochondria-dependent pathway in human colorectal carcinoma CX-1 cells. <i>Oncogene</i> , 2001, 20, 1476-1485.	2.6	70
25	Quercetin suppresses hypoxia-induced accumulation of hypoxia-inducible factor-1 $\alpha$ (HIF-1 $\alpha$ ) through inhibiting protein synthesis. <i>Journal of Cellular Biochemistry</i> , 2008, 105, 546-553.	1.2	66
26	Low glucose-enhanced TRAIL cytotoxicity is mediated through the ceramide-Akt-FLIP pathway. <i>Oncogene</i> , 2002, 21, 337-346.	2.6	65
27	Dissociation of Akt1 from its negative regulator JIP1 is mediated through the ASK1-MEK-JNK signal transduction pathway during metabolic oxidative stress. <i>Journal of Cell Biology</i> , 2005, 170, 61-72.	2.3	65
28	Quercetin-induced ubiquitination and down-regulation of Her2/neu. <i>Journal of Cellular Biochemistry</i> , 2008, 105, 585-595.	1.2	65
29	Protection of Chinese Hamster Ovary Cells from Hyperthermic Killing by Cycloheximide or Puromycin. <i>Radiation Research</i> , 1986, 106, 98.	0.7	64
30	Differential cleavage of Mst1 by caspase-7/-3 is responsible for TRAIL-induced activation of the MAPK superfamily. <i>Cellular Signalling</i> , 2008, 20, 892-906.	1.7	63
31	Signal Pathway of Hypoxia-Inducible Factor-1 $\alpha$ Phosphorylation and its Interaction with von Hippel-Lindau Tumor Suppressor Protein During Ischemia in MiaPaCa-2 Pancreatic Cancer Cells. <i>Clinical Cancer Research</i> , 2005, 11, 7607-7613.	3.2	62
32	Pretreatment of Acetylsalicylic Acid Promotes Tumor Necrosis Factor-related Apoptosis-inducing Ligand-induced Apoptosis by Down-regulating BCL-2 Gene Expression. <i>Journal of Biological Chemistry</i> , 2005, 280, 41047-41056.	1.6	58
33	Gingerol sensitizes TRAIL-induced apoptotic cell death of glioblastoma cells. <i>Toxicology and Applied Pharmacology</i> , 2014, 279, 253-265.	1.3	57
34	Evidence for Two Modes of Development of Acquired Tumor Necrosis Factor-related Apoptosis-inducing Ligand Resistance. <i>Journal of Biological Chemistry</i> , 2007, 282, 319-328.	1.6	55
35	Role of Bcl-xL/Beclin-1 in interplay between apoptosis and autophagy in oxaliplatin and bortezomib-induced cell death. <i>Biochemical Pharmacology</i> , 2014, 88, 178-188.	2.0	51
36	Ferroptosis-inducing agents enhance TRAIL-induced apoptosis through upregulation of death receptor 5. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 928-939.	1.2	51

#	ARTICLE	IF	CITATIONS
37	BAX-dependent mitochondrial pathway mediates the crosstalk between ferroptosis and apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2020, 25, 625-631.	2.2	51
38	Overexpression of HSP25 reduces the level of TNF $\alpha$ -induced oxidative DNA damage biomarker, 8-hydroxy-2 $\alpha$ -deoxyguanosine, in L929 cells. , 1998, 174, 27-34.		50
39	Reconstitution of galectin-3 alters glutathione content and potentiates TRAIL-induced cytotoxicity by dephosphorylation of Akt. <i>Experimental Cell Research</i> , 2003, 288, 21-34.	1.2	48
40	c-Cbl-mediated degradation of TRAIL receptors is responsible for the development of the early phase of TRAIL resistance. <i>Cellular Signalling</i> , 2010, 22, 553-563.	1.7	48
41	Constitutive HSP70: Oligomerization and its dependence on ATP binding. <i>Journal of Cellular Physiology</i> , 1992, 153, 353-361.	2.0	45
42	Lack of radiosensitization after paclitaxel treatment of three human carcinoma cell lines. <i>Cancer</i> , 1995, 75, 2262-2268.	2.0	45
43	Hypoxia-induced bFGF gene expression is mediated through the JNK signal transduction pathway. <i>Molecular and Cellular Biochemistry</i> , 1999, 202, 1-8.	1.4	43
44	Amiloride augments TRAIL-induced apoptotic death by inhibiting phosphorylation of kinases and phosphatases associated with the P13K-Akt pathway. <i>Oncogene</i> , 2005, 24, 355-366.	2.6	42
45	HSP90 inhibitor NVP-ALIY922 enhances TRAIL-induced apoptosis by suppressing the JAK2-STAT3-Mcl-1 signal transduction pathway in colorectal cancer cells. <i>Cellular Signalling</i> , 2015, 27, 293-305.	1.7	41
46	Catalase, but not MnSOD, inhibits glucose deprivation-activated ASK1-MEK-MAPK signal transduction pathway and prevents relocalization of Daxx: Hydrogen peroxide as a major second messenger of metabolic oxidative stress. <i>Journal of Cellular Biochemistry</i> , 2003, 90, 304-314.	1.2	40
47	Hypoglycemia-induced c-Jun Phosphorylation Is Mediated by c-Jun N-terminal Kinase 1 and Lyn Kinase in Drug-resistant Human Breast Carcinoma MCF-7/ADR Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 11690-11693.	1.6	39
48	c-Cbl acts as a mediator of Src-induced activation of the PI3K-Akt signal transduction pathway during TRAIL treatment. <i>Cellular Signalling</i> , 2010, 22, 377-385.	1.7	39
49	Replicating adenoviral vector-mediated transfer of a heat-inducible double suicide gene for gene therapy. <i>Cancer Gene Therapy</i> , 2001, 8, 397-404.	2.2	38
50	Role of Bim in diallyl trisulfide-induced cytotoxicity in human cancer cells. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 118-127.	1.2	38
51	Crosstalk Between Apoptosis and Autophagy Is Regulated by the Arginylated BiP/Beclin-1/p62 Complex. <i>Molecular Cancer Research</i> , 2018, 16, 1077-1091.	1.5	35
52	The role of protein kinase C $\delta$ in U87 glioma invasion. <i>International Journal of Developmental Neuroscience</i> , 1999, 17, 447-461.	0.7	33
53	Preferential accumulation within tumors and in vivo imaging by functionalized luminescent dendrimer lanthanide complexes. <i>Biomaterials</i> , 2011, 32, 9343-9352.	5.7	32
54	Cancer Stem Cells Protect Non-Stem Cells From Anoikis: Bystander Effects. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 2289-2301.	1.2	32

#	ARTICLE	IF	CITATIONS
55	Comparison of tumor growth between HSP25- and HSP27-transfected murine L929 cells in nude mice. , 1997, 72, 871-877.		30
56	Daxx deletion mutant (amino acids 501-625)-induced apoptosis occurs through the JNK/p38-Bax-dependent mitochondrial pathway. Journal of Cellular Biochemistry, 2004, 92, 1257-1270.	1.2	30
57	Low extracellular pH augments TRAIL-induced apoptotic death through the mitochondria-mediated caspase signal transduction pathway. Experimental Cell Research, 2004, 293, 129-143.	1.2	30
58	The Role of Bcl-xL in Synergistic Induction of Apoptosis by Mapatumumab and Oxaliplatin in Combination with Hyperthermia on Human Colon Cancer. Molecular Cancer Research, 2012, 10, 1567-1579.	1.5	30
59	Adenoviral transduction of a cytosine deaminase/thymidine kinase fusion gene into prostate carcinoma cells enhances prodrug and radiation sensitivity. , 1999, 82, 293-297.		29
60	Luminescence targeting and imaging using a nanoscale generation 3 dendrimer in an in vivo colorectal metastatic rat model. Nanomedicine: Nanotechnology, Biology, and Medicine, 2011, 7, 249-258.	1.7	29
61	Glioma-derived cancer stem cells are hypersensitive to proteasomal inhibition. EMBO Reports, 2017, 18, 150-168.	2.0	29
62	Pretreatment of docetaxel enhances TRAIL-mediated apoptosis in prostate cancer cells. Journal of Cellular Biochemistry, 2008, 104, 1636-1646.	1.2	28
63	Breast Cancer Stem Cell-Like Cells Are More Sensitive to Ionizing Radiation than Non-Stem Cells: Role of ATM. PLoS ONE, 2012, 7, e50423.	1.1	28
64	Excess protein in nuclei isolated from heat-shocked cells results from a reduced extractability of nuclear proteins. Journal of Cellular Physiology, 1996, 167, 369-379.	2.0	27
65	Dominant-negative Jun N-terminal protein kinase (JNK-1) inhibits metabolic oxidative stress during glucose deprivation in a human breast carcinoma cell line. Free Radical Biology and Medicine, 2000, 28, 575-584.	1.3	27
66	Heat-Induced bFGF gene expression in the absence of heat shock element correlates with enhanced AP-1 binding activity. Journal of Cellular Physiology, 1995, 164, 404-413.	2.0	26
67	Differential induction of cell death in human glioma cell lines by sodium nitroprusside. , 1998, 82, 1137-1145.		26
68	Ferroptotic agent-induced endoplasmic reticulum stress response plays a pivotal role in the autophagic process outcome. Journal of Cellular Physiology, 2020, 235, 6767-6778.	2.0	26
69	The anti-fibrotic drug pirfenidone inhibits liver fibrosis by targeting the small oxidoreductase glutaredoxin-1. Science Advances, 2021, 7, eabg9241.	4.7	25
70	Differences in preferential synthesis and redistribution of HSP70 and HSP28 families by heat or sodium arsenite in chinese hamster ovary cells. Journal of Cellular Physiology, 1991, 149, 77-87.	2.0	24
71	Development of acute thermotolerance in 1929 cells: Lack of HSP28 synthesis and phosphorylation. Journal of Cellular Physiology, 1992, 152, 118-125.	2.0	23
72	PARK7 modulates autophagic proteolysis through binding to the N-terminally arginylated form of the molecular chaperone HSPA5. Autophagy, 2018, 14, 1870-1885.	4.3	23

#	ARTICLE	IF	CITATIONS
73	Differential effect of glucose deprivation on MAPK activation in drug sensitive human breast carcinoma MCF-7 and multidrug resistant MCF-7/ADR cells. <i>Molecular and Cellular Biochemistry</i> , 1997, 170, 23-30.	1.4	21
74	MEKK1/MEKK4 are responsible for TRAIL-induced JNK/p38 phosphorylation. <i>Oncology Reports</i> , 2011, 25, 537-44.	1.2	21
75	Effect of hyperthermia and chemotherapeutic agents on TRAIL-induced cell death in human colon cancer cells. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 98-109.	1.2	19
76	Thermal response in murine L929 cells lacking $\beta$ -crystallin expression and $\beta$ -crystallin expressing L929 transfectants. <i>Molecular and Cellular Biochemistry</i> , 1996, 155, 51-60.	1.4	18
77	Hypoglycemia-induced AP-1 transcription factor and basic fibroblast growth factor gene expression in multidrug resistant human breast carcinoma MCF-7/ADR cells. <i>Molecular and Cellular Biochemistry</i> , 1996, 155, 163-71.	1.4	18
78	Effect of hyperthermia in combination with TRAIL on the JNK/c-Jun signal transduction pathway and growth of xenograft tumors. <i>Journal of Cellular Biochemistry</i> , 2010, 110, 1073-1081.	1.2	18
79	Effect of histidine on histidinol-induced heat protection in chinese hamster ovary cells. <i>Journal of Cellular Physiology</i> , 1990, 144, 401-407.	2.0	17
80	Thermotolerance expression in mitotic CHO cells without increased translation of heat shock proteins. , 1996, 169, 420-428.		17
81	Enhancement of Metabolic Oxidative Stress-Induced Cytotoxicity by the Thioredoxin Inhibitor 1-Methylpropyl 2-Imidazolyl Disulfide Is Mediated through the ASK1-SEK1-JNK1 Pathway. <i>Molecular Pharmacology</i> , 2002, 62, 1409-1417.	1.0	17
82	Time sequence of tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) and cisplatin treatment is responsible for a complex pattern of synergistic cytotoxicity. <i>Journal of Cellular Biochemistry</i> , 2006, 98, 1284-1295.	1.2	17
83	The emerging role of selenium metabolic pathways in cancer: New therapeutic targets for cancer. <i>Journal of Cellular Biochemistry</i> , 2022, 123, 532-542.	1.2	17
84	Gene transfer into human prostate adenocarcinoma cells with an adenoviral vector: Hyperthermia enhances a double suicide gene expression, cytotoxicity and radiotoxicity. <i>Cancer Gene Therapy</i> , 2002, 9, 267-274.	2.2	16
85	Correlation between redistribution of a 26 kDa protein and development of chronic thermotolerance in various mammalian cell lines. <i>Journal of Cellular Physiology</i> , 1990, 145, 324-332.	2.0	15
86	Synergistic effects of cytokine and hyperthermia on cytotoxicity in HT-29 cells are not mediated by alteration of induced protein levels. <i>Journal of Cellular Physiology</i> , 1993, 155, 27-35.	2.0	15
87	Hypoxia and low glucose differentially augments TRAIL-induced apoptotic death. <i>Molecular and Cellular Biochemistry</i> , 2005, 270, 89-97.	1.4	15
88	Hyperthermia-enhanced TRAIL- and mapatumumab-induced apoptotic death is mediated through mitochondria in human colon cancer cells. <i>Journal of Cellular Biochemistry</i> , 2011, 113, n/a-n/a.	1.2	15
89	Hyperthermia enhances tumour necrosis factor-related apoptosis-inducing ligand (TRAIL)-induced apoptosis in human cancer cells. <i>International Journal of Hyperthermia</i> , 2006, 22, 713-728.	1.1	14
90	Heat-resistant variants of the Chinese hamster ovary cell: Alteration of cellular structure and expression of vimentin. <i>Journal of Cellular Physiology</i> , 1992, 151, 138-146.	2.0	13

#	ARTICLE	IF	CITATIONS
91	Reconstitution of Caspase-3 Confers Low Glucose-Enhanced Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Cytotoxicity and Akt Cleavage. <i>Clinical Cancer Research</i> , 2004, 10, 1894-1900.	3.2	13
92	Effect of hyperthermia on TRAIL-induced apoptotic death in human colon cancer cells: Development of a novel strategy for regional therapy. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 619-630.	1.2	13
93	Evidence for Two Modes of Synergistic Induction of Apoptosis by Mapatumumab and Oxaliplatin in Combination with Hyperthermia in Human Colon Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e73654.	1.1	13
94	Expression, synthesis, and phosphorylation of HSP28 family during development and decay of thermotolerance in CHO plateau-phase cells. <i>Journal of Cellular Physiology</i> , 1992, 150, 441-446.	2.0	12
95	Heat protectors and heat-induced preferential redistribution of 26 and 70 kDa proteins in chinese hamster ovary cells. <i>Journal of Cellular Physiology</i> , 1989, 141, 510-516.	2.0	11
96	TRAIL-Induced Caspase Activation Is a Prerequisite for Activation of the Endoplasmic Reticulum Stress-Induced Signal Transduction Pathways. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 1078-1091.	1.2	11
97	Glucose deprivation-induced endoplasmic reticulum stress response plays a pivotal role in enhancement of TRAIL cytotoxicity. <i>Journal of Cellular Physiology</i> , 2021, 236, 6666-6677.	2.0	11
98	Ferroptosis Inducer Improves the Efficacy of Oncolytic Virus-Mediated Cancer Immunotherapy. <i>Biomedicines</i> , 2022, 10, 1425.	1.4	11
99	Role of Bcl-xL/Beclin-1 in synergistic apoptotic effects of secretory TRAIL-armed adenovirus in combination with mitomycin C and hyperthermia on colon cancer cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 1603-1615.	2.2	10
100	Secretory TRAIL-Armed Natural Killer Cell-Based Therapy: <i>In Vitro</i> and <i>In Vivo</i> Colorectal Peritoneal Carcinomatosis Xenograft. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1591-1601.	1.9	10
101	Cooperative interaction between interleukin 10 and galectin-3 against liver ischemia-reperfusion injury. <i>Clinical Cancer Research</i> , 2002, 8, 217-20.	3.2	10
102	Effect of thermotolerance on heat-induced excess nuclear-associated proteins. <i>Journal of Cellular Physiology</i> , 1993, 156, 171-181.	2.0	9
103	TRAIL and Ceramide. <i>Vitamins and Hormones</i> , 2004, 67, 229-255.	0.7	8
104	Effect of UV irradiation on colorectal cancer cells with acquired TRAIL resistance. <i>Journal of Cellular Biochemistry</i> , 2008, 104, 1172-1180.	1.2	8
105	Inhibition of protein synthesis and heat protection: Histidinol-resistant mutant cell lines. <i>Journal of Cellular Physiology</i> , 1991, 149, 396-402.	2.0	6
106	Hypoxia Promotes Synergy between Mitomycin C and Bortezomib through a Coordinated Process of Bcl-xL Phosphorylation and Mitochondrial Translocation of p53. <i>Molecular Cancer Research</i> , 2015, 13, 1533-1543.	1.5	6
107	Synergistic apoptosis following endoplasmic reticulum stress aggravation in mucinous colon cancer. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 211.	1.2	6
108	Improved chemosensitivity following mucolytic therapy in patient-derived models of mucinous appendix cancer. <i>Translational Research</i> , 2021, 229, 100-114.	2.2	6

#	ARTICLE	IF	CITATIONS
109	Effect of tunicamycin on glycosylation of a 50 kDa protein and thermotolerance development. Journal of Cellular Physiology, 1991, 149, 202-207.	2.0	5
110	TRAIL-induced caspase/p38 activation is responsible for the increased catalytic and invasive activities of Akt. International Journal of Oncology, 2011, 38, 249-56.	3.9	5
111	Examination of the molecular basis for the lack of alphaB-crystallin expression in L929 cells. Molecular and Cellular Biochemistry, 1997, 170, 31-42.	1.4	4
112	The interplay between apoptosis and ferroptosis mediated by ER stress. Apoptosis: an International Journal on Programmed Cell Death, 2020, 25, 783-783.	2.2	2
113	Analysis of Heat-Shock Transcription Factor and Element-Binding Activity. , 2002, 196, 131-138.		1
114	Low glucose-enhanced TRAIL cytotoxicity is mediated through the ceramideâ€“Aktâ€“FLIP pathway. , 0, .		1
115	Biological Aspects of Endoplasmic Reticulum Stress in Ferroptosis. , 2019, , 83-98.		0