

Roberto Bassi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4378438/publications.pdf>

Version: 2024-02-01

311
papers

22,512
citations

4146

87
h-index

13379

130
g-index

317
all docs

317
docs citations

317
times ranked

9394
citing authors

#	ARTICLE	IF	CITATIONS
1	Architecture of a Charge-Transfer State Regulating Light Harvesting in a Plant Antenna Protein. <i>Science</i> , 2008, 320, 794-797.	12.6	492
2	Regulation of Photosynthetic Light Harvesting Involves Intrathylakoid Lumen pH Sensing by the PsbS Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 22866-22874.	3.4	483
3	Carotenoid-binding proteins of photosystem II. <i>FEBS Journal</i> , 1993, 212, 297-303.	0.2	410
4	Zeaxanthin Has Enhanced Antioxidant Capacity with Respect to All Other Xanthophylls in Arabidopsis Leaves and Functions Independent of Binding to PSII Antennae. <i>Plant Physiology</i> , 2007, 145, 1506-1520.	4.8	355
5	Contrasting Behavior of Higher Plant Photosystem I and II Antenna Systems during Acclimation. <i>Journal of Biological Chemistry</i> , 2007, 282, 8947-8958.	3.4	269
6	Light-induced Dissociation of an Antenna Hetero-oligomer Is Needed for Non-photochemical Quenching Induction. <i>Journal of Biological Chemistry</i> , 2009, 284, 15255-15266.	3.4	268
7	Quantum Coherence Enabled Determination of the Energy Landscape in Light-Harvesting Complex II. <i>Journal of Physical Chemistry B</i> , 2009, 113, 16291-16295.	2.6	266
8	Analysis of LhcSR3, a Protein Essential for Feedback De-Excitation in the Green Alga <i>Chlamydomonas reinhardtii</i> . <i>PLoS Biology</i> , 2011, 9, e1000577.	5.6	260
9	Lutein is needed for efficient chlorophyll triplet quenching in the major LHCII antenna complex of higher plants and effective photoprotection in vivo under strong light. <i>BMC Plant Biology</i> , 2006, 6, 32.	3.6	232
10	Mutational analysis of a higher plant antenna protein provides identification of chromophores bound into multiple sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 10056-10061.	7.1	224
11	A Mechanism of Nonphotochemical Energy Dissipation, Independent from PsbS, Revealed by a Conformational Change in the Antenna Protein CP26. <i>Plant Cell</i> , 2005, 17, 1217-1232.	6.6	224
12	Carotenoid-binding Sites of the Major Light-harvesting Complex II of Higher Plants. <i>Journal of Biological Chemistry</i> , 1999, 274, 29613-29623.	3.4	215
13	The Major Antenna Complex of Photosystem II Has a Xanthophyll Binding Site Not Involved in Light Harvesting. <i>Journal of Biological Chemistry</i> , 2001, 276, 35924-35933.	3.4	215
14	Time-Resolved Fluorescence Analysis of the Photosystem II Antenna Proteins in Detergent Micelles and Liposomes. <i>Biochemistry</i> , 2001, 40, 12552-12561.	2.5	210
15	Carotenoid-to-Chlorophyll Energy Transfer in Recombinant Major Light-Harvesting Complex (LHCII) of Higher Plants. I. Femtosecond Transient Absorption Measurements. <i>Biophysical Journal</i> , 2001, 80, 901-915.	0.5	207
16	Chlorophyll Binding to Monomeric Light-harvesting Complex. <i>Journal of Biological Chemistry</i> , 1999, 274, 33510-33521.	3.4	204
17	Structure, function and regulation of plant photosystem I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2007, 1767, 335-352.	1.0	198
18	Chlorophyll-protein complexes of barley photosystem I. <i>FEBS Journal</i> , 1987, 163, 221-230.	0.2	196

#	ARTICLE	IF	CITATIONS
19	Zeaxanthin Radical Cation Formation in Minor Light-harvesting Complexes of Higher Plant Antenna. <i>Journal of Biological Chemistry</i> , 2008, 283, 3550-3558.	3.4	193
20	Lateral redistribution of cytochrome b6/f complexes along thylakoid membranes upon state transitions.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8262-8266.	7.1	191
21	Multiple Types of Association of Photosystem II and Its Light-Harvesting Antenna in Partially Solubilized Photosystem II Membranes. <i>Biochemistry</i> , 1999, 38, 2233-2239.	2.5	191
22	Chromophore Organization in the Higher-Plant Photosystem II Antenna Protein CP26. <i>Biochemistry</i> , 2002, 41, 7334-7343.	2.5	186
23	<i>Physcomitrella patens</i> mutants affected on heat dissipation clarify the evolution of photoprotection mechanisms upon land colonization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11128-11133.	7.1	185
24	Lutein Accumulation in the Absence of Zeaxanthin Restores Nonphotochemical Quenching in the <i>Arabidopsis thaliana</i> npq1 Mutant. <i>Plant Cell</i> , 2009, 21, 1798-1812.	6.6	183
25	Acclimation of <i>Chlamydomonas reinhardtii</i> to Different Growth Irradiances. <i>Journal of Biological Chemistry</i> , 2012, 287, 5833-5847.	3.4	179
26	Minor Antenna Proteins CP24 and CP26 Affect the Interactions between Photosystem II Subunits and the Electron Transport Rate in Grana Membranes of <i>Arabidopsis</i> . <i>Plant Cell</i> , 2008, 20, 1012-1028.	6.6	178
27	Photoprotection in the Antenna Complexes of Photosystem II. <i>Journal of Biological Chemistry</i> , 2008, 283, 6184-6192.	3.4	177
28	Pathways of Energy Flow in LHCII from Two-Dimensional Electronic Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2009, 113, 15352-15363.	2.6	175
29	A supramolecular light-harvesting complex from chloroplast photosystem-II membranes. <i>FEBS Journal</i> , 1992, 204, 317-326.	0.2	171
30	Excited State Equilibration in the Photosystem II Light-Harvesting I Complex: P700 Is Almost Isoenergetic with Its Antenna. <i>Biochemistry</i> , 1996, 35, 8572-8579.	2.5	169
31	Enhanced Photoprotection by Protein-Bound vs Free Xanthophyll Pools: A Comparative Analysis of Chlorophyll b and Xanthophyll Biosynthesis Mutants. <i>Molecular Plant</i> , 2010, 3, 576-593.	8.3	168
32	The Nature of a Chlorophyll Ligand in Lhca Proteins Determines the Far Red Fluorescence Emission Typical of Photosystem I. <i>Journal of Biological Chemistry</i> , 2003, 278, 49223-49229.	3.4	167
33	The <i>Arabidopsis aba4-1</i> Mutant Reveals a Specific Function for Neoxanthin in Protection against Photooxidative Stress. <i>Plant Cell</i> , 2007, 19, 1048-1064.	6.6	166
34	Transcriptome Analysis of Cold Acclimation in Barley Albina and Xantha Mutants. <i>Plant Physiology</i> , 2006, 141, 257-270.	4.8	164
35	CHLOROPHYLL BINDING PROTEINS WITH ANTENNA FUNCTION IN HIGHER PLANTS and GREEN ALGAE. <i>Photochemistry and Photobiology</i> , 1990, 52, 1187-1206.	2.5	161
36	Chlorophyll-proteins of the photosystem II antenna system.. <i>Journal of Biological Chemistry</i> , 1987, 262, 13333-13341.	3.4	159

#	ARTICLE	IF	CITATIONS
37	Elucidation of the timescales and origins of quantum electronic coherence in LHCII. <i>Nature Chemistry</i> , 2012, 4, 389-395.	13.6	156
38	A nomenclature for the genes encoding the chlorophylla/b-binding proteins of higher plants. <i>Plant Molecular Biology Reporter</i> , 1992, 10, 242-253.	1.8	155
39	The Lhca antenna complexes of higher plants photosystem I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2002, 1556, 29-40.	1.0	152
40	Molecular mechanisms involved in plant photoprotection. <i>Biochemical Society Transactions</i> , 2018, 46, 467-482.	3.4	151
41	Functional architecture of the major light-harvesting complex from higher plants. <i>Journal of Molecular Biology</i> , 2001, 314, 1157-1166.	4.2	150
42	Lhc proteins and the regulation of photosynthetic light harvesting function by xanthophylls. , 2000, 64, 243-256.		149
43	Subunit stoichiometry of the chloroplast photosystem II antenna system and aggregation state of the component chlorophyll a/b binding proteins. <i>Journal of Biological Chemistry</i> , 1991, 266, 8136-8142.	3.4	149
44	Domestication of the green alga <i>Chlorella sorokiniana</i> : reduction of antenna size improves light-use efficiency in a photobioreactor. <i>Biotechnology for Biofuels</i> , 2014, 7, 157.	6.2	147
45	Analysis of the Chloroplast Protein Kinase Stt7 during State Transitions. <i>PLoS Biology</i> , 2009, 7, e1000045.	5.6	145
46	Evolution and functional properties of Photosystem II light harvesting complexes in eukaryotes. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, 143-157.	1.0	144
47	A Structural Basis for the pH-Dependent Xanthophyll Cycle in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2009, 21, 2036-2044.	6.6	142
48	<i>Arabidopsis</i> Mutants Deleted in the Light-Harvesting Protein Lhcb4 Have a Disrupted Photosystem II Macrostructure and Are Defective in Photoprotection. <i>Plant Cell</i> , 2011, 23, 2659-2679.	6.6	141
49	The Effect of Zeaxanthin as the Only Xanthophyll on the Structure and Function of the Photosynthetic Apparatus in <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 13878-13888.	3.4	140
50	Carotenoid S1 State in a Recombinant Light-Harvesting Complex of Photosystem II. <i>Biochemistry</i> , 2002, 41, 439-450.	2.5	139
51	Biochemical Properties of the PsbS Subunit of Photosystem II Either Purified from Chloroplast or Recombinant. <i>Journal of Biological Chemistry</i> , 2002, 277, 22750-22758.	3.4	137
52	A Look within LHCII: Differential Analysis of the Lhcb1~3 Complexes Building the Major Trimeric Antenna Complex of Higher-Plant Photosynthesis. <i>Biochemistry</i> , 2004, 43, 9467-9476.	2.5	134
53	Different Roles of $\hat{1}\pm$ - and $\hat{1}^2$ -Branch Xanthophylls in Photosystem Assembly and Photoprotection. <i>Journal of Biological Chemistry</i> , 2007, 282, 35056-35068.	3.4	133
54	Femtosecond Transient Absorption Study of Carotenoid to Chlorophyll Energy Transfer in the Light-Harvesting Complex II of Photosystem II. <i>Biochemistry</i> , 1997, 36, 281-287.	2.5	132

#	ARTICLE	IF	CITATIONS
55	A zeaxanthin-independent nonphotochemical quenching mechanism localized in the photosystem II core complex. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 12375-12380.	7.1	132
56	The Arabidopsis <i>szl1</i> Mutant Reveals a Critical Role of β -Carotene in Photosystem I Photoprotection. Plant Physiology, 2012, 159, 1745-1758.	4.8	131
57	The light stress-induced protein ELIP2 is a regulator of chlorophyll synthesis in Arabidopsis thaliana. Plant Journal, 2007, 50, 795-809.	5.7	128
58	Reconstitution and Pigment-Binding Properties of Recombinant CP29. FEBS Journal, 1996, 238, 112-120.	0.2	127
59	Regulation of plant light harvesting by thermal dissipation of excess energy. Biochemical Society Transactions, 2010, 38, 651-660.	3.4	126
60	Interactions between the Photosystem II Subunit PsbS and Xanthophylls Studied in Vivo and in Vitro. Journal of Biological Chemistry, 2008, 283, 8434-8445.	3.4	125
61	In Silico and Biochemical Analysis of Physcomitrella patens Photosynthetic Antenna: Identification of Subunits which Evolved upon Land Adaptation. PLoS ONE, 2008, 3, e2033.	2.5	121
62	Two mechanisms for dissipation of excess light in monomeric and trimeric light-harvesting complexes. Nature Plants, 2017, 3, 17033.	9.3	121
63	Chlorophyll-proteins of the photosystem II antenna system. Journal of Biological Chemistry, 1987, 262, 13333-41.	3.4	121
64	Zeaxanthin Protects Plant Photosynthesis by Modulating Chlorophyll Triplet Yield in Specific Light-harvesting Antenna Subunits. Journal of Biological Chemistry, 2012, 287, 41820-41834.	3.4	118
65	The neoxanthin binding site of the major light harvesting complex (LHCII) from higher plants. FEBS Letters, 1999, 456, 1-6.	2.8	117
66	Identification of chlorophyll-a/b proteins as substrates of transglutaminase activity in isolated chloroplasts of Helianthus tuberosus L.. Planta, 1994, 193, 283-289.	3.2	116
67	The <i>Physcomitrella patens</i> gene atlas project: large-scale RNA-seq based expression data. Plant Journal, 2018, 95, 168-182.	5.7	115
68	Subunit stoichiometry of the chloroplast photosystem II antenna system and aggregation state of the component chlorophyll a/b binding proteins. Journal of Biological Chemistry, 1991, 266, 8136-42.	3.4	115
69	Interaction between avoidance of photon absorption, excess energy dissipation and zeaxanthin synthesis against photooxidative stress in <i>Arabidopsis</i> . Plant Journal, 2013, 76, 568-579.	5.7	114
70	The Interaction between Cold and Light Controls the Expression of the Cold-Regulated Barley Gene <i>cor14b</i> and the Accumulation of the Corresponding Protein1. Plant Physiology, 1999, 119, 671-680.	4.8	113
71	Xanthophyll Cycle Pigment Localization and Dynamics during Exposure to Low Temperatures and Light Stress in <i>Vinca major</i> 1. Plant Physiology, 1999, 120, 727-738.	4.8	109
72	The Chloroplast Gene <i>ycf9</i> Encodes a Photosystem II (PSII) Core Subunit, PsbZ, That Participates in PSII Supramolecular Architecture. Plant Cell, 2001, 13, 1347-1368.	6.6	109

#	ARTICLE	IF	CITATIONS
73	Zeaxanthin Binds to Light-Harvesting Complex Stress-Related Protein to Enhance Nonphotochemical Quenching in <i>Physcomitrella patens</i> . <i>Plant Cell</i> , 2013, 25, 3519-3534.	6.6	109
74	Characterization of chlorophyll a/b proteins of photosystem I from <i>Chlamydomonas reinhardtii</i> . <i>Journal of Biological Chemistry</i> , 1992, 267, 25714-25721.	3.4	107
75	A Post-translational Modification of the Photosystem II Subunit CP29 Protects Maize from Cold Stress. <i>Journal of Biological Chemistry</i> , 1995, 270, 8474-8481.	3.4	106
76	Multi-Level Light Capture Control in Plants and Green Algae. <i>Trends in Plant Science</i> , 2016, 21, 55-68.	8.8	103
77	Distribution of the chlorophyll spectral forms in the chlorophyll-protein complexes of photosystem II antenna. <i>Biochemistry</i> , 1993, 32, 3203-3210.	2.5	100
78	Three-dimensional structure of the higher-plant photosystem II reaction centre and evidence for its dimeric organization in vivo. <i>FEBS Journal</i> , 1994, 221, 307-315.	0.2	100
79	Identification of pH-sensing Sites in the Light Harvesting Complex Stress-related 3 Protein Essential for Triggering Non-photochemical Quenching in <i>Chlamydomonas reinhardtii</i> . <i>Journal of Biological Chemistry</i> , 2016, 291, 7334-7346.	3.4	100
80	Chlorophyll-proteins of two photosystem I preparations from maize. <i>Carlsberg Research Communications</i> , 1985, 50, 145-162.	1.8	97
81	THE RESOLUTION OF CHLOROPHYLL a/b BINDING PROTEINS BY A PREPARATIVE METHOD BASED ON FLAT BED ISOELECTRIC FOCUSING. <i>Photochemistry and Photobiology</i> , 1990, 51, 693-703.	2.5	97
82	Mechanistic aspects of the xanthophyll dynamics in higher plant thylakoids. <i>Physiologia Plantarum</i> , 2003, 119, 347-354.	5.2	96
83	Effect of Antenna-Depletion in Photosystem II on Excitation Energy Transfer in <i>Arabidopsis thaliana</i> . <i>Biophysical Journal</i> , 2010, 98, 922-931.	0.5	96
84	Dynamics of Chromophore Binding to Lhc Proteins in Vivo and in Vitro during Operation of the Xanthophyll Cycle. <i>Journal of Biological Chemistry</i> , 2002, 277, 36913-36920.	3.4	95
85	Novel aspects of chlorophyll a/b-binding proteins. <i>Physiologia Plantarum</i> , 1997, 100, 769-779.	5.2	94
86	The Occurrence of the <i>psbS</i> Gene Product in <i>Chlamydomonas reinhardtii</i> and in Other Photosynthetic Organisms and Its Correlation with Energy Quenching. <i>Photochemistry and Photobiology</i> , 2008, 84, 1359-1370.	2.5	94
87	Sharing light between two photosystems: mechanism of state transitions. <i>Current Opinion in Plant Biology</i> , 2015, 25, 71-78.	7.1	94
88	Characterization of chlorophyll a/b proteins of photosystem I from <i>Chlamydomonas reinhardtii</i> . <i>Journal of Biological Chemistry</i> , 1992, 267, 25714-21.	3.4	94
89	Understanding the Changes in the Circular Dichroism of Light Harvesting Complex II upon Varying Its Pigment Composition and Organization. <i>Biochemistry</i> , 2007, 46, 4745-4754.	2.5	92
90	Recombinant Lhca2 and Lhca3 Subunits of the Photosystem I Antenna System. <i>Biochemistry</i> , 2003, 42, 4226-4234.	2.5	91

#	ARTICLE	IF	CITATIONS
91	Higher plants light harvesting proteins. Structure and function as revealed by mutation analysis of either protein or chromophore moieties. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1998, 1365, 207-214.	1.0	90
92	Dissipation of Light Energy Absorbed in Excess: The Molecular Mechanisms. <i>Annual Review of Plant Biology</i> , 2021, 72, 47-76.	18.7	90
93	The Soret absorption properties of carotenoids and chlorophylls in antenna complexes of higher plants. <i>Photosynthesis Research</i> , 2000, 64, 221-231.	2.9	88
94	Trap-Limited Charge Separation Kinetics in Higher Plant Photosystem I Complexes. <i>Biophysical Journal</i> , 2008, 94, 3601-3612.	0.5	88
95	Reactive oxygen species and transcript analysis upon excess light treatment in wild-type <i>Arabidopsis thaliana</i> vs a photosensitive mutant lacking zeaxanthin and lutein. <i>BMC Plant Biology</i> , 2011, 11, 62.	3.6	88
96	Antenna size reduction as a strategy to increase biomass productivity: a great potential not yet realized. <i>Journal of Applied Phycology</i> , 2015, 27, 1063-1077.	2.8	88
97	Photoprotection in higher plants: The putative quenching site is conserved in all outer light-harvesting complexes of Photosystem II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2008, 1777, 1263-1267.	1.0	85
98	Regulation of the pigment optical density of an algal cell: Filling the gap between photosynthetic productivity in the laboratory and in mass culture. <i>Journal of Biotechnology</i> , 2012, 162, 115-123.	3.8	83
99	Non-photochemical quenching and xanthophyll cycle activities in six green algal species suggest mechanistic differences in the process of excess energy dissipation. <i>Journal of Plant Physiology</i> , 2015, 172, 92-103.	3.5	82
100	Nonphotochemical Quenching of Chlorophyll Fluorescence in <i>Chlamydomonas reinhardtii</i> . <i>Biochemistry</i> , 2006, 45, 1490-1498.	2.5	81
101	LHCBM1 and LHCBM2/7 Polypeptides, Components of Major LHCII Complex, Have Distinct Functional Roles in Photosynthetic Antenna System of <i>Chlamydomonas reinhardtii</i> . <i>Journal of Biological Chemistry</i> , 2012, 287, 16276-16288.	3.4	81
102	Light-harvesting chlorophyll a/b proteins (LHCII) populations in phosphorylated membranes. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1988, 936, 29-38.	1.0	80
103	Nearest-neighbor analysis of a Photosystem II complex from <i>Marchantia polymorpha</i> L. (liverwort), which contains reaction center and antenna proteins. <i>FEBS Journal</i> , 1998, 255, 196-205.	0.2	79
104	Single-molecule spectroscopy of LHCSR1 protein dynamics identifies two distinct states responsible for multi-timescale photosynthetic photoprotection. <i>Nature Chemistry</i> , 2017, 9, 772-778.	13.6	79
105	Heterogenous lipid distribution among chlorophyll-binding proteins of photosystem II in maize mesophyll chloroplasts. <i>FEBS Journal</i> , 1994, 221, 721-730.	0.2	77
106	Mutation Analysis of Lhca1 Antenna Complex. <i>Journal of Biological Chemistry</i> , 2002, 277, 36253-36261.	3.4	77
107	Analysis of Some Optical Properties of a Native and Reconstituted Photosystem II Antenna Complex, CP29: Pigment Binding Sites Can Be Occupied by Chlorophyll a or Chlorophyll b and Determine Spectral Forms. <i>Biochemistry</i> , 1997, 36, 12984-12993.	2.5	76
108	Role of PSBS and LHCSR in <i>Physcomitrella patens</i> acclimation to high light and low temperature. <i>Plant, Cell and Environment</i> , 2011, 34, 922-932.	5.7	76

#	ARTICLE	IF	CITATIONS
109	Slowly reversible de-epoxidation of lutein-epoxide in deep shade leaves of a tropical tree legume may 'lock-in' lutein-based photoprotection during acclimation to strong light. <i>Journal of Experimental Botany</i> , 2004, 56, 461-468.	4.8	75
110	A single point mutation (E166Q) prevents dicyclohexylcarbodiimide binding to the photosystem II subunit CP29. <i>FEBS Letters</i> , 1997, 402, 151-156.	2.8	74
111	Observation of dissipative chlorophyll-to-carotenoid energy transfer in light-harvesting complex II in membrane nanodiscs. <i>Nature Communications</i> , 2020, 11, 1295.	12.8	74
112	A specific binding site for neoxanthin in the monomeric antenna proteins CP26 and CP29 of Photosystem II. <i>FEBS Letters</i> , 2007, 581, 4704-4710.	2.8	73
113	Regulation of photosystem I light harvesting by zeaxanthin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2431-8.	7.1	73
114	Lutein Can Act as a Switchable Charge Transfer Quencher in the CP26 Light-harvesting Complex. <i>Journal of Biological Chemistry</i> , 2009, 284, 2830-2835.	3.4	72
115	Potential and Challenges of Improving Photosynthesis in Algae. <i>Plants</i> , 2020, 9, 67.	3.5	72
116	Changes in the organization of stroma membranes induced by in vivo state 1-state 2 transition. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1988, 935, 152-165.	1.0	69
117	Red Spectral Forms of Chlorophylls in Green Plant PSI ⁺ A Site-Selective and High-Pressure Spectroscopy Study+. <i>Journal of Physical Chemistry B</i> , 2003, 107, 9086-9093.	2.6	69
118	Photosynthetic Antenna Size in Higher Plants Is Controlled by the Plastoquinone Redox State at the Post-transcriptional Rather than Transcriptional Level. <i>Journal of Biological Chemistry</i> , 2007, 282, 29457-29469.	3.4	69
119	Chlorophyll Triplet Quenching and Photoprotection in the Higher Plant Monomeric Antenna Protein Lhcb5. <i>Journal of Physical Chemistry B</i> , 2013, 117, 11337-11348.	2.6	68
120	Identification and characterization of the major components of the <i>Oncorhynchus mykiss</i> Egg Chorion. <i>Molecular Reproduction and Development</i> , 1991, 28, 85-93.	2.0	67
121	Gaussian Decomposition of Absorption and Linear Dichroism Spectra of Outer Antenna Complexes of Photosystem II. <i>Biochemistry</i> , 1994, 33, 8982-8990.	2.5	66
122	Conformational Changes Induced by Phosphorylation in the CP29 Subunit of Photosystem II. <i>Biochemistry</i> , 1996, 35, 11142-11148.	2.5	66
123	Time-resolved fluorescence analysis of the recombinant photosystem II antenna complex CP29. <i>FEBS Journal</i> , 2001, 268, 260-267.	0.2	66
124	Improper excess light energy dissipation in <i>Arabidopsis</i> results in a metabolic reprogramming. <i>BMC Plant Biology</i> , 2009, 9, 12.	3.6	66
125	Biogenesis of light harvesting proteins. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2015, 1847, 861-871.	1.0	66
126	LHCSR3 is a nonphotochemical quencher of both photosystems in <i>Chlamydomonas reinhardtii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 4212-4217.	7.1	66

#	ARTICLE	IF	CITATIONS
127	The chlorophyll-a/b proteins of photosystem II in <i>Chlamydomonas reinhardtii</i> . <i>Planta</i> , 1991, 183, 423-33.	3.2	65
128	In Vitro Reconstitution of the Recombinant Photosystem II Light-harvesting Complex CP24 and Its Spectroscopic Characterization. <i>Journal of Biological Chemistry</i> , 1998, 273, 17154-17165.	3.4	65
129	Evidence for Two Spectroscopically Different Dimers of Light-Harvesting Complex I from Green Plants. <i>Biochemistry</i> , 2000, 39, 8625-8631.	2.5	65
130	Differential accumulation of Lhcb gene products in thylakoid membranes of <i>Zea mays</i> plants grown under contrasting light and temperature conditions. <i>Proteomics</i> , 2005, 5, 758-768.	2.2	65
131	The Low-Energy Forms of Photosystem I Light-Harvesting Complexes: Spectroscopic Properties and Pigment-Pigment Interaction Characteristics. <i>Biophysical Journal</i> , 2007, 93, 2418-2428.	0.5	65
132	Mutagenesis and phenotypic selection as a strategy toward domestication of <i>Chlamydomonas reinhardtii</i> strains for improved performance in photobioreactors. <i>Photosynthesis Research</i> , 2011, 108, 107-120.	2.9	65
133	The Chloroplast Gene <i>ycf9</i> Encodes a Photosystem II (PSII) Core Subunit, PsbZ, That Participates in PSII Supramolecular Architecture. <i>Plant Cell</i> , 2001, 13, 1347-1368.	6.6	65
134	Elucidation of the β -carotene hydroxylation pathway in <i>Arabidopsis thaliana</i> . <i>FEBS Letters</i> , 2006, 580, 4718-4722.	2.8	64
135	Light-Harvesting Complex Protein LHCBM9 Is Critical for Photosystem II Activity and Hydrogen Production in <i>Chlamydomonas reinhardtii</i> . <i>Plant Cell</i> , 2014, 26, 1598-1611.	6.6	64
136	Differences in chlorophyll-protein complexes and composition of polypeptides between thylakoids from bundle sheaths and mesophyll cells in maize. <i>FEBS Journal</i> , 1985, 146, 589-595.	0.2	63
137	Pigment-Pigment Interactions in Lhca4 Antenna Complex of Higher Plants Photosystem I. <i>Journal of Biological Chemistry</i> , 2005, 280, 20612-20619.	3.4	63
138	cor Gene Expression in Barley Mutants Affected in Chloroplast Development and Photosynthetic Electron Transport. <i>Plant Physiology</i> , 2003, 131, 793-802.	4.8	62
139	Spectroscopic elucidation of uncoupled transition energies in the major photosynthetic light-harvesting complex, LHClI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13276-13281.	7.1	62
140	Coexistence of plant and algal energy dissipation mechanisms in the moss <i>Physcomitrella patens</i> . <i>New Phytologist</i> , 2012, 196, 763-773.	7.3	61
141	Immunological studies on chlorophyll-a/b proteins and their distribution in thylakoid membrane domains. <i>Planta</i> , 1990, 181, 275-286.	3.2	60
142	Short- and Long-Term Operation of the Lutein-Epoxyde Cycle in Light-Harvesting Antenna Complexes. <i>Plant Physiology</i> , 2007, 144, 926-941.	4.8	59
143	Mutation Analysis of Violaxanthin De-epoxidase Identifies Substrate-binding Sites and Residues Involved in Catalysis. <i>Journal of Biological Chemistry</i> , 2010, 285, 23763-23770.	3.4	59
144	Suborganellar localisation and effect of light on <i>Helianthus tuberosus</i> chloroplast transglutaminases and their substrates. <i>Planta</i> , 2003, 217, 84-95.	3.2	58

#	ARTICLE	IF	CITATIONS
145	Carotenoid to chlorophyll energy transfer in light harvesting complex II from <i>Arabidopsis thaliana</i> probed by femtosecond fluorescence upconversion. <i>Chemical Physics Letters</i> , 2003, 379, 305-313.	2.6	58
146	A Zea mays 39-kDa thylakoid transglutaminase catalyses the modification by polyamines of light-harvesting complex II in a light-dependent way. <i>Planta</i> , 2004, 219, 754-64.	3.2	58
147	Biochemical and structural analyses of a higher plant photosystem II supercomplex of a photosystem II-less mutant of barley. <i>FEBS Journal</i> , 2006, 273, 4616-4630.	4.7	58
148	Functional analysis of Photosystem I light-harvesting complexes (Lhca) gene products of <i>Chlamydomonas reinhardtii</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 212-221.	1.0	58
149	Immunological characterization of chlorophyll a/b-binding proteins of barley thylakoids. <i>Planta</i> , 1988, 173, 12-21.	3.2	57
150	Carotenoids: Localization and Function. , 1996, , 539-563.		57
151	LHC-like proteins involved in stress responses and biogenesis/repair of the photosynthetic apparatus. <i>Biochemical Journal</i> , 2019, 476, 581-593.	3.7	57
152	Energy Transfer among CP29 Chlorophylls: Calculated Förster Rates and Experimental Transient Absorption at Room Temperature. <i>Biophysical Journal</i> , 2000, 79, 1706-1717.	0.5	55
153	The role of the light harvesting complex and photosystem II in thylakoid stacking in the chlorina-f2 barley mutant. <i>Carlsberg Research Communications</i> , 1985, 50, 347-367.	1.8	54
154	Occurrence of the lutein-epoxide cycle in mistletoes of the Loranthaceae and Viscaceae. <i>Planta</i> , 2003, 217, 868-879.	3.2	54
155	Energy Transfer Pathways in the Minor Antenna Complex CP29 of Photosystem II: A Femtosecond Study of Carotenoid to Chlorophyll Transfer on Mutant and WT Complexes. <i>Biophysical Journal</i> , 2003, 84, 2517-2532.	0.5	54
156	Post-transcriptional control of light-harvesting genes expression under light stress. <i>Plant Molecular Biology</i> , 2013, 82, 147-154.	3.9	54
157	Light-Harvesting Complex Stress-Related Proteins Catalyze Excess Energy Dissipation in Both Photosystems of <i>Physcomitrella patens</i> . <i>Plant Cell</i> , 2015, 27, 3213-3227.	6.6	54
158	Enhancement of Non-Photochemical Quenching in the Bryophyte <i>Physcomitrella patens</i> During Acclimation to Salt and Osmotic Stress. <i>Plant and Cell Physiology</i> , 2012, 53, 1815-1825.	3.1	53
159	Orientation of Chlorophyll Transition Moments in the Higher-Plant Light-Harvesting Complex CP29. <i>Biochemistry</i> , 1999, 38, 12974-12983.	2.5	52
160	Retrograde Signaling and Photoprotection in a gun4 Mutant of <i>Chlamydomonas reinhardtii</i> . <i>Molecular Plant</i> , 2012, 5, 1242-1262.	8.3	52
161	Two-dimensional crystals of the photosystem II reaction center complex from higher plants. <i>European Journal of Cell Biology</i> , 1989, 50, 84-93.	3.6	52
162	Electron transfer between carotenoid and chlorophyll contributes to quenching in the LHCSR1 protein from <i>Physcomitrella patens</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 1870-1878.	1.0	51

#	ARTICLE	IF	CITATIONS
163	Observation of Electronic Excitation Transfer Through Light Harvesting Complex II Using Two-Dimensional Electronic-Vibrational Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 4197-4206.	4.6	51
164	Quenching in <i>Arabidopsis thaliana</i> Mutants Lacking Monomeric Antenna Proteins of Photosystem II. <i>Journal of Biological Chemistry</i> , 2011, 286, 36830-36840.	3.4	50
165	The Electronic Structure of Lutein 2 Is Optimized for Light Harvesting in Plants. <i>CheM</i> , 2019, 5, 575-584.	11.7	50
166	Absorption spectra of chlorophyll a and b in Lhcb protein environment. <i>Photosynthesis Research</i> , 2000, 64, 233-242.	2.9	49
167	Excitation Energy Transfer in Dimeric Light Harvesting Complex I: A Combined Streak-Camera/Fluorescence Upconversion Study. <i>Journal of Physical Chemistry B</i> , 2001, 105, 10132-10139.	2.6	49
168	Photochemical Behavior of Xanthophylls in the Recombinant Photosystem II Antenna Complex, CP26. <i>Biochemistry</i> , 2001, 40, 1220-1225.	2.5	49
169	The Calculated In Vitro and In Vivo Chlorophyll a Absorption Bandshape. <i>Biophysical Journal</i> , 2002, 82, 378-390.	0.5	49
170	Quenching of Chlorophyll Triplet States by Carotenoids in Reconstituted Lhca4 Subunit of Peripheral Light-Harvesting Complex of Photosystem I. <i>Biochemistry</i> , 2005, 44, 8337-8346.	2.5	49
171	Magnetic Nanoparticles from <i>Magnetospirillum gryphiswaldense</i> Increase the Efficacy of Thermotherapy in a Model of Colon Carcinoma. <i>PLoS ONE</i> , 2014, 9, e108959.	2.5	49
172	On the origin of a slowly reversible fluorescence decay component in the <i>Arabidopsis npq4</i> mutant. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130221.	4.0	49
173	Biochemical and Functional Properties of Photosystem II in Agranal Membranes from Maize Mesophyll and Bundle Sheath Chloroplasts. <i>FEBS Journal</i> , 1995, 233, 709-719.	0.2	48
174	Cold-Resistant and Cold-Sensitive Maize Lines Differ in the Phosphorylation of the Photosystem II Subunit, CP29. <i>Plant Physiology</i> , 1997, 115, 171-180.	4.8	48
175	Effects of a non-ionic detergent on the spectral properties and aggregation state of the light-harvesting chlorophyll a/b protein complex (LHCII). <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1991, 9, 335-353.	3.8	47
176	Solving structure in the CP29 light harvesting complex with polarization-phased 2D electronic spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 3848-3853.	7.1	47
177	A CK2 site is reversibly phosphorylated in the photosystem II subunit CP29. <i>FEBS Letters</i> , 1996, 399, 245-250.	2.8	46
178	Role of Xanthophylls in Light Harvesting in Green Plants: A Spectroscopic Investigation of Mutant LHCII and Lhcb Pigment-Protein Complexes. <i>Journal of Physical Chemistry B</i> , 2012, 116, 3834-3849.	2.6	46
179	Dynamic Changes between Two LHCX-Related Energy Quenching Sites Control Diatom Photoacclimation. <i>Plant Physiology</i> , 2018, 177, 953-965.	4.8	46
180	Chlorophyll b to Chlorophyll a Energy Transfer Kinetics in the CP29 Antenna Complex: A Comparative Femtosecond Absorption Study between Native and Reconstituted Proteins. <i>Biophysical Journal</i> , 2003, 84, 2508-2516.	0.5	44

#	ARTICLE	IF	CITATIONS
181	Dynamics of zeaxanthin binding to the photosystem II monomeric antenna protein Lhcb6 (CP24) and modulation of its photoprotection properties. <i>Archives of Biochemistry and Biophysics</i> , 2010, 504, 67-77.	3.0	43
182	Long-term acclimatory response to excess excitation energy: evidence for a role of hydrogen peroxide in the regulation of photosystem II antenna size. <i>Journal of Experimental Botany</i> , 2015, 66, 7151-7164.	4.8	43
183	Optimized Cas9 expression systems for highly efficient Arabidopsis genome editing facilitate isolation of complex alleles in a single generation. <i>Functional and Integrative Genomics</i> , 2020, 20, 151-162.	3.5	43
184	Probing the structure of Lhca3 by mutation analysis. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2006, 1757, 1607-1613.	1.0	42
185	The photosystem II subunit CP29 can be phosphorylated in both C3 and C4 plants as suggested by sequence analysis. <i>Plant Molecular Biology</i> , 1998, 36, 11-22.	3.9	41
186	Singlet and Triplet State Transitions of Carotenoids in the Antenna Complexes of Higher-Plant Photosystem I. <i>Biochemistry</i> , 2007, 46, 3846-3855.	2.5	41
187	Combined resistance to oxidative stress and reduced antenna size enhance light-to-biomass conversion efficiency in <i>Chlorella vulgaris</i> cultures. <i>Biotechnology for Biofuels</i> , 2019, 12, 221.	6.2	41
188	Origin of the 701-nm Fluorescence Emission of the Lhca2 Subunit of Higher Plant Photosystem I. <i>Journal of Biological Chemistry</i> , 2004, 279, 48543-48549.	3.4	39
189	The Association of the Antenna System to Photosystem I in Higher Plants. <i>Journal of Biological Chemistry</i> , 2005, 280, 31050-31058.	3.4	38
190	Occupancy and Functional Architecture of the Pigment Binding Sites of Photosystem II Antenna Complex Lhcb5. <i>Journal of Biological Chemistry</i> , 2009, 284, 8103-8113.	3.4	38
191	Spectral properties and polypeptide composition of the chlorophyll-proteins from thylakoids of granal and agranal chloroplasts of maize (<i>Zea mays</i> L.). <i>Carlsberg Research Communications</i> , 1985, 50, 127-143.	1.8	37
192	The Relationship between the Binding of Dicyclohexylcarbodiimide and Quenching of Chlorophyll Fluorescence in the Light-Harvesting Proteins of Photosystem II. <i>Biochemistry</i> , 1998, 37, 11586-11591.	2.5	36
193	High Light-Dependent Phosphorylation of Photosystem II Inner Antenna CP29 in Monocots Is STN7 Independent and Enhances Nonphotochemical Quenching. <i>Plant Physiology</i> , 2015, 167, 457-471.	4.8	36
194	Differential expression of LHCII genes in mesophyll and bundle sheath cells of maize. <i>Carlsberg Research Communications</i> , 1986, 51, 363-370.	1.8	35
195	Identification of the Chromophores Involved in Aggregation-dependent Energy Quenching of the Monomeric Photosystem II Antenna Protein Lhcb5. <i>Journal of Biological Chemistry</i> , 2010, 285, 28309-28321.	3.4	34
196	The <i>Arabidopsis nox</i> Mutant Lacking Carotene Hydroxylase Activity Reveals a Critical Role for Xanthophylls in Photosystem I Biogenesis. <i>Plant Cell</i> , 2013, 25, 591-608.	6.6	34
197	Characterization of magnetic nanoparticles from <i>Magnetospirillum Gryphiswaldense</i> as potential theranostics tools. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 139-145.	0.8	34
198	Excitation Decay Pathways of Lhca Proteins: A Time-Resolved Fluorescence Study. <i>Journal of Physical Chemistry B</i> , 2005, 109, 21150-21158.	2.6	33

#	ARTICLE	IF	CITATIONS
199	Investigating energy partitioning during photosynthesis using an expanded quantum yield convention. <i>Chemical Physics</i> , 2009, 357, 151-158.	1.9	33
200	A quadruple mutant of <i>Arabidopsis</i> reveals a β -carotene hydroxylation activity for LUT1/CYP97C1 and a regulatory role of xanthophylls on determination of the PSI/PSII ratio. <i>BMC Plant Biology</i> , 2012, 12, 50.	3.6	33
201	A LHCb9-dependent photosystem I megacomplex induced under low light in <i>Physcomitrella patens</i> . <i>Nature Plants</i> , 2018, 4, 910-919.	9.3	32
202	Xanthophyll Binding Sites of the CP29 (Lhcb4) Subunit of Higher Plant Photosystem II Investigated by Domain Swapping and Mutation Analysis. <i>Journal of Biological Chemistry</i> , 2003, 278, 19190-19198.	3.4	31
203	The function of LHCBM4/6/8 antenna proteins in <i>Chlamydomonas reinhardtii</i> . <i>Journal of Experimental Botany</i> , 2016, 68, erw462.	4.8	31
204	Magnetosomes Extracted from <i>Magnetospirillum gryphiswaldense</i> as Theranostic Agents in an Experimental Model of Glioblastoma. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-12.	0.8	31
205	A study of Photosystem II fluorescence emission in terms of the antenna chlorophyll-protein complexes. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1993, 1183, 194-200.	1.0	30
206	Microsecond and millisecond dynamics in the photosynthetic protein LHCSR1 observed by single-molecule correlation spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 11247-11252.	7.1	30
207	Pigment-binding properties of the recombinant photosystem II subunit CP26 reconstituted in vitro. <i>FEBS Journal</i> , 1998, 253, 653-658.	0.2	29
208	A Red-shifted Antenna Protein Associated with Photosystem II in <i>Physcomitrella patens</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 28978-28987.	3.4	28
209	Integration of Carbon Assimilation Modes with Photosynthetic Light Capture in the Green Alga <i>Chlamydomonas reinhardtii</i> . <i>Molecular Plant</i> , 2014, 7, 1545-1559.	8.3	27
210	Exploring the potential of microalgae in the recycling of dairy wastes. <i>Bioresource Technology Reports</i> , 2020, 12, 100604.	2.7	27
211	Ionic permeability of the mitochondrial outer membrane. <i>European Biophysics Journal</i> , 1992, 20, 311-9.	2.2	26
212	Calcium Binding to the Photosystem II Subunit CP29. <i>Journal of Biological Chemistry</i> , 2000, 275, 12781-12788.	3.4	26
213	Regenerative Therapies for Diabetic Microangiopathy. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-11.	3.8	26
214	Biogenesis of photosynthetic complexes in the chloroplast of <i>Chlamydomonas reinhardtii</i> requires ARSA1, a homolog of prokaryotic arsenite transporter and eukaryotic TRC40 for guided entry of tail-anchored proteins. <i>Plant Journal</i> , 2013, 73, 850-861.	5.7	26
215	Heterologous Expression of Moss Light-harvesting Complex Stress-related 1 (LHCSR1), the Chlorophyll a-Xanthophyll Pigment-protein Complex Catalyzing Non-photochemical Quenching, in <i>Nicotiana sp.</i> . <i>Journal of Biological Chemistry</i> , 2015, 290, 24340-24354.	3.4	26
216	A systems-wide understanding of photosynthetic acclimation in algae and higher plants. <i>Journal of Experimental Botany</i> , 2017, 68, 2667-2681.	4.8	26

#	ARTICLE	IF	CITATIONS
217	Snapshot Transient Absorption Spectroscopy of Carotenoid Radical Cations in High-Light-Acclimating Thylakoid Membranes. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 5548-5554.	4.6	26
218	Chlorophyll-proteins from maize seedlings grown under intermittent light conditions. <i>Planta</i> , 1993, 191, 265.	3.2	25
219	An NMR comparison of the light-harvesting complex II (LHCII) in active and photoprotective states reveals subtle changes in the chlorophyll a ground-state electronic structures. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2013, 1827, 738-744.	1.0	25
220	Antenna structure and energy transfer in higher plant photosystems. <i>Topics in Current Chemistry</i> , 1996, , 147-181.	4.0	25
221	Kinetic Modeling of Charge-Transfer Quenching in the CP29 Minor Complex. <i>Journal of Physical Chemistry B</i> , 2008, 112, 13418-13423.	2.6	24
222	Effects of altered β - and γ -branch carotenoid biosynthesis on photoprotection and whole plant acclimation of <i>Arabidopsis</i> to photooxidative stress. <i>Plant, Cell and Environment</i> , 2013, 36, 438-453.	5.7	24
223	Design of a highly thermostable hemicellulose-degrading blend from <i>Thermotoga neapolitana</i> for the treatment of lignocellulosic biomass. <i>Journal of Biotechnology</i> , 2019, 296, 42-52.	3.8	24
224	The STN8 kinase-PBCP phosphatase system is responsible for high light induced reversible phosphorylation of the PSII inner antenna subunit CP29 in rice. <i>Plant Journal</i> , 2017, 89, 681-691.	5.7	23
225	Excitation Energy Transfer Pathways in Lhca4. <i>Biophysical Journal</i> , 2005, 88, 1959-1969.	0.5	22
226	Cell Synchronization Enhances Nuclear Transformation and Genome Editing via Cas9 Enabling Homologous Recombination in <i>Chlamydomonas reinhardtii</i> . <i>ACS Synthetic Biology</i> , 2020, 9, 2840-2850.	3.8	22
227	Characterisation of stroma membranes from <i>Zea mays</i> L. chloroplasts. <i>Carlsberg Research Communications</i> , 1988, 53, 221-232.	1.8	21
228	Genetic analysis of the expression of the cold-regulated gene cor14b: a way toward the identification of components of the cold response signal transduction in Triticeae. <i>Canadian Journal of Botany</i> , 2003, 81, 1162-1167.	1.1	21
229	A Light Harvesting Complex-Like Protein in Maintenance of Photosynthetic Components in <i>Chlamydomonas</i> . <i>Plant Physiology</i> , 2017, 174, 2419-2433.	4.8	21
230	Functional modulation of LHCSR1 protein from <i>Physcomitrella patens</i> by zeaxanthin binding and low pH. <i>Scientific Reports</i> , 2017, 7, 11158.	3.3	21
231	Identification of a pigment cluster catalysing fast photoprotective quenching response in CP29. <i>Nature Plants</i> , 2020, 6, 303-313.	9.3	21
232	LHCII can substitute for LHCI as an antenna for photosystem I but with reduced light-harvesting capacity. <i>Nature Plants</i> , 2016, 2, 16131.	9.3	20
233	A Stepanov relation analysis of steady-state absorption and fluorescence spectra in the isolated D1/D2/cytochrome b-559 complex. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1995, 1229, 59-63.	1.0	19
234	Title is missing!. <i>Photosynthesis Research</i> , 1999, 61, 281-290.	2.9	19

#	ARTICLE	IF	CITATIONS
235	Supramolecular assembly of chloroplast NADH dehydrogenase-like complex with photosystem I from <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2022, 15, 454-467.	8.3	19
236	Purification of structurally intact grana from plants thylakoids membranes. <i>Journal of Bioenergetics and Biomembranes</i> , 2010, 42, 37-45.	2.3	18
237	Enhance knowledge on sustainable use of plant protection products within the framework of the Sustainable Use Directive. <i>Pest Management Science</i> , 2013, 69, 883-888.	3.4	18
238	Parallel pigment and transcriptomic analysis of four barley Albina and Xantha mutants reveals the complex network of the chloroplast-dependent metabolism. <i>Plant Molecular Biology</i> , 2009, 71, 173-191.	3.9	17
239	Plants with less chlorophyll: A global change perspective. <i>Global Change Biology</i> , 2021, 27, 959-967.	9.5	17
240	Protein-Protein Interactions Induce pH-Dependent and Zeaxanthin-Independent Photoprotection in the Plant Light-Harvesting Complex, LHCII. <i>Journal of the American Chemical Society</i> , 2021, 143, 17577-17586.	13.7	17
241	Loss of LHCI system affects LHCII re-distribution between thylakoid domains upon state transitions. <i>Photosynthesis Research</i> , 2018, 135, 251-261.	2.9	16
242	High Carotenoid Mutants of <i>Chlorella vulgaris</i> Show Enhanced Biomass Yield under High Irradiance. <i>Plants</i> , 2021, 10, 911.	3.5	16
243	Effect of growth conditions on carboxylating enzymes of <i>Zea mays</i> plants. <i>Photosynthesis Research</i> , 1982, 3, 53-58.	2.9	15
244	First solid-state NMR analysis of uniformly ¹³ C-enriched major light-harvesting complexes from <i>Chlamydomonas reinhardtii</i> and identification of protein and cofactor spin clusters. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011, 1807, 437-443.	1.0	15
245	Novel aspects of chlorophyll a/b-binding proteins. <i>Physiologia Plantarum</i> , 1997, 100, 769-779.	5.2	14
246	Harnessing the Algal Chloroplast for Heterologous Protein Production. <i>Microorganisms</i> , 2022, 10, 743.	3.6	14
247	A kaleidoscope of photosynthetic antenna proteins and their emerging roles. <i>Plant Physiology</i> , 2022, 189, 1204-1219.	4.8	14
248	A Phosphite Dehydrogenase Variant with Promiscuous Access to Nicotinamide Cofactor Pools Sustains Fast Phosphite-Dependent Growth of Transplastomic <i>Chlamydomonas reinhardtii</i> . <i>Plants</i> , 2020, 9, 473.	3.5	13
249	Formate binding near the redox-active TyrosineD in Photosystem II: consequences on the properties of TyrD. <i>Photosynthesis Research</i> , 2005, 84, 139-144.	2.9	12
250	Stark effect measurements on monomers and trimers of reconstituted light-harvesting complex II of plants. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2004, 1656, 177-188.	1.0	11
251	Monomeric light harvesting complexes enhance excitation energy transfer from LHCII to PSII and control their lateral spacing in thylakoids. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2020, 1861, 148035.	1.0	11
252	Photoprotective Mechanisms: Carotenoids. , 2014, , 393-435.		11

#	ARTICLE	IF	CITATIONS
253	Biochemistry and Molecular Biology of Pigment Binding Proteins. , 1996, , 41-63.		10
254	A Structural Investigation of the Central ChlorophyllaBinding Sites in the Minor Photosystem II Antenna Protein,Lhcb4â€. Biochemistry, 2002, 41, 2305-2310.	2.5	10
255	A microalgalâ€based preparation with synergistic cellulolytic and detoxifying action towards chemicalâ€treated lignocellulose. Plant Biotechnology Journal, 2021, 19, 124-137.	8.3	10
256	Effect of lhcsr gene dosage on oxidative stress and light use efficiency by Chlamydomonas reinhardtii cultures. Journal of Biotechnology, 2021, 328, 12-22.	3.8	10
257	The relation between the minor chlorophyll spectral forms and fluorecence quenching in aggregated light harvesting chlorophyll ab complex II. Biochimica Et Biophysica Acta - Bioenergetics, 1994, 1184, 279-283.	1.0	9
258	The low energy emitting states of the Lhca4 subunit of higher plant photosystem I. FEBS Letters, 2005, 579, 2071-2076.	2.8	9
259	Photosynthesis research in Italy: a review. Photosynthesis Research, 2006, 88, 211-240.	2.9	9
260	Assembly of Light Harvesting Pigment-Protein Complexes in Photosynthetic Eukaryotes. Advances in Photosynthesis and Respiration, 2012, , 113-126.	1.0	9
261	The Organisation of Photosystem II Chlorophyll-Proteins. , 1987, , 81-88.		9
262	Studies on the Herbicide Binding Site in Isolated Photosystem II Core Complexes from a Flat-Bed Isoelectrofocusing Method. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1990, 45, 366-372.	1.4	8
263	Pigment conformation and pigment-protein interactions in the reconstituted Lhcb4 antenna protein. FEBS Letters, 2001, 492, 54-57.	2.8	8
264	The role of light-harvesting complex I in excitation energy transfer from LHCII to photosystem I in Arabidopsis. Plant Physiology, 2022, 188, 2241-2252.	4.8	8
265	Assessing photoprotective functions of carotenoids in photosynthetic systems of plants and green algae. Methods in Enzymology, 2022, , 53-84.	1.0	8
266	Multiple light-harvesting II polypeptides from maize mesophyll chloroplasts are distinct gene products. Journal of Photochemistry and Photobiology B: Biology, 1999, 49, 50-60.	3.8	7
267	Functional analysis of LHCSR1, a protein catalyzing NPQ in mosses, by heterologous expression in Arabidopsis thaliana. Photosynthesis Research, 2019, 142, 249-264.	2.9	7
268	LHCI: The Antenna Complex of Photosystem I in Plants and Green Algae. , 2006, , 119-137.		7
269	Violaxanthin and Zeaxanthin May Replace Lutein at the L1 Site of LHCII, Conserving the Interactions with Surrounding Chlorophylls and the Capability of Tripletâ€Triplet Energy Transfer. International Journal of Molecular Sciences, 2022, 23, 4812.	4.1	7
270	Molecular mechanisms of light harvesting in the minor antenna CP29 in near-native membrane lipidic environment. Journal of Chemical Physics, 2022, 156, .	3.0	7

#	ARTICLE	IF	CITATIONS
271	Light-harvesting complex stress-related proteins play crucial roles in the acclimation of <i>Physcomitrella patens</i> under fluctuating light conditions. <i>Photosynthesis Research</i> , 2021, , 1.	2.9	6
272	A chimeric hydrolase-PTXD transgene enables chloroplast-based heterologous protein expression and non-sterile cultivation of <i>Chlamydomonas reinhardtii</i> . <i>Algal Research</i> , 2021, 59, 102429.	4.6	6
273	Light harvesting complex I is essential for Photosystem II photoprotection under variable light conditions in <i>Arabidopsis thaliana</i> . <i>Environmental and Experimental Botany</i> , 2018, 154, 89-98.	4.2	4
274	Chlorophyll-Xanthophyll Antenna Complexes: In Between Light Harvesting and Energy Dissipation. <i>Advances in Photosynthesis and Respiration</i> , 2020, , 27-55.	1.0	4
275	Studies on the composition, structure and differentiation of fish egg chorion. <i>Cell Biology International Reports</i> , 1986, 10, 471.	0.6	3
276	Probing in vitro translation products with monoclonal antibodies to chlorophylla/b-binding proteins of barley thylakoids. <i>Carlsberg Research Communications</i> , 1988, 53, 297-308.	1.8	3
277	Reorganization of Thylakoid Membrane Lateral Heterogeneity Following State I to State II Transition. , 1992, , 511-520.		3
278	Molecular Mechanisms for Activation of Non-Photochemical Fluorescence Quenching: From Unicellular Algae to Mosses and Higher Plants. <i>Advances in Photosynthesis and Respiration</i> , 2014, , 315-331.	1.0	3
279	Identification and characterization of photosystem II chlorophyll a / b binding proteins in <i>Marchantia polymorpha</i> L. <i>Planta</i> , 1998, 204, 260-267.	3.2	2
280	Algae: A New Biomass Resource. , 2019, , 165-197.		2
281	Light-Harvesting Chlorophyll-Proteins of Barley Photosystem I. , 1987, , 61-64.		2
282	The Role of LHCII in Thylakoid Membranes. , 1987, , 277-280.		2
283	The Role of Light Harvesting Complex II and of the Minor Chlorophyll a/b Proteins in the Organization of the Photosystem II Antenna System. , 1990, , 1169-1176.		2
284	Properties of the Minor Chlorophyll a/b Proteins CP29, CP26 and CP24 from <i>Zea mays</i> Photosystem II Membranes. , 1990, , 1209-1212.		2
285	Zeaxanthin-induced fluorescence quenching in the minor antenna CP29. , 1998, , 333-336.		2
286	Loss of a single chlorophyll in CP29 triggers re-organization of the Photosystem II supramolecular assembly. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2022, 1863, 148555.	1.0	2
287	The Chloroplast Gene <i>ycf9</i> Encodes a Photosystem II (PSII) Core Subunit, <i>PsbZ</i> , That Participates in PSII Supramolecular Architecture. <i>Plant Cell</i> , 2001, 13, 1347.	6.6	1
288	Algae, a New Biomass Resource. , 2013, , 1-26.		1

#	ARTICLE	IF	CITATIONS
289	Ultrabroadband two-dimensional electronic spectroscopy reveals energy flow pathways in LHCII across the visible spectrum. EPJ Web of Conferences, 2019, 205, 09034.	0.3	1
290	Look for methods, not conclusions. Cell Death and Disease, 2019, 10, 931.	6.3	1
291	Expression of a Hyperthermophilic Cellobiohydrolase in Transgenic Nicotiana tabacum by Protein Storage Vacuole Targeting. Plants, 2020, 9, 1799.	3.5	1
292	A new function for the xanthophyll zeaxanthin: glueing chlorophyll biosynthesis to thylakoid protein assembly. Biochemical Journal, 2021, 478, 61-62.	3.7	1
293	Elucidation of Electronic Structure and Quantum Coherence in LHCII with Polarized 2D Spectroscopy. , 2010, , .		1
294	cDNA Deduced Amino Acid Sequences of Maize CP24 and CP26, the Two Major Zeaxanthin-Binding Proteins of Photosystem II. , 1995, , 199-202.		1
295	In Vitro Reconstitution and Pigment Binding Properties of Recombinant CP29 and CP24. , 1995, , 271-274.		1
296	Algae: A New Biomass Resource. , 2017, , 1-33.		1
297	Polyamines in Chloroplasts: Post-Translational Modification of Chlorophyll- <i>a/b</i> Proteins. Giornale Botanico Italiano (Florence, Italy: 1962), 1994, 128, 329-329.	0.0	0
298	In Vitro Reconstitution and Pigment Binding Properties of Recombinant CP29 and CP24. Giornale Botanico Italiano (Florence, Italy: 1962), 1995, 129, 1073-1074.	0.0	0
299	Xanthophyll Cycle Pigments in Wild Type Arabidopsis and in aba Mutants Blocked in Zeaxanthin Epoxidation. Giornale Botanico Italiano (Florence, Italy: 1962), 1995, 129, 1077-1078.	0.0	0
300	Determining Chlorophyll Orientation in the CP29 Light Harvesting Complex with Arithmetic Polarized 2D Electronic Spectroscopy. , 2010, , .		0
301	13 Finding the bottleneck: A research strategy for improved biomass production. , 0, , .		0
302	Kinetic Description of Energy and Charge transfer Processes in PSI from Arabidopsis thaliana. , 2008, , 323-326.		0
303	Cell-Specific Expression of LHCII and The Organisation of the Photosynthetic Reaction Centres in Chloroplast Thylakoids. , 1987, , 93-104.		0
304	Organization of the Photosystem II Antenna System of Maize Plants Grown Under Intermittent Light Condition. , 1992, , 405-410.		0
305	Xanthophyll Cycle Pigments in Wild Type Arabidopsis and in aba Mutants Blocked in Zeaxanthin Epoxidation. , 1995, , 3059-3062.		0
306	Thermal Equilibration of Excited States in Antenna of PSI-200. , 1995, , 183-186.		0

#	ARTICLE	IF	CITATIONS
307	Mutation analysis of either protein or chromophore moieties in Higher Plants Light Harvesting Proteins. , 1998, , 253-258.		0
308	Studying Spatio-Energetic Dynamics in Light Harvesting Complex II using Two-Dimensional Electronic-Vibrational Spectroscopy. , 2016, , .		0
309	Mapping out Photoprotective Dissipation in Green Plants Using Ultrabroadband 2D Electronic Spectroscopy. , 2020, , .		0
310	Carotenoid-Mediated Light Harvesting in Plants Uncovered with Ultrabroadband Two-Dimensional Electronic Spectroscopy. , 2020, , .		0
311	The intrusion of ecology into hydrology and morphodynamics. Rendiconti Lincei, 0, , 1.	2.2	0