

# Bing Gong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4385709/publications.pdf>

Version: 2024-02-01

98  
papers

5,025  
citations

71102

41  
h-index

88630

70  
g-index

102  
all docs

102  
docs citations

102  
times ranked

3121  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reliable folding of hybrid tetrapeptides into short $\hat{1}^2$ -hairpins. Chinese Chemical Letters, 2021, , .	9.0	0
2	Dipropionates of Sugar Alcohols as Water-Soluble, Nontoxic CPAs for DMSO-Free Cell Cryopreservation. ACS Biomaterials Science and Engineering, 2021, 7, 4757-4762.	5.2	6
3	An unnatural tripeptide structure containing intramolecular double H-bonds mimics a turn hairpin conformation. Organic and Biomolecular Chemistry, 2021, 19, 4359-4363.	2.8	2
4	Stable pseudo[3]rotaxanes with strong positive binding cooperativity based on shape-persistent aromatic oligoamide macrocycles. Chemical Communications, 2021, 57, 11645-11648.	4.1	7
5	Controlling Water Flow through a Synthetic Nanopore with Permeable Cations. ACS Central Science, 2021, 7, 2092-2098.	11.3	8
6	Self-Assembly and Molecular Recognition in Water: Tubular Stacking and Guest-Templated Discrete Assembly of Water-Soluble, Shape-Persistent Macrocycles. Journal of the American Chemical Society, 2020, 142, 2915-2924.	13.7	44
7	Multiturn Hollow Helices: Synthesis and Folding of Long Aromatic Oligoamides. Organic Letters, 2020, 22, 6938-6942.	4.6	10
8	Oligo(5-amino-N-acetylanthranilic acids): Amide Bond Formation without Coupling Reagent and Folding upon Binding Anions. Organic Letters, 2020, 22, 7496-7501.	4.6	9
9	Major Factors for the Persistent Folding of Hybrid $\hat{1}^{\pm}$ , $\hat{1}^2$ , $\hat{1}^3$ -Hybrid Peptides Into Hairpins. Frontiers in Chemistry, 2020, 8, 530083.	3.6	2
10	Ultrasensitive liposome-based assay for the quantification of fundamental ion channel properties. Analytica Chimica Acta, 2020, 1112, 8-15.	5.4	7
11	Reverse Turn Foldamers: An Expanded $\hat{1}^2$ -Turn Motif Reinforced by Double Hydrogen Bonds. Organic Letters, 2020, 22, 1003-1007.	4.6	9
12	Folding and Assembly of Short $\hat{1}^{\pm}$ , $\hat{1}^2$ , $\hat{1}^3$ -Hybrid Peptides: Minor Variations in Sequence and Drastic Differences in Higher-Level Structures. Journal of the American Chemical Society, 2019, 141, 14239-14248.	13.7	18
13	Redox-responsive micelles self-assembled from multi-block copolymer for co-delivery of siRNA and hydrophobic anticancer drug. Polymer Bulletin, 2019, 76, 4237-4257.	3.3	6
14	Hydrogen-Bonded Duplexes with Lengthened Linkers. Organic Letters, 2018, 20, 1555-1558.	4.6	18
15	Effective formation of stable and versatile double-stranded $\hat{1}^2$ -sheets templated by a hydrogen-bonded duplex. Chemical Communications, 2018, 54, 3719-3722.	4.1	4
16	Synthesis and micellization of block copolymer based on host-guest recognition and double disulphide linkage for intracellular drug delivery. Polymer Bulletin, 2018, 75, 1149-1169.	3.3	2
17	Artificial water channels: inspiration, progress, and challenges. Faraday Discussions, 2018, 209, 415-427.	3.2	15
18	Effects of Oligomer Length, Solvents, and Temperature on the Self-Association of Aromatic Oligoamide Foldamers. Organic Letters, 2018, 20, 5486-5489.	4.6	14

#	ARTICLE	IF	CITATIONS
19	NO-Responsive vesicles as a drug delivery system. <i>Chemical Communications</i> , 2017, 53, 3535-3538.	4.1	8
20	Helical Folding of <i>meta</i> -Connected Aromatic Oligoureas. <i>Organic Letters</i> , 2017, 19, 2666-2669.	4.6	11
21	Amphiphilic oligoamides as versatile, acid-responsive gelators. <i>RSC Advances</i> , 2017, 7, 22248-22255.	3.6	4
22	Dynamic covalent linked triblock copolymer micelles for glutathione-mediated intracellular drug delivery. <i>Materials Science and Engineering C</i> , 2017, 77, 34-44.	7.3	12
23	Aromatization of 9,10-Dihydroacridine Derivatives: Discovering a Highly Selective and Rapid-Responding Fluorescent Probe for Peroxynitrite. <i>ACS Sensors</i> , 2017, 2, 501-505.	7.8	48
24	Gemini-Type Tetraphenylethylene Amphiphiles Containing [12]aneN <sub>3</sub> and Long Hydrocarbon Chains as Nonviral Gene Vectors and Gene Delivery Monitors. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 11546-11556.	8.0	42
25	Enforced Tubular Assembly of Electronically Different Hexakis( <i>m</i> -Phenylene Ethynylene) Macrocycles: Persistent Columnar Stacking Driven by Multiple Hydrogen-Bonding Interactions. <i>Journal of the American Chemical Society</i> , 2017, 139, 15950-15957.	13.7	39
26	Degradable polyesters via ring-opening polymerization of functional valerolactones for efficient gene delivery. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 6567-6574.	2.8	19
27	Macrocyclic shape-persistence of cyclo[6]aramide results in enhanced multipoint recognition for the highly efficient template-directed synthesis of rotaxanes. <i>Chemical Science</i> , 2017, 8, 2091-2100.	7.4	32
28	Aromatic oligoureas as hosts for anions and cations. <i>Chemical Communications</i> , 2016, 52, 9905-9908.	4.1	10
29	Hexakis( <i>m</i> -phenylene ethynylene) Macrocycles with Multiple H-Bonding Side Chains and Modified Cavities: Altered Stacking Strength and Persistent Tubular Assembly. <i>Organic Letters</i> , 2016, 18, 2094-2097.	4.6	17
30	Synthesis and micellization of redox-responsive dynamic covalent multi-block copolymers. <i>Polymer Chemistry</i> , 2016, 7, 3145-3155.	3.9	16
31	Dihydropyridine-based fluorescence probe for nitric oxide. <i>RSC Advances</i> , 2016, 6, 85698-85703.	3.6	14
32	Reductive triblock copolymer micelles with a dynamic covalent linkage deliver anti-miR-21 for gastric cancer therapy. <i>Polymer Chemistry</i> , 2016, 7, 4352-4366.	3.9	9
33	Design and synthesis of fluorescence-labeled nucleotide with a cleavable azo linker for DNA sequencing. <i>Chemical Communications</i> , 2016, 52, 954-957.	4.1	9
34	Persistent Organic Nanopores Amenable to Structural and Functional Tuning. <i>Journal of the American Chemical Society</i> , 2016, 138, 2749-2754.	13.7	77
35	Surprising impact of remote groups on the folding/unfolding and dimer-chain equilibria of bifunctional H-bonding unimers. <i>Chemical Communications</i> , 2016, 52, 3773-3776.	4.1	3
36	Fluorescent sensors based on [12]aneN <sub>3</sub> -modified BODIPY: Discrimination of different biological thiols in aqueous solution and living cells. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 1550-1559.	3.0	16

#	ARTICLE	IF	CITATIONS
37	Liquidâ€Crystalline Mesogens Based on Cyclo[6]aramides: Distinctive Phase Transitions in Response to Macrocyclic Hostâ€Guest Interactions. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 11147-11152.	13.8	58
38	Redox-responsive micelles self-assembled from dynamic covalent block copolymers for intracellular drug delivery. <i>Acta Biomaterialia</i> , 2015, 17, 193-200.	8.3	74
39	Facile synthesis of well-defined hydrophilic polyesters as degradable poly(ethylene glycol)-like biomaterials. <i>Polymer Chemistry</i> , 2015, 6, 6452-6456.	3.9	20
40	Discrete Stacking of Aromatic Oligoamide Macrocycles. <i>Journal of the American Chemical Society</i> , 2015, 137, 5879-5882.	13.7	37
41	Extremely strong tubular stacking of aromatic oligoamide macrocycles. <i>Chemical Science</i> , 2015, 6, 152-157.	7.4	31
42	Chitosan oligosaccharide copolymer micelles with double disulphide linkage in the backbone associated by H-bonding duplexes for targeted intracellular drug delivery. <i>Polymer Chemistry</i> , 2015, 6, 1454-1464.	3.9	28
43	Aromatic oligoamides with increased backbone flexibility: improved synthetic efficiencies, solvent-dependent folding and cooperative conformational transitions. <i>New Journal of Chemistry</i> , 2015, 39, 3217-3220.	2.8	4
44	Dynamic Covalent Diblock Copolymers: Instructed Coupling, Micellation and Redox Responsiveness. <i>Macromolecules</i> , 2014, 47, 7431-7441.	4.8	23
45	The rational design of a highly sensitive and selective fluorogenic probe for detecting nitric oxide. <i>Chemical Communications</i> , 2014, 50, 6475-6478.	4.1	57
46	Self-Assembling Organic Nanotubes with Precisely Defined, Sub-nanometer Pores: Formation and Mass Transport Characteristics. <i>Accounts of Chemical Research</i> , 2013, 46, 2856-2866.	15.6	186
47	Cavity-containing, backbone-rigidified foldamers and macrocycles. <i>Chemical Communications</i> , 2012, 48, 12142.	4.1	92
48	Molecular Duplexes with Encoded Sequences and Stabilities. <i>Accounts of Chemical Research</i> , 2012, 45, 2077-2087.	15.6	83
49	Self-assembling subnanometer pores with unusual mass-transport properties. <i>Nature Communications</i> , 2012, 3, 949.	12.8	174
50	Alternative Strategy for Adjusting the Association Specificity of Hydrogen-Bonded Duplexes. <i>Organic Letters</i> , 2011, 13, 54-57.	4.6	24
51	Strong Aggregation and Directional Assembly of Aromatic Oligoamide Macrocycles. <i>Journal of the American Chemical Society</i> , 2011, 133, 18590-18593.	13.7	94
52	Aggregation and assembly of crescent foldamers. <i>Science China Chemistry</i> , 2010, 53, 45-51.	8.2	3
53	Oligoamide Duplexes as Organogelators. <i>Organic Letters</i> , 2010, 12, 2958-2961.	4.6	28
54	Oneâ€Pot Formation of Large Macrocycles with Modifiable Peripheries and Internal Cavities. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3150-3154.	13.8	67

#	ARTICLE	IF	CITATIONS
55	Folding and aggregation of backbone-rigidified oligo( <i>m</i> -phenylene ethynyls) in polar and nonpolar media. <i>Supramolecular Chemistry</i> , 2009, 21, 196-201.	1.2	2
56	Efficient Kinetic Macrocyclization. <i>Journal of the American Chemical Society</i> , 2009, 131, 2629-2637.	13.7	120
57	Aromatic oligoamide macrocycles from the bimolecular coupling of folded oligomeric precursors. <i>New Journal of Chemistry</i> , 2009, 33, 729.	2.8	40
58	Crescent oligoamides as hosts: conformation-dependent binding specificity. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 3643.	2.8	30
59	Highly Conducting Transmembrane Pores Formed by Aromatic Oligoamide Macrocycles. <i>Journal of the American Chemical Society</i> , 2008, 130, 15784-15785.	13.7	145
60	Aggregation and Columnar Assembly of Crescent Oligoamides. <i>Organic Letters</i> , 2008, 10, 4339-4342.	4.6	19
61	Hollow Crescents, Helices, and Macrocycles from Enforced Folding and Folding-Assisted Macrocyclization. <i>Accounts of Chemical Research</i> , 2008, 41, 1376-1386.	15.6	265
62	Sequence-Specific, Dynamic Covalent Crosslinking in Aqueous Media. <i>Journal of the American Chemical Society</i> , 2008, 130, 491-500.	13.7	58
63	A branched, hydrogen-bonded heterodimer: a novel system for achieving high stability and specificity. <i>Tetrahedron</i> , 2007, 63, 5460-5469.	1.9	12
64	Engineering hydrogen-bonded duplexes. <i>Polymer International</i> , 2007, 56, 436-443.	3.1	58
65	Sequence-Specific Association in Aqueous Media by Integrating Hydrogen Bonding and Dynamic Covalent Interactions. <i>Journal of the American Chemical Society</i> , 2006, 128, 12628-12629.	13.7	58
66	Improving Foldamer Synthesis through Protecting Group Induced Unfolding of Aromatic Oligoamides. <i>Organic Letters</i> , 2006, 8, 5117-5120.	4.6	38
67	Aromatic Oligoamides: Enforced Folding and Assisted Cyclization. <i>Organic Letters</i> , 2006, 8, 803-806.	4.6	80
68	Enforced Folding of Unnatural Oligomers: Creating Hollow Helices with Nanosized Pores. <i>Advances in Polymer Science</i> , 2006, , 1-29.	0.8	6
69	Shape-persistent macrocyclic aromatic tetrasulfonamides: Molecules with nanosized cavities and their nanotubular assemblies in solid state. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10850-10855.	7.1	47
70	Template-Assisted Cross Olefin Metathesis. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 1352-1356.	13.8	50
71	Preparation of oligoamide-ended poly(ethylene glycol) and hydrogen-bonding-assisted formation of aggregates and nanoscale fibers. <i>Journal of Polymer Science Part A</i> , 2005, 43, 1119-1128.	2.3	17
72	Cyclic aromatic oligoamides as highly selective receptors for the guanidinium ion. <i>Chemical Communications</i> , 2005, , 4720.	4.1	73

#	ARTICLE	IF	CITATIONS
73	Synthesis of Crescent Aromatic Oligoamides. <i>Journal of Organic Chemistry</i> , 2005, 70, 10660-10669.	3.2	51
74	Well-defined secondary structures. Information-storing molecular duplexes and helical foldamers based on unnatural peptide backbones. <i>FEBS Journal</i> , 2004, 271, 1416-1425.	0.2	116
75	Supramolecular AB Diblock Copolymers. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 6471-6474.	13.8	131
76	Highly Efficient, One-Step Macrocyclizations Assisted by the Folding and Preorganization of Precursor Oligomers. <i>Journal of the American Chemical Society</i> , 2004, 126, 11120-11121.	13.7	148
77	Helical Aromatic Oligoamides: Reliable, Readily Predictable Folding from the Combination of Rigidified Structural Motifs. <i>Journal of the American Chemical Society</i> , 2004, 126, 16528-16537.	13.7	117
78	Duplex Foldamers from Assembly Induced Folding. <i>Journal of the American Chemical Society</i> , 2003, 125, 9932-9933.	13.7	56
79	An extremely stable, self-complementary hydrogen-bonded duplex Electronic supplementary information (ESI) available: 2D 1H NMR spectra; details of mass spectrometry and fluorescence experiments; fluorescence emission spectra; synthetic procedures. See <a href="http://www.rsc.org/suppdata/cc/b3/b301791e/">http://www.rsc.org/suppdata/cc/b3/b301791e/</a> . <i>Chemical Communications</i> , 2003, 1556.	4.1	48
80	Evolution of Helical Foldamers. <i>Current Organic Chemistry</i> , 2003, 7, 1649-1659.	1.6	111
81	Creating nanocavities of tunable sizes: Hollow helices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11583-11588.	7.1	149
82	A Noncovalent Approach to Antiparallel $\beta^2$ -Sheet Formation. <i>Journal of the American Chemical Society</i> , 2002, 124, 2903-2910.	13.7	102
83	Sequence Specificity of Hydrogen-Bonded Molecular Duplexes. <i>Journal of Organic Chemistry</i> , 2001, 66, 3574-3583.	3.2	63
84	Crescent Oligoamides: From Acyclic $\alpha$ -Macrocycles to Folding Nanotubes. <i>Chemistry - A European Journal</i> , 2001, 7, 4336-4342.	3.3	255
85	Stable Three-Center Hydrogen Bonding in a Partially Rigidified Structure. <i>Chemistry - A European Journal</i> , 2001, 7, 4352-4357.	3.3	98
86	Specifying Non-Covalent Interactions: Sequence-Specific Assembly of Hydrogen-Bonded Molecular Duplexes. <i>Synlett</i> , 2001, 2001, 0582-0589.	1.8	43
87	Energetics and cooperativity in three-center hydrogen bonding interactions. I. Diacetamide-X dimers (X=HCN, CH <sub>3</sub> OH). <i>Journal of Chemical Physics</i> , 2001, 115, 6030-6035.	3.0	46
88	Energetics and cooperativity in three-center hydrogen bonding interactions. II. Intramolecular hydrogen bonding systems. <i>Journal of Chemical Physics</i> , 2001, 115, 6036-6041.	3.0	57
89	A Highly Stable, Six-Hydrogen-Bonded Molecular Duplex. <i>Journal of the American Chemical Society</i> , 2000, 122, 2635-2644.	13.7	206
90	A New Class of Folding Oligomers: Crescent Oligoamides. <i>Journal of the American Chemical Society</i> , 2000, 122, 4219-4220.	13.7	168

#	ARTICLE	IF	CITATIONS
91	Two-Dimensional Molecular Layers: Interplay of H-Bonding and van der Waals Interactions in the Self-Assembly of N,N-Dialkylsulfamides. <i>Organic Letters</i> , 2000, 2, 3273-3275.	4.6	25
92	Structure of N,N <sup>2</sup> ,N <sup>3</sup> -tris(carboxymethyl)-1,3,5-benzenetricarboxamide trihydrate. <i>Journal of Chemical Crystallography</i> , 1999, 29, 649-652.	1.1	11
93	Structure of N,N <sup>2</sup> -bis[3-(aminocarbonyl)propyl]sulfamide. <i>Journal of Chemical Crystallography</i> , 1999, 29, 645-648.	1.1	0
94	Polar Assembly of N,N <sup>-</sup> Bis(4-substituted benzyl)sulfamides. <i>Journal of the American Chemical Society</i> , 1999, 121, 9766-9767.	13.7	47
95	A New Approach for the Design of Supramolecular Recognition Units: Hydrogen-Bonded Molecular Duplexes. <i>Journal of the American Chemical Society</i> , 1999, 121, 5607-5608.	13.7	194
96	A Convenient Preparation of a Bicyclo[3.3.3]undecane Derivative Containing Heteroatoms Through a Rearrangement Step. <i>Synthetic Communications</i> , 1998, 28, 1907-1911.	2.1	1
97	Sequence-Specific Hydrogen Bonded Units for Directed Association, Assembly, and Ligation. , 0, , 207-234.		0
98	Patterns of Energy Consumption, GDP and CO2 Emissions in China. , 0, , .		0