

Joon Koo Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/438628/publications.pdf>

Version: 2024-02-01

608
papers

20,228
citations

11908

72
h-index

32181

105
g-index

627
all docs

627
docs citations

627
times ranked

15058
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a predictive model for extragastric recurrence after curative resection for early gastric cancer. <i>Gastric Cancer</i> , 2022, 25, 255-264.	2.7	5
2	Noninvasive assessment of hepatic steatosis using a pathologic reference standard: comparison of CT, MRI, and US-based techniques. <i>Ultrasonography</i> , 2022, 41, 344-354.	1.0	15
3	Performance of LI-RADS Version 2018 on CT for Determining Eligibility for Liver Transplant According to Milan Criteria in Patients at High Risk for Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2022, 219, 86-96.	1.0	7
4	Diagnostic criteria of perfluorobutane-enhanced ultrasonography for diagnosing hepatocellular carcinoma in high-risk individuals: how is late washout determined?. <i>Ultrasonography</i> , 2022, 41, 530-542.	1.0	13
5	Additional value of superb microvascular imaging of ultrasound examinations to evaluate focal liver lesions. <i>European Journal of Radiology</i> , 2022, 152, 110332.	1.2	3
6	Quantitative Assessment of Fatty Liver using Ultrasound with Normalized Local Variance Technique. <i>Ultraschall in Der Medizin</i> , 2021, 42, 599-606.	0.8	9
7	Accuracy of Two-Dimensional Shear Wave Elastography and Attenuation Imaging for Evaluation of Patients With Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 797-805.e7.	2.4	86
8	Assessment of malignant potential in intraductal papillary mucinous neoplasms of the pancreas using MR findings and texture analysis. <i>European Radiology</i> , 2021, 31, 3394-3404.	2.3	15
9	Prediction of tumor recurrence and poor survival of ampullary adenocarcinoma using preoperative clinical and CT findings. <i>European Radiology</i> , 2021, 31, 2433-2443.	2.3	6
10	Hepatobiliary phase of gadoxetic acid-enhanced MRI in patients with HCC: prognostic features before resection, ablation, or TACE. <i>European Radiology</i> , 2021, 31, 3627-3637.	2.3	16
11	Important CT and histopathological findings for recurrence and overall survival in patients with pancreatic ductal adenocarcinoma who underwent surgery after neoadjuvant FOLFIRINOX. <i>European Radiology</i> , 2021, 31, 3616-3626.	2.3	4
12	Intra-individual comparison of dual portal venous phases for non-invasive diagnosis of hepatocellular carcinoma at gadoxetic acid-enhanced liver MRI. <i>European Radiology</i> , 2021, 31, 824-833.	2.3	5
13	Reducing Pain by Artificial Ascites Infusion During Radiofrequency Ablation for Subcapsular Hepatocellular Carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 565-573.	0.9	8
14	Role of Contrast-Enhanced Ultrasound as a Second-Line Diagnostic Modality in Noninvasive Diagnostic Algorithms for Hepatocellular Carcinoma. <i>Korean Journal of Radiology</i> , 2021, 22, 354.	1.5	21
15	2D shear wave elastography is better than transient elastography in predicting post-hepatectomy complication after resection. <i>European Radiology</i> , 2021, 31, 5802-5811.	2.3	6
16	Preoperative assessment of the resectability of pancreatic ductal adenocarcinoma on CT according to the NCCN Guidelines focusing on SMA/SMV branch invasion. <i>European Radiology</i> , 2021, 31, 6889-6897.	2.3	14
17	Added value of [68Ga]Ga-DOTA-TOC PET/CT for characterizing pancreatic neuroendocrine neoplasms: a comparison with contrast-enhanced CT and/or MRI in a large study cohort. <i>European Radiology</i> , 2021, 31, 7734-7745.	2.3	8
18	Prediction of residual tumor and overall survival after first-line surgery in patients with pancreatic ductal adenocarcinoma using preoperative magnetic resonance imaging findings. <i>Acta Radiologica</i> , 2021, , 028418512199999.	0.5	1

#	ARTICLE	IF	CITATIONS
19	Early response evaluation of doxorubicin-nanoparticle-microbubble therapy in orthotopic hepatocellular carcinoma rat model using contrast-enhanced ultrasound and intravoxel incoherent motion-diffusion MRI. <i>Ultrasonography</i> , 2021, , .	1.0	2
20	Virtual noncontrast images derived from dual-energy CT for assessment of hepatic steatosis in living liver donors. <i>European Journal of Radiology</i> , 2021, 139, 109687.	1.2	5
21	Predictors of conversion surgery in patients with pancreatic cancer who underwent neoadjuvant or palliative FOLFIRINOX treatment using baseline and follow-up CT. <i>Abdominal Radiology</i> , 2021, 46, 4765-4778.	1.0	2
22	Effect of Different Iterative Reconstruction Algorithms on Ultra-Low Dose CT of Inflammatory Bowel Disease in a Rabbit Model. <i>Korean Journal of Abdominal Radiology</i> , 2021, 5, 32-41.	0.0	0
23	Gadoxetate-enhanced MRI Features of Proliferative Hepatocellular Carcinoma Are Prognostic after Surgery. <i>Radiology</i> , 2021, 300, 572-582.	3.6	45
24	Superb microvascular imaging technology of ultrasound examinations for the evaluation of tumor vascularity in hepatic hemangiomas. <i>Ultrasonography</i> , 2021, 40, 538-545.	1.0	7
25	Tumor volume measured using MR volumetry as a predictor of prognosis after surgical resection of single hepatocellular carcinoma. <i>European Journal of Radiology</i> , 2021, 144, 109962.	1.2	5
26	Two-dimensional Shear Wave Elastography with Propagation Maps for the Assessment of Liver Fibrosis and Clinically Significant Portal Hypertension in Patients with Chronic Liver Disease: A Prospective Study. <i>Academic Radiology</i> , 2020, 27, 798-806.	1.3	12
27	Additional value of contrast-enhanced ultrasound (CEUS) on arterial phase non-hyperenhancement observations (â€”2Âcm) of CT/MRI for high-risk patients: focusing on the CT/MRI LI-RADS categories LR-3 and LR-4. <i>Abdominal Radiology</i> , 2020, 45, 55-63.	1.0	18
28	Portable ultrasound-guided high-intensity focused ultrasound with functions for safe and rapid ablation: prospective clinical trial for uterine fibroidsâ€”short-term and long-term results. <i>European Radiology</i> , 2020, 30, 1554-1563.	2.3	18
29	Multiparametric MRI and 18F-FDG PET features for differentiating gastrointestinal stromal tumors from benign gastric subepithelial lesions. <i>European Radiology</i> , 2020, 30, 1634-1643.	2.3	11
30	Contrast-enhanced US with Sulfur Hexafluoride and Perfluorobutane for the Diagnosis of Hepatocellular Carcinoma in Individuals with High Risk. <i>Radiology</i> , 2020, 297, 108-116.	3.6	32
31	Synergistic Effects of Pulsed Focused Ultrasound and a Doxorubicin-Loaded Microparticleâ€”Microbubble Complex in a Pancreatic Cancer Xenograft Mouse Model. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 3046-3058.	0.7	8
32	Predicting prognosis of hepatocellular carcinomas according to treatments by using hepatobiliary phase images of gadoxetic acid-enhanced magnetic resonance imaging. <i>Journal of Hepatology</i> , 2020, 73, S533-S534.	1.8	0
33	Deep learning-based decision support system for the diagnosis of neoplastic gallbladder polyps on ultrasonography: Preliminary results. <i>Scientific Reports</i> , 2020, 10, 7700.	1.6	31
34	Differential and prognostic MRI features of gallbladder neuroendocrine tumors and adenocarcinomas. <i>European Radiology</i> , 2020, 30, 2890-2901.	2.3	13
35	Evaluation of a serum tumour markerâ€”based recurrence prediction model after radiofrequency ablation for hepatocellular carcinoma. <i>Liver International</i> , 2020, 40, 1189-1200.	1.9	20
36	Application of computerized 3D-CT texture analysis of pancreas for the assessment of patients with diabetes. <i>PLoS ONE</i> , 2020, 15, e0227492.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Prediction of liver regeneration in recipients after living-donor liver transplantation in using preoperative CT texture analysis and clinical features. <i>Abdominal Radiology</i> , 2020, 45, 3763-3774.	1.0	6
38	Combined treatment of sorafenib and doxorubicin-loaded microbubble-albumin nanoparticle complex for hepatocellular carcinoma: A feasibility study. <i>PLoS ONE</i> , 2020, 15, e0243815.	1.1	11
39	Non-invasive monitoring of hepatic steatosis via acoustic structure quantification of ultrasonography with MR spectroscopy as the reference standard. <i>Ultrasonography</i> , 2020, 39, 70-78.	1.0	12
40	Prognostic Value of Tumor Regression Grade on MR in Rectal Cancer: A Large-Scale, Single-Center Experience. <i>Korean Journal of Radiology</i> , 2020, 21, 1065.	1.5	23
41	Two-Dimensional-Shear Wave Elastography with a Propagation Map: Prospective Evaluation of Liver Fibrosis Using Histopathology as the Reference Standard. <i>Korean Journal of Radiology</i> , 2020, 21, 1317.	1.5	12
42	Therapeutic response monitoring after targeted therapy in an orthotopic rat model of hepatocellular carcinoma using contrast-enhanced ultrasound: Focusing on inter-scanner, and inter-operator reproducibility. <i>PLoS ONE</i> , 2020, 15, e0244304.	1.1	0
43	CT prediction of resectability and prognosis in patients with pancreatic ductal adenocarcinoma after neoadjuvant treatment using image findings and texture analysis. <i>European Radiology</i> , 2019, 29, 362-372.	2.3	49
44	Combined application of virtual monoenergetic high keV images and the orthopedic metal artifact reduction algorithm (O-MAR): effect on image quality. <i>Abdominal Radiology</i> , 2019, 44, 756-765.	1.0	18
45	Added Value of sequentially performed gadoxetic acid-enhanced liver MRI for the diagnosis of small (10-19mm) or atypical hepatic observations at contrast-enhanced CT: A prospective comparison. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 574-587.	1.9	18
46	Preoperative CT findings for prediction of resectability in patients with gallbladder cancer. <i>European Radiology</i> , 2019, 29, 6458-6468.	2.3	17
47	Shear-Wave Dispersion Slope from US Shear-Wave Elastography: Detection of Allograft Damage after Liver Transplantation. <i>Radiology</i> , 2019, 293, 327-333.	3.6	60
48	Value of virtual monochromatic spectral image of dual-layer spectral detector CT with noise reduction algorithm for image quality improvement in obese simulated body phantom. <i>BMC Medical Imaging</i> , 2019, 19, 76.	1.4	14
49	Assessment of hepatic steatosis by using attenuation imaging: a quantitative, easy-to-perform ultrasound technique. <i>European Radiology</i> , 2019, 29, 6499-6507.	2.3	104
50	Utilization of virtual non-contrast images derived from dual-energy CT in evaluation of biliary stone disease: Virtual non-contrast image can replace true non-contrast image regarding biliary stone detection. <i>European Journal of Radiology</i> , 2019, 116, 34-40.	1.2	14
51	Addition of Reliability Measurement Index to Point Shear Wave Elastography: Prospective Validation via Diagnostic Performance and Reproducibility. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1594-1602.	0.7	5
52	Dynamic Contrast-Enhanced Ultrasound of Gastric Cancer: Correlation with Perfusion CT and Histopathology. <i>Korean Journal of Radiology</i> , 2019, 20, 781.	1.5	8
53	Prediction of Treatment Outcome of Chemotherapy Using Perfusion Computed Tomography in Patients with Unresectable Advanced Gastric Cancer. <i>Korean Journal of Radiology</i> , 2019, 20, 589.	1.5	4
54	Hepatocellular Carcinoma: Texture Analysis of Preoperative Computed Tomography Images Can Provide Markers of Tumor Grade and Disease-Free Survival. <i>Korean Journal of Radiology</i> , 2019, 20, 569.	1.5	43

#	ARTICLE	IF	CITATIONS
55	MDCT findings predicting post-operative residual tumor and survival in patients with pancreatic cancer. <i>European Radiology</i> , 2019, 29, 3714-3724.	2.3	17
56	Comparison of monoexponential, intravoxel incoherent motion diffusion-weighted imaging and diffusion kurtosis imaging for assessment of hepatic fibrosis. <i>Acta Radiologica</i> , 2019, 60, 1593-1601.	0.5	11
57	Prospective Evaluation of Hepatic Steatosis Using Ultrasound Attenuation Imaging in Patients with Chronic Liver Disease with Magnetic Resonance Imaging Proton Density Fat Fraction as the Reference Standard. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1407-1416.	0.7	72
58	Monitoring of impaired phagocytic function of Kupffer cells in an obstructive cholangitis rat model using superparamagnetic iron oxide MRI and contrast-enhanced ultrasound. <i>Acta Radiologica</i> , 2019, 60, 407-414.	0.5	0
59	Quantitative contrast-enhanced US helps differentiating neoplastic vs non-neoplastic gallbladder polyps. <i>European Radiology</i> , 2019, 29, 3772-3781.	2.3	24
60	Personalized 3D-Printed Transparent Liver Model Using the Hepatobiliary Phase MRI. <i>Investigative Radiology</i> , 2019, 54, 138-145.	3.5	6
61	CT reconstruction algorithms affect histogram and texture analysis: evidence for liver parenchyma, focal solid liver lesions, and renal cysts. <i>European Radiology</i> , 2019, 29, 4008-4015.	2.3	22
62	Non-hypervascular hepatobiliary phase hypointense nodules on gadoxetic acid-enhanced MR can help determine the treatment method for HCC. <i>European Radiology</i> , 2019, 29, 3122-3131.	2.3	17
63	Prediction of liver remnant regeneration after living donor liver transplantation using preoperative CT texture analysis. <i>Abdominal Radiology</i> , 2019, 44, 1785-1794.	1.0	7
64	Prognostic value of MRI in assessing extramural venous invasion in rectal cancer: multi-readers' diagnostic performance. <i>European Radiology</i> , 2019, 29, 4379-4388.	2.3	41
65	Quantitative Assessment of Liver Function by Using Gadoxetic Acid-enhanced MRI: Hepatocyte Uptake Ratio. <i>Radiology</i> , 2019, 290, 125-133.	3.6	59
66	Hepatocellular carcinoma: preoperative gadoxetic acid-enhanced MR imaging can predict early recurrence after curative resection using image features and texture analysis. <i>Abdominal Radiology</i> , 2019, 44, 539-548.	1.0	77
67	Retrospective validation of a new diagnostic criterion for hepatocellular carcinoma on gadoxetic acid-enhanced MRI: can hypointensity on the hepatobiliary phase be used as an alternative to washout with the aid of ancillary features?. <i>European Radiology</i> , 2019, 29, 1724-1732.	2.3	76
68	Usefulness of contrast-enhanced ultrasound using perfluorobutane-containing microbubbles as a planning for percutaneous biopsies of focal hepatic lesions: a prospective feasibility study. <i>Medical Ultrasonography</i> , 2019, 21, 109.	0.4	4
69	Microvascular Flow Imaging of Residual or Recurrent Hepatocellular Carcinoma after Transarterial Chemoembolization: Comparison with Color/Power Doppler Imaging. <i>Korean Journal of Radiology</i> , 2019, 20, 1114.	1.5	22
70	Quantitative Evaluation of Hepatic Steatosis Using Normalized Local Variance in a Rat Model: Comparison with Histopathology as the Reference Standard. <i>Korean Journal of Radiology</i> , 2019, 20, 1399.	1.5	8
71	Prognostic Role of Liver Stiffness Measurements Using Magnetic Resonance Elastography in Patients with Compensated Chronic Liver Disease. <i>European Radiology</i> , 2018, 28, 3513-3521.	2.3	24
72	Additional value of contrast-enhanced ultrasonography for fusion-guided, percutaneous biopsies of focal liver lesions: prospective feasibility study. <i>Abdominal Radiology</i> , 2018, 43, 3279-3287.	1.0	13

#	ARTICLE	IF	CITATIONS
73	Liver Stiffness Measured by Two-Dimensional Shear-Wave Elastography: Prognostic Value after Radiofrequency Ablation for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2018, 7, 65-75.	4.2	23
74	Clinical utility of real-time ultrasound-multimodality fusion guidance for percutaneous biopsy of focal liver lesions. <i>European Journal of Radiology</i> , 2018, 103, 76-83.	1.2	13
75	CT diagnosis of gallbladder adenomyomatosis: importance of enhancing mucosal epithelium, the "cotton ball sign". <i>European Radiology</i> , 2018, 28, 3573-3582.	2.3	16
76	Magnetic resonance with diffusion-weighted imaging improves assessment of focal liver lesions in patients with potentially resectable pancreatic cancer on CT. <i>European Radiology</i> , 2018, 28, 3484-3493.	2.3	42
77	Transabdominal Ultrasound Detection of Pancreatic Cysts Incidentally Detected at CT, MRI, or Endoscopic Ultrasound. <i>American Journal of Roentgenology</i> , 2018, 210, 518-525.	1.0	18
78	Virtual monoenergetic dual-layer, dual-energy CT enterography: optimization of keV settings and its added value for Crohn's disease. <i>European Radiology</i> , 2018, 28, 2525-2534.	2.3	39
79	Gastrointestinal tract complications after hepatic radiofrequency ablation: CT prediction for major complications. <i>Abdominal Radiology</i> , 2018, 43, 583-592.	1.0	8
80	Risk stratification of gallbladder polyps larger than 10 mm using high-resolution ultrasonography and texture analysis. <i>European Radiology</i> , 2018, 28, 196-205.	2.3	39
81	Non-invasive monitoring of the therapeutic response in sorafenib-treated hepatocellular carcinoma based on photoacoustic imaging. <i>European Radiology</i> , 2018, 28, 372-381.	2.3	13
82	Pancreatic neuroendocrine tumor: prediction of the tumor grade using CT findings and computerized texture analysis. <i>Acta Radiologica</i> , 2018, 59, 383-392.	0.5	94
83	CT Perfusion evaluation of gastric cancer: correlation with histologic type. <i>European Radiology</i> , 2018, 28, 487-495.	2.3	10
84	Huge and recurrent undifferentiated carcinoma with osteoclast-like giant cells of the pancreas. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018, 8, 457-460.	1.1	11
85	Alteration of MRP2 expression and the graft outcome after liver transplantation. <i>Annals of Surgical Treatment and Research</i> , 2018, 95, 249.	0.4	2
86	Iodine Quantification on Spectral Detector-Based Dual-Energy CT Enterography: Correlation with Crohn's Disease Activity Index and External Validation. <i>Korean Journal of Radiology</i> , 2018, 19, 1077.	1.5	33
87	Prediction of Local Tumor Progression after Radiofrequency Ablation (RFA) of Hepatocellular Carcinoma by Assessment of Ablative Margin Using Pre-RFA MRI and Post-RFA CT Registration. <i>Korean Journal of Radiology</i> , 2018, 19, 1053.	1.5	28
88	Can quantitative iodine parameters on DECT replace perfusion CT parameters in colorectal cancers?. <i>European Radiology</i> , 2018, 28, 4775-4782.	2.3	18
89	Local or extragastric recurrence after incomplete endoscopic submucosal dissection of early gastric cancer: risk factors and the role of CT. <i>Abdominal Radiology</i> , 2018, 43, 3250-3259.	1.0	2
90	Sub-millisievert CT colonography: effect of knowledge-based iterative reconstruction on the detection of colonic polyps. <i>European Radiology</i> , 2018, 28, 5258-5266.	2.3	10

#	ARTICLE	IF	CITATIONS
91	Role of CT in Differentiating Malignant Focal Splenic Lesions. Korean Journal of Radiology, 2018, 19, 930.	1.5	12
92	Magnetic resonance elastography of healthy livers at 3.0 T: Normal liver stiffness measured by SE-EPI and GRE. European Journal of Radiology, 2018, 107, 46-53.	1.2	12
93	Comparison of switching bipolar ablation with multiple cooled wet electrodes and switching monopolar ablation with separable clustered electrode in treatment of small hepatocellular carcinoma: A randomized controlled trial. PLoS ONE, 2018, 13, e0192173.	1.1	14
94	Additional values of high-resolution gadoxetic acid-enhanced MR cholangiography for evaluating the biliary anatomy of living liver donors: Comparison with T_2 -weighted MR cholangiography and conventional gadoxetic acid-enhanced MR cholangiography. Journal of Magnetic Resonance Imaging, 2018, 47, 152-159.	1.9	10
95	Intrahepatic Mass-Forming Cholangiocarcinoma: Relationship Between Computed Tomography Characteristics and Histological Subtypes. Journal of Computer Assisted Tomography, 2018, 42, 340-349.	0.5	14
96	A portable high-intensity focused ultrasound system for the pancreas with 3D electronic steering: a preclinical study in a swine model. Ultrasonography, 2018, 37, 298-306.	1.0	6
97	Nonhypervascular Pancreatic Neuroendocrine Tumors: Differential Diagnosis from Pancreatic Ductal Adenocarcinomas at MR Imaging—Retrospective Cross-sectional Study. Radiology, 2017, 284, 77-87.	3.6	77
98	Diagnostic performance and imaging features for predicting the malignant potential of intraductal papillary mucinous neoplasm of the pancreas: a comparison of EUS, contrast-enhanced CT and MRI. Abdominal Radiology, 2017, 42, 1449-1458.	1.0	41
99	Poorly-differentiated colorectal neuroendocrine tumour: CT differentiation from well-differentiated neuroendocrine tumour and poorly-differentiated adenocarcinomas. European Radiology, 2017, 27, 3867-3876.	2.3	5
100	Evaluation of Hepatic Steatosis by Using Acoustic Structure Quantification US in a Rat Model: Comparison with Pathologic Examination and MR Spectroscopy. Radiology, 2017, 285, 445-453.	3.6	24
101	Diagnostic Performance of Gadoxetic Acid-enhanced Liver MR Imaging versus Multidetector CT in the Detection of Dysplastic Nodules and Early Hepatocellular Carcinoma. Radiology, 2017, 285, 134-146.	3.6	78
102	Outcome and CT differentiation of gallbladder neuroendocrine tumours from adenocarcinomas. European Radiology, 2017, 27, 507-517.	2.3	18
103	Value of MR elastography for the preoperative estimation of liver regeneration capacity in patients with hepatocellular carcinoma. Journal of Magnetic Resonance Imaging, 2017, 45, 1627-1636.	1.9	18
104	Imaging Monitoring of Kupffer Cell Function and Hepatic Oxygen Saturation in Preneoplastic Changes During Cholangiocarcinogenesis. Scientific Reports, 2017, 7, 14203.	1.6	5
105	Isolated Main Pancreatic Duct Dilatation: CT Differentiation Between Benign and Malignant Causes. American Journal of Roentgenology, 2017, 209, 1046-1055.	1.0	33
106	Feasibility Study of Sonazoid-Enhanced Ultrasound (SEUS) in Therapeutic Response Evaluation after Targeted Therapy in Rabbit Hepatic Vx2 Carcinoma. Ultrasound in Medicine and Biology, 2017, 43, S45-S46.	0.7	0
107	Diagnostic accuracy of transabdominal high-resolution US for staging gallbladder cancer and differential diagnosis of neoplastic polyps compared with EUS. European Radiology, 2017, 27, 3097-3103.	2.3	32
108	In-vivo monitoring of development of cholangiocarcinoma induced with C. sinensis and N-nitrosodimethylamine in Syrian golden hamsters using ultrasonography and magnetic resonance imaging: a preliminary study. European Radiology, 2017, 27, 1740-1747.	2.3	2

#	ARTICLE	IF	CITATIONS
109	Hepatic stiffness measurement by using MR elastography: prognostic values after hepatic resection for hepatocellular carcinoma. <i>European Radiology</i> , 2017, 27, 1713-1721.	2.3	41
110	Liver imaging reporting and data system v2014 categorization of hepatocellular carcinoma on gadoxetic acid-enhanced MRI: Comparison with multiphasic multidetector computed tomography. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 731-740.	1.9	55
111	Real-time US-CT/MR fusion imaging for percutaneous radiofrequency ablation of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017, 66, 347-354.	1.8	103
112	Quantitative Liver Function Analysis: Volumetric T1 Mapping with Fast Multisection B ₁ Inhomogeneity Correction in Hepatocyte-specific Contrast-enhanced Liver MR Imaging. <i>Radiology</i> , 2017, 282, 408-417.	3.6	65
113	Fate of small pancreatic cysts ($\leq 3\text{ cm}$) after long-term follow-up: analysis of significant radiologic characteristics and proposal of follow-up strategies. <i>European Radiology</i> , 2017, 27, 2591-2599.	2.3	12
114	Thermal Injury-induced Hepatic Parenchymal Hypoperfusion: Risk of Hepatocellular Carcinoma Recurrence after Radiofrequency Ablation. <i>Radiology</i> , 2017, 282, 880-891.	3.6	16
115	Photoacoustic Imaging for Differential Diagnosis of Benign Polyps versus Malignant Polyps of the Gallbladder: A Preliminary Study. <i>Korean Journal of Radiology</i> , 2017, 18, 821.	1.5	10
116	Prospective Validation of Intra- and Interobserver Reproducibility of a New Point Shear Wave Elastographic Technique for Assessing Liver Stiffness in Patients with Chronic Liver Disease. <i>Korean Journal of Radiology</i> , 2017, 18, 926.	1.5	21
117	T2* Mapping from Multi-Echo Dixon Sequence on Gadoxetic Acid-Enhanced Magnetic Resonance Imaging for the Hepatic Fat Quantification: Can It Be Used for Hepatic Function Assessment?. <i>Korean Journal of Radiology</i> , 2017, 18, 682.	1.5	7
118	Human Epidermal Growth Factor Receptor 2 Expression in Unresectable Gastric Cancers: Relationship with CT Characteristics. <i>Korean Journal of Radiology</i> , 2017, 18, 809.	1.5	11
119	CT volumetric measurement of colorectal cancer helps predict tumor staging and prognosis. <i>PLoS ONE</i> , 2017, 12, e0178522.	1.1	8
120	Diagnostic accuracy of gadoxetic acid-enhanced MR for small hypervascular hepatocellular carcinoma and the concordance rate of Liver Imaging Reporting and Data System (LI-RADS). <i>PLoS ONE</i> , 2017, 12, e0178495.	1.1	7
121	No-Touch Radiofrequency Ablation: A Comparison of Switching Bipolar and Switching Monopolar Ablation in Ex Vivo Bovine Liver. <i>Korean Journal of Radiology</i> , 2017, 18, 279.	1.5	25
122	Percutaneous Dual-Switching Monopolar Radiofrequency Ablation Using a Separable Clustered Electrode: A Preliminary Study. <i>Korean Journal of Radiology</i> , 2017, 18, 799.	1.5	12
123	No-touch radiofrequency ablation using multiple electrodes: An in vivo comparison study of switching monopolar versus switching bipolar modes in porcine livers. <i>PLoS ONE</i> , 2017, 12, e0176350.	1.1	20
124	Therapeutic response assessment using 3D ultrasound for hepatic metastasis from colorectal cancer: Application of a personalized, 3D-printed tumor model using CT images. <i>PLoS ONE</i> , 2017, 12, e0182596.	1.1	12
125	Efficacy of Retrievable Metallic Stent with Fixation String for Benign Stricture after Upper Gastrointestinal Surgery. <i>Korean Journal of Radiology</i> , 2016, 17, 893.	1.5	1
126	Prospective Comparison of Liver Stiffness Measurements between Two Point Shear Wave Elastography Methods: Virtual Touch Quantification and Elastography Point Quantification. <i>Korean Journal of Radiology</i> , 2016, 17, 750.	1.5	20

#	ARTICLE	IF	CITATIONS
127	Triple Arterial Phase MR Imaging with Gadoteric Acid Using a Combination of Contrast Enhanced Time Robust Angiography, Keyhole, and Viewsharing Techniques and Two-Dimensional Parallel Imaging in Comparison with Conventional Single Arterial Phase. Korean Journal of Radiology, 2016, 17, 522.	1.5	29
128	Therapeutic Effects of Microbubbles Added to Combined High-Intensity Focused Ultrasound and Chemotherapy in a Pancreatic Cancer Xenograft Model. Korean Journal of Radiology, 2016, 17, 779.	1.5	23
129	CT Features of Colorectal Schwannomas: Differentiation from Gastrointestinal Stromal Tumors. PLoS ONE, 2016, 11, e0166377.	1.1	4
130	Comparison of Multidetector CT and Gadobutrol-Enhanced MR Imaging for Evaluation of Small, Solid Pancreatic Lesions. Korean Journal of Radiology, 2016, 17, 509.	1.5	13
131	Diagnostic accuracy of liver imaging reporting and data system (LI-RADS) v2014 for intrahepatic mass-forming cholangiocarcinomas in patients with chronic liver disease on gadoteric acid-enhanced MRI. Journal of Magnetic Resonance Imaging, 2016, 44, 1330-1338.	1.9	67
132	Multiphasic Dynamic Computed Tomography Evaluation of Liver Tissue Perfusion Characteristics Using the Dual Maximum Slope Model in Patients With Cirrhosis and Hepatocellular Carcinoma. Investigative Radiology, 2016, 51, 430-434.	3.5	14
133	Colorectal Cancer Liver Metastases: Diagnostic Performance and Prognostic Value of PET/MR Imaging. Radiology, 2016, 280, 782-792.	3.6	58
134	Prediction of the therapeutic response after FOLFOX and FOLFIRI treatment for patients with liver metastasis from colorectal cancer using computerized CT texture analysis. European Journal of Radiology, 2016, 85, 1867-1874.	1.2	99
135	Superb microvascular imaging technology for ultrasound examinations: Initial experiences for hepatic tumors. European Journal of Radiology, 2016, 85, 2090-2095.	1.2	79
136	Early Gastric Cancers: Is CT Surveillance Necessary after Curative Endoscopic Submucosal Resection for Cancers That Meet the Expanded Criteria?. Radiology, 2016, 281, 444-453.	3.6	12
137	Multiparametric fully-integrated 18-FDG PET/MRI of advanced gastric cancer for prediction of chemotherapy response: a preliminary study. European Radiology, 2016, 26, 2771-2778.	2.3	31
138	Diffusion-Related MRI Parameters for Assessing Early Treatment Response of Liver Metastases to Cytotoxic Therapy in Colorectal Cancer. American Journal of Roentgenology, 2016, 207, W26-W32.	1.0	36
139	One-mSv CT colonography: Effect of different iterative reconstruction algorithms on radiologists' performance. European Journal of Radiology, 2016, 85, 641-648.	1.2	7
140	Portal Vein Thrombosis in Patients with Hepatocellular Carcinoma: Diagnostic Accuracy of Gadoteric Acid-enhanced MR Imaging. Radiology, 2016, 279, 773-783.	3.6	35
141	Differentiation of intrahepatic mass-forming cholangiocarcinoma from hepatocellular carcinoma on gadoteric acid-enhanced liver MR imaging. European Radiology, 2016, 26, 1808-1817.	2.3	73
142	Radiofrequency Ablation with an Internally Cooled Monopolar Directional Electrode: Ex Vivo and in Vivo Experimental Studies in the Liver. Radiology, 2016, 278, 395-404.	3.6	9
143	Comparison between 18F-FDG PET/MRI and MDCT for the assessment of preoperative staging and resectability of gastric cancer. European Journal of Radiology, 2016, 85, 1085-1091.	1.2	31
144	Liver Fibrosis Staging with MR Elastography: Comparison of Diagnostic Performance between Patients with Chronic Hepatitis B and Those with Other Etiologic Causes. Radiology, 2016, 280, 88-97.	3.6	54

#	ARTICLE	IF	CITATIONS
145	Long-Term Efficacy of Percutaneous Internal Plastic Stent Placement for Non-anastomotic Biliary Stenosis After Liver Transplantation. CardioVascular and Interventional Radiology, 2016, 39, 909-915.	0.9	4
146	Usefulness of hydrogel-CT for detecting and staging of rectosigmoid colon cancer. European Journal of Radiology, 2016, 85, 1020-1026.	1.2	3
147	Pancreatic Steatosis and Fibrosis: Quantitative Assessment with Preoperative Multiparametric MR Imaging. Radiology, 2016, 279, 140-150.	3.6	88
148	Assessment of Malignant Potential in Intraductal Papillary Mucinous Neoplasms of the Pancreas: Comparison between Multidetector CT and MR Imaging with MR Cholangiopancreatography. Radiology, 2016, 279, 128-139.	3.6	54
149	Monitoring Vascular Disrupting Therapy in a Rabbit Liver Tumor Model: Relationship between Tumor Perfusion Parameters at IVIM Diffusion-weighted MR Imaging and Those at Dynamic Contrast-enhanced MR Imaging. Radiology, 2016, 278, 104-113.	3.6	37
150	Pancreatic neuroendocrine tumour (PNET): Staging accuracy of MDCT and its diagnostic performance for the differentiation of PNET with uncommon CT findings from pancreatic adenocarcinoma. European Radiology, 2016, 26, 1338-1347.	2.3	71
151	Quantitative assessment of hepatic function: modified look-locker inversion recovery (MOLLI) sequence for T1 mapping on Gd-EOB-DTPA-enhanced liver MR imaging. European Radiology, 2016, 26, 1775-1782.	2.3	69
152	Hepatic Steatosis: Assessment with Acoustic Structure Quantification of US Imaging. Radiology, 2016, 278, 257-264.	3.6	60
153	Switching Monopolar Radiofrequency Ablation Using a Separable Cluster Electrode in Patients with Hepatocellular Carcinoma: A Prospective Study. PLoS ONE, 2016, 11, e0161980.	1.1	14
154	Presumptive case of sparganosis manifesting as a hepatic mass: A case report and literature review. World Journal of Radiology, 2016, 8, 846.	0.5	3
155	Feasibility of Using Volumetric Contrast-Enhanced Ultrasound with a 3-D Transducer to Evaluate Therapeutic Response after Targeted Therapy in Rabbit Hepatic VX2 Carcinoma. Ultrasound in Medicine and Biology, 2015, 41, 3131-3139.	0.7	4
156	Prospective comparison of 3T MRI with diffusion-weighted imaging and MDCT for the preoperative TNM staging of gastric cancer. Journal of Magnetic Resonance Imaging, 2015, 41, 814-821.	1.9	64
157	Dynamic Contrast-Enhanced MRI Using a Macromolecular MR Contrast Agent (P792): Evaluation of Antivascular Drug Effect in a Rabbit VX2 Liver Tumor Model. Korean Journal of Radiology, 2015, 16, 1029.	1.5	6
158	Reduced Field-of-View Diffusion-Weighted Magnetic Resonance Imaging of the Pancreas: Comparison with Conventional Single-Shot Echo-Planar Imaging. Korean Journal of Radiology, 2015, 16, 1216.	1.5	50
159	CT differentiation of poorly-differentiated gastric neuroendocrine tumours from well-differentiated neuroendocrine tumours and gastric adenocarcinomas. European Radiology, 2015, 25, 1946-1957.	2.3	20
160	Gadoxetic acid-enhanced MRI and diffusion-weighted imaging for the detection of colorectal liver metastases after neoadjuvant chemotherapy. European Radiology, 2015, 25, 2428-2436.	2.3	21
161	Fat-suppressed, three-dimensional T1-weighted imaging using high-acceleration parallel acquisition and a dual-echo Dixon technique for gadoxetic acid-enhanced liver MRI at 3T. Acta Radiologica, 2015, 56, 1454-1462.	0.5	7
162	Usefulness of a Metal Artifact Reduction Algorithm for Orthopedic Implants in Abdominal CT: Phantom and Clinical Study Results. American Journal of Roentgenology, 2015, 204, 307-317.	1.0	47

#	ARTICLE	IF	CITATIONS
163	High-Resolution Sonography for Distinguishing Neoplastic Gallbladder Polyps and Staging Gallbladder Cancer. <i>American Journal of Roentgenology</i> , 2015, 204, W150-W159.	1.0	58
164	Diagnostic Performance of Gadoteric Acid-enhanced Liver MR Imaging in the Detection of HCCs and Allocation of Transplant Recipients on the Basis of the Milan Criteria and UNOS Guidelines: Correlation with Histopathologic Findings. <i>Radiology</i> , 2015, 274, 149-160.	3.6	41
165	Hepatocellular Carcinoma: Diagnostic Performance of Multidetector CT and MR Imaging—a Systematic Review and Meta-Analysis. <i>Radiology</i> , 2015, 275, 97-109.	3.6	393
166	Influence of the adaptive iterative dose reduction 3D algorithm on the detectability of low-contrast lesions and radiation dose repeatability in abdominal computed tomography: a phantom study. <i>Abdominal Imaging</i> , 2015, 40, 1843-1852.	2.0	8
167	Prediction of microvascular invasion of hepatocellular carcinoma using gadoteric acid-enhanced MR and 18F-FDG PET/CT. <i>Abdominal Imaging</i> , 2015, 40, 843-851.	2.0	98
168	Intraductal Papillary Mucinous Neoplasms of the Pancreas: Evaluation of Malignant Potential and Surgical Resectability by Using MR Imaging with MR Cholangiography. <i>Radiology</i> , 2015, 274, 723-733.	3.6	39
169	Hybrid iterative reconstruction technique for liver CT scans for image noise reduction and image quality improvement: evaluation of the optimal iterative reconstruction strengths. <i>Radiologia Medica</i> , 2015, 120, 259-267.	4.7	17
170	Navigated three-dimensional T1-weighted gradient-echo sequence for gadoteric acid liver magnetic resonance imaging in patients with limited breath-holding capacity. <i>Abdominal Imaging</i> , 2015, 40, 278-288.	2.0	14
171	Effect of different reconstruction algorithms on computer-aided diagnosis (CAD) performance in ultra-low dose CT colonography. <i>European Journal of Radiology</i> , 2015, 84, 547-554.	1.2	8
172	Non-hypervascular hepatobiliary phase hypointense nodules on gadoteric acid-enhanced MRI: Risk of HCC recurrence after radiofrequency ablation. <i>Journal of Hepatology</i> , 2015, 62, 1122-1130.	1.8	70
173	CT findings suggesting anastomotic leak and predicting the recovery period following gastric surgery. <i>European Radiology</i> , 2015, 25, 1958-1966.	2.3	18
174	Combined Use of MR Fat Quantification and MR Elastography in Living Liver Donors: Can It Reduce the Need for Preoperative Liver Biopsy?. <i>Radiology</i> , 2015, 276, 453-464.	3.6	44
175	Differential diagnosis of pancreatic cancer from other solid tumours arising from the periaampullary area on MDCT. <i>European Radiology</i> , 2015, 25, 2880-2888.	2.3	17
176	Xanthogranulomatous cholecystitis: diagnostic performance of US, CT, and MRI for differentiation from gallbladder carcinoma. <i>Abdominal Imaging</i> , 2015, 40, 2281-2292.	2.0	27
177	Estimation of Hepatic Extracellular Volume Fraction Using Multiphasic Liver Computed Tomography for Hepatic Fibrosis Grading. <i>Investigative Radiology</i> , 2015, 50, 290-296.	3.5	70
178	Noninvasive diagnosis of hepatocellular carcinoma on gadoteric acid-enhanced MRI: can hypointensity on the hepatobiliary phase be used as an alternative to washout?. <i>European Radiology</i> , 2015, 25, 2859-2868.	2.3	117
179	Evaluation of Perihilar Biliary Strictures: Does DWI Provide Additional Value to Conventional MRI?. <i>American Journal of Roentgenology</i> , 2015, 205, 789-796.	1.0	15
180	MDCT findings of pancreatic metastases according to primary tumors. <i>Abdominal Imaging</i> , 2015, 40, 1595-1607.	2.0	4

#	ARTICLE	IF	CITATIONS
181	Feasibility of three-dimensional virtual surgical planning in living liver donors. <i>Abdominal Imaging</i> , 2015, 40, 510-520.	2.0	12
182	Dynamic contrast-enhanced MRI of gastric cancer: Correlation of the perfusion parameters with pathological prognostic factors. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1608-1614.	1.9	21
183	Preoperative staging of gallbladder carcinoma using biliary MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 314-321.	1.9	24
184	Differentiation of poorly differentiated colorectal adenocarcinomas from well- or moderately differentiated colorectal adenocarcinomas at contrast-enhanced multidetector CT. <i>Abdominal Imaging</i> , 2015, 40, 1-10.	2.0	20
185	Differentiation of lipid poor angiomyolipoma from hepatocellular carcinoma on gadoxetic acid-enhanced liver MR imaging. <i>Abdominal Imaging</i> , 2015, 40, 531-541.	2.0	27
186	Efficacy of Gastric Balloon Dilatation and/or Retrievable Stent Insertion for Pyloric Spasms after Pylorus-Preserving Gastrectomy: Retrospective Analysis. <i>PLoS ONE</i> , 2015, 10, e0144470.	1.1	18
187	UltraFast Doppler ultrasonography for hepatic vessels of liver recipients: preliminary experiences. <i>Ultrasonography</i> , 2015, 34, 58-65.	1.0	11
188	Differentiating between Adenomyomatosis and Gallbladder Cancer: Revisiting a Comparative Study of High-Resolution Ultrasound, Multidetector CT, and MR Imaging. <i>Korean Journal of Radiology</i> , 2014, 15, 226.	1.5	62
189	Noninvasive Assessment of Hepatic Fibrosis in Patients with Chronic Hepatitis B Viral Infection Using Magnetic Resonance Elastography. <i>Korean Journal of Radiology</i> , 2014, 15, 210.	1.5	31
190	CT Findings of Gallbladder Metastases: Emphasis on Differences According to Primary Tumors. <i>Korean Journal of Radiology</i> , 2014, 15, 334.	1.5	23
191	Adaptive Iterative Dose Reduction Algorithm in CT: Effect on Image Quality Compared with Filtered Back Projection in Body Phantoms of Different Sizes. <i>Korean Journal of Radiology</i> , 2014, 15, 195.	1.5	35
192	Monopolar Radiofrequency Ablation Using a Dual-Switching System and a Separable Clustered Electrode: Evaluation of the In Vivo Efficiency. <i>Korean Journal of Radiology</i> , 2014, 15, 235.	1.5	24
193	Shear Wave Elastography for Liver Stiffness Measurement in Clinical Sonographic Examinations. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 437-447.	0.8	85
194	Non-Hypervascular Hypointense Nodules ≥ 1 cm on the Hepatobiliary Phase of Gadoxetic Acid-Enhanced Magnetic Resonance Imaging in Cirrhotic Livers. <i>Digestive Diseases</i> , 2014, 32, 678-689.	0.8	26
195	Intravoxel Incoherent Motion Diffusion-weighted MR Imaging of Hepatocellular Carcinoma: Correlation with Enhancement Degree and Histologic Grade. <i>Radiology</i> , 2014, 270, 758-767.	3.6	175
196	Ultra-low Peak Voltage CT Colonography: Effect of Iterative Reconstruction Algorithms on Performance of Radiologists Who Use Anthropomorphic Colonic Phantoms. <i>Radiology</i> , 2014, 273, 759-771.	3.6	16
197	Intravoxel Incoherent Motion Diffusion-weighted MR Imaging for Monitoring the Therapeutic Efficacy of the Vascular Disrupting Agent CKD-516 in Rabbit VX2 Liver Tumors. <i>Radiology</i> , 2014, 272, 417-426.	3.6	80
198	Nonalcoholic Fatty Liver Disease: Intravoxel Incoherent Motion Diffusion-weighted MR Imaging—An Experimental Study in a Rabbit Model. <i>Radiology</i> , 2014, 270, 131-140.	3.6	57

#	ARTICLE	IF	CITATIONS
199	Gel Phantom Study with High-Intensity Focused Ultrasound: Influence of Metallic Stent Containing Either Air or Fluid. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2851-2856.	0.7	1
200	Hepatic Fibrosis: Prospective Comparison of MR Elastography and US Shear-Wave Elastography for Evaluation. <i>Radiology</i> , 2014, 273, 772-782.	3.6	147
201	Intravoxel Incoherent Motion Diffusion-Weighted Imaging of Pancreatic Neuroendocrine Tumors. <i>Investigative Radiology</i> , 2014, 49, 396-402.	3.5	48
202	MR elastography for noninvasive assessment of hepatic fibrosis: Reproducibility of the examination and reproducibility and repeatability of the liver stiffness value measurement. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 326-331.	1.9	93
203	Radiofrequency Ablation for Intrahepatic Recurrent Hepatocellular Carcinoma: Long-Term Results and Prognostic Factors in 168 Patients with Cirrhosis. <i>CardioVascular and Interventional Radiology</i> , 2014, 37, 705-715.	0.9	28
204	High-resolution T1-weighted gradient echo imaging for liver MRI using parallel imaging at high-acceleration factors. <i>Abdominal Imaging</i> , 2014, 39, 711-721.	2.0	14
205	Evaluation of hepatic focal lesions using diffusion-weighted MR imaging: Comparison of apparent diffusion coefficient and intravoxel incoherent motion-derived parameters. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 276-285.	1.9	93
206	Usefulness of MR elastography for predicting esophageal varices in cirrhotic patients. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 559-566.	1.9	32
207	Differential diagnosis of benign and malignant distal biliary strictures: Value of adding diffusion-weighted imaging to conventional magnetic resonance cholangiopancreatography. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1509-1517.	1.9	13
208	Small ($\leq 1\text{-cm}$) Hepatocellular Carcinoma: Diagnostic Performance and Imaging Features at Gadoteric Acid-enhanced MR Imaging. <i>Radiology</i> , 2014, 271, 748-760.	3.6	104
209	MRI Features of Gastrointestinal Stromal Tumors. <i>American Journal of Roentgenology</i> , 2014, 203, 980-991.	1.0	63
210	Postablation Assessment Using Follow-Up Registration of CT Images Before and After Radiofrequency Ablation (RFA): Prospective Evaluation of Midterm Therapeutic Results of RFA for Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2014, 203, 70-77.	1.0	32
211	Hepatic Steatosis in Living Liver Donor Candidates: Preoperative Assessment by Using Breath-hold Triple-Echo MR Imaging and $> 1\text{-H}$ MR Spectroscopy. <i>Radiology</i> , 2014, 271, 730-738.	3.6	50
212	Dynamic contrast-enhanced MRI to evaluate the therapeutic response to neoadjuvant chemoradiation therapy in locally advanced rectal cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 730-737.	1.9	64
213	Dynamic contrast-enhanced ultrasonographic (DCE-US) assessment of the early response after combined gemcitabine and HIFU with low-power treatment for the mouse xenograft model of human pancreatic cancer. <i>European Radiology</i> , 2014, 24, 2059-2068.	2.3	14
214	Preoperative differentiation between T1a and \neq T1b gallbladder cancer: combined interpretation of high-resolution ultrasound and multidetector-row computed tomography. <i>European Radiology</i> , 2014, 24, 1828-1834.	2.3	12
215	Prediction of Esophageal Varices in Patients with Cirrhosis: Usefulness of Three-dimensional MR Elastography with Echo-planar Imaging Technique. <i>Radiology</i> , 2014, 272, 143-153.	3.6	97
216	Differentiation of large ($\geq 5\text{cm}$) gastrointestinal stromal tumors from benign subepithelial tumors in the stomach: Radiologists' performance using CT. <i>European Journal of Radiology</i> , 2014, 83, 250-260.	1.2	56

#	ARTICLE	IF	CITATIONS
217	High-intensity Focused Ultrasound Ablation of Soft-tissue Tumors and Assessment of Treatment Response with Multiparametric Magnetic Resonance Imaging: Preliminary Study Using Rabbit VX2 Tumor Model. <i>Journal of Medical Ultrasound</i> , 2014, 22, 99-105.	0.2	4
218	Radiofrequency Ablation of Hepatocellular Carcinoma as First-Line Treatment: Long-term Results and Prognostic Factors in 162 Patients with Cirrhosis. <i>Radiology</i> , 2014, 270, 900-909.	3.6	256
219	Intravoxel Incoherent Motion Diffusion-weighted MR Imaging for Characterization of Focal Pancreatic Lesions. <i>Radiology</i> , 2014, 270, 444-453.	3.6	146
220	Comparison of Iterative Model-Based Reconstruction Versus Conventional Filtered Back Projection and Hybrid Iterative Reconstruction Techniques. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 859-868.	0.5	24
221	Evaluation of Hepatic Fibrosis Using Intravoxel Incoherent Motion in Diffusion-Weighted Liver MRI. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 110-116.	0.5	82
222	Liver Computed Tomography With Low Tube Voltage and Model-Based Iterative Reconstruction Algorithm for Hepatic Vessel Evaluation in Living Liver Donor Candidates. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 367-375.	0.5	16
223	High Spatial Resolution, Respiratory-Gated, T1-Weighted Magnetic Resonance Imaging of the Liver and the Biliary Tract During the Hepatobiliary Phase of Gadoteric Acid-Enhanced Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 360-366.	0.5	21
224	Quantification of the Fat Fraction in the Liver Using Dual-Energy Computed Tomography and Multicomponent Decomposition. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 845-852.	0.5	42
225	Magnetic Resonance Imaging Spectrum of Solid Pseudopapillary Neoplasm of the Pancreas. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 249-257.	0.5	7
226	Early quantification of the therapeutic efficacy of the vascular disrupting agent, CKD-516, using dynamic contrast-enhanced ultrasonography in rabbit VX2 liver tumors. <i>Ultrasonography</i> , 2014, 33, 18-25.	1.0	10
227	Another step toward the global ultrasound community. <i>Ultrasonography</i> , 2014, 33, 2-2.	1.0	2
228	Staging accuracy of MR for pancreatic neuroendocrine tumor and imaging findings according to the tumor grade. <i>Abdominal Imaging</i> , 2013, 38, 1106-1114.	2.0	45
229	Lymphoepithelial cyst of the pancreas: comparison of CT findings with other pancreatic cystic lesions. <i>Abdominal Imaging</i> , 2013, 38, 324-330.	2.0	27
230	Free-breathing dynamic contrast-enhanced MRI of the abdomen and chest using a radial gradient echo sequence with K-space weighted image contrast (KWIC). <i>European Radiology</i> , 2013, 23, 1352-1360.	2.3	52
231	Differentiation of adenomyomatosis of the gallbladder from early-stage, wall-thickening-type gallbladder cancer using high-resolution ultrasound. <i>European Radiology</i> , 2013, 23, 730-738.	2.3	72
232	Value of Near-Isovoxel Ultrasound for Evaluation of Ductal Communications with Pancreatic Cystic Lesions: Correlation with Magnetic Resonance Cholangiopancreatography. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 2279-2284.	0.7	5
233	Intraductal Papillary Mucinous Neoplasms With Associated Invasive Carcinoma of the Pancreas: Imaging Findings and Diagnostic Performance of MDCT for Prediction of Prognostic Factors. <i>American Journal of Roentgenology</i> , 2013, 201, 565-572.	1.0	18
234	Solid Pancreatic Lesions: Characterization by Using Timing Bolus Dynamic Contrast-enhanced MR Imaging Assessment—A Preliminary Study. <i>Radiology</i> , 2013, 266, 185-196.	3.6	74

#	ARTICLE	IF	CITATIONS
235	Pulsed High-Intensity Focused Ultrasound Enhances Apoptosis of Pancreatic Cancer Xenograft with Gemcitabine. <i>Ultrasound in Medicine and Biology</i> , 2013, 39, 1991-2000.	0.7	17
236	Stent patency using competing risk model in unresectable pancreatic cancers inserted with biliary self-expandable metallic stent. <i>Digestive Endoscopy</i> , 2013, 25, 67-75.	1.3	14
237	Shear wave elastography in the evaluation of rejection or recurrent hepatitis after liver transplantation. <i>European Radiology</i> , 2013, 23, 1729-1737.	2.3	28
238	Vascular disrupting effect of CKD-516: preclinical study using DCE-MRI. <i>Investigational New Drugs</i> , 2013, 31, 1097-1106.	1.2	29
239	Small- and Medium-sized Hepatocellular Carcinomas: Monopolar Radiofrequency Ablation with a Multiple-Electrode Switching System—Mid-term Results. <i>Radiology</i> , 2013, 268, 589-600.	3.6	51
240	Hepatocellular Carcinoma: Imaging Patterns on Gadoxetic Acid-enhanced MR Images and Their Value as an Imaging Biomarker. <i>Radiology</i> , 2013, 267, 776-786.	3.6	154
241	Role of C-Arm CT for Transcatheter Arterial Chemoembolization of Hepatocellular Carcinoma: Diagnostic Performance and Predictive Value for Therapeutic Response Compared With Gadoxetic Acid-enhanced MRI. <i>American Journal of Roentgenology</i> , 2013, 201, 675-683.	1.0	29
242	Diagnostic Performance of MDCT for Predicting Important Prognostic Factors in Pancreatic Cancer. <i>Pancreas</i> , 2013, 42, 1316-1322.	0.5	13
243	Comparison of Magnetic Resonance Elastography and Gadoxetate Disodium-enhanced Magnetic Resonance Imaging for the Evaluation of Hepatic Fibrosis. <i>Investigative Radiology</i> , 2013, 48, 607-613.	3.5	45
244	Low Tube Voltage Intermediate Tube Current Liver MDCT: Sinogram-Affirmed Iterative Reconstruction Algorithm for Detection of Hypervascular Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2013, 201, 23-32.	1.0	55
245	Assessment of a Model-Based, Iterative Reconstruction Algorithm (MBIR) Regarding Image Quality and Dose Reduction in Liver Computed Tomography. <i>Investigative Radiology</i> , 2013, 48, 598-606.	3.5	119
246	Added value of diffusion-weighted imaging to MR cholangiopancreatography with unenhanced mr imaging for predicting malignancy or invasiveness of intraductal papillary mucinous neoplasm of the pancreas. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 555-563.	1.9	57
247	Clinical application of controlled aliasing in parallel imaging results in a higher acceleration (CAIPIRINHA)—volumetric interpolated breathhold (VIBE) sequence for gadoxetic acid-enhanced liver MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1020-1026.	1.9	54
248	Role of diffusion-weighted magnetic resonance imaging in the diagnosis of gallbladder cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 127-137.	1.9	39
249	MR elastography of healthy liver parenchyma: Normal value and reliability of the liver stiffness value measurement. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 1215-1223.	1.9	80
250	Gadoxetic acid-enhanced MRI with MR cholangiography for the preoperative evaluation of bile duct cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 138-147.	1.9	20
251	Iterative Reconstruction Algorithms of Computed Tomography for the Assessment of Small Pancreatic Lesions. <i>Journal of Computer Assisted Tomography</i> , 2013, 37, 911-923.	0.5	11
252	Staging of Hepatic Fibrosis: Comparison of Magnetic Resonance Elastography and Shear Wave Elastography in the Same Individuals. <i>Korean Journal of Radiology</i> , 2013, 14, 202.	1.5	67

#	ARTICLE	IF	CITATIONS
253	Acoustic Radiation Force Impulse Elastography for Focal Hepatic Tumors: Usefulness for Differentiating Hemangiomas from Malignant Tumors. Korean Journal of Radiology, 2013, 14, 743.	1.5	38
254	Dual Switching Monopolar Radiofrequency Ablation Using a Separable Clustered Electrode: Comparison with Consecutive and Switching Monopolar Modes in Ex Vivo Bovine Livers. Korean Journal of Radiology, 2013, 14, 403.	1.5	19
255	Evaluation of the In Vivo Efficiency and Safety of Hepatic Radiofrequency Ablation Using a 15-G Octopus® in Pig Liver. Korean Journal of Radiology, 2013, 14, 194.	1.5	10
256	The Effect of Gd-EOB-DPTA on the Stiffness Value of Magnetic Resonance Elastography in Evaluating Hepatic Fibrosis. Journal of the Korean Society of Magnetic Resonance in Medicine, 2013, 17, 215.	0.1	1
257	Detection of Recurrent Hepatocellular Carcinoma in Cirrhotic Liver after Transcatheter Arterial Chemoembolization: Value of Quantitative Color Mapping of the Arterial Enhancement Fraction of the Liver. Korean Journal of Radiology, 2013, 14, 51.	1.5	16
258	MR Imaging in Patients with Suspected Liver Metastases: Value of Liver-Specific Contrast Agent Gadoxetic Acid. Korean Journal of Radiology, 2013, 14, 894.	1.5	53
259	Feasibility of Commercially Available, Fully Automated Hepatic CT Volumetry for Assessing Both Total and Territorial Liver Volumes in Liver Transplantation. Journal of the Korean Society of Radiology, 2013, 68, 125.	0.1	3
260	Initial Assessment of Dual-Energy CT in Patients With Gallstones or Bile Duct Stones: Can Virtual Nonenhanced Images Replace True Nonenhanced Images?. American Journal of Roentgenology, 2012, 198, 817-824.	1.0	34
261	Intrahepatic Mass-forming Cholangiocarcinoma: Enhancement Patterns on Gadoxetic Acid-enhanced MR Images. Radiology, 2012, 264, 751-760.	3.6	162
262	Feasibility and Accuracy of Dual-Source Dual-Energy CT for Noninvasive Determination of Hepatic Iron Accumulation. Radiology, 2012, 262, 126-135.	3.6	68
263	Terahertz dynamic imaging of skin drug absorption. Optics Express, 2012, 20, 9476.	1.7	45
264	Attenuation-based Automatic Tube Voltage Selection and Tube Current Modulation for Dose Reduction at Contrast-enhanced Liver CT. Radiology, 2012, 265, 437-447.	3.6	92
265	Adaptive Statistical Iterative Reconstruction and Veo. Journal of Computer Assisted Tomography, 2012, 36, 596-601.	0.5	43
266	Color Doppler Twinkling Artifacts from Gallbladder Adenomyomatosis with 1.8 MHz and 4.0 MHz Color Doppler Frequencies. Ultrasound in Medicine and Biology, 2012, 38, 1188-1194.	0.7	17
267	Clinical usefulness of free-breathing navigator-triggered 3D MRCP in non-cooperative patients: Comparison with conventional breath-hold 2D MRCP. European Journal of Radiology, 2012, 81, e513-e518.	1.2	22
268	Preoperative assessment of longitudinal extent of bile duct cancers using MDCT with multiplanar reconstruction and minimum intensity projections: Comparison with MR cholangiography. European Journal of Radiology, 2012, 81, 2020-2026.	1.2	17
269	Clinical value of CT/MR-US fusion imaging for radiofrequency ablation of hepatic nodules. European Journal of Radiology, 2012, 81, 2281-2289.	1.2	41
270	Biliary drainage for obstructive jaundice caused by unresectable hepatocellular carcinoma: the endoscopic versus percutaneous approach. Hepatobiliary and Pancreatic Diseases International, 2012, 11, 636-642.	0.6	28

#	ARTICLE	IF	CITATIONS
271	80-kVp CT Using Iterative Reconstruction in Image Space Algorithm for the Detection of Hypervascular Hepatocellular Carcinoma: Phantom and Initial Clinical Experience. Korean Journal of Radiology, 2012, 13, 152.	1.5	44
272	Percutaneous Radiofrequency Ablation with Multiple Electrodes for Medium-Sized Hepatocellular Carcinomas. Korean Journal of Radiology, 2012, 13, 34.	1.5	57
273	Evaluation of lymph node metastases: Comparison of gadofluorine M ⁺ enhanced MRI and diffusion-weighted MRI in a rabbit VX2 rectal cancer model. Journal of Magnetic Resonance Imaging, 2012, 35, 1179-1186.	1.9	5
274	Magnetic resonance imaging findings of the mass-forming type of autoimmune pancreatitis: Comparison with pancreatic adenocarcinoma. Journal of Magnetic Resonance Imaging, 2012, 36, 188-197.	1.9	95
275	Quantification of hepatic macrosteatosis in living, related liver donors using T1-independent, T2*-corrected chemical shift MRI. Journal of Magnetic Resonance Imaging, 2012, 36, 1124-1130.	1.9	25
276	Gastric cancer detection using MDCT compared with 2D axial CT: diagnostic accuracy of three different reconstruction techniques. Abdominal Imaging, 2012, 37, 541-548.	2.0	12
277	Comparison of Semiautomated and Manual Measurements for Simulated Hypo- and Hyper-attenuating Hepatic Tumors on MDCT. Academic Radiology, 2011, 18, 626-633.	1.3	3
278	Added value of 80kVp images to averaged 120kVp images in the detection of hepatocellular carcinomas in liver transplantation candidates using dual-source dual-energy MDCT: Results of JAFROC analysis. European Journal of Radiology, 2011, 80, e76-e85.	1.2	18
279	Comparison of accuracy and time-efficiency of CT colonography between conventional and panoramic 3D interpretation methods: An anthropomorphic phantom study. European Journal of Radiology, 2011, 80, e68-e75.	1.2	5
280	Liver metastases on quantitative color mapping of the arterial enhancement fraction from multiphase CT scans: Evaluation of the hemodynamic features and correlation with the chemotherapy response. European Journal of Radiology, 2011, 80, e278-e283.	1.2	17
281	Radiofrequency Ablation for Treating Liver Metastases from a Non-Colorectal Origin. Korean Journal of Radiology, 2011, 12, 579.	1.5	14
282	Concurrent Chemotherapy and Pulsed High-Intensity Focused Ultrasound Therapy for the Treatment of Unresectable Pancreatic Cancer: Initial Experiences. Korean Journal of Radiology, 2011, 12, 176.	1.5	47
283	Dual-Energy Computed Tomography to Assess Tumor Response to Hepatic Radiofrequency Ablation. Investigative Radiology, 2011, 46, 77-84.	3.5	82
284	Injuries of Adjacent Organs by the Expanded Polytetrafluoroethylene Grafts in the Venoplasty of Middle Hepatic Veins in Living-Donor Liver Transplantation. Journal of Computer Assisted Tomography, 2011, 35, 544-548.	0.5	15
285	Apparent diffusion coefficient for evaluating tumour response to neoadjuvant chemoradiation therapy for locally advanced rectal cancer. European Radiology, 2011, 21, 987-995.	2.3	162
286	Gadoxetic acid disodium-enhanced magnetic resonance imaging for biliary and vascular evaluations in preoperative living liver donors: Comparison with gadobenate dimeglumine-enhanced MRI. Journal of Magnetic Resonance Imaging, 2011, 33, 149-159.	1.9	46
287	MR elastography for noninvasive assessment of hepatic fibrosis: Experience from a tertiary center in asia. Journal of Magnetic Resonance Imaging, 2011, 34, 1110-1116.	1.9	86
288	CT Color Mapping of the Arterial Enhancement Fraction of VX2 Carcinoma Implanted in Rabbit Liver: Comparison With Perfusion CT. American Journal of Roentgenology, 2011, 196, 102-108.	1.0	26

#	ARTICLE	IF	CITATIONS
289	Gastroduodenal Glomus Tumors: Differentiation From Other Subepithelial Lesions Based on Dynamic Contrast-Enhanced CT Findings. American Journal of Roentgenology, 2011, 197, 1351-1359.	1.0	44
290	Safety Margin Assessment After Radiofrequency Ablation of the Liver Using Registration of Preprocedure and Postprocedure CT Images. American Journal of Roentgenology, 2011, 196, W565-W572.	1.0	85
291	Intrahepatic Mass-forming Cholangiocarcinomas: Enhancement Patterns at Multiphasic CT, with Special Emphasis on Arterial Enhancement Pattern—Correlation with Clinicopathologic Findings. Radiology, 2011, 260, 148-157.	3.6	200
292	Quantitative Color Mapping of the Arterial Enhancement Fraction in Patients With Diffuse Liver Disease. American Journal of Roentgenology, 2011, 197, 876-883.	1.0	42
293	Small ($\leq 20\text{ mm}$) Pancreatic Adenocarcinomas: Analysis of Enhancement Patterns and Secondary Signs with Multiphasic Multidetector CT. Radiology, 2011, 259, 442-452.	3.6	212
294	Therapeutic Effect of Transcatheter Arterial Embolization for Hypervascular Hepatocellular Carcinoma: Web-based Multicenter Analysis. Journal of the Korean Society of Radiology, 2011, 64, 557.	0.1	0
295	Image Fusion in Dual Energy Computed Tomography for Detection of Hypervascular Liver Hepatocellular Carcinoma. Investigative Radiology, 2010, 45, 149-157.	3.5	73
296	Gadoxetic Acid-Enhanced Magnetic Resonance Imaging for Differentiating Small Hepatocellular Carcinomas ($\leq 2\text{ cm}$ in Diameter) From Arterial Enhancing Pseudolesions. Investigative Radiology, 2010, 45, 96-103.	3.5	199
297	Brunner's Gland Hamartoma. Journal of Computer Assisted Tomography, 2010, 34, 543-547.	0.5	24
298	Added Value of Multiplanar Reformations to Axial Multi-Detector Row Computed Tomographic Images for the Differentiation of Macrocystic Pancreas Neoplasms. Journal of Computer Assisted Tomography, 2010, 34, 899-906.	0.5	4
299	Gadobutrol-enhanced, Three-Dimensional, Dynamic MR Imaging With MR Cholangiography for the Preoperative Evaluation of Bile Duct Cancer. Investigative Radiology, 2010, 45, 217-224.	3.5	39
300	Electronic cleansing for CT colonography: does it help CAD software performance in a high-risk population for colorectal cancer?. European Radiology, 2010, 20, 1905-1916.	2.3	7
301	Comparison of polyp distance on CT colonography between supine and prone scans using an automated path-distance measurement tool: correlation with colonoscopy. Abdominal Imaging, 2010, 35, 41-48.	2.0	0
302	Dedifferentiated liposarcoma of retroperitoneum: spectrum of imaging findings in 15 patients. Clinical Imaging, 2010, 34, 203-210.	0.8	29
303	Acoustic Radiation Force Impulse Elastography for the Evaluation of Focal Solid Hepatic Lesions: Preliminary Findings. Ultrasound in Medicine and Biology, 2010, 36, 202-208.	0.7	122
304	Acoustic Radiation Force Impulse Elastography for Chronic Liver Disease: Comparison with Ultrasound-Based Scores of Experienced Radiologists, Child-Pugh Scores and Liver Function Tests. Ultrasound in Medicine and Biology, 2010, 36, 1637-1643.	0.7	54
305	Color Doppler Twinkling Artifacts from Gallstones: In Vitro Analysis Regarding their Compositions and Architectures. Ultrasound in Medicine and Biology, 2010, 36, 2117-2122.	0.7	12
306	MDCT and Gd-EOB-DTPA Enhanced MRI Findings of Adrenal Adenoma Arising from an Ectopic Adrenal Gland within the Liver: Radiologic-Pathologic Correlation. Korean Journal of Radiology, 2010, 11, 126.	1.5	9

#	ARTICLE	IF	CITATIONS
307	Differentiation of Intraductal Growing-type Cholangiocarcinomas from Nodular-type Cholangiocarcinomas at Biliary MR Imaging with MR Cholangiography. <i>Radiology</i> , 2010, 257, 364-372.	3.6	41
308	Differentiation Between Biliary Cystic Neoplasms and Simple Cysts of the Liver: Accuracy of CT. <i>American Journal of Roentgenology</i> , 2010, 195, 1142-1148.	1.0	59
309	MR Imaging Features of Small Solid Pseudopapillary Tumors: Retrospective Differentiation From Other Small Solid Pancreatic Tumors. <i>American Journal of Roentgenology</i> , 2010, 195, 1324-1332.	1.0	76
310	Three-Dimensional MDCT for Preoperative Local Staging of Gastric Cancer Using Gas and Water Distention Methods: A Retrospective Cohort Study. <i>American Journal of Roentgenology</i> , 2010, 195, 1316-1323.	1.0	25
311	Small (≤ 3 cm) Solid Pseudopapillary Tumors of the Pancreas at Multiphasic Multidetector CT. <i>Radiology</i> , 2010, 257, 97-106.	3.6	106
312	Diagnostic Performance of 64-Channel Multidetector CT in the Evaluation of Gastric Cancer: Differentiation of Mucosal Cancer (T1a) from Submucosal Involvement (T1b and T2). <i>Radiology</i> , 2010, 255, 805-814.	3.6	67
313	CT imaging spectrum of pancreatic serous tumors: Based on new pathologic classification. <i>European Journal of Radiology</i> , 2010, 75, e45-e55.	1.2	40
314	Computer-aided polyp detection on CT colonography: Comparison of three systems in a high-risk human population. <i>European Journal of Radiology</i> , 2010, 75, e147-e157.	1.2	8
315	An Imported Case of Echinococcosis of the Liver in a Korean Who Traveled to Western and Central Europe. <i>Korean Journal of Parasitology</i> , 2010, 48, 161.	0.5	12
316	Hepatic Angiomyolipoma: Dual-Contrast MRI Findings Using Superparamagnetic Iron Oxide (SPIO) and Gadolinium Agents. <i>Journal of the Korean Society of Radiology</i> , 2010, 63, 537.	0.1	1
317	Fluorine-18-FDG PET findings of focal eosinophilic liver disease: correlation with CT and/or MRI, laboratory, and pathologic findings. <i>Abdominal Imaging</i> , 2010, 35, 437.	2.0	0
318	Primary Biliary Lymphoma Mimicking Cholangiocarcinoma: A Characteristic Feature of Discrepant CT and Direct Cholangiography Findings. <i>Journal of Korean Medical Science</i> , 2009, 24, 956.	1.1	21
319	Inflammatory Myofibroblastic Tumor: a Possible Complication of Percutaneous Radiofrequency Ablation for Hepatocellular Carcinoma. <i>Korean Journal of Radiology</i> , 2009, 10, 635.	1.5	4
320	Locally Advanced Rectal Cancer: Added Value of Diffusion-weighted MR Imaging in the Evaluation of Tumor Response to Neoadjuvant Chemo- and Radiation Therapy. <i>Radiology</i> , 2009, 253, 116-125.	3.6	325
321	Fully automatic 3-D segmentation of knee bone compartments by iterative local branch-and-mincut on MR images from osteoarthritis initiative (OAI). , 2009, , .		1
322	MRI Features of Pancreatic Colloid Carcinoma. <i>American Journal of Roentgenology</i> , 2009, 193, W308-W313.	1.0	31
323	Ectopic Pancreas: CT Findings with Emphasis on Differentiation from Small Gastrointestinal Stromal Tumor and Leiomyoma. <i>Radiology</i> , 2009, 252, 92-100.	3.6	131
324	Quantitative CT Color Mapping of the Arterial Enhancement Fraction of the Liver to Detect Hepatocellular Carcinoma. <i>Radiology</i> , 2009, 250, 425-4s34.	3.6	70

#	ARTICLE	IF	CITATIONS
325	Radiologist Performance in Differentiating Polypoid Early From Advanced Gastric Cancer Using Specific CT Criteria: Emphasis on Dimpling Sign. American Journal of Roentgenology, 2009, 193, 1546-1555.	1.0	3
326	Differential CT Features of Intraductal Biliary Metastasis and Double Primary Intraductal Polypoid Cholangiocarcinoma in Patients With a History of Extrabiliary Malignancy. American Journal of Roentgenology, 2009, 193, 1061-1069.	1.0	32
327	Multiphasic MDCT Enhancement Pattern of Hepatocellular Carcinoma Smaller Than 3 cm in Diameter: Tumor Size and Cellular Differentiation. American Journal of Roentgenology, 2009, 193, W482-W489.	1.0	113
328	Detection and characterization of focal hepatic lesions by T2-weighted imaging: comparison of navigator-triggered turbo spin-echo, breath-hold turbo spin-echo, and HASTE sequences. Clinical Imaging, 2009, 33, 281-288.	0.8	3
329	Systematic review of randomized trials for hepatocellular carcinoma treated with percutaneous ablation therapies. Hepatology, 2009, 49, 453-459.	3.6	403
330	Adenosquamous carcinoma of the extrahepatic bile duct: clinicopathologic and radiologic features. Abdominal Imaging, 2009, 34, 217-224.	2.0	10
331	Computer-aided image analysis of focal hepatic lesions in ultrasonography: preliminary results. Abdominal Imaging, 2009, 34, 183-191.	2.0	22
332	Usefulness of CT volumetry for primary gastric lesions in predicting pathologic response to neoadjuvant chemotherapy in advanced gastric cancer. Abdominal Imaging, 2009, 34, 430-440.	2.0	53
333	1055: Image Guided Transvaginal Drainage of Pelvic Abscesses and Fluid Collection. Ultrasound in Medicine and Biology, 2009, 35, S112-S113.	0.7	0
334	Magnetic resonance pancreatography: comparison of two- and three-dimensional sequences for assessment of intraductal papillary mucinous neoplasm of the pancreas. European Radiology, 2009, 19, 2163-2170.	2.3	14
335	Helical CT Evaluation of the Preoperative Staging of Gastric Cancer in the Remnant Stomach. American Journal of Roentgenology, 2009, 192, 902-908.	1.0	21
336	Multidetector Row Computed Tomographic Gastrography Findings After Endoscopic Submucosal Dissection for Early Gastric Cancer. Journal of Computer Assisted Tomography, 2009, 33, 273-279.	0.5	5
337	Comparison Study of Different Bowel Preparation Regimens and Different Fecal-Tagging Agents on Tagging Efficacy, Patients' Compliance, and Diagnostic Performance of Computed Tomographic Colonography. Journal of Computer Assisted Tomography, 2009, 33, 657-665.	0.5	9
338	Differentiating Focal Eosinophilic Necrosis of the Liver From Hepatic Metastases Using Unenhanced and Portal Venous Phase Computed Tomographic Imagings. Journal of Computer Assisted Tomography, 2009, 33, 705-709.	0.5	8
339	Value of Dual Contrast Liver MRI at 3.0 T in Differentiating Well-Differentiated Hepatocellular Carcinomas From Dysplastic Nodules. Investigative Radiology, 2009, 44, 641-649.	3.5	13
340	Additional Value of SPIO-Enhanced MR Imaging for the Noninvasive Imaging Diagnosis of Hepatocellular Carcinoma in Cirrhotic Liver. Investigative Radiology, 2009, 44, 800-807.	3.5	20
341	Diagnostic Performance of Multidetector Row Computed Tomography, Superparamagnetic Iron Oxide-Enhanced Magnetic Resonance Imaging, and Dual-Contrast Magnetic Resonance Imaging in Predicting the Appropriateness of a Transplant Recipient Based on Milan Criteria. Investigative Radiology, 2009, 44, 311-321.	3.5	37
342	Evaluation of the Gross Type and Longitudinal Extent of Extrahepatic Cholangiocarcinomas on Contrast-Enhanced Multidetector Row Computed Tomography. Journal of Computer Assisted Tomography, 2009, 33, 376-382.	0.5	38

#	ARTICLE	IF	CITATIONS
343	Gastrointestinal stromal tumor of the stomach: preliminary results of preoperative evaluation with CT gastrography. <i>Abdominal Imaging</i> , 2008, 33, 255-261.	2.0	23
344	Magnetic resonance cholangiography: comparison of two- and three-dimensional sequences for assessment of malignant biliary obstruction. <i>European Radiology</i> , 2008, 18, 78-86.	2.3	24
345	Optimal interventional treatment and long-term outcomes for biliary stricture after liver transplantation. <i>Clinical Transplantation</i> , 2008, 22, 484-493.	0.8	41
346	Enhancement characteristics of cholangiocarcinomas on multiphase helical CT: emphasis on morphologic subtypes. <i>Clinical Imaging</i> , 2008, 32, 114-120.	0.8	30
347	Detection and characterization of focal hepatic lesions: comparative study of MDCT and gadobenate dimeglumine-enhanced MR imaging. <i>Clinical Imaging</i> , 2008, 32, 287-295.	0.8	12
348	Analysis of Enhancement Pattern of Flat Gallbladder Wall Thickening on MDCT to Differentiate Gallbladder Cancer from Cholecystitis. <i>American Journal of Roentgenology</i> , 2008, 191, 765-771.	1.0	98
349	Linear Polyp Measurement at CT Colonography: 3D Endoluminal Measurement with Optimized Surface-rendering Threshold Value and Automated Measurement. <i>Radiology</i> , 2008, 246, 157-167.	3.6	22
350	Hilar Cholangiocarcinoma: Role of Preoperative Imaging with Sonography, MDCT, MRI, and Direct Cholangiography. <i>American Journal of Roentgenology</i> , 2008, 191, 1448-1457.	1.0	103
351	Changes of Portosystemic Collaterals and Splenic Volume on CT After Liver Transplantation and Factors Influencing Those Changes. <i>American Journal of Roentgenology</i> , 2008, 191, W8-W16.	1.0	42
352	Sonography Transmission Gel as Endorectal Contrast Agent for Tumor Visualization in Rectal Cancer. <i>American Journal of Roentgenology</i> , 2008, 191, 186-189.	1.0	33
353	Accuracy of Preoperative T-Staging of Gallbladder Carcinoma Using MDCT. <i>American Journal of Roentgenology</i> , 2008, 190, 74-80.	1.0	106
354	Effects of Spatial Resolution and Tube Current on Computer-aided Detection of Polyps on CT Colonographic Images: Phantom Study. <i>Radiology</i> , 2008, 248, 492-503.	3.6	22
355	Preoperative Evaluation of Bile Duct Cancer: MRI Combined with MR Cholangiopancreatography Versus MDCT with Direct Cholangiography. <i>American Journal of Roentgenology</i> , 2008, 190, 396-405.	1.0	148
356	High-Definition Flow Doppler Ultrasonographic Technique to Assess Hepatic Vasculature Compared With Color or Power Doppler Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 1491-1501.	0.8	28
357	Biliary Malignancy. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 362-368.	0.5	19
358	Diagnostic Accuracy of 3.0-Tesla Rectal Magnetic Resonance Imaging in Preoperative Local Staging of Primary Rectal Cancer. <i>Investigative Radiology</i> , 2008, 43, 587-593.	3.5	38
359	Hepatocellular Carcinoma in Cirrhotic Liver: Double-Contrast-Enhanced, High-Resolution 3.0T-MR Imaging With Pathologic Correlation. <i>Investigative Radiology</i> , 2008, 43, 538-546.	3.5	35
360	The Value of Gadobenate Dimeglumine-Enhanced Delayed Phase MR Imaging for Characterization of Hepatocellular Nodules in the Cirrhotic Liver. <i>Investigative Radiology</i> , 2008, 43, 202-210.	3.5	67

#	ARTICLE	IF	CITATIONS
361	Intrapancreatic Accessory Spleen: Findings on MR Imaging, CT, US and Scintigraphy, and the Pathologic Analysis. Korean Journal of Radiology, 2008, 9, 162.	1.5	107
362	Interventional Management after Gastrectomy: The Spectrum of Imaging Findings and Procedures. Journal of the Korean Radiological Society, 2008, 58, 381.	0.0	1
363	Peripheral Mass-Forming Cholangiocarcinoma in Cirrhotic Liver. American Journal of Roentgenology, 2007, 189, 1428-1434.	1.0	114
364	Computer-Aided Detection of Colonic Polyps at CT Colonography Using a Hessian Matrix-Based Algorithm: Preliminary Study. American Journal of Roentgenology, 2007, 189, 41-51.	1.0	30
365	Two- versus Three-dimensional Colon Evaluation with Recently Developed Virtual Dissection Software for CT Colonography. Radiology, 2007, 244, 852-864.	3.6	51
366	Contrast-Enhanced Sonography of Intrapancreatic Accessory Spleen in Six Patients. American Journal of Roentgenology, 2007, 188, 422-428.	1.0	42
367	Esophageal Varices in Patients with Cirrhosis: Multidetector CT Esophagography-Comparison with Endoscopy. Radiology, 2007, 242, 759-768.	3.6	98
368	Polyp Measurement Reliability, Accuracy, and Discrepancy: Optical Colonoscopy versus CT Colonography with Pig Colonic Specimens. Radiology, 2007, 244, 157-164.	3.6	44
369	Three-dimensional MDCT Gastrography Compared With Axial CT for the Detection of Early Gastric Cancer. Journal of Computer Assisted Tomography, 2007, 31, 741-749.	0.5	17
370	Hepatic Venous Congestion After Right-lobe Living-donor Liver Transplantation. Journal of Computer Assisted Tomography, 2007, 31, 181-187.	0.5	14
371	Multiple-Electrode Radiofrequency Ablation of In Vivo Porcine Liver. Investigative Radiology, 2007, 42, 676-683.	3.5	46
372	Differentiating Malignant From Benign Wall Thickening in Postoperative Stomach Using Helical Computed Tomography. Journal of Computer Assisted Tomography, 2007, 31, 455-462.	0.5	5
373	Switching Monopolar Radiofrequency Ablation Technique Using Multiple, Internally Cooled Electrodes and a Multichannel Generator. Investigative Radiology, 2007, 42, 163-171.	3.5	55
374	Recurrence Patterns of Combined Hepatocellular-Cholangiocarcinoma on Enhanced Computed Tomography. Journal of Computer Assisted Tomography, 2007, 31, 109-115.	0.5	25
375	Evaluation of the Longitudinal Tumor Extent of Bile Duct Cancer. Journal of Computer Assisted Tomography, 2007, 31, 469-474.	0.5	17
376	Focal Peliosis Hepatis as a Mimicker of Hepatic Tumors. Journal of Computer Assisted Tomography, 2007, 31, 79-85.	0.5	54
377	In Vivo Efficiency of Multipolar Radiofrequency Ablation with Two Bipolar Electrodes: A Comparative Experimental Study in Pig Kidney. Journal of Vascular and Interventional Radiology, 2007, 18, 1553-1560.	0.2	12
378	Routine intraoperative Doppler sonography in the evaluation of complications after living-related donor liver transplantation. Journal of Clinical Ultrasound, 2007, 35, 483-490.	0.4	22

#	ARTICLE	IF	CITATIONS
379	Classification and prognosis of intrahepatic biliary stricture after liver transplantation. <i>Liver Transplantation</i> , 2007, 13, 1736-1742.	1.3	91
380	Preoperative evaluation of hepatic arterial and portal venous anatomy using the time resolved echo-shared MR angiographic technique in living liver donors. <i>European Radiology</i> , 2007, 17, 1074-1080.	2.3	24
381	Assessment of hilar and extrahepatic bile duct cancer using multidetector CT: value of adding multiplanar reformations to standard axial images. <i>European Radiology</i> , 2007, 17, 3130-3138.	2.3	25
382	Gastric hepatoid adenocarcinoma: CT findings. <i>Abdominal Imaging</i> , 2007, 32, 293-298.	2.0	21
383	Radiofrequency Ablation of the Porcine Liver In Vivo: Increased Coagulation with an Internally Cooled Perfusion Electrode. <i>Academic Radiology</i> , 2006, 13, 343-352.	1.3	30
384	Comparison of fundamental sonography, tissue-harmonic sonography, fundamental compound sonography, and tissue-harmonic compound sonography for focal hepatic lesions. <i>European Radiology</i> , 2006, 16, 2444-2453.	2.3	21
385	Radiofrequency Renal Ablation: In Vivo Comparison of Internally Cooled, Multitined Expandable and Internally Cooled Perfusion Electrodes. <i>Journal of Vascular and Interventional Radiology</i> , 2006, 17, 549-556.	0.2	8
386	Preoperative Assessment of Resectability of Hepatic Hilar Cholangiocarcinoma: Combined CT and Cholangiography with Revised Criteria. <i>Radiology</i> , 2006, 239, 113-121.	3.6	200
387	Response to Ni Letter to the Editor. <i>Academic Radiology</i> , 2006, 13, 1049.	1.3	0
388	State-of-the-art ultrasonography of hepatocellular carcinoma. <i>European Journal of Radiology</i> , 2006, 58, 177-185.	1.2	7
389	Intraoperative Radiofrequency Ablation Using a Loop Internally Cooled-Perfusion Electrode: In Vitro and In Vivo Experiments. <i>Journal of Surgical Research</i> , 2006, 131, 215-224.	0.8	4
390	Hepatic Radiofrequency Ablation Using Multiple Probes: Ex Vivo and In Vivo Comparative Studies of Monopolar versus Multipolar Modes. <i>Korean Journal of Radiology</i> , 2006, 7, 106.	1.5	26
391	Superparamagnetic Iron Oxide-Enhanced Liver Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2006, 41, 168-174.	3.5	43
392	Computed Tomography Features of an Intraductal Polypoid Mass. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 18-24.	0.5	6
393	CT Features of an Intraductal Polypoid Mass. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 173-181.	0.5	35
394	High-grade Neuroendocrine Carcinomas of the Gallbladder and Bile Duct. <i>Journal of Computer Assisted Tomography</i> , 2006, 30, 604-609.	0.5	54
395	MDCT and superparamagnetic iron oxide (SPIO)-enhanced MR findings of intrapancreatic accessory spleen in seven patients. <i>European Radiology</i> , 2006, 16, 1887-1897.	2.3	62
396	The diagnostic value of multiplanar reconstruction on MDCT colonography for the preoperative staging of colorectal cancer. <i>European Radiology</i> , 2006, 16, 2284-2291.	2.3	28

#	ARTICLE	IF	CITATIONS
397	Three-dimensional MDCT imaging and CT esophagography for evaluation of esophageal tumors: preliminary study. <i>European Radiology</i> , 2006, 16, 2418-2426.	2.3	24
398	Preoperative evaluation of the hepatic vascular anatomy in living liver donors: Comparison of CT angiography and MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1081-1087.	1.9	45
399	Macrocytic Neoplasms of the Pancreas: CT Differentiation of Serous Oligocystic Adenoma from Mucinous Cystadenoma and Intraductal Papillary Mucinous Tumor. <i>American Journal of Roentgenology</i> , 2006, 187, 1192-1198.	1.0	146
400	Hepatic Macrosteatosis: Predicting Appropriateness of Liver Donation by Using MR Imaging—Correlation with Histopathologic Findings. <i>Radiology</i> , 2006, 240, 116-129.	3.6	71
401	Percutaneous Drainage of Postoperative Abdominal Abscess with Limited Accessibility: Preexisting Surgical Drains as Alternative Access Route. <i>Radiology</i> , 2006, 239, 591-598.	3.6	26
402	Intraarterial Gene Delivery in Rabbit Hepatic Tumors: Transfection with Nonviral Vector by Using Iodized Oil Emulsion. <i>Radiology</i> , 2006, 240, 771-777.	3.6	26
403	Multicenter Analysis of Clinicopathologic Features of Intraductal Papillary Mucinous Tumor of the Pancreas: Is It Possible to Predict the Malignancy Before Surgery?. <i>Annals of Surgical Oncology</i> , 2005, 12, 124-132.	0.7	115
404	Bipolar radiofrequency ablation in ex vivo bovine liver with the open-perfused system versus the cooled-wet system. <i>European Radiology</i> , 2005, 15, 759-764.	2.3	27
405	Radiofrequency ablation in the liver using two cooled-wet electrodes in the bipolar mode. <i>European Radiology</i> , 2005, 15, 2163-2170.	2.3	16
406	Ex Vivo Experiment of Saline-Enhanced Hepatic Bipolar Radiofrequency Ablation with a Perfused Needle Electrode: Comparison with Conventional Monopolar and Simultaneous Monopolar Modes. <i>CardioVascular and Interventional Radiology</i> , 2005, 28, 338-345.	0.9	30
407	Biliary Complications in Living Donor Liver Transplantation: Imaging Findings and the Roles of Interventional Procedures. <i>CardioVascular and Interventional Radiology</i> , 2005, 28, 756-767.	0.9	35
408	Appropriateness of a Donor Liver with Respect to Macrosteatosis: Application of Artificial Neural Networks to US Images—Initial Experience. <i>Radiology</i> , 2005, 234, 793-803.	3.6	70
409	Differentiating Malignant from Benign Common Bile Duct Stricture with Multiphasic Helical CT. <i>Radiology</i> , 2005, 236, 178-183.	3.6	107
410	Hepatic Attenuation Differences Associated with Obstruction of the Portal or Hepatic Veins in Patients with Hepatic Abscess. <i>American Journal of Roentgenology</i> , 2005, 185, 1015-1023.	1.0	17
411	Value of Contrast-Enhanced Sonography for the Characterization of Focal Hepatic Lesions in Patients with Diffuse Liver Disease: Receiver Operating Characteristic Analysis. <i>American Journal of Roentgenology</i> , 2005, 184, 1077-1084.	1.0	53
412	Postbiopsy Splenic Bleeding in a Dog Model: Comparison of Cauterization, Embolization, and Plugging of the Needle Tract. <i>American Journal of Roentgenology</i> , 2005, 185, 878-884.	1.0	23
413	Comparison of Renal Ablation with Monopolar Radiofrequency and Hypertonic-Saline-Augmented Bipolar Radiofrequency: In Vitro and In Vivo Experimental Studies. <i>American Journal of Roentgenology</i> , 2005, 184, 897-905.	1.0	28
414	Effect of Adjusted Positioning on Gastric Distention and Fluid Distribution During CT Gastrography. <i>American Journal of Roentgenology</i> , 2005, 185, 1180-1184.	1.0	33

#	ARTICLE	IF	CITATIONS
415	Small-Bowel Obstruction in a Phantom Model of ex Vivo Porcine Intestine: Comparison of PACS Stack and Tile Modes for CT Interpretation. <i>Radiology</i> , 2005, 236, 867-871.	3.6	13
416	Bipolar Radiofrequency Ablation Using Wet-Cooled Electrodes: An In Vitro Experimental Study in Bovine Liver. <i>American Journal of Roentgenology</i> , 2005, 184, 391-397.	1.0	31
417	In vitro CT evaluation of intrahepatic stones: correlation with chemical composition. <i>European Journal of Radiology</i> , 2005, 54, 258-263.	1.2	2
418	Wet radio-frequency ablation using multiple electrodes: comparative study of bipolar versus monopolar modes in the bovine liver. <i>European Journal of Radiology</i> , 2005, 54, 408-417.	1.2	21
419	Differentiation Between Mass-forming Type Peripheral Cholangiocarcinoma and Hepatic Abscesses: Application of Artificial Neural Networks to CT Images. <i>Journal of the Korean Radiological Society</i> , 2005, 53, 343.	0.0	3
420	Clinical significance of CT-defined minimal ascites in patients with gastric cancer. <i>World Journal of Gastroenterology</i> , 2005, 11, 6587.	1.4	37
421	Protocol optimization of multidetector computed tomography colonography using pig colonic phantoms. <i>Investigative Radiology</i> , 2005, 40, 27-32.	3.5	3
422	Optimization of Wet Radiofrequency Ablation Using a Perfused-Cooled Electrode: A Comparative Study in Ex Vivo Bovine Livers. <i>Korean Journal of Radiology</i> , 2004, 5, 250.	1.5	14
423	Combined Radiofrequency Ablation and Acetic Acid Hypertonic Saline Solution Instillation: An In Vivo Study of Rabbit Liver. <i>Korean Journal of Radiology</i> , 2004, 5, 31.	1.5	5
424	Cystic Changes in Intraabdominal Extrahepatic Metastases from Gastrointestinal Stromal Tumors Treated with Imatinib. <i>Korean Journal of Radiology</i> , 2004, 5, 157.	1.5	6
425	Saline-Enhanced Hepatic Radiofrequency Ablation Using a Perfused-Cooled Electrode: Comparison of Dual Probe Bipolar Mode with Monopolar and Single Probe Bipolar Modes. <i>Korean Journal of Radiology</i> , 2004, 5, 121.	1.5	25
426	Comparison of Wet Radiofrequency Ablation with Dry Radiofrequency Ablation and Radiofrequency Ablation Using Hypertonic Saline Preinjection: Ex Vivo Bovine Liver. <i>Korean Journal of Radiology</i> , 2004, 5, 258.	1.5	34
427	Gastrointestinal Stromal Tumors of the Stomach: CT Findings and Prediction of Malignancy. <i>American Journal of Roentgenology</i> , 2004, 183, 893-898.	1.0	93
428	Relationship Between Various Patterns of Transient Increased Hepatic Attenuation on CT and Portal Vein Thrombosis Related to Acute Cholecystitis. <i>American Journal of Roentgenology</i> , 2004, 183, 437-442.	1.0	28
429	Experimentally Induced Small-Bowel Tumor in Rabbits: US-guided Percutaneous 18-gauge Core Biopsy. <i>Radiology</i> , 2004, 231, 150-155.	3.6	6
430	Intussusception in Adults: From Stomach to Rectum. <i>American Journal of Roentgenology</i> , 2004, 183, 691-698.	1.0	92
431	Contrast-Enhanced Sonography for Hepatocellular Carcinoma. <i>Intervirolgy</i> , 2004, 47, 162-168.	1.2	4
432	Combined treatment of radiofrequency ablation and acetic acid injection: an in vivo feasibility study in rabbit liver. <i>European Radiology</i> , 2004, 14, 1303-10.	2.3	20

#	ARTICLE	IF	CITATIONS
433	Four-dimensional volume contrast ultrasound imaging of the gallbladder compared with tissue harmonic imaging: preliminary experience. <i>European Radiology</i> , 2004, 14, 1657-64.	2.3	6
434	Pyogenic hepatic abscesses: distinctive features from hypovascular hepatic malignancies on contrast-enhanced ultrasound with SH U 508A; early experience. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 725-733.	0.7	24
435	Heparin-Coated Angiographic Catheters: An In Vivo Comparison of Three Coating Methods with Different Heparin Release Profiles. <i>CardioVascular and Interventional Radiology</i> , 2004, 27, 507-11.	0.9	9
436	Cyst fluid analysis for the differential diagnosis of pancreatic cysts. <i>Diagnostic Cytopathology</i> , 2004, 31, 100-105.	0.5	61
437	Volumetric tumor measurement using three-dimensional ultrasound: in vitro phantom study on measurement accuracy under various scanning conditions. <i>Ultrasound in Medicine and Biology</i> , 2004, 30, 27-34.	0.7	19
438	Clonorchiasis and Cholangiocarcinoma: Etiologic Relationship and Imaging Diagnosis. <i>Clinical Microbiology Reviews</i> , 2004, 17, 540-552.	5.7	211
439	Primary Gastrointestinal Stromal Tumors in the Omentum and Mesentery: CT Findings and Pathologic Correlations. <i>American Journal of Roentgenology</i> , 2004, 182, 1463-1467.	1.0	48
440	Gastrointestinal Stromal Tumors of the Duodenum: CT and Barium Study Findings. <i>American Journal of Roentgenology</i> , 2004, 183, 415-419.	1.0	23
441	Imaging of Gastrointestinal Stromal Tumors. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 596-604.	0.5	35
442	Dual-Probe Radiofrequency Ablation. <i>Investigative Radiology</i> , 2004, 39, 89-96.	3.5	17
443	Sonographic Features of an Intraductal Polypoid Mass. <i>Journal of Ultrasound in Medicine</i> , 2004, 23, 1283-1291.	0.8	7
444	The Role of Preoperative Chemotherapy in Patients with Inoperable Metastatic or Locally Advanced Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2004, 4, 7.	0.9	0
445	[Hepatic hemangioma with arterioportal shunts]. <i>The Korean Journal of Hepatology</i> , 2004, 10, 158-60.	1.5	2
446	Pseudolesion in left lobe of the liver due to superior vena cava syndrome. <i>The Korean Journal of Hepatology</i> , 2004, 10, 237-9.	1.5	0
447	Recurrent Bronchobiliary Fistula: Unsuccessful Management with Repeated Insertion of Metallic Biliary Stent. <i>Journal of Vascular and Interventional Radiology</i> , 2003, 14, 1577-1579.	0.2	13
448	Peripheral T-Cell Lymphoma: Spectrum of Imaging Findings with Clinical and Pathologic Features. <i>Radiographics</i> , 2003, 23, 7-26.	1.4	106
449	Experimental Clonorchiasis in Dogs: CT Findings before and after Treatment. <i>Radiology</i> , 2003, 228, 131-138.	3.6	12
450	Clogging of Drainage Catheters: Quantitative and Longitudinal Assessment by Monitoring Intracatheter Pressure in Catheters and Rabbits. <i>Radiology</i> , 2003, 227, 833-838.	3.6	7

#	ARTICLE	IF	CITATIONS
451	Dynamic Contrast-Enhanced MR Imaging of VX2 Carcinomas After X-Irradiation in Rabbits. <i>Investigative Radiology</i> , 2003, 38, 539-549.	3.5	14
452	Computed Tomography Gastrography With Volume-rendering Technique: Correlation With Double-contrast Barium Study and Conventional Gastroscopy. <i>Journal of Computer Assisted Tomography</i> , 2003, 27, 140-149.	0.5	25
453	Value of Four-dimensional Ultrasonography in Ultrasonographically Guided Biopsy of Hepatic Masses. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 215-220.	0.8	23
454	Hepatocellular Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 887-896.	0.8	7
455	Pulse Sequence Optimization for Superparamagnetic Iron Oxide-enhanced MR Imaging in the Detection of Hepatic VX2 Tumors in Rabbits. <i>Journal of the Korean Radiological Society</i> , 2003, 48, 39.	0.0	0
456	Spontaneous Total Necrosis of Hepatocellular Carcinoma. <i>Journal of the Korean Radiological Society</i> , 2003, 48, 177.	0.0	1
457	A Comparative Experimental Study of the In-vitro Efficiency of Hypertonic Saline-Enhanced Hepatic Bipolar and Monopolar Radiofrequency Ablation. <i>Korean Journal of Radiology</i> , 2003, 4, 163.	1.5	56
458	Extended Field-of-View Sonography. <i>Journal of Ultrasound in Medicine</i> , 2003, 22, 385-394.	0.8	34
459	Barium Granuloma of the Rectum: Case Report. <i>Journal of the Korean Radiological Society</i> , 2003, 49, 43.	0.0	1
460	Hepatic Arterial and Portal Venous Phase Helical CT in Patients Treated with Transcatheter Arterial Chemoembolization for Hepatocellular Carcinoma: Added Value of Unenhanced Images. <i>Radiology</i> , 2002, 225, 773-780.	3.6	48
461	Fluoroscopically Guided Placement of a Covered Self-Expandable Metallic Stent for Malignant Antroduodenal Obstructions. <i>American Journal of Roentgenology</i> , 2002, 178, 847-852.	1.0	44
462	Cholangiocarcinoma: Pictorial Essay of CT and Cholangiographic Findings. <i>Radiographics</i> , 2002, 22, 173-187.	1.4	204
463	A Straightforward Algorithm for the Quantification of Power Doppler Signals. <i>Investigative Radiology</i> , 2002, 37, 343-348.	3.5	8
464	Three-dimensional Ultrasonography Using the Minimum Transparent Mode in Obstructive Biliary Diseases. <i>Journal of Ultrasound in Medicine</i> , 2002, 21, 443-453.	0.8	5
465	Improved blood compatibility by sustained release of heparin-deoxycholic acid conjugates in a PCL-PEG multiblock copolymer matrix. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2002, 13, 817-828.	1.9	25
466	Postoperative Anatomic and Pathologic Findings at CT Following Gastrectomy. <i>Radiographics</i> , 2002, 22, 323-336.	1.4	65
467	Palliative Percutaneous Tube Enterostomy in Afferent-loop Syndrome Presenting as Jaundice: Clinical Effectiveness. <i>Journal of Vascular and Interventional Radiology</i> , 2002, 13, 845-849.	0.2	24
468	Tubular Foreign Body or Stent: Safe Retrieval or Repositioning Using the Coaxial Snare Technique. <i>Korean Journal of Radiology</i> , 2002, 3, 30.	1.5	25

#	ARTICLE	IF	CITATIONS
469	Hepatic Arterioportal Shunts: Dynamic CT and MR Features. Korean Journal of Radiology, 2002, 3, 1.	1.5	110
470	Hepatocellular Carcinoma. Journal of Ultrasound in Medicine, 2002, 21, 77-84.	0.8	34
471	Obstructive Jaundice in Hepatocellular Carcinoma: Response after Percutaneous Transhepatic Biliary Drainage and Prognostic Factors. CardioVascular and Interventional Radiology, 2002, 25, 176-179.	0.9	30
472	Improved sonographic imaging of hepatic hemangioma with contrast-enhanced coded harmonic angiography: comparison with MR imaging. Ultrasound in Medicine and Biology, 2002, 28, 287-295.	0.7	46
473	Functional analysis of gallbladder using three-dimensional ultrasound: preliminary results. Ultrasound in Medicine and Biology, 2002, 28, 581-588.	0.7	12
474	Tumor Vascularity of Experimentally Induced VX2 Carcinoma in the Rabbit Thigh: Evaluation with Enhanced Power Doppler Sonography and DSA Correlated with Histopathologic Findings. Journal of the Korean Radiological Society, 2002, 46, 495.	0.0	0
475	Pseudoaneurysm after Pancreatoduodenectomy: Diagnosis and Embolization on Angiography. Journal of the Korean Radiological Society, 2002, 47, 171.	0.0	0
476	Recurrent Pyogenic Cholangitis: Clinico-Pathologic Correlation of Focal Attenuation Differences on Multi-Phasic Spiral CT. Journal of the Korean Radiological Society, 2002, 46, 133.	0.0	0
477	Liver Abscess after Transcatheter Oily Chemoembolization for Hepatic Tumors: Incidence, Predisposing Factors, and Clinical Outcome. Journal of Vascular and Interventional Radiology, 2001, 12, 313-320.	0.2	159
478	Contrast Media in Abdominal Computed Tomography: Optimization of Delivery Methods. Korean Journal of Radiology, 2001, 2, 28.	1.5	37
479	Castleman Disease of the Abdomen: Imaging Spectrum and Clinicopathologic Correlations. Journal of Computer Assisted Tomography, 2001, 25, 207-214.	0.5	75
480	Comparison of Contrast-Enhanced Fundamental Imaging, Second-Harmonic Imaging, and Pulse-Inversion Harmonic Imaging. Investigative Radiology, 2001, 36, 582-588.	3.5	25
481	A novel formulation for controlled release of heparinâ€“DOCA conjugate dispersed as nanoparticles in polyurethane film. Biomaterials, 2001, 22, 281-289.	5.7	30
482	Hepatic Hemangiomas with Arterioportal Shunt: Findings at Two-Phase CT. Radiology, 2001, 219, 707-711.	3.6	75
483	Gastric Mucosa-associated Lymphoid Tissue Lymphoma: Spectrum of Findings at Double-Contrast Gastrointestinal Examination with Pathologic Correlation. Radiographics, 2001, 21, 1491-1502.	1.4	19
484	Peripheral T-cell Lymphoma of the Colon: Double-Contrast Barium Enema Examination Findings in Six Patients. Radiology, 2001, 218, 751-756.	3.6	17
485	A study of Parameters in Spiral CT Volumetry Using Balloon Phantoms. Journal of the Korean Radiological Society, 2001, 45, 221.	0.0	3
486	Efficacy of Spiral CT in the Evaluation of Peritoneal Seeding of Gastric Cancer. Journal of the Korean Radiological Society, 2001, 45, 291.	0.0	0

#	ARTICLE	IF	CITATIONS
487	Fat Replacement with Absence of Acinar and Ductal Structure in the Pancreatic Body and Tail. Journal of Computer Assisted Tomography, 2000, 24, 893-895.	0.5	15
488	Improved imaging of hepatic metastases with delayed pulse inversion harmonic imaging using a contrast agent SH U 508A: preliminary study. Ultrasound in Medicine and Biology, 2000, 26, 1439-1444.	0.7	28
489	Vascular complications in lumbar spinal surgery: Percutaneous endovascular treatment. CardioVascular and Interventional Radiology, 2000, 23, 65-69.	0.9	32
490	Extensive Peritoneal Calcifications Associated with Continuous Ambulatory Peritoneal Dialysis. Journal of the Korean Radiological Society, 2000, 43, 69.	0.0	0
491	Hepatic Hemangiomas: Spectrum of US Appearances on Gray-scale, Power Doppler, and Contrast-Enhanced US. Korean Journal of Radiology, 2000, 1, 191.	1.5	32
492	Gadolinium Mesoporphyrin as an MR Imaging Contrast Agent in the Evaluation of Tumors. American Journal of Roentgenology, 2000, 175, 227-234.	1.0	23
493	CT Features of Intraductal Intrahepatic Cholangiocarcinoma. American Journal of Roentgenology, 2000, 175, 721-725.	1.0	82
494	Hepatic Tumors: Contrast Agent-Enhancement Patterns with Pulse-Inversion Harmonic US. Radiology, 2000, 216, 411-417.	3.6	238
495	Vascularity of Hepatocellular Carcinoma: Assessment with Contrast-enhanced SecondHarmonic versus Conventional Power Doppler US. Radiology, 2000, 214, 381-386.	3.6	106
496	Duodenal Perforation as a Delayed Complication of Placement of an Esophageal Stent. Journal of Vascular and Interventional Radiology, 2000, 11, 902-904.	0.2	27
497	Comparison of Harmonic and Conventional Power Doppler Ultrasonography for Assessment of Slow Flow in Hyperechoic Tissue. Investigative Radiology, 2000, 35, 105.	3.5	9
498	Nodular Hepatocellular Carcinoma: Variation of Tumor Conspicuity on Single-Level Dynamic Scan and Optimization of Fixed Delay Times for Two-Phase Helical CT. Journal of Computer Assisted Tomography, 2000, 24, 212-218.	0.5	36
499	MRI in Staging Advanced Gastric Cancer: Is It Useful Compared with Spiral CT?. Journal of Computer Assisted Tomography, 2000, 24, 389-394.	0.5	71
500	Factors Influencing Vascular and Hepatic Enhancement at CT: Experimental Study on Injection Protocol Using a Canine Model. Journal of Computer Assisted Tomography, 2000, 24, 400-406.	0.5	85
501	Hepatocellular Carcinoma with Bile Duct Involvement: Computed Tomographic (CT) Findings. Journal of the Korean Radiological Society, 2000, 42, 649.	0.0	3
502	Vascular Invasion of Klatskin Tumor: Computed Tomography vs Digital Subtraction Angiography in Determining Resectability. Journal of the Korean Radiological Society, 2000, 42, 287.	0.0	0
503	Wedge-shaped Parenchymal Enhancement Peripheral to the Hepatic Hemangioma: Two-phase Spiral CT Findings. Journal of the Korean Radiological Society, 2000, 42, 273.	0.0	0
504	Primary Lymphoma of the Colon: Radiologic and Pathologic Findings. Journal of the Korean Radiological Society, 2000, 42, 965.	0.0	0

#	ARTICLE	IF	CITATIONS
505	Unusual Gastric Tumors: Radiologic-Pathologic Correlation. <i>Radiographics</i> , 1999, 19, 1435-1446.	1.4	91
506	Signal from hepatic hemangiomas on power Doppler US: real or artefactual?. <i>Ultrasound in Medicine and Biology</i> , 1999, 25, 1055-1061.	0.7	22
507	Tuberculous Stenosis of the Left Main Bronchus: Results of Treatment with Balloons and Metallic Stents. <i>Journal of Vascular and Interventional Radiology</i> , 1999, 10, 352-358.	0.2	35
508	Experimental Hepatobiliary Fascioliasis in Rabbits. <i>Investigative Radiology</i> , 1999, 34, 99-108.	3.5	25
509	Influence of Instrument Settings on Flow Signal and Background Noise in Power Doppler US. <i>Investigative Radiology</i> , 1999, 34, 781.	3.5	9
510	Focal Hepatic Lesions with Peripheral Eosinophilia: Imaging Features of Various Disease. <i>Journal of the Korean Radiological Society</i> , 1999, 40, 121.	0.0	0
511	Low Grade MALT Lymphoma of Rectum: A Case Report. <i>Journal of the Korean Radiological Society</i> , 1999, 41, 121.	0.0	0
512	Supply and Demand of Radiologists in Korea: Is it adequate?. <i>Journal of the Korean Radiological Society</i> , 1999, 41, 831.	0.0	0
513	Dual-Phase Helical CT Using Bolus Triggering Technique: Optimization of Transition Time. <i>Journal of the Korean Radiological Society</i> , 1999, 41, 101.	0.0	0
514	Dynamic and Interactive Web-based Radiology Teaching File Using Layer and JavaScript. <i>Journal of the Korean Radiological Society</i> , 1999, 40, 603.	0.0	0
515	Invited. MRI of Clonorchiasis and Cholangiocarcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 1998, 8, 359-366.	1.9	28
516	T2-weighted breath-hold MRI of the liver at 1.0 T: Comparison of turbo spin-echo and HASTE sequences with and without fat suppression. <i>Journal of Magnetic Resonance Imaging</i> , 1998, 8, 1213-1218.	1.9	14
517	Transcatheter Oily Chemoembolization of the Inferior Phrenic Artery in Hepatocellular Carcinoma: The Safety and Potential Therapeutic Role. <i>Journal of Vascular and Interventional Radiology</i> , 1998, 9, 495-500.	0.2	106
518	Renal Angiomyolipoma: Embolotherapy with a Mixture of Alcohol and Iodized Oil. <i>Journal of Vascular and Interventional Radiology</i> , 1998, 9, 255-261.	0.2	75
519	MRI of Normal Pancreas: Comparison of T2-Weighted Pulse Sequences Using Turbo Spin Echo, Turbo Spin Echo with Fat Suppression, HASTE and HASTE with Fat Suppression. <i>Journal of the Korean Radiological Society</i> , 1998, 38, 107.	0.0	1
520	MR Imaging of Advanced Gastric Cancer: Comparison between T1-weighted FLASH, T2-weighted TSE, and TrueFISP. <i>Journal of the Korean Radiological Society</i> , 1998, 39, 1149.	0.0	2
521	Intratumoral Vascularity of Experimentally Induced VX2 Carcinoma. <i>Investigative Radiology</i> , 1998, 33, 39-44.	3.5	18
522	Hepatic Hemangioma: Contrast Enhancement Patterns on Two-Phase Spiral CT. <i>Journal of the Korean Radiological Society</i> , 1998, 38, 93.	0.0	3

#	ARTICLE	IF	CITATIONS
523	Percutaneous Ethanol Injection Therapy (PEIT) for Small Hepatocellular Carcinomas (HCCs): Prognostic Factors Affecting Short-Term Follow-up Results. Journal of the Korean Radiological Society, 1998, 38, 1051.	0.0	0
524	Prominent Papilla of Vater at CT: Differentiation between Benign and Malignant Lesion. Journal of the Korean Radiological Society, 1998, 39, 543.	0.0	0
525	Liver Hmangioma: Comparison of Echogenecity and Contrast-enhancement on Dynamic MRI. Journal of the Korean Radiological Society, 1998, 39, 329.	0.0	0
526	Transjugular Intrahepatic Portosystemic Shunt: Results and Prognostic Factors in Patients with Post-necrotic Liver Cirrhosis. Journal of the Korean Radiological Society, 1997, 36, 37.	0.0	0
527	Transcatheter Arterial Chemoembolization of Liver Metastasis of Gastrointestinal Leiomyosarcoma. Journal of the Korean Radiological Society, 1997, 37, 605.	0.0	0
528	Thin Section Helical CT Findings of Klatskin Tumor and Benign Stricture: Cholangiographic Correlation. Journal of the Korean Radiological Society, 1997, 37, 665.	0.0	0
529	Preoperative Evaluation of the Curative Resectability of Gastric Cancer by Abdominal Computed Tomography and Ultrasonography: A Prospective Comparison Study. Korean Journal of Internal Medicine, 1997, 12, 1-6.	0.7	9
530	MR of Normal Pancreas: Comparison of Five Pulse Sequences and Enhancing Patterns on Dynamic Imaging. Journal of the Korean Radiological Society, 1997, 36, 463.	0.0	0
531	Imaging Findings of Adenomatous Hyperplasia of the Liver. Journal of the Korean Radiological Society, 1997, 36, 819.	0.0	0
532	Liver Neoplasms: Atypical CT and MR Imaging Findings. Journal of the Korean Radiological Society, 1997, 36, 1037.	0.0	0
533	Hepatic Lymphoma: CT and Sonographic Findings. Journal of the Korean Radiological Society, 1997, 36, 813.	0.0	0
534	Optimal MR Pulse Sequences for Hepatic Hemangiomas: Comparison of T2-Weighted Turbo-Spin-Echo, T2-Weighted Breath-hold Turbo-Spin-Echo, and T1-Weighted FLASH Dynamic Imaging. Journal of the Korean Radiological Society, 1997, 36, 455.	0.0	0
535	Spiral CT Findings of Peliosis Hepatis: A Case Report. Journal of the Korean Radiological Society, 1997, 36, 483.	0.0	0
536	Multimedia Radiology Self-Learning Course on the World Wide Web. Journal of the Korean Radiological Society, 1997, 37, 1145.	0.0	0
537	Intratumoral Vascularity of Experimentally Induced VX2 Carcinoma: Comparison of Power Doppler Sonography and Microangiography. Journal of the Korean Radiological Society, 1997, 37, 51.	0.0	0
538	Cholecystocholedochostomy with Use of a Self-expandable Metallic Stent: Treatment Method for Nonfunctioning Cholecystojejunostomy. Journal of Vascular and Interventional Radiology, 1996, 7, 757-760.	0.2	1
539	CT Findings of Malignancies Occurring in Choledochal Cysts: Differential Points with Benign Inflammations. Journal of the Korean Radiological Society, 1996, 35, 503.	0.0	0
540	Detection and Localization of Islet Cell Tumor of the Pancreas: Usefulness of the Arterial Dominant Phase Images of Spiral CT. Journal of the Korean Radiological Society, 1996, 35, 565.	0.0	0

#	ARTICLE	IF	CITATIONS
541	Dual Phase Spiral CT of the Pancreas: Comparison of Arterial and Portal Phase. Journal of the Korean Radiological Society, 1996, 35, 745.	0.0	0
542	Tuberculous colitis. Diseases of the Colon and Rectum, 1996, 39, 1204-1209.	0.7	11
543	Intraperitoneal Drop Metastases from Hepatocellular Carcinoma: CT and Angiographic Findings. Journal of Computer Assisted Tomography, 1996, 20, 638-642.	0.5	25
544	Chemoembolization of Hepatocellular Carcinoma: Long-term Survival and Prognostic Factors. Journal of the Korean Radiological Society, 1996, 35, 315.	0.0	6
545	Spiral CT of Hepatocellular Carcinoma: Correlation of CT Scans during the Arterial Phase with Angiography. Journal of the Korean Radiological Society, 1996, 34, 507.	0.0	0
546	Nodular Hepatocellular Carcinoma: Contrast Enhancement Patterns on Three-Phase Spiral CT. Journal of the Korean Radiological Society, 1996, 35, 357.	0.0	1
547	Nodular Hepatocellular Carcinoma: Enhancing Patterns in the Arterial- and Portal-dominant Phases of Spiral CT. Journal of the Korean Radiological Society, 1996, 35, 223.	0.0	0
548	Iatrogenic dissection of the celiac artery and its branches during transcatheter arterial embolization for hepatocellular carcinoma: Outcome in 40 patients. CardioVascular and Interventional Radiology, 1995, 18, 16-19.	0.9	36
549	Percutaneous Catheter Drainage of Abdominal Abscesses and Fluid Collections: Outcome in 165 Cases. Journal of the Korean Radiological Society, 1995, 32, 269.	0.0	0
550	Two-phase Spiral CT of the Pancreatic Adenocarcinoma: Comparison of Arterial and Late Phase. Journal of the Korean Radiological Society, 1995, 32, 429.	0.0	0
551	Hepatic Vein Invasion by Hepatocellular Carcinoma: CT Manifestations with Angiographic Correlation. Journal of the Korean Radiological Society, 1995, 33, 101.	0.0	0
552	Spiral CT for the Detection of Metastatic Tumor of the Liver: Relative Value of Arterial, Portal Venous and Delayed Phase Scanning. Journal of the Korean Radiological Society, 1995, 33, 265.	0.0	0
553	Ultrasound Guided Biopsy of Malignant Focal Liver Lesions: Comparison of Automated Gun Biopsy with Fine Needle Aspiration Biopsy. Journal of the Korean Radiological Society, 1995, 33, 389.	0.0	0
554	Granulomatous Colitis: Findings on Double Contrast Barium Enema and Follow-up Studies. Journal of the Korean Radiological Society, 1995, 33, 911.	0.0	0
555	Comparison of Enhancement Patterns and Detection Rate of Metastatic Adenocarcinoma of the Liver in Early and Late Phase of Spiral CT. Journal of the Korean Radiological Society, 1995, 33, 917.	0.0	1
556	Transcatheter Arterial Embolization of the Internal Mammary Artery in Hepatocellular Carcinoma. Journal of Vascular and Interventional Radiology, 1995, 6, 71-74.	0.2	53
557	Value of the Left Portal Vein Angle (LPVA) on CT for the Diagnosis of Liver Cirrhosis: Comparison with the Caudate to Right Lobe (C/RL) Ratio. Journal of the Korean Radiological Society, 1995, 32, 737.	0.0	0
558	Angiographic Findings of Congenital Vascular Malformation in Soft Tissue. Journal of the Korean Radiological Society, 1994, 30, 69.	0.0	2

#	ARTICLE	IF	CITATIONS
559	Radiation Exposure of Operator during Various Interventional Procedures. Journal of the Korean Radiological Society, 1994, 30, 265.	0.0	1
560	Magnetic Resonance Imaging of Infarcted Liver Induced by Selective Ligation of Right Portal Vein in Rabbits. Journal of the Korean Radiological Society, 1994, 31, 99.	0.0	1
561	Transcatheter arterial embolization of unresectable renal cell carcinoma with a mixture of ethanol and iodized oil. CardioVascular and Interventional Radiology, 1994, 17, 323-7.	0.9	46
562	Perforation of the gastroduodenal artery induced by steerable guidewires in two cases: Treatment of hemorrhage by embolization. CardioVascular and Interventional Radiology, 1994, 17, 41-43.	0.9	1
563	Interventional Management of Benign Obstruction of the Hepatic Inferior Vena Cava. Journal of Vascular and Interventional Radiology, 1994, 5, 403-409.	0.2	28
564	MR Findings of Secondary Hemochromatosis. Journal of Computer Assisted Tomography, 1994, 18, 416-419.	0.5	20
565	A Study on Complications of Chemoembolization of Hepatic Neoplasms. Journal of the Korean Radiological Society, 1994, 31, 839.	0.0	2
566	Role of Conventional CT for Preoperative Staging of Gastric Carcinoma; A Prospective Study. Journal of the Korean Radiological Society, 1994, 30, 693.	0.0	0
567	Ultrasound-Guided Subclavian Vein Catheterization. Journal of the Korean Radiological Society, 1994, 31, 847.	0.0	0
568	Contrast Enhancement Characteristics of Hepatocellular Carcinoma on Two-Phase Dynamic Scan with Spiral CT. Journal of the Korean Radiological Society, 1994, 31, 1101.	0.0	0
569	Retained Intrahepatic Stones' Comparative Study of T-tube Cholangiography, Selective Cholangiography, and Computed Tomography. Journal of the Korean Radiological Society, 1994, 30, 493.	0.0	1
570	Piezoelectric Extracorporeal Lithotripsy of Gallbladder Stones: New Inclusion Criteria. Journal of the Korean Radiological Society, 1994, 31, 261.	0.0	0
571	Hepatocellular Carcinoma: Signal Intensity on MR Imaging. Journal of the Korean Radiological Society, 1994, 30, 865.	0.0	0
572	Nonsurgical Treatment of Congenital Vascular Malformations of the Trunk and Limb by Transcatheter Embolization. Journal of the Korean Radiological Society, 1994, 30, 45.	0.0	0
573	Radiological findings of human fascioliasis. Abdominal Radiology, 1993, 18, 261-264.	1.0	68
574	Postoperative recurrence of hepatocellular carcinoma: Results of transcatheter arterial chemoembolization. CardioVascular and Interventional Radiology, 1993, 16, 21-24.	0.9	41
575	Superselective Transcatheter Arterial Embolization with Ethanol and Iodized Oil for Hepatocellular Carcinoma. Journal of Vascular and Interventional Radiology, 1993, 4, 333-339.	0.2	27
576	Iatrogenic dissection of the celiac artery and its branches during TAE for HCC: results of follow-up in 30 cases. Journal of the Korean Radiological Society, 1993, 29, 86.	0.0	0

#	ARTICLE	IF	CITATIONS
577	Abdominal lymphadenopathy in tuberculosis and lymphoma: Differentiation with CT. Journal of the Korean Radiological Society, 1993, 29, 794.	0.0	0
578	Differentiation of amebic versus pyogenic liver abscess with US and CT. Journal of the Korean Radiological Society, 1993, 29, 244.	0.0	0
579	Correlation between image quality of CT scan and amount of intravenous contrast media. Journal of the Korean Radiological Society, 1993, 29, 339.	0.0	0
580	The use of self expandable metallic stent in the management of malignant biliary obstruction. Journal of the Korean Radiological Society, 1993, 29, 457.	0.0	0
581	Metallic stent for the treatment of iliac arterial stenosis. Journal of the Korean Radiological Society, 1993, 29, 711.	0.0	1
582	Transarterial chemoembolization through collateral vessels in hepatocellular carcinoma. Journal of the Korean Radiological Society, 1993, 29, 1220.	0.0	0
583	Magnetic resonance imaging of rabbit kidney after renal vein ligation. Journal of the Korean Radiological Society, 1993, 29, 402.	0.0	0
584	Treatment of tuberculous bronchostenosis: Balloon bronchoplasty. Journal of the Korean Radiological Society, 1993, 29, 431.	0.0	1
585	Coronary arterial disease associated with arteriosclerosis in lower extremity: angiographic analysis. Journal of the Korean Radiological Society, 1993, 29, 1163.	0.0	0
586	Hypointense Boundary Layer Between Slow Flow and Mural Thrombus on Spin-Echo MR. Journal of Computer Assisted Tomography, 1992, 16, 944-950.	0.5	8
587	Infarction of the Kidney. Journal of Computer Assisted Tomography, 1992, 16, 924-928.	0.5	18
588	Percutaneous removal of retained intrahepatic stones with a pre-shaped angulated catheter: review of 96 patients. British Journal of Radiology, 1992, 65, 9-13.	1.0	17
589	Percutaneous removal of retained intrahepatic stones utilizing combination of techniques with emphasis on a preshaped angulated catheter: review of 170 patients. European Radiology, 1992, 2, 199-203.	2.3	2
590	Calcified gastric carcinoma: CT findings. Gastrointestinal Radiology, 1992, 17, 311-315.	0.4	12
591	Staging of uterine cervical carcinoma: comparison of CT and MR imaging. Journal of the Korean Radiological Society, 1992, 28, 135.	0.0	0
592	Magnetic resonance imaging of renal ischemia experimentally induced by renal artery ligation. Journal of the Korean Radiological Society, 1992, 28, 8.	0.0	0
593	Percutaneous transhepatic removal of common bile duct stone: a case report. Journal of the Korean Radiological Society, 1992, 28, 24.	0.0	0
594	Superselective transcatheter arterial embolization for hepatocellular carcinoma with a mixture of ethanol and lipiodol. Journal of the Korean Radiological Society, 1992, 28, 419.	0.0	0

#	ARTICLE	IF	CITATIONS
595	Retained intrahepatic stones: percutaneous removal with a preshaped angulated catheter in 179 patients. <i>Journal of the Korean Radiological Society</i> , 1992, 28, 169.	0.0	0
596	Transjugular intrahepatic portsystemic shunt. <i>Journal of the Korean Radiological Society</i> , 1992, 28, 393.	0.0	0
597	Extracorporeal shock wave lithotripsy of intrahepatic stones with piezoelectric lithotripter: in vitro study. <i>Journal of the Korean Radiological Society</i> , 1992, 28, 399.	0.0	0
598	Membranous Obstruction of the Inferior Vena Cava with Budd-Chiari Syndrome: MR Imaging Findings. <i>Journal of Vascular and Interventional Radiology</i> , 1991, 2, 463-469.	0.2	9
599	An experimental study on lipiodol chemoembolization in the normal dog liver. <i>Journal of the Korean Radiological Society</i> , 1991, 27, 15.	0.0	0
600	Pulmonary artery involvement in Takayasu arteritis. <i>Journal of the Korean Radiological Society</i> , 1991, 27, 94.	0.0	4
601	An experimental study on the influence of the intravascular gianturco tupe stents on the vascular structures. <i>Journal of the Korean Radiological Society</i> , 1991, 27, 431.	0.0	1
602	Effect of transarterial chemoembolization in postoperative recurrent hepatocellular carcinoma. <i>Journal of the Korean Radiological Society</i> , 1991, 27, 453.	0.0	0
603	MR findings in liver adenomatosis. <i>Gastrointestinal Radiology</i> , 1991, 16, 234-236.	0.4	18
604	Intraoperative sonography of hepatocellular carcinoma: Detection of lesions and validity in surgical resection. <i>Gastrointestinal Radiology</i> , 1991, 16, 329-333.	0.4	18
605	Piezoelectric lithotripsy of gallbladder stones: fragmentation rate vs stone size, number and character. <i>Journal of the Korean Radiological Society</i> , 1991, 27, 813.	0.0	0
606	Cinecaverosography and cavernosometry. <i>Journal of the Korean Radiological Society</i> , 1991, 27, 276.	0.0	0
607	Inadvertent embolic obstruction of abdominal aorta from left atrial thrombus after percutaneous mitral valvuloplasty. <i>CardioVascular and Interventional Radiology</i> , 1990, 13, 351-353.	0.9	1
608	Production of Computer Assisted Learning (CAL) Program: Self Learning Material of Bone and Joint Radiology. <i>Korean Journal of Medical Education</i> , 1989, 1, 18-24.	0.6	1