

Timothy P Lodge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/438773/publications.pdf>

Version: 2024-02-01

324
papers

23,185
citations

9264

74
h-index

11308

136
g-index

329
all docs

329
docs citations

329
times ranked

16208
citing authors

#	ARTICLE	IF	CITATIONS
1	Printable ion-gel gate dielectrics for low-voltage polymer thin-film transistors. <i>Nature Materials</i> , 2008, 7, 900-906.	27.5	1,077
2	Multiblock Polymers: Panacea or Pandora's Box?. <i>Science</i> , 2012, 336, 434-440.	12.6	930
3	Electrolyte-Gated Transistors for Organic and Printed Electronics. <i>Advanced Materials</i> , 2013, 25, 1822-1846.	21.0	797
4	<i>Polymer Chemistry</i> , 0, , .		770
5	Self-Concentrations and Effective Glass Transition Temperatures in Polymer Blends. <i>Macromolecules</i> , 2000, 33, 5278-5284.	4.8	548
6	Block Copolymers: Past Successes and Future Challenges. <i>Macromolecular Chemistry and Physics</i> , 2003, 204, 265-273.	2.2	516
7	Multicompartment Block Polymer Micelles. <i>Macromolecules</i> , 2012, 45, 2-19.	4.8	436
8	Ion Gel Gated Polymer Thin-Film Transistors. <i>Journal of the American Chemical Society</i> , 2007, 129, 4532-4533.	13.7	422
9	A Unique Platform for Materials Design. <i>Science</i> , 2008, 321, 50-51.	12.6	407
10	Self-Assembly of Block Copolymer Micelles in an Ionic Liquid. <i>Journal of the American Chemical Society</i> , 2006, 128, 2745-2750.	13.7	400
11	Scotch and Stick-Rubbery Ion Gels as High Capacitance Gate Dielectrics. <i>Advanced Materials</i> , 2012, 24, 4457-4462.	21.0	383
12	The Full Phase Behavior for Block Copolymers in Solvents of Varying Selectivity. <i>Macromolecules</i> , 2002, 35, 4707-4717.	4.8	359
13	Phase Behavior of a Block Copolymer in Solvents of Varying Selectivity. <i>Macromolecules</i> , 2000, 33, 5918-5931.	4.8	340
14	Ion Gel-Gated Polymer Thin-Film Transistors: Operating Mechanism and Characterization of Gate Dielectric Capacitance, Switching Speed, and Stability. <i>Journal of Physical Chemistry C</i> , 2009, 113, 8972-8981.	3.1	325
15	Thermoreversible Gelation of Aqueous Methylcellulose Solutions. <i>Macromolecules</i> , 1999, 32, 7070-7077.	4.8	316
16	Polymeric Bicontinuous Microemulsions. <i>Physical Review Letters</i> , 1997, 79, 849-852.	7.8	300
17	Ion Gels by Self-Assembly of a Triblock Copolymer in an Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2007, 111, 4645-4652.	2.6	288
18	High-Modulus, High-Conductivity Nanostructured Polymer Electrolyte Membranes via Polymerization-Induced Phase Separation. <i>Nano Letters</i> , 2014, 14, 122-126.	9.1	274

#	ARTICLE	IF	CITATIONS
19	Simultaneous, Segregated Storage of Two Agents in a Multicompartment Micelle. <i>Journal of the American Chemical Society</i> , 2005, 127, 17608-17609.	13.7	249
20	Reconciliation of the Molecular Weight Dependence of Diffusion and Viscosity in Entangled Polymers. <i>Physical Review Letters</i> , 1999, 83, 3218-3221.	7.8	231
21	Solution Processable, Electrochromic Ion Gels for Sub-1 V, Flexible Displays on Plastic. <i>Chemistry of Materials</i> , 2015, 27, 1420-1425.	6.7	219
22	Sphere, Cylinder, and Vesicle Nanoaggregates in Poly(styrene-b-isoprene) Diblock Copolymer Solutions. <i>Macromolecules</i> , 2006, 39, 1199-1208.	4.8	211
23	Solution-Processable Electrochemiluminescent Ion Gels for Flexible, Low-Voltage, Emissive Displays on Plastic. <i>Journal of the American Chemical Society</i> , 2014, 136, 3705-3712.	13.7	204
24	Synthesis and Gas Separation Performance of Triblock Copolymer Ion Gels with a Polymerized Ionic Liquid Mid-Block. <i>Macromolecules</i> , 2011, 44, 1732-1736.	4.8	203
25	Multicolored, Low-Power, Flexible Electrochromic Devices Based on Ion Gels. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 6252-6260.	8.0	202
26	Two calorimetric glass transitions do not necessarily indicate immiscibility: The case of PEO/PMMA. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 756-763.	2.1	183
27	Ionic Conductivity, Capacitance, and Viscoelastic Properties of Block Copolymer-Based Ion Gels. <i>Macromolecules</i> , 2011, 44, 940-949.	4.8	183
28	Thermoreversible Ion Gels with Tunable Melting Temperatures from Triblock and Pentablock Copolymers. <i>Macromolecules</i> , 2008, 41, 167-174.	4.8	178
29	Mechanism of Molecular Exchange in Diblock Copolymer Micelles: Hypersensitivity to Core Chain Length. <i>Physical Review Letters</i> , 2010, 104, 047802.	7.8	177
30	High Toughness, High Conductivity Ion Gels by Sequential Triblock Copolymer Self-Assembly and Chemical Cross-Linking. <i>Journal of the American Chemical Society</i> , 2013, 135, 9652-9655.	13.7	177
31	A thermoreversible ion gel by triblock copolymer self-assembly in an ionic liquid. <i>Chemical Communications</i> , 2007, , 2732.	4.1	174
32	Electrical Impedance of Spin-Coatable Ion Gel Films. <i>Journal of Physical Chemistry B</i> , 2011, 115, 3315-3321.	2.6	166
33	Model Bicontinuous Microemulsions in Ternary Homopolymer/Block Copolymer Blends. <i>Journal of Physical Chemistry B</i> , 1999, 103, 4814-4824.	2.6	159
34	Thermoreversible Supramacromolecular Ion Gels via Hydrogen Bonding. <i>Macromolecules</i> , 2008, 41, 5839-5844.	4.8	155
35	Phase Behavior of Block Copolymers in a Neutral Solvent. <i>Macromolecules</i> , 2003, 36, 816-822.	4.8	143
36	Mechanically Tunable, Readily Processable Ion Gels by Self-Assembly of Block Copolymers in Ionic Liquids. <i>Accounts of Chemical Research</i> , 2016, 49, 2107-2114.	15.6	138

#	ARTICLE	IF	CITATIONS
37	Static and dynamic crossover in a critical polymer mixture. <i>Physical Review Letters</i> , 1990, 65, 1893-1896.	7.8	137
38	Lower Critical Solution Temperature (LCST) Phase Behavior of Poly(ethylene oxide) in Ionic Liquids. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 1962-1966.	4.6	129
39	Isotropic Lifshitz Behavior in Block Copolymer-Homopolymer Blends. <i>Physical Review Letters</i> , 1995, 75, 4429-4432.	7.8	112
40	Self-Consistent Calculations of Block Copolymer Solution Phase Behavior. <i>Macromolecules</i> , 1998, 31, 3556-3565.	4.8	112
41	Molecular Weight Distribution of Polystyrene Made by Anionic Polymerization. <i>Macromolecules</i> , 2000, 33, 5111-5115.	4.8	107
42	Efficient Formation of Multicompartment Hydrogels by Stepwise Self-Assembly of Thermoresponsive ABC Triblock Terpolymers. <i>Journal of the American Chemical Society</i> , 2012, 134, 10365-10368.	13.7	107
43	Diffusivity and Viscosity of Concentrated Hydrogenated Polybutadiene Solutions. <i>Macromolecules</i> , 2000, 33, 1747-1758.	4.8	105
44	Mesoporous Membrane Templated by a Polymeric Bicontinuous Microemulsion. <i>Nano Letters</i> , 2006, 6, 2354-2357.	9.1	104
45	Gelation Mechanism of Thermoreversible Supramacromolecular Ion Gels via Hydrogen Bonding. <i>Macromolecules</i> , 2009, 42, 5802-5810.	4.8	104
46	Micellization and Micellar Aggregation of Poly(ethylene- <i>alt</i> -propylene)- <i>b</i> -poly(ethylene oxide) Triblock Copolymers. <i>Macromolecules</i> , 2011, 44, 1635-1641.	4.8	103
47	Unusual Lower Critical Solution Temperature Phase Behavior of Poly(ethylene oxide) in Ionic Liquids. <i>Macromolecules</i> , 2012, 45, 3627-3633.	4.8	103
48	Introductory Lecture : Strategies for controlling intra- and intermicellar packing in block copolymer solutions: Illustrating the flexibility of the self-assembly toolbox. <i>Faraday Discussions</i> , 2005, 128, 1.	3.2	101
49	Phase Behavior and Ionic Conductivity of Concentrated Solutions of Polystyrene-Poly(ethylene oxide) Diblock Copolymers in an Ionic Liquid. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 2812-2820.	8.0	101
50	Fibrillar Structure of Methylcellulose Hydrogels. <i>Biomacromolecules</i> , 2013, 14, 2484-2488.	5.4	100
51	Viscoelastic Properties, Ionic Conductivity, and Materials Design Considerations for Poly(styrene- <i>b</i> -ethylene oxide- <i>b</i> -styrene)-Based Ion Gel Electrolytes. <i>Macromolecules</i> , 2011, 44, 8981-8989.	4.8	97
52	Effect of dilution on a block copolymer in the complex phase window. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1998, 36, 3101-3113.	2.1	96
53	Molecular Exchange in Ordered Diblock Copolymer Micelles. <i>Macromolecules</i> , 2011, 44, 3594-3604.	4.8	94
54	Single Ion Conducting, Polymerized Ionic Liquid Triblock Copolymer Films: High Capacitance Electrolyte Gates for n-type Transistors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 7294-7302.	8.0	93

#	ARTICLE	IF	CITATIONS
55	Ternary Polymer Blends as Model Surfactant Systems. <i>Journal of Physical Chemistry B</i> , 2000, 104, 6987-6997.	2.6	91
56	Synthesis and self-assembly of fluorinated block copolymers. <i>Journal of Polymer Science Part A</i> , 2002, 40, 1-8.	2.3	90
57	Synergistic Increase in Ionic Conductivity and Modulus of Triblock Copolymer Ion Gels. <i>Macromolecules</i> , 2015, 48, 4942-4950.	4.8	89
58	Robust Polymer Electrolyte Membranes with High Ambient-Temperature Lithium-Ion Conductivity via Polymerization-Induced Microphase Separation. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 14561-14565.	8.0	89
59	The Order-Disorder Transition and the Disordered Micelle Regime in Sphere-Forming Block Copolymer Melts. <i>Macromolecules</i> , 2001, 34, 9143-9155.	4.8	88
60	Doubly Thermosensitive Self-Assembly of Diblock Copolymers in Ionic Liquids. <i>Macromolecules</i> , 2009, 42, 1315-1320.	4.8	88
61	Origin of the Thermoreversible fcc-bcc Transition in Block Copolymer Solutions. <i>Physical Review Letters</i> , 2004, 92, 145501.	7.8	86
62	Lyotropic Phase Behavior of Polybutadiene-Poly(ethylene oxide) Diblock Copolymers in Ionic Liquids. <i>Macromolecules</i> , 2008, 41, 1753-1759.	4.8	86
63	Two Calorimetric Glass Transitions in Miscible Blends Containing Poly(ethylene oxide). <i>Macromolecules</i> , 2008, 41, 2502-2508.	4.8	84
64	Equilibrium vs Metastability: High-Temperature Annealing of Spherical Block Copolymer Micelles in an Ionic Liquid. <i>Macromolecules</i> , 2009, 42, 580-583.	4.8	84
65	Evolution of Morphology, Modulus, and Conductivity in Polymer Electrolytes Prepared via Polymerization-Induced Phase Separation. <i>Macromolecules</i> , 2015, 48, 1418-1428.	4.8	82
66	Micelle/Inverse Micelle Self-Assembly of a PEO-PNIPAm Block Copolymer in Ionic Liquids with Double Thermoresponsivity. <i>Macromolecules</i> , 2010, 43, 9522-9528.	4.8	80
67	Block Copolymer Self-Diffusion in the Gyroid and Cylinder Morphologies. <i>Macromolecules</i> , 1998, 31, 5363-5370.	4.8	79
68	Static and dynamic scattering from ternary polymer blends: Bicontinuous microemulsions, Lifshitz lines, and amphiphilicity. <i>Journal of Chemical Physics</i> , 2001, 114, 7247-7259.	3.0	79
69	The Order-Disorder Transition and the Disordered Micelle Regime for Poly(ethylenepropylene-b-dimethylsiloxane) Spheres. <i>Macromolecules</i> , 2002, 35, 9687-9697.	4.8	79
70	ABA-triblock copolymer ion gels for CO ₂ separation applications. <i>Journal of Membrane Science</i> , 2012, 423-424, 20-26.	8.2	79
71	Solvent Distribution in Weakly-Ordered Block Copolymer Solutions. <i>Macromolecules</i> , 1997, 30, 6139-6149.	4.8	78
72	Thermodynamic Stability and Anisotropic Fluctuations in the Cylinder-to-Sphere Transition of a Block Copolymer. <i>Macromolecules</i> , 1999, 32, 7190-7201.	4.8	78

#	ARTICLE	IF	CITATIONS
73	Path-Dependent Morphology and Relaxation Kinetics of Highly Amphiphilic Diblock Copolymer Micelles in Ionic Liquids. <i>Macromolecules</i> , 2010, 43, 2018-2027.	4.8	78
74	Thermoreversible Morphology Transitions of Poly(styrene- <i>b</i> -dimethylsiloxane) Diblock Copolymer Micelles in Dilute Solution. <i>Macromolecules</i> , 2007, 40, 4048-4052.	4.8	77
75	A Stepwise "Micellization" Crystallization Route to Oblate Ellipsoidal, Cylindrical, and Bilayer Micelles with Polyethylene Cores in Water. <i>Macromolecules</i> , 2012, 45, 9460-9467.	4.8	77
76	Polycation Architecture and Assembly Direct Successful Gene Delivery: Micelleplexes Outperform Polyplexes via Optimal DNA Packaging. <i>Journal of the American Chemical Society</i> , 2019, 141, 15804-15817.	13.7	77
77	Synthesis, Characterization, and Interaction Strengths of Difluorocarbene-Modified Polystyrene- <i>b</i> -Polyisoprene Block Copolymers. <i>Macromolecules</i> , 2000, 33, 866-876.	4.8	76
78	Contrast Variation Small-Angle Neutron Scattering Study of the Structure of Block Copolymer Micelles in a Slightly Selective Solvent at Semidilute Concentrations. <i>Macromolecules</i> , 2000, 33, 542-550.	4.8	76
79	UCST Phase Transition of Azobenzene-Containing Random Copolymer in an Ionic Liquid. <i>Macromolecules</i> , 2011, 44, 6908-6914.	4.8	76
80	Anhydrous Proton Conducting Polymer Electrolyte Membranes via Polymerization-Induced Microphase Separation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 6200-6210.	8.0	76
81	Microphase Separation of High Grafting Density Asymmetric Mixed Homopolymer Brushes on Silica Particles. <i>Macromolecules</i> , 2010, 43, 8209-8217.	4.8	75
82	Poly(<i>n</i> -butyl methacrylate) in Ionic Liquids with Tunable Lower Critical Solution Temperatures (LCST). <i>Journal of Physical Chemistry B</i> , 2011, 115, 1971-1977.	2.6	74
83	Fibrillar Structure in Aqueous Methylcellulose Solutions and Gels. <i>Macromolecules</i> , 2013, 46, 9760-9771.	4.8	74
84	Light-Controlled Reversible Micellization of a Diblock Copolymer in an Ionic Liquid. <i>Macromolecules</i> , 2012, 45, 7566-7573.	4.8	71
85	Structure of Poly(styrene- <i>b</i> -ethylene- <i>b</i> -propylene) Diblock Copolymer Micelles in Squalane. <i>Journal of Physical Chemistry B</i> , 2009, 113, 13840-13848.	2.6	70
86	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3018-3022.	13.8	68
87	Remarkable Effect of Molecular Architecture on Chain Exchange in Triblock Copolymer Micelles. <i>Macromolecules</i> , 2015, 48, 2667-2676.	4.8	68
88	Linear and Nonlinear Rheological Behavior of Fibrillar Methylcellulose Hydrogels. <i>ACS Macro Letters</i> , 2015, 4, 538-542.	4.8	67
89	A15, <i>ıf</i> , and a Quasicrystal: Access to Complex Particle Packings via Bidisperse Diblock Copolymer Blends. <i>ACS Macro Letters</i> , 2020, 9, 197-203.	4.8	67
90	Epitaxial Transitions among FCC, HCP, BCC, and Cylinder Phases in a Block Copolymer Solution. <i>Macromolecules</i> , 2004, 37, 9064-9075.	4.8	65

#	ARTICLE	IF	CITATIONS
91	Thermally Reversible Ion Gels with Photohealing Properties Based on Triblock Copolymer Self-Assembly. <i>Macromolecules</i> , 2015, 48, 5928-5933.	4.8	65
92	Temperature-dependent micellar structures in poly(styrene- <i>b</i> -isoprene) diblock copolymer solutions near the critical micelle temperature. <i>Journal of Chemical Physics</i> , 2004, 121, 11489.	3.0	63
93	Miscibility and Crystallization in Polycarbonate/Poly(μ -caprolactone) Blends: Application of the Self-Concentration Model. <i>Macromolecules</i> , 2005, 38, 5109-5117.	4.8	63
94	Tuning Cationic Block Copolymer Micelle Size by pH and Ionic Strength. <i>Biomacromolecules</i> , 2016, 17, 2849-2859.	5.4	63
95	Methyl cellulose solutions and gels: fibril formation and gelation properties. <i>Progress in Polymer Science</i> , 2021, 112, 101324.	24.7	63
96	Synthesis and Remarkable Efficacy of Model Polyethylene- <i>g</i> -poly(methyl methacrylate) Copolymers as Compatibilizers in Polyethylene/Poly(methyl methacrylate) Blends. <i>Macromolecules</i> , 2012, 45, 9604-9610.	4.8	62
97	Self-Diffusion and Tracer Diffusion in Sphere-Forming Block Copolymers. <i>Macromolecules</i> , 2003, 36, 7158-7164.	4.8	61
98	Structure-Conductivity Relationships in Ordered and Disordered Salt-Doped Diblock Copolymer/Homopolymer Blends. <i>Macromolecules</i> , 2016, 49, 6928-6939.	4.8	61
99	Effect of composition on the width of the calorimetric glass transition in polymer-solvent and solvent-solvent mixtures. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 1155-1163.	2.1	60
100	Interfacial slip reduces polymer-polymer adhesion during coextrusion. <i>Journal of Rheology</i> , 2006, 50, 41-57.	2.6	60
101	Thermodynamics of Aqueous Methylcellulose Solutions. <i>Macromolecules</i> , 2015, 48, 7205-7215.	4.8	60
102	Effect of Thermodynamic Interactions on Reactions at Polymer/Polymer Interfaces. <i>Macromolecules</i> , 2003, 36, 7212-7219.	4.8	59
103	Disk Micelles from Nonionic Coil-Coil Diblock Copolymers. <i>Macromolecules</i> , 2006, 39, 4526-4530.	4.8	59
104	Emergence of a C15 Laves Phase in Diblock Polymer/Homopolymer Blends. <i>ACS Macro Letters</i> , 2020, 9, 576-582.	4.8	59
105	Micellization of PS-PMMA Diblock Copolymers in an Ionic Liquid. <i>Macromolecular Chemistry and Physics</i> , 2007, 208, 339-348.	2.2	58
106	Thermoreversible high-temperature gelation of an ionic liquid with poly(benzyl methacrylate- <i>b</i> -methyl methacrylate) diblock copolymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 1000-1008.	2.7	58
107	An Ordered Nanoporous Monolith from an Elastomeric Crosslinked Block Copolymer Precursor. <i>Macromolecular Rapid Communications</i> , 2004, 25, 704-709.	3.9	56
108	Block Copolymer Micelle Shuttles with Tunable Transfer Temperatures between Ionic Liquids and Aqueous Solutions. <i>Langmuir</i> , 2008, 24, 5284-5290.	3.5	56

#	ARTICLE	IF	CITATIONS
109	Transfer Printing of Thermoreversible Ion Gels for Flexible Electronics. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 9522-9527.	8.0	56
110	Effect of Selective Perfluoroalkylation on the Segregation Strength of Polystyrene- <i>b</i> -1,2-Polybutadiene Block Copolymers. <i>Macromolecules</i> , 2002, 35, 3889-3894.	4.8	55
111	Interfacial Morphology Development during PS/PMMA Reactive Coupling. <i>Macromolecules</i> , 2005, 38, 6586-6591.	4.8	55
112	Pluronic Micelle Shuttle between Water and an Ionic Liquid. <i>Langmuir</i> , 2010, 26, 8887-8892.	3.5	55
113	Fluctuations with Cubic Symmetry in a Hexagonal Copolymer Microstructure. <i>Physical Review Letters</i> , 1998, 81, 5354-5357.	7.8	54
114	Recent Advances in Understanding the Micro- and Nanoscale Phenomena of Amorphous Solid Dispersions. <i>Molecular Pharmaceutics</i> , 2019, 16, 4089-4103.	4.6	54
115	Thermodynamics and Mechanism of the Block Copolymer Micelle Shuttle between Water and an Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2009, 113, 14151-14157.	2.6	52
116	DC-Driven, Sub-2 V Solid-State Electrochemiluminescent Devices by Incorporating Redox Coreactants into Emissive Ion Gels. <i>Chemistry of Materials</i> , 2014, 26, 5358-5364.	6.7	52
117	Persistence of the Gyroid Morphology at Strong Segregation in Diblock Copolymers. <i>Macromolecules</i> , 2003, 36, 4682-4685.	4.8	51
118	Structure and Dynamics of Disordered Tetrablock Copolymers: A Composition and Temperature Dependence of Local Friction. <i>Macromolecules</i> , 1998, 31, 4562-4573.	4.8	50
119	A Simple and Mild Route to Highly Fluorinated Model Polymers. <i>Macromolecules</i> , 2001, 34, 4780-4787.	4.8	50
120	Mapping Large Regions of Diblock Copolymer Phase Space by Selective Chemical Modification. <i>Macromolecules</i> , 2004, 37, 397-407.	4.8	50
121	High-Temperature Nanoporous Ceramic Monolith Prepared from a Polymeric Bicontinuous Microemulsion Template. <i>Journal of the American Chemical Society</i> , 2009, 131, 1676-1677.	13.7	50
122	Polymersomes with Ionic Liquid Interiors Dispersed in Water. <i>Journal of the American Chemical Society</i> , 2010, 132, 16265-16270.	13.7	50
123	A New Class of Fluorinated Polymers by a Mild, Selective, and Quantitative Fluorination. <i>Journal of the American Chemical Society</i> , 1998, 120, 6830-6831.	13.7	49
124	A framework for predicting the viscosity of miscible polymer blends. <i>Journal of Rheology</i> , 2004, 48, 463-486.	2.6	49
125	Packaging pDNA by Polymeric ABC Micelles Simultaneously Achieves Colloidal Stability and Structural Control. <i>Journal of the American Chemical Society</i> , 2018, 140, 11101-11111.	13.7	49
126	Sub-3 V ZnO Electrolyte-Gated Transistors and Circuits with Screen-Printed and Photo-Crosslinked Ion Gel Gate Dielectrics: New Routes to Improved Performance. <i>Advanced Functional Materials</i> , 2020, 30, 1902028.	14.9	49

#	ARTICLE	IF	CITATIONS
127	Correlation Length and Entanglement Spacing in Concentrated Hydrogenated Polybutadiene Solutions. <i>Macromolecules</i> , 1999, 32, 1212-1217.	4.8	48
128	Nanoporous Materials Derived from Polymeric Bicontinuous Microemulsions. <i>Chemistry of Materials</i> , 2010, 22, 1279-1281.	6.7	48
129	Electrochemiluminescent displays based on ion gels: correlation between device performance and choice of electrolyte. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8448-8453.	5.5	48
130	Lithium Salt-Induced Microstructure and Ordering in Diblock Copolymer/Homopolymer Blends. <i>Macromolecules</i> , 2016, 49, 4839-4849.	4.8	48
131	Block Polymer Micelles Enable CRISPR/Cas9 Ribonucleoprotein Delivery: Physicochemical Properties Affect Packaging Mechanisms and Gene Editing Efficiency. <i>Macromolecules</i> , 2019, 52, 8197-8206.	4.8	48
132	Effect of Concentration on the Glass Transition and Viscoelastic Properties of Poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td	4.8	47
133	Apparent Critical Micelle Concentrations in Block Copolymer/Ionic Liquid Solutions: Remarkably Weak Dependence on Solvophobic Block Molecular Weight. <i>Macromolecules</i> , 2012, 45, 4818-4829.	4.8	47
134	pH- and Ionic-Strength-Induced Contraction of Polybasic Micelles in Buffered Aqueous Solutions. <i>Macromolecules</i> , 2015, 48, 2677-2685.	4.8	47
135	Shear-Induced Nano-Macro Structural Transition in a Polymeric Bicontinuous Microemulsion. <i>Physical Review Letters</i> , 2001, 87, 098301.	7.8	46
136	Formation of Multicompartment Ion Gels by Stepwise Self-Assembly of a Thermo-responsive ABC Triblock Terpolymer in an Ionic Liquid. <i>Macromolecules</i> , 2016, 49, 2298-2306.	4.8	46
137	Structure, viscoelasticity, and interfacial dynamics of a model polymeric bicontinuous microemulsion. <i>Soft Matter</i> , 2016, 12, 53-66.	2.7	45
138	Nanocasting nanoporous inorganic and organic materials from polymeric bicontinuous microemulsion templates. <i>Polymer Journal</i> , 2012, 44, 131-146.	2.7	43
139	Superlattice by charged block copolymer self-assembly. <i>Nature Communications</i> , 2019, 10, 2108.	12.8	43
140	Cryogenic Transmission Electron Microscopy Imaging of Vesicles Formed by a Polystyrene- <i>b</i> -Polyisoprene Diblock Copolymer. <i>Macromolecules</i> , 2005, 38, 6779-6781.	4.8	42
141	Role of Chain Length in the Formation of Frank-Kasper Phases in Diblock Copolymers. <i>Physical Review Letters</i> , 2018, 121, 208002.	7.8	42
142	Hierarchically Structured Materials from Block Polymer Confinement within Bicontinuous Microemulsion-Derived Nanoporous Polyethylene. <i>ACS Nano</i> , 2011, 5, 8914-8927.	14.6	41
143	Lower Critical Solution Temperature Phase Behavior of Poly(<i>n</i> -butyl methacrylate) in Ionic Liquid Mixtures. <i>Macromolecules</i> , 2013, 46, 9464-9472.	4.8	41
144	Printable, Degradable, and Biocompatible Ion Gels from a Renewable ABA Triblock Polyester and a Low Toxicity Ionic Liquid. <i>ACS Macro Letters</i> , 2017, 6, 1083-1088.	4.8	41

#	ARTICLE	IF	CITATIONS
145	Effects of component molecular weight on the viscoelastic properties of thermoreversible supramolecular ion gels via hydrogen bonding. <i>Soft Matter</i> , 2012, 8, 2110.	2.7	40
146	Thermoresponsive Polymers for Nuclear Medicine: Which Polymer Is the Best?. <i>Langmuir</i> , 2016, 32, 6115-6122.	3.5	40
147	Preparation, Characterization, and Formulation Development of Drug-Drug Protic Ionic Liquids of Diphenhydramine with Ibuprofen and Naproxen. <i>Molecular Pharmaceutics</i> , 2018, 15, 4190-4201.	4.6	40
148	Viscoelastic Synergy in Aqueous Mixtures of Wormlike Micelles and Model Amphiphilic Triblock Copolymers. <i>Macromolecules</i> , 2007, 40, 1615-1623.	4.8	39
149	Detection of Pharmaceutical Drug Crystallites in Solid Dispersions by Transmission Electron Microscopy. <i>Molecular Pharmaceutics</i> , 2015, 12, 983-990.	4.6	39
150	Chain Exchange Kinetics in Diblock Copolymer Micelles in Ionic Liquids: The Role of \ddot{I} . <i>Macromolecules</i> , 2016, 49, 9542-9552.	4.8	39
151	Impact of Polymer Excipient Molar Mass and End Groups on Hydrophobic Drug Solubility Enhancement. <i>Macromolecules</i> , 2017, 50, 1102-1112.	4.8	39
152	Influence of Conformational Asymmetry on the Phase Behavior of Ternary Homopolymer/Block Copolymer Blends around the Bicontinuous Microemulsion Channel. <i>Journal of Physical Chemistry B</i> , 2006, 110, 3979-3989.	2.6	38
153	Morphology, Modulus, and Conductivity of a Triblock Terpolymer/Ionic Liquid Electrolyte Membrane. <i>Macromolecules</i> , 2014, 47, 1090-1098.	4.8	38
154	Enhanced Performance of Blended Polymer Excipients in Delivering a Hydrophobic Drug through the Synergistic Action of Micelles and HPMCAS. <i>Langmuir</i> , 2017, 33, 2837-2848.	3.5	38
155	Block Copolymers: Long-Term Growth with Added Value. <i>Macromolecules</i> , 2020, 53, 2-4.	4.8	38
156	Effect of Corona Block Length on the Structure and Chain Exchange Kinetics of Block Copolymer Micelles. <i>Macromolecules</i> , 2018, 51, 3563-3571.	4.8	37
157	Celebrating 50 Years of <i>Macromolecules</i> . <i>Macromolecules</i> , 2017, 50, 9525-9527.	4.8	36
158	Composition and Temperature Dependence of Monomer Friction in Polystyrene/Poly(methyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222	4.8	35
159	Interpolyelectrolyte Complexes of Polycationic Micelles and Linear Polyanions: Structural Stability and Temporal Evolution. <i>Journal of Physical Chemistry B</i> , 2015, 119, 15919-15928.	2.6	35
160	2-Hydroxyethylcellulose and Amphiphilic Block Polymer Conjugates Form Mechanically Tunable and Nonswellable Hydrogels. <i>ACS Macro Letters</i> , 2017, 6, 145-149.	4.8	35
161	Gelation, Phase Separation, and Fibril Formation in Aqueous Hydroxypropylmethylcellulose Solutions. <i>Biomacromolecules</i> , 2018, 19, 816-824.	5.4	35
162	Maintaining Hydrophobic Drug Supersaturation in a Micelle Corona Reservoir. <i>Macromolecules</i> , 2018, 51, 540-551.	4.8	35

#	ARTICLE	IF	CITATIONS
163	Measurement of Gyroid Single Grain Growth Rates in Block Copolymer Solutions. <i>Macromolecules</i> , 2003, 36, 7672-7680.	4.8	34
164	Exchange Kinetics for a Single Block Copolymer in Micelles of Two Different Sizes. <i>Macromolecules</i> , 2018, 51, 2312-2320.	4.8	34
165	Molecular Weight Dependence of Methylcellulose Fibrillar Networks. <i>Macromolecules</i> , 2018, 51, 7767-7775.	4.8	34
166	Structure and Properties of Bicontinuous Microemulsions from Salt-Doped Ternary Polymer Blends. <i>Macromolecules</i> , 2019, 52, 9693-9702.	4.8	34
167	Grain Shapes and Growth Kinetics of the Cylinder Phase in a Block Copolymer Solution. <i>Macromolecules</i> , 2004, 37, 4891-4899.	4.8	33
168	Molecular Alignment in Polyethylene during Cold Drawing Using In-Situ SANS and Raman Spectroscopy. <i>Macromolecules</i> , 2017, 50, 3627-3636.	4.8	33
169	Failure of time-temperature superposition in dilute miscible polymer blends. <i>Colloid and Polymer Science</i> , 2004, 282, 793-801.	2.1	31
170	Depletion Interactions: A New Control Parameter for the Self-Assembly of Diblock Copolymer Micelles. <i>Physical Review Letters</i> , 2007, 99, 137802.	7.8	31
171	Synthesis of block polymer miktobrushes. <i>Polymer Chemistry</i> , 2013, 4, 166-173.	3.9	31
172	Polymer Day: Outreach Experiments for High School Students. <i>Journal of Chemical Education</i> , 2017, 94, 1629-1638.	2.3	31
173	Quantifying Binding of Ethylene Oxide-Propylene Oxide Block Copolymers with Lipid Bilayers. <i>Langmuir</i> , 2017, 33, 12624-12634.	3.5	31
174	Complexation of DNA with Cationic Copolymer Micelles: Effects of DNA Length and Topology. <i>Macromolecules</i> , 2018, 51, 1150-1160.	4.8	31
175	Temperature-based fluorescence measurements of pyrene in block copolymer micelles: Probing micelle core glass transition breadths. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 500-515.	2.1	30
176	High Capacitance, Photo-Patternable Ion Gel Gate Insulators Compatible with Vapor Deposition of Metal Gate Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19275-19281.	8.0	30
177	Phase Behavior of Diblock Copolymer-Homopolymer Ternary Blends: Congruent First-Order Lamellar-Disorder Transition. <i>Macromolecules</i> , 2016, 49, 7928-7944.	4.8	30
178	Phase Behavior of Binary Polymer Blends Doped with Salt. <i>Macromolecules</i> , 2018, 51, 266-274.	4.8	29
179	Direct Observation of Micelle Fragmentation via In Situ Liquid-Phase Transmission Electron Microscopy. <i>ACS Macro Letters</i> , 2020, 9, 756-761.	4.8	29
180	Molecular Simulation of Olefin Oligomer Blend Phase Behavior. <i>Macromolecules</i> , 2016, 49, 3975-3985.	4.8	28

#	ARTICLE	IF	CITATIONS
181	Chemical End Group Modified Diblock Copolymers Elucidate Anchor and Chain Mechanism of Membrane Stabilization. <i>Molecular Pharmaceutics</i> , 2017, 14, 2333-2339.	4.6	28
182	Conformation of Methylcellulose as a Function of Poly(ethylene glycol) Graft Density. <i>ACS Macro Letters</i> , 2017, 6, 1274-1279.	4.8	28
183	Extensional Flow Behavior of Methylcellulose Solutions Containing Fibrils. <i>ACS Macro Letters</i> , 2018, 7, 347-352.	4.8	28
184	Quasicrystals and Their Approximants in a Crystalline/Amorphous Diblock Copolymer. <i>Macromolecules</i> , 2021, 54, 2647-2660.	4.8	28
185	Expansion factor of a part of a polymer chain in a good solvent measured by small-angle neutron scattering. <i>Macromolecules</i> , 1984, 17, 1785-1789.	4.8	27
186	Synthesis and self-assembly of highly incompatible polybutadiene-poly(hexafluoropropylene oxide) diblock copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 3685-3694.	2.1	27
187	Comparison of Gel Relaxation Times and End-Block Pullout Times in ABA Triblock Copolymer Networks. <i>Macromolecules</i> , 2016, 49, 7340-7349.	4.8	27
188	One-pot synthesis of reactive oxygen species (ROS)-self-immolative polyoxalate prodrug nanoparticles for hormone dependent cancer therapy with minimized side effects. <i>Polymer Chemistry</i> , 2017, 8, 1999-2004.	3.9	27
189	Effect of Poly(ethylene glycol) Grafting Density on Methylcellulose Fibril Formation. <i>Macromolecules</i> , 2018, 51, 9413-9421.	4.8	27
190	Hydrogenolysis of Linear Low-Density Polyethylene during Heterogeneous Catalytic Hydrogen/Deuterium Exchange. <i>Macromolecules</i> , 2020, 53, 6043-6055.	4.8	27
191	Complex Phase Behavior in Particle-Forming AB/AB ² Diblock Copolymer Blends with Variable Core Block Lengths. <i>Macromolecules</i> , 2021, 54, 7088-7101.	4.8	27
192	Self-diffusion of a polystyrene-polyisoprene block copolymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1996, 34, 2899-2909.	2.1	26
193	Entropically driven phase separation of highly branched/linear polyolefin blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2000, 38, 2965-2975.	2.1	26
194	Direct Observation of Nanostructures during Aqueous Dissolution of Polymer/Drug Particles. <i>Macromolecules</i> , 2017, 50, 3143-3152.	4.8	26
195	Coil Dimensions of Poly(ethylene oxide) in an Ionic Liquid by Small-Angle Neutron Scattering. <i>Macromolecules</i> , 2017, 50, 8739-8744.	4.8	26
196	Linear Viscoelasticity of a Polymeric Bicontinuous Microemulsion. <i>Macromolecules</i> , 2002, 35, 4210-4215.	4.8	25
197	Block Copolymer Vesicles in Liquid CO ₂ . <i>Macromolecules</i> , 2007, 40, 4917-4923.	4.8	25
198	Vesicle Membrane Thickness in Aqueous Dispersions of Block Copolymer Blends. <i>Macromolecules</i> , 2008, 41, 8289-8291.	4.8	25

#	ARTICLE	IF	CITATIONS
199	Computational Design of High- β Block Oligomers for Accessing 1 nm Domains. <i>ACS Nano</i> , 2018, 12, 4351-4361.	14.6	25
200	Poly(methyl methacrylate)- <i>block</i> -poly(<i>n</i> -butyl methacrylate) Diblock Copolymer Micelles in an Ionic Liquid: Scaling of Core and Corona Size with Core Block Length. <i>Macromolecules</i> , 2016, 49, 3639-3646.	4.8	24
201	Self-Supporting, Hydrophobic, Ionic Liquid-Based Reference Electrodes Prepared by Polymerization-Induced Microphase Separation. <i>ACS Sensors</i> , 2017, 2, 1498-1504.	7.8	24
202	Cardiac Muscle Membrane Stabilization in Myocardial Reperfusion Injury. <i>JACC Basic To Translational Science</i> , 2019, 4, 275-287.	4.1	24
203	Influence of Added Salt on Chain Conformations in Poly(ethylene oxide) Melts: SANS Analysis with Complications. <i>Macromolecules</i> , 2020, 53, 7141-7149.	4.8	24
204	Solid-Contact Ion-Selective and Reference Electrodes Covalently Attached to Functionalized Poly(ethylene terephthalate). <i>Analytical Chemistry</i> , 2020, 92, 7621-7629.	6.5	24
205	Asymmetric block copolymers in neutral good solvents: self-diffusion through the ordering transition. <i>Macromolecular Chemistry and Physics</i> , 1997, 198, 983-995.	2.2	23
206	Tuning of Sol-Gel Transition Temperatures for Thermoreversible Ion Gels. <i>Chemistry Letters</i> , 2014, 43, 204-206.	1.3	23
207	Structure of Two-Compartment Hydrogels from Thermoresponsive ABC Triblock Terpolymers. <i>Macromolecules</i> , 2015, 48, 5934-5943.	4.8	23
208	Centrifugally Spun $\text{Fe}_2\text{O}_3/\text{TiO}_2/\text{Carbon}$ Composite Fibers as Anode Materials for Lithium-Ion Batteries. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4032.	2.5	23
209	Polymer Nanogels as Reservoirs To Inhibit Hydrophobic Drug Crystallization. <i>ACS Nano</i> , 2019, 13, 1232-1243.	14.6	23
210	Properties of polystyrene-poly(methylmethacrylate) random and diblock copolymers in dilute and semidilute solutions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994, 32, 1927-1941.	2.1	22
211	Grain shapes and growth kinetics during self-assembly of block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 481-491.	2.1	22
212	Component Terminal Dynamics in Poly(ethylene oxide)/Poly(methyl methacrylate) Blends. <i>Macromolecules</i> , 2008, 41, 5033-5041.	4.8	22
213	Nanoporous Poly(3,4-ethylenedioxythiophene) Derived from Polymeric Bicontinuous Microemulsion Templates. <i>Macromolecules</i> , 2012, 45, 599-601.	4.8	22
214	¹⁹ F Magnetic Resonance Imaging of Injectable Polymeric Implants with Multiresponsive Behavior. <i>Chemistry of Materials</i> , 2018, 30, 4892-4896.	6.7	22
215	Internal Structure of Methylcellulose Fibrils. <i>Macromolecules</i> , 2020, 53, 398-405.	4.8	22
216	Polarized and depolarized dynamic light scattering from a block copolymer melt. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1997, 35, 1643-1648.	2.1	21

#	ARTICLE	IF	CITATIONS
217	Domain size equilibration in sphere-forming block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 715-724.	2.1	21
218	Multicompartment Micelles by Aqueous Self-Assembly of $\frac{1}{4}$ -A(BC) _n Miktobrush Terpolymers. <i>ACS Omega</i> , 2016, 1, 1027-1033.	3.5	21
219	Architecture-Dependent Stabilization of Polyelectrolyte Complexes between Polyanions and Cationic Triblock Terpolymer Micelles. <i>Macromolecules</i> , 2016, 49, 6644-6654.	4.8	21
220	Synthesis, Simulation, and Self-Assembly of a Model Amphiphile To Push the Limits of Block Polymer Nanopatterning. <i>Nano Letters</i> , 2019, 19, 4458-4462.	9.1	21
221	Effect of Ionic Liquid Components on the Coil Dimensions of PEO. <i>Macromolecules</i> , 2019, 52, 3123-3130.	4.8	21
222	Formation of a C15 Laves Phase with a Giant Unit Cell in Salt-Doped A/B/AB Ternary Polymer Blends. <i>ACS Nano</i> , 2020, 14, 13754-13764.	14.6	21
223	Fluctuation regime in the viscoelastic properties of block copolymer solutions. <i>Rheologica Acta</i> , 1997, 36, 229-238.	2.4	20
224	Direct Correlation Between Adhesion Promotion and Coupling Reaction at Immiscible Polymer-Polymer Interfaces. <i>Journal of Adhesion</i> , 2006, 82, 887-902.	3.0	20
225	Precisely Tunable Sol-Gel Transition Temperature by Blending Thermoresponsive ABC Triblock Terpolymers. <i>ACS Macro Letters</i> , 2018, 7, 950-955.	4.8	20
226	Understanding the Molecular Weight Dependence of χ and the Effect of Dispersity on Polymer Blend Phase Diagrams. <i>Macromolecules</i> , 2018, 51, 3774-3787.	4.8	20
227	Diffusion in microstructured block copolymer melts. <i>Macromolecular Symposia</i> , 1997, 121, 219-233.	0.7	19
228	Plasticization of amorphous perfluoropolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 516-525.	2.1	19
229	Permeability of Rubbery and Glassy Membranes of Ionic Liquid Filled Polymersome Nanoreactors in Water. <i>Journal of Physical Chemistry B</i> , 2015, 119, 15054-15062.	2.6	19
230	Poly(alkyl methacrylate)-Grafted Polyolefins as Viscosity Modifiers for Engine Oil: A New Mechanism for Improved Performance. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 1840-1850.	3.7	19
231	Influence of Cholesterol and Bilayer Curvature on the Interaction of PPO-PEO Block Copolymers with Liposomes. <i>Langmuir</i> , 2019, 35, 7231-7241.	3.5	19
232	Effect of Solvent Selectivity on Chain Exchange Kinetics in Block Copolymer Micelles. <i>Macromolecules</i> , 2020, 53, 417-426.	4.8	19
233	Reevaluation of Poly(ethylene-propylene)-Polydimethylsiloxane Phase Behavior Uncovers Topological Close-Packing and Epitaxial Quasicrystal Growth. <i>ACS Nano</i> , 2021, 15, 9453-9468.	14.6	19
234	Kinetics of disorder-to-fcc phase transition via an intermediate bcc state. <i>Physical Review E</i> , 2006, 73, 061803.	2.1	18

#	ARTICLE	IF	CITATIONS
235	Solvent Selective Hydrogen-Deuterium Exchange on Saturated Polyolefins. <i>Macromolecules</i> , 2012, 45, 7778-7782.	4.8	18
236	Fluctuation Effects in Symmetric Diblock Copolymer-Homopolymer Ternary Mixtures near the Lamellar-Disorder Transition. <i>ACS Macro Letters</i> , 2014, 3, 1041-1045.	4.8	18
237	Surface Plasmon Resonance Study of the Binding of PEO-PPO-PEO Triblock Copolymer and PEO Homopolymer to Supported Lipid Bilayers. <i>Langmuir</i> , 2018, 34, 6703-6712.	3.5	18
238	Prediction of Segmental and Global Dynamics in Disordered Styrene-Isoprene Tetrablock Copolymers. <i>Macromolecules</i> , 2003, 36, 9170-9175.	4.8	17
239	Depletion Interactions: Effects of Added Homopolymer on Ordered Phases Formed by Spherical Block Copolymer Micelles. <i>Macromolecules</i> , 2008, 41, 8895-8902.	4.8	17
240	Bicontinuous Microemulsions in Partially Charged Ternary Polymer Blends. <i>ACS Macro Letters</i> , 2019, 8, 1166-1171.	4.8	17
241	Twinning and growth kinetics of lamellar grains in a diblock copolymer solution. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 405-412.	2.1	16
242	The O52 network by molecular design: CECD tetrablock terpolymers. <i>Soft Matter</i> , 2009, 5, 1587.	2.7	16
243	Phase behavior of polyisoprene-poly(butylene oxide) and poly(ethylene-alt-propylene)-poly(butylene) Tj ETQq1 1 0.784314 rgBT /Over 2.7 16	2.7	16
244	Large Amplitude Oscillatory Shear of Block Copolymer Spheres on a Body-Centered Cubic Lattice: Are Micelles Like Metals?. <i>Journal of Physical Chemistry B</i> , 2011, 115, 5840-5848.	2.6	16
245	Rate of Molecular Exchange through the Membranes of Ionic Liquid Filled Polymersomes Dispersed in Water. <i>Journal of Physical Chemistry C</i> , 2014, 118, 21140-21147.	3.1	16
246	Nanoscale Concentration Quantification of Pharmaceutical Actives in Amorphous Polymer Matrices by Electron Energy-Loss Spectroscopy. <i>Langmuir</i> , 2016, 32, 7411-7419.	3.5	16
247	Improved nanoformulation and bio-functionalization of linear-dendritic block copolymers with biocompatible ionic liquids. <i>Nanoscale</i> , 2022, 14, 6021-6036.	5.6	16
248	Styrene and isoprene friction factors in styrene-isoprene matrices. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1998, 36, 3079-3086.	2.1	15
249	Effect of composition fluctuations on tracer diffusion in symmetric diblock copolymers. <i>Journal of Chemical Physics</i> , 1998, 108, 4634-4639.	3.0	15
250	Interfacial Tension-Hindered Phase Transfer of Polystyrene-poly(ethylene oxide) Polymersomes from a Hydrophobic Ionic Liquid to Water. <i>Langmuir</i> , 2015, 31, 594-601.	3.5	15
251	Chain Exchange Kinetics of Asymmetric B ₁ AB ₂ Linear Triblock and AB ₁ B ₂ Branched Triblock Copolymers. <i>Macromolecules</i> , 2017, 50, 6303-6313.	4.8	15
252	Complexation of Linear DNA and Poly(styrenesulfonate) with Cationic Copolymer Micelles: Effect of Polyanion Flexibility. <i>Journal of Physical Chemistry B</i> , 2017, 121, 6708-6720.	2.6	15

#	ARTICLE	IF	CITATIONS
253	Properties of Chemically Cross-Linked Methylcellulose Gels. <i>Macromolecules</i> , 2019, 52, 7740-7748.	4.8	15
254	On the selection of FCC and BCC lattices in poly(styrene-b-isoprene) copolymer micelles. <i>Macromolecular Research</i> , 2008, 16, 51-56.	2.4	14
255	Stimuli-triggered phase transfer of polymer-inorganic hybrid hairy particles between two immiscible liquid phases. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 1600-1619.	2.1	14
256	Impact of molecular weight and comonomer content on catalytic hydrogen-deuterium exchange in polyolefins. <i>Polymer</i> , 2016, 102, 99-105.	3.8	14
257	Influence of the Headgroup on the Interaction of Poly(ethylene oxide)-Poly(propylene oxide) Block Copolymers with Lipid Bilayers. <i>Journal of Physical Chemistry B</i> , 2020, 124, 2417-2424.	2.6	14
258	Spatial Distribution of PEO-PPO-PEO Block Copolymer and PEO Homopolymer in Lipid Bilayers. <i>Langmuir</i> , 2020, 36, 3393-3403.	3.5	14
259	Influence of Charge Fraction on the Phase Behavior of Symmetric Single-Ion Conducting Diblock Copolymers. <i>ACS Macro Letters</i> , 2021, 10, 1035-1040.	4.8	14
260	Phase Behavior of Linear-Bottlebrush Block Polymers. <i>Macromolecules</i> , 2022, 55, 2821-2831.	4.8	14
261	Size Control and Fractionation of Ionic Liquid Filled Polymersomes with Glassy and Rubbery Bilayer Membranes. <i>Langmuir</i> , 2016, 32, 4959-4968.	3.5	13
262	Micellization of Binary Diblock Co-polymer Mixtures in an Ionic Liquid. <i>Macromolecules</i> , 2019, 52, 4729-4738.	4.8	13
263	Photoreversible Order-Disorder Transition in an Ionic Liquid Solvated Block Polymer. <i>ACS Macro Letters</i> , 2019, 8, 393-398.	4.8	13
264	Recent developments in centrifugally spun composite fibers and their performance as anode materials for lithium-ion and sodium-ion batteries. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 266, 115024.	3.5	13
265	Molecular Weight Dependence of Block Copolymer Micelle Fragmentation Kinetics. <i>Journal of the American Chemical Society</i> , 2021, 143, 7748-7758.	13.7	13
266	Phase Behavior of Diblock Copolymer-Homopolymer Ternary Blends with a Compositionally Asymmetric Diblock Copolymer. <i>Macromolecules</i> , 2021, 54, 460-472.	4.8	13
267	Multicompartment micelles from A2-star-(B-alt-C) block terpolymers in selective solvents. <i>Soft Matter</i> , 2011, 7, 5638.	2.7	12
268	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. <i>Angewandte Chemie</i> , 2015, 127, 3061-3065.	2.0	12
269	Influence of Composition Fluctuations on the Linear Viscoelastic Properties of Symmetric Diblock Copolymers near the Order-Disorder Transition. <i>ACS Macro Letters</i> , 2015, 4, 260-265.	4.8	12
270	Complexation between DNA and Hydrophilic-Cationic Diblock Copolymers. <i>Journal of Physical Chemistry B</i> , 2017, 121, 2230-2243.	2.6	12

#	ARTICLE	IF	CITATIONS
271	Equilibration of Micelleâ€“Polyelectrolyte Complexes: Mechanistic Differences between Static and Annealed Charge Distributions. <i>Journal of Physical Chemistry B</i> , 2017, 121, 4631-4641.	2.6	12
272	Effect of Branching and Molecular Weight on Heterogeneous Catalytic Deuterium Exchange in Polyolefins. <i>Macromolecules</i> , 2017, 50, 6849-6860.	4.8	12
273	In Situ Production of Grapheneâ€“Fiber Hybrid Structures. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 25474-25480.	8.0	12
274	Structures and Protonation States of Hydrophilicâ€“Cationic Diblock Copolymers and Their Binding with Plasmid DNA. <i>Journal of Physical Chemistry B</i> , 2018, 122, 2449-2461.	2.6	12
275	Preparation of Inorganic/Organic Double-Network Ion Gels Using a Cross-Linkable Polymer in an Open System. <i>Macromolecules</i> , 2020, 53, 8529-8538.	4.8	12
276	Dilute Solution Properties of Poly(benzyl methacrylate) in Ionic Liquids. <i>Macromolecules</i> , 2020, 53, 885-894.	4.8	12
277	Hybridization of a Bimodal Distribution of Copolymer Micelles. <i>Macromolecules</i> , 2020, 53, 7705-7716.	4.8	11
278	Homopolymer and small-molecule tracer diffusion in a gyroid matrix. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001, 39, 843-859.	2.1	10
279	Fluorinated Amphiphilic Block Copolymers: Combining Anionic Polymerization and Selective Polymer Modification. <i>Macromolecular Symposia</i> , 2004, 215, 51-56.	0.7	10
280	Hierarchical microphase separation in bicontinuous ternary polymer blends. <i>Soft Matter</i> , 2012, 8, 3429.	2.7	10
281	Effects of Solvent Quality and Degree of Polymerization on the Critical Micelle Temperature of Poly(ethylene oxide- <i>b</i> - <i>n</i> -butyl methacrylate) in Ionic Liquids. <i>Macromolecules</i> , 2014, 47, 1455-1461.	4.8	10
282	The effect of light penetration depth on the LCST phase behavior of a thermoâ€“and photoresponsive statistical copolymer in an ionic liquid. <i>Journal of Polymer Science Part A</i> , 2019, 57, 281-287.	2.3	10
283	More than a Liquid Junction: Effect of Stirring, Flow Rate, and Inward and Outward Electrolyte Diffusion on Reference Electrodes with Salt Bridges Contained in Nanoporous Glass. <i>Analytical Chemistry</i> , 2019, 91, 7698-7704.	6.5	10
284	Thermodynamic characteristics of poly(cyclohexylethyleneâ€“ <i>b</i> - <i>e</i> thyleneâ€“ <i>c</i> oâ€“ <i>e</i> thylethylene) block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 566-574.	2.1	9
285	Toughening polylactide with a catalyzed epoxyâ€“acid interfacial reaction. <i>Polymer Engineering and Science</i> , 2018, 58, 28-36.	3.1	9
286	From Order to Disorder: Computational Design of Triblock Amphiphiles with 1 nm Domains. <i>Journal of the American Chemical Society</i> , 2020, 142, 9352-9362.	13.7	9
287	Influence of long-chain branching on the miscibility of poly(ethylene- <i>r</i> -ethylethylene) blends with different microstructures. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 466-477.	2.1	8
288	Chain Dimensions in Poly(ethylene oxide)/Poly(methyl methacrylate) Blends. <i>Macromolecules</i> , 2008, 41, 1050-1052.	4.8	8

#	ARTICLE	IF	CITATIONS
289	Fragmentation of 1,2-Polybutadiene- <i>b</i> -Poly(ethylene oxide) Micelles in Imidazolium-Based Ionic Liquids. <i>Macromolecules</i> , 2019, 52, 7089-7101.	4.8	8
290	Performance and morphology of centrifugally spun Co ₃ O ₄ /C composite fibers for anode materials in lithium-ion batteries. <i>Journal of Materials Science</i> , 2021, 56, 16010-16027.	3.7	8
291	Phase Behavior of Salt-Doped A/B/AB Ternary Polymer Blends: The Role of Homopolymer Distribution. <i>Macromolecules</i> , 2021, 54, 6990-7002.	4.8	8
292	Self-Assembly of Partially Charged Diblock Copolymer-Homopolymer Ternary Blends. <i>Macromolecules</i> , 2022, 55, 4766-4775.	4.8	8
293	Star-shaped polymers by living cationic polymerization. VIII. Size and shape of star poly(vinyl ether)s determined by dynamic light scattering and computer simulation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1995, 33, 527-535.	2.1	7
294	Models for adhesion at weak polymer interfaces. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 2313-2319.	2.1	7
295	Nanoscale Mixing of Soft Solids. <i>Journal of the American Chemical Society</i> , 2011, 133, 1722-1725.	13.7	7
296	Role of Polymer Excipients in the Kinetic Stabilization of Drug-Rich Nanoparticles. <i>ACS Applied Bio Materials</i> , 2020, 3, 7243-7254.	4.6	7
297	Salt-Dependent Structure in Methylcellulose Fibrillar Gels. <i>Macromolecules</i> , 2021, 54, 2090-2100.	4.8	7
298	Development of a PointNet for Detecting Morphologies of Self-Assembled Block Oligomers in Atomistic Simulations. <i>Journal of Physical Chemistry B</i> , 2021, 125, 5275-5284.	2.6	7
299	Centrifugally spun carbon fibers prepared from aqueous poly(vinylpyrrolidone) solutions as binder-free anodes in lithium-ion batteries. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50396.	2.6	7
300	Synthesis and Micellization of Bottlebrush Poloxamers. <i>ACS Macro Letters</i> , 2022, 11, 460-467.	4.8	7
301	Impact of Side-Chain Length on the Self-Assembly of Linear-Bottlebrush Diblock Copolymers. <i>Macromolecules</i> , 2022, 55, 4947-4955.	4.8	7
302	Structure of poly(styrene- <i>b</i> -ethylene- <i>alt</i> - <i>b</i> -propylene) diblock copolymer micelles in binary solvent mixtures. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 22-31.	2.1	6
303	Dynamics of a Supercooled Disordered Sphere-Forming Diblock Copolymer as Determined by X-ray Photon Correlation and Dynamic Mechanical Spectroscopies. <i>ACS Macro Letters</i> , 2018, 7, 1486-1491.	4.8	6
304	The Use of Succinonitrile as an Electrolyte Additive for Composite-Fiber Membranes in Lithium-Ion Batteries. <i>Membranes</i> , 2020, 10, 45.	3.0	6
305	Lipid Membrane Binding and Cell Protection Efficacy of Poly(1,2-butylene oxide)- <i>b</i> -poly(ethylene oxide) Copolymers. <i>Biomacromolecules</i> , 2022, , .	5.4	6
306	A new framework for X-ray photon correlation spectroscopy analysis from polycrystalline materials. <i>Review of Scientific Instruments</i> , 2018, 89, 123902.	1.3	5

#	ARTICLE	IF	CITATIONS
307	Effect of Ion Concentration on the Formation of Bicontinuous Microemulsions in Partially Charged Ternary Polymer Blends. <i>Macromolecules</i> , 2019, 52, 9416-9424.	4.8	5
308	Free Energy Trajectory for Escape of a Single Chain from a Diblock Copolymer Micelle. <i>ACS Macro Letters</i> , 2021, 10, 1570-1575.	4.8	5
309	Stabilizing a Double Gyroid Network Phase with 2 nm Feature Size by Blending of Lamellar and Cylindrical Forming Block Oligomers. <i>Jacs Au</i> , 2022, 2, 1405-1416.	7.9	5
310	Unusual Lower Critical Solution Temperature Phase Behavior of Poly(benzyl methacrylate) in a Pyrrolidinium-Based Ionic Liquid. <i>Molecules</i> , 2021, 26, 4850.	3.8	4
311	Homopolymer and small-molecule tracer diffusion in a gyroid matrix. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001, 39, 843-859.	2.1	4
312	Grain Growth and Coarsening Dynamics in a Compositionally Asymmetric Block Copolymer Revealed by X-ray Photon Correlation Spectroscopy. <i>Macromolecules</i> , 2020, 53, 8233-8243.	4.8	4
313	Microfluidic filament thinning of aqueous, fibrillar methylcellulose solutions. <i>Physical Review Fluids</i> , 2020, 5, .	2.5	4
314	Temperature Dependence of Chain Conformations and Fibril Formation in Solutions of Poly(<i>N</i> -isopropylacrylamide)-Grafted Methylcellulose. <i>Macromolecules</i> , 2022, 55, 550-558.	4.8	4
315	Nondestructive Photo-Cross-Linking of Microphase-Separated Diblock Polymers through Coumarin Dimerization. <i>Macromolecules</i> , 2022, 55, 3317-3324.	4.8	4
316	Mechanical properties of glass continuous poly(cyclohexylethylene) block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 706-717.	2.1	3
317	Dynamic light scattering from ternary polymer blends: critical behavior and bicontinuous microemulsions. <i>Macromolecular Symposia</i> , 2000, 149, 107-112.	0.7	2
318	Effect of Added Homopolymer on the Hexagonal Phase Formed by Cylindrical Block Copolymer Micelles in a Selective Solvent. <i>Macromolecular Rapid Communications</i> , 2009, 30, 352-361.	3.9	2
319	Effects of Electrolytes on Thermodynamics and Structure of Oligo(ethylene oxide)/Salt Solutions and Liquid-Liquid Equilibria of a Squalane/Tetraethylene Glycol Dimethyl Ether Blend. <i>Macromolecules</i> , 2021, 54, 1120-1136.	4.8	2
320	Photoreversible Order-Disorder Transitions in Block Copolymer/Ionic Liquid Solutions. <i>Macromolecules</i> , 2022, 55, 3811-3820.	4.8	2
321	The Reactive Formation of Diblock Copolymer at a Polymer/Polymer Interface and its Effect on Interfacial Structure. <i>Materials Research Society Symposia Proceedings</i> , 2000, 629, 1.	0.1	1
322	The regional editors. <i>Macromolecular Chemistry and Physics</i> , 1994, 195, 1469-1469.	2.2	0
323	A Golden Age for Macromolecules. <i>Kobunshi</i> , 2008, 57, 23-24.	0.0	0
324	Nanosopic Resolution of the Glass Transition within Spatially Inhomogeneous Polymer Mixtures. <i>ACS Central Science</i> , 2018, 4, 431-433.	11.3	0