

Timothy P Lodge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/438773/publications.pdf>

Version: 2024-02-01

324
papers

23,185
citations

10650

74
h-index

13274

135
g-index

329
all docs

329
docs citations

329
times ranked

18737
citing authors

#	ARTICLE	IF	CITATIONS
1	Temperature Dependence of Chain Conformations and Fibril Formation in Solutions of Poly(<i>N</i> -isopropylacrylamide)-Grafted Methylcellulose. <i>Macromolecules</i> , 2022, 55, 550-558.	2.2	4
2	Lipid Membrane Binding and Cell Protection Efficacy of Poly(1,2-butylene oxide)- <i>b</i> -poly(ethylene oxide) Copolymers. <i>Biomacromolecules</i> , 2022, , .	2.6	6
3	Improved nanoformulation and bio-functionalization of linear-dendritic block copolymers with biocompatible ionic liquids. <i>Nanoscale</i> , 2022, 14, 6021-6036.	2.8	16
4	Phase Behavior of Linear-Bottlebrush Block Polymers. <i>Macromolecules</i> , 2022, 55, 2821-2831.	2.2	14
5	Synthesis and Micellization of Bottlebrush Poxamers. <i>ACS Macro Letters</i> , 2022, 11, 460-467.	2.3	7
6	Nondestructive Photo-Cross-Linking of Microphase-Separated Diblock Polymers through Coumarin Dimerization. <i>Macromolecules</i> , 2022, 55, 3317-3324.	2.2	4
7	Photoreversible Order–Disorder Transitions in Block Copolymer/Ionic Liquid Solutions. <i>Macromolecules</i> , 2022, 55, 3811-3820.	2.2	2
8	Stabilizing a Double Gyroid Network Phase with 2 nm Feature Size by Blending of Lamellar and Cylindrical Forming Block Oligomers. <i>Jacs Au</i> , 2022, 2, 1405-1416.	3.6	5
9	Self-Assembly of Partially Charged Diblock Copolymer-Homopolymer Ternary Blends. <i>Macromolecules</i> , 2022, 55, 4766-4775.	2.2	8
10	Impact of Side-Chain Length on the Self-Assembly of Linear-Bottlebrush Diblock Copolymers. <i>Macromolecules</i> , 2022, 55, 4947-4955.	2.2	7
11	Methyl cellulose solutions and gels: fibril formation and gelation properties. <i>Progress in Polymer Science</i> , 2021, 112, 101324.	11.8	63
12	Effects of Electrolytes on Thermodynamics and Structure of Oligo(ethylene oxide)/Salt Solutions and Liquid–Liquid Equilibria of a Squalane/Tetraethylene Glycol Dimethyl Ether Blend. <i>Macromolecules</i> , 2021, 54, 1120-1136.	2.2	2
13	Salt-Dependent Structure in Methylcellulose Fibrillar Gels. <i>Macromolecules</i> , 2021, 54, 2090-2100.	2.2	7
14	Quasicrystals and Their Approximants in a Crystalline–Amorphous Diblock Copolymer. <i>Macromolecules</i> , 2021, 54, 2647-2660.	2.2	28
15	Reevaluation of Poly(ethylene- <i>alt</i> -propylene)- <i>block</i> -Polydimethylsiloxane Phase Behavior Uncovers Topological Close-Packing and Epitaxial Quasicrystal Growth. <i>ACS Nano</i> , 2021, 15, 9453-9468.	7.3	19
16	Recent developments in centrifugally spun composite fibers and their performance as anode materials for lithium-ion and sodium-ion batteries. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 266, 115024.	1.7	13
17	Development of a PointNet for Detecting Morphologies of Self-Assembled Block Oligomers in Atomistic Simulations. <i>Journal of Physical Chemistry B</i> , 2021, 125, 5275-5284.	1.2	7
18	Molecular Weight Dependence of Block Copolymer Micelle Fragmentation Kinetics. <i>Journal of the American Chemical Society</i> , 2021, 143, 7748-7758.	6.6	13

#	ARTICLE	IF	CITATIONS
19	Performance and morphology of centrifugally spun Co ₃ O ₄ /C composite fibers for anode materials in lithium-ion batteries. <i>Journal of Materials Science</i> , 2021, 56, 16010-16027.	1.7	8
20	Complex Phase Behavior in Particle-Forming AB/AB ² Diblock Copolymer Blends with Variable Core Block Lengths. <i>Macromolecules</i> , 2021, 54, 7088-7101.	2.2	27
21	Influence of Charge Fraction on the Phase Behavior of Symmetric Single-Ion Conducting Diblock Copolymers. <i>ACS Macro Letters</i> , 2021, 10, 1035-1040.	2.3	14
22	Phase Behavior of Salt-Doped A/B/AB Ternary Polymer Blends: The Role of Homopolymer Distribution. <i>Macromolecules</i> , 2021, 54, 6990-7002.	2.2	8
23	Unusual Lower Critical Solution Temperature Phase Behavior of Poly(benzyl methacrylate) in a Pyrrolidinium-Based Ionic Liquid. <i>Molecules</i> , 2021, 26, 4850.	1.7	4
24	Centrifugally spun carbon fibers prepared from aqueous poly(vinylpyrrolidone) solutions as binder-free anodes in lithium-ion batteries. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50396.	1.3	7
25	Phase Behavior of Diblock Copolymer-Homopolymer Ternary Blends with a Compositionally Asymmetric Diblock Copolymer. <i>Macromolecules</i> , 2021, 54, 460-472.	2.2	13
26	Free Energy Trajectory for Escape of a Single Chain from a Diblock Copolymer Micelle. <i>ACS Macro Letters</i> , 2021, 10, 1570-1575.	2.3	5
27	Sub-3 V ZnO Electrolyte-Gated Transistors and Circuits with Screen-Printed and Photo-Crosslinked Ion Gel Gate Dielectrics: New Routes to Improved Performance. <i>Advanced Functional Materials</i> , 2020, 30, 1902028.	7.8	49
28	Internal Structure of Methylcellulose Fibrils. <i>Macromolecules</i> , 2020, 53, 398-405.	2.2	22
29	Effect of Solvent Selectivity on Chain Exchange Kinetics in Block Copolymer Micelles. <i>Macromolecules</i> , 2020, 53, 417-426.	2.2	19
30	Role of Polymer Excipients in the Kinetic Stabilization of Drug-Rich Nanoparticles. <i>ACS Applied Bio Materials</i> , 2020, 3, 7243-7254.	2.3	7
31	Hydrogenolysis of Linear Low-Density Polyethylene during Heterogeneous Catalytic Hydrogen-Deuterium Exchange. <i>Macromolecules</i> , 2020, 53, 6043-6055.	2.2	27
32	Influence of Added Salt on Chain Conformations in Poly(ethylene oxide) Melts: SANS Analysis with Complications. <i>Macromolecules</i> , 2020, 53, 7141-7149.	2.2	24
33	Hybridization of a Bimodal Distribution of Copolymer Micelles. <i>Macromolecules</i> , 2020, 53, 7705-7716.	2.2	11
34	Preparation of Inorganic/Organic Double-Network Ion Gels Using a Cross-Linkable Polymer in an Open System. <i>Macromolecules</i> , 2020, 53, 8529-8538.	2.2	12
35	Formation of a C15 Laves Phase with a Giant Unit Cell in Salt-Doped A/B/AB Ternary Polymer Blends. <i>ACS Nano</i> , 2020, 14, 13754-13764.	7.3	21
36	Direct Observation of Micelle Fragmentation via In Situ Liquid-Phase Transmission Electron Microscopy. <i>ACS Macro Letters</i> , 2020, 9, 756-761.	2.3	29

#	ARTICLE	IF	CITATIONS
37	From Order to Disorder: Computational Design of Triblock Amphiphiles with 1 nm Domains. <i>Journal of the American Chemical Society</i> , 2020, 142, 9352-9362.	6.6	9
38	Influence of the Headgroup on the Interaction of Poly(ethylene oxide)-Poly(propylene oxide) Block Copolymers with Lipid Bilayers. <i>Journal of Physical Chemistry B</i> , 2020, 124, 2417-2424.	1.2	14
39	The Use of Succinonitrile as an Electrolyte Additive for Composite-Fiber Membranes in Lithium-Ion Batteries. <i>Membranes</i> , 2020, 10, 45.	1.4	6
40	Emergence of a C15 Laves Phase in Diblock Polymer/Homopolymer Blends. <i>ACS Macro Letters</i> , 2020, 9, 576-582.	2.3	59
41	Block Copolymers: Long-Term Growth with Added Value. <i>Macromolecules</i> , 2020, 53, 2-4.	2.2	38
42	Dilute Solution Properties of Poly(benzyl methacrylate) in Ionic Liquids. <i>Macromolecules</i> , 2020, 53, 885-894.	2.2	12
43	A15, \sqrt{f} , and a Quasicrystal: Access to Complex Particle Packings via Bidisperse Diblock Copolymer Blends. <i>ACS Macro Letters</i> , 2020, 9, 197-203.	2.3	67
44	Solid-Contact Ion-Selective and Reference Electrodes Covalently Attached to Functionalized Poly(ethylene terephthalate). <i>Analytical Chemistry</i> , 2020, 92, 7621-7629.	3.2	24
45	Spatial Distribution of PEO- <i>b</i> -PPO- <i>b</i> -PEO Block Copolymer and PEO Homopolymer in Lipid Bilayers. <i>Langmuir</i> , 2020, 36, 3393-3403.	1.6	14
46	Grain Growth and Coarsening Dynamics in a Compositionally Asymmetric Block Copolymer Revealed by X-ray Photon Correlation Spectroscopy. <i>Macromolecules</i> , 2020, 53, 8233-8243.	2.2	4
47	Microfluidic filament thinning of aqueous, fibrillar methylcellulose solutions. <i>Physical Review Fluids</i> , 2020, 5, .	1.0	4
48	The effect of light penetration depth on the LCST phase behavior of a thermo- and photoresponsive statistical copolymer in an ionic liquid. <i>Journal of Polymer Science Part A</i> , 2019, 57, 281-287.	2.5	10
49	Bicontinuous Microemulsions in Partially Charged Ternary Polymer Blends. <i>ACS Macro Letters</i> , 2019, 8, 1166-1171.	2.3	17
50	Properties of Chemically Cross-Linked Methylcellulose Gels. <i>Macromolecules</i> , 2019, 52, 7740-7748.	2.2	15
51	Block Polymer Micelles Enable CRISPR/Cas9 Ribonucleoprotein Delivery: Physicochemical Properties Affect Packaging Mechanisms and Gene Editing Efficiency. <i>Macromolecules</i> , 2019, 52, 8197-8206.	2.2	48
52	Centrifugally Spun $\text{Fe}_2\text{O}_3/\text{TiO}_2/\text{Carbon}$ Composite Fibers as Anode Materials for Lithium-Ion Batteries. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4032.	1.3	23
53	Recent Advances in Understanding the Micro- and Nanoscale Phenomena of Amorphous Solid Dispersions. <i>Molecular Pharmaceutics</i> , 2019, 16, 4089-4103.	2.3	54
54	Fragmentation of 1,2-Polybutadiene- <i>b</i> -Poly(ethylene oxide) Micelles in Imidazolium-Based Ionic Liquids. <i>Macromolecules</i> , 2019, 52, 7089-7101.	2.2	8

#	ARTICLE	IF	CITATIONS
55	Polycation Architecture and Assembly Direct Successful Gene Delivery: Micelleplexes Outperform Polyplexes via Optimal DNA Packaging. <i>Journal of the American Chemical Society</i> , 2019, 141, 15804-15817.	6.6	77
56	More than a Liquid Junction: Effect of Stirring, Flow Rate, and Inward and Outward Electrolyte Diffusion on Reference Electrodes with Salt Bridges Contained in Nanoporous Glass. <i>Analytical Chemistry</i> , 2019, 91, 7698-7704.	3.2	10
57	Synthesis, Simulation, and Self-Assembly of a Model Amphiphile To Push the Limits of Block Polymer Nanopatterning. <i>Nano Letters</i> , 2019, 19, 4458-4462.	4.5	21
58	Micellization of Binary Diblock Co-polymer Mixtures in an Ionic Liquid. <i>Macromolecules</i> , 2019, 52, 4729-4738.	2.2	13
59	Influence of Cholesterol and Bilayer Curvature on the Interaction of PPO-PEO Block Copolymers with Liposomes. <i>Langmuir</i> , 2019, 35, 7231-7241.	1.6	19
60	Superlattice by charged block copolymer self-assembly. <i>Nature Communications</i> , 2019, 10, 2108.	5.8	43
61	Cardiac Muscle Membrane Stabilization in Myocardial Reperfusion Injury. <i>JACC Basic To Translational Science</i> , 2019, 4, 275-287.	1.9	24
62	Photoreversible Order-Disorder Transition in an Ionic Liquid Solvated Block Polymer. <i>ACS Macro Letters</i> , 2019, 8, 393-398.	2.3	13
63	Effect of Ionic Liquid Components on the Coil Dimensions of PEO. <i>Macromolecules</i> , 2019, 52, 3123-3130.	2.2	21
64	Effect of Ion Concentration on the Formation of Bicontinuous Microemulsions in Partially Charged Ternary Polymer Blends. <i>Macromolecules</i> , 2019, 52, 9416-9424.	2.2	5
65	Structure and Properties of Bicontinuous Microemulsions from Salt-Doped Ternary Polymer Blends. <i>Macromolecules</i> , 2019, 52, 9693-9702.	2.2	34
66	Polymer Nanogels as Reservoirs To Inhibit Hydrophobic Drug Crystallization. <i>ACS Nano</i> , 2019, 13, 1232-1243.	7.3	23
67	Structures and Protonation States of Hydrophilic Cationic Diblock Copolymers and Their Binding with Plasmid DNA. <i>Journal of Physical Chemistry B</i> , 2018, 122, 2449-2461.	1.2	12
68	Extensional Flow Behavior of Methylcellulose Solutions Containing Fibrils. <i>ACS Macro Letters</i> , 2018, 7, 347-352.	2.3	28
69	Gelation, Phase Separation, and Fibril Formation in Aqueous Hydroxypropylmethylcellulose Solutions. <i>Biomacromolecules</i> , 2018, 19, 816-824.	2.6	35
70	Computational Design of High-Block Oligomers for Accessing 1 nm Domains. <i>ACS Nano</i> , 2018, 12, 4351-4361.	7.3	25
71	Nanoscope Resolution of the Glass Transition within Spatially Inhomogeneous Polymer Mixtures. <i>ACS Central Science</i> , 2018, 4, 431-433.	5.3	0
72	Poly(alkyl methacrylate)-Grafted Polyolefins as Viscosity Modifiers for Engine Oil: A New Mechanism for Improved Performance. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 1840-1850.	1.8	19

#	ARTICLE	IF	CITATIONS
73	Complexation of DNA with Cationic Copolymer Micelles: Effects of DNA Length and Topology. <i>Macromolecules</i> , 2018, 51, 1150-1160.	2.2	31
74	Phase Behavior of Binary Polymer Blends Doped with Salt. <i>Macromolecules</i> , 2018, 51, 266-274.	2.2	29
75	Maintaining Hydrophobic Drug Supersaturation in a Micelle Corona Reservoir. <i>Macromolecules</i> , 2018, 51, 540-551.	2.2	35
76	Effect of Corona Block Length on the Structure and Chain Exchange Kinetics of Block Copolymer Micelles. <i>Macromolecules</i> , 2018, 51, 3563-3571.	2.2	37
77	Exchange Kinetics for a Single Block Copolymer in Micelles of Two Different Sizes. <i>Macromolecules</i> , 2018, 51, 2312-2320.	2.2	34
78	Toughening polylactide with a catalyzed epoxy-acid interfacial reaction. <i>Polymer Engineering and Science</i> , 2018, 58, 28-36.	1.5	9
79	Role of Chain Length in the Formation of Frank-Kasper Phases in Diblock Copolymers. <i>Physical Review Letters</i> , 2018, 121, 208002.	2.9	42
80	Effect of Poly(ethylene glycol) Grafting Density on Methylcellulose Fibril Formation. <i>Macromolecules</i> , 2018, 51, 9413-9421.	2.2	27
81	A new framework for X-ray photon correlation spectroscopy analysis from polycrystalline materials. <i>Review of Scientific Instruments</i> , 2018, 89, 123902.	0.6	5
82	Dynamics of a Supercooled Disordered Sphere-Forming Diblock Copolymer as Determined by X-ray Photon Correlation and Dynamic Mechanical Spectroscopies. <i>ACS Macro Letters</i> , 2018, 7, 1486-1491.	2.3	6
83	Molecular Weight Dependence of Methylcellulose Fibrillar Networks. <i>Macromolecules</i> , 2018, 51, 7767-7775.	2.2	34
84	Surface Plasmon Resonance Study of the Binding of PEO-PPO-PEO Triblock Copolymer and PEO Homopolymer to Supported Lipid Bilayers. <i>Langmuir</i> , 2018, 34, 6703-6712.	1.6	18
85	Preparation, Characterization, and Formulation Development of Drug-Drug Protic Ionic Liquids of Diphenhydramine with Ibuprofen and Naproxen. <i>Molecular Pharmaceutics</i> , 2018, 15, 4190-4201.	2.3	40
86	Precisely Tunable Sol-Gel Transition Temperature by Blending Thermoresponsive ABC Triblock Terpolymers. <i>ACS Macro Letters</i> , 2018, 7, 950-955.	2.3	20
87	¹⁹ F Magnetic Resonance Imaging of Injectable Polymeric Implants with Multiresponsive Behavior. <i>Chemistry of Materials</i> , 2018, 30, 4892-4896.	3.2	22
88	Understanding the Molecular Weight Dependence of χ and the Effect of Dispersity on Polymer Blend Phase Diagrams. <i>Macromolecules</i> , 2018, 51, 3774-3787.	2.2	20
89	Packaging pDNA by Polymeric ABC Micelles Simultaneously Achieves Colloidal Stability and Structural Control. <i>Journal of the American Chemical Society</i> , 2018, 140, 11101-11111.	6.6	49
90	2-Hydroxyethylcellulose and Amphiphilic Block Polymer Conjugates Form Mechanically Tunable and Nonswellable Hydrogels. <i>ACS Macro Letters</i> , 2017, 6, 145-149.	2.3	35

#	ARTICLE	IF	CITATIONS
91	Impact of Polymer Excipient Molar Mass and End Groups on Hydrophobic Drug Solubility Enhancement. <i>Macromolecules</i> , 2017, 50, 1102-1112.	2.2	39
92	Complexation between DNA and Hydrophilic-Cationic Diblock Copolymers. <i>Journal of Physical Chemistry B</i> , 2017, 121, 2230-2243.	1.2	12
93	Enhanced Performance of Blended Polymer Excipients in Delivering a Hydrophobic Drug through the Synergistic Action of Micelles and HPMCAS. <i>Langmuir</i> , 2017, 33, 2837-2848.	1.6	38
94	One-pot synthesis of reactive oxygen species (ROS)-self-immolative polyoxalate prodrug nanoparticles for hormone dependent cancer therapy with minimized side effects. <i>Polymer Chemistry</i> , 2017, 8, 1999-2004.	1.9	27
95	Direct Observation of Nanostructures during Aqueous Dissolution of Polymer/Drug Particles. <i>Macromolecules</i> , 2017, 50, 3143-3152.	2.2	26
96	Robust Polymer Electrolyte Membranes with High Ambient-Temperature Lithium-Ion Conductivity via Polymerization-Induced Microphase Separation. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 14561-14565.	4.0	89
97	Molecular Alignment in Polyethylene during Cold Drawing Using In-Situ SANS and Raman Spectroscopy. <i>Macromolecules</i> , 2017, 50, 3627-3636.	2.2	33
98	Polymer Day: Outreach Experiments for High School Students. <i>Journal of Chemical Education</i> , 2017, 94, 1629-1638.	1.1	31
99	Equilibration of Micelle-Polyelectrolyte Complexes: Mechanistic Differences between Static and Annealed Charge Distributions. <i>Journal of Physical Chemistry B</i> , 2017, 121, 4631-4641.	1.2	12
100	Chemical End Group Modified Diblock Copolymers Elucidate Anchor and Chain Mechanism of Membrane Stabilization. <i>Molecular Pharmaceutics</i> , 2017, 14, 2333-2339.	2.3	28
101	Quantifying Binding of Ethylene Oxide-Propylene Oxide Block Copolymers with Lipid Bilayers. <i>Langmuir</i> , 2017, 33, 12624-12634.	1.6	31
102	Coil Dimensions of Poly(ethylene oxide) in an Ionic Liquid by Small-Angle Neutron Scattering. <i>Macromolecules</i> , 2017, 50, 8739-8744.	2.2	26
103	Conformation of Methylcellulose as a Function of Poly(ethylene glycol) Graft Density. <i>ACS Macro Letters</i> , 2017, 6, 1274-1279.	2.3	28
104	Self-Supporting, Hydrophobic, Ionic Liquid-Based Reference Electrodes Prepared by Polymerization-Induced Microphase Separation. <i>ACS Sensors</i> , 2017, 2, 1498-1504.	4.0	24
105	Effect of Branching and Molecular Weight on Heterogeneous Catalytic Deuterium Exchange in Polyolefins. <i>Macromolecules</i> , 2017, 50, 6849-6860.	2.2	12
106	Printable, Degradable, and Biocompatible Ion Gels from a Renewable ABA Triblock Polyester and a Low Toxicity Ionic Liquid. <i>ACS Macro Letters</i> , 2017, 6, 1083-1088.	2.3	41
107	Chain Exchange Kinetics of Asymmetric B ₁ AB ₂ Linear Triblock and AB ₁ B ₂ Branched Triblock Copolymers. <i>Macromolecules</i> , 2017, 50, 6303-6313.	2.2	15
108	In Situ Production of Graphene-Fiber Hybrid Structures. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 25474-25480.	4.0	12

#	ARTICLE	IF	CITATIONS
109	Complexation of Linear DNA and Poly(styrenesulfonate) with Cationic Copolymer Micelles: Effect of Polyanion Flexibility. <i>Journal of Physical Chemistry B</i> , 2017, 121, 6708-6720.	1.2	15
110	Celebrating 50 Years of <i>Macromolecules</i> . <i>Macromolecules</i> , 2017, 50, 9525-9527.	2.2	36
111	Multicompartment Micelles by Aqueous Self-Assembly of $\frac{1}{4}$ -A(BC) _n Miktobrush Terpolymers. <i>ACS Omega</i> , 2016, 1, 1027-1033.	1.6	21
112	Chain Exchange Kinetics in Diblock Copolymer Micelles in Ionic Liquids: The Role of $\ddot{\text{F}}$. <i>Macromolecules</i> , 2016, 49, 9542-9552.	2.2	39
113	Poly(methyl methacrylate)- <i>block</i> -poly(<i>n</i> -butyl methacrylate) Diblock Copolymer Micelles in an Ionic Liquid: Scaling of Core and Corona Size with Core Block Length. <i>Macromolecules</i> , 2016, 49, 3639-3646.	2.2	24
114	Molecular Simulation of Olefin Oligomer Blend Phase Behavior. <i>Macromolecules</i> , 2016, 49, 3975-3985.	2.2	28
115	Size Control and Fractionation of Ionic Liquid Filled Polymersomes with Glassy and Rubbery Bilayer Membranes. <i>Langmuir</i> , 2016, 32, 4959-4968.	1.6	13
116	Structure- \leftrightarrow Conductivity Relationships in Ordered and Disordered Salt-Doped Diblock Copolymer/Homopolymer Blends. <i>Macromolecules</i> , 2016, 49, 6928-6939.	2.2	61
117	Comparison of Gel Relaxation Times and End-Block Pullout Times in ABA Triblock Copolymer Networks. <i>Macromolecules</i> , 2016, 49, 7340-7349.	2.2	27
118	Mechanically Tunable, Readily Processable Ion Gels by Self-Assembly of Block Copolymers in Ionic Liquids. <i>Accounts of Chemical Research</i> , 2016, 49, 2107-2114.	7.6	138
119	Impact of molecular weight and comonomer content on catalytic hydrogen-deuterium exchange in polyolefins. <i>Polymer</i> , 2016, 102, 99-105.	1.8	14
120	Tuning Cationic Block Copolymer Micelle Size by pH and Ionic Strength. <i>Biomacromolecules</i> , 2016, 17, 2849-2859.	2.6	63
121	Architecture-Dependent Stabilization of Polyelectrolyte Complexes between Polyanions and Cationic Triblock Terpolymer Micelles. <i>Macromolecules</i> , 2016, 49, 6644-6654.	2.2	21
122	Electrochemiluminescent displays based on ion gels: correlation between device performance and choice of electrolyte. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8448-8453.	2.7	48
123	Nanoscale Concentration Quantification of Pharmaceutical Actives in Amorphous Polymer Matrices by Electron Energy-Loss Spectroscopy. <i>Langmuir</i> , 2016, 32, 7411-7419.	1.6	16
124	Phase Behavior of Diblock Copolymer- \leftrightarrow Homopolymer Ternary Blends: Congruent First-Order Lamellar- \leftrightarrow Disorder Transition. <i>Macromolecules</i> , 2016, 49, 7928-7944.	2.2	30
125	Thermoresponsive Polymers for Nuclear Medicine: Which Polymer Is the Best?. <i>Langmuir</i> , 2016, 32, 6115-6122.	1.6	40
126	Lithium Salt-Induced Microstructure and Ordering in Diblock Copolymer/Homopolymer Blends. <i>Macromolecules</i> , 2016, 49, 4839-4849.	2.2	48

#	ARTICLE	IF	CITATIONS
127	Formation of Multicompartment Ion Gels by Stepwise Self-Assembly of a Thermoresponsive ABC Triblock Terpolymer in an Ionic Liquid. <i>Macromolecules</i> , 2016, 49, 2298-2306.	2.2	46
128	Structure of poly(styrene- <i>b</i> -ethylene- <i>b</i> -propylene) diblock copolymer micelles in binary solvent mixtures. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 22-31.	2.4	6
129	Multicolored, Low-Power, Flexible Electrochromic Devices Based on Ion Gels. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 6252-6260.	4.0	202
130	Anhydrous Proton Conducting Polymer Electrolyte Membranes via Polymerization-Induced Microphase Separation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 6200-6210.	4.0	76
131	Structure, viscoelasticity, and interfacial dynamics of a model polymeric bicontinuous microemulsion. <i>Soft Matter</i> , 2016, 12, 53-66.	1.2	45
132	Permeability of Rubbery and Glassy Membranes of Ionic Liquid Filled Polymersome Nanoreactors in Water. <i>Journal of Physical Chemistry B</i> , 2015, 119, 15054-15062.	1.2	19
133	Interpolyelectrolyte Complexes of Polycationic Micelles and Linear Polyanions: Structural Stability and Temporal Evolution. <i>Journal of Physical Chemistry B</i> , 2015, 119, 15919-15928.	1.2	35
134	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. <i>Angewandte Chemie</i> , 2015, 127, 3061-3065.	1.6	12
135	Solution Processable, Electrochromic Ion Gels for Sub-1 V, Flexible Displays on Plastic. <i>Chemistry of Materials</i> , 2015, 27, 1420-1425.	3.2	219
136	Interfacial Tension-Hindered Phase Transfer of Polystyrene- <i>b</i> -poly(ethylene oxide) Polymersomes from a Hydrophobic Ionic Liquid to Water. <i>Langmuir</i> , 2015, 31, 594-601.	1.6	15
137	Influence of Composition Fluctuations on the Linear Viscoelastic Properties of Symmetric Diblock Copolymers near the Order-Disorder Transition. <i>ACS Macro Letters</i> , 2015, 4, 260-265.	2.3	12
138	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3018-3022.	7.2	68
139	Evolution of Morphology, Modulus, and Conductivity in Polymer Electrolytes Prepared via Polymerization-Induced Phase Separation. <i>Macromolecules</i> , 2015, 48, 1418-1428.	2.2	82
140	Structure of Two-Compartment Hydrogels from Thermoresponsive ABC Triblock Terpolymers. <i>Macromolecules</i> , 2015, 48, 5934-5943.	2.2	23
141	Synergistic Increase in Ionic Conductivity and Modulus of Triblock Copolymer Ion Gels. <i>Macromolecules</i> , 2015, 48, 4942-4950.	2.2	89
142	pH- and Ionic-Strength-Induced Contraction of Polybasic Micelles in Buffered Aqueous Solutions. <i>Macromolecules</i> , 2015, 48, 2677-2685.	2.2	47
143	Linear and Nonlinear Rheological Behavior of Fibrillar Methylcellulose Hydrogels. <i>ACS Macro Letters</i> , 2015, 4, 538-542.	2.3	67
144	Detection of Pharmaceutical Drug Crystallites in Solid Dispersions by Transmission Electron Microscopy. <i>Molecular Pharmaceutics</i> , 2015, 12, 983-990.	2.3	39

#	ARTICLE	IF	CITATIONS
145	Single Ion Conducting, Polymerized Ionic Liquid Triblock Copolymer Films: High Capacitance Electrolyte Gates for n-type Transistors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 7294-7302.	4.0	93
146	Remarkable Effect of Molecular Architecture on Chain Exchange in Triblock Copolymer Micelles. <i>Macromolecules</i> , 2015, 48, 2667-2676.	2.2	68
147	Thermodynamics of Aqueous Methylcellulose Solutions. <i>Macromolecules</i> , 2015, 48, 7205-7215.	2.2	60
148	Thermally Reversible Ion Gels with Photohealing Properties Based on Triblock Copolymer Self-Assembly. <i>Macromolecules</i> , 2015, 48, 5928-5933.	2.2	65
149	Fluctuation Effects in Symmetric Diblock Copolymerâ€“Homopolymer Ternary Mixtures near the Lamellarâ€“Disorder Transition. <i>ACS Macro Letters</i> , 2014, 3, 1041-1045.	2.3	18
150	Effects of Solvent Quality and Degree of Polymerization on the Critical Micelle Temperature of Poly(ethylene oxide- <i>b</i> - <i>n</i> -butyl methacrylate) in Ionic Liquids. <i>Macromolecules</i> , 2014, 47, 1455-1461.	2.2	10
151	High-Modulus, High-Conductivity Nanostructured Polymer Electrolyte Membranes via Polymerization-Induced Phase Separation. <i>Nano Letters</i> , 2014, 14, 122-126.	4.5	274
152	Morphology, Modulus, and Conductivity of a Triblock Terpolymer/Ionic Liquid Electrolyte Membrane. <i>Macromolecules</i> , 2014, 47, 1090-1098.	2.2	38
153	High Capacitance, Photo-Patternable Ion Gel Gate Insulators Compatible with Vapor Deposition of Metal Gate Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19275-19281.	4.0	30
154	Rate of Molecular Exchange through the Membranes of Ionic Liquid Filled Polymersomes Dispersed in Water. <i>Journal of Physical Chemistry C</i> , 2014, 118, 21140-21147.	1.5	16
155	Solution-Processable Electrochemiluminescent Ion Gels for Flexible, Low-Voltage, Emissive Displays on Plastic. <i>Journal of the American Chemical Society</i> , 2014, 136, 3705-3712.	6.6	204
156	DC-Driven, Sub-2 V Solid-State Electrochemiluminescent Devices by Incorporating Redox Coreactants into Emissive Ion Gels. <i>Chemistry of Materials</i> , 2014, 26, 5358-5364.	3.2	52
157	Tuning of Solâ€“Gel Transition Temperatures for Thermoreversible Ion Gels. <i>Chemistry Letters</i> , 2014, 43, 204-206.	0.7	23
158	Stimuliâ€“triggered phase transfer of polymerâ€“inorganic hybrid hairy particles between two immiscible liquid phases. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 1600-1619.	2.4	14
159	Transfer Printing of Thermoreversible Ion Gels for Flexible Electronics. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 9522-9527.	4.0	56
160	Fibrillar Structure of Methylcellulose Hydrogels. <i>Biomacromolecules</i> , 2013, 14, 2484-2488.	2.6	100
161	Lower Critical Solution Temperature Phase Behavior of Poly(<i>n</i> -butyl methacrylate) in Ionic Liquid Mixtures. <i>Macromolecules</i> , 2013, 46, 9464-9472.	2.2	41
162	Electrolyteâ€“Gated Transistors for Organic and Printed Electronics. <i>Advanced Materials</i> , 2013, 25, 1822-1846.	11.1	797

#	ARTICLE	IF	CITATIONS
163	High Toughness, High Conductivity Ion Gels by Sequential Triblock Copolymer Self-Assembly and Chemical Cross-Linking. <i>Journal of the American Chemical Society</i> , 2013, 135, 9652-9655.	6.6	177
164	Fibrillar Structure in Aqueous Methylcellulose Solutions and Gels. <i>Macromolecules</i> , 2013, 46, 9760-9771.	2.2	74
165	Synthesis of block polymer miktobrushes. <i>Polymer Chemistry</i> , 2013, 4, 166-173.	1.9	31
166	A Stepwise "Micellization" Crystallization Route to Oblate Ellipsoidal, Cylindrical, and Bilayer Micelles with Polyethylene Cores in Water. <i>Macromolecules</i> , 2012, 45, 9460-9467.	2.2	77
167	Effects of component molecular weight on the viscoelastic properties of thermoreversible supramolecular ion gels via hydrogen bonding. <i>Soft Matter</i> , 2012, 8, 2110.	1.2	40
168	Hierarchical microphase separation in bicontinuous ternary polymer blends. <i>Soft Matter</i> , 2012, 8, 3429.	1.2	10
169	Solvent Selective Hydrogen Deuterium Exchange on Saturated Polyolefins. <i>Macromolecules</i> , 2012, 45, 7778-7782.	2.2	18
170	Efficient Formation of Multicompartment Hydrogels by Stepwise Self-Assembly of Thermoresponsive ABC Triblock Terpolymers. <i>Journal of the American Chemical Society</i> , 2012, 134, 10365-10368.	6.6	107
171	Light-Controlled Reversible Micellization of a Diblock Copolymer in an Ionic Liquid. <i>Macromolecules</i> , 2012, 45, 7566-7573.	2.2	71
172	Multiblock Polymers: Panacea or Pandora's Box?. <i>Science</i> , 2012, 336, 434-440.	6.0	930
173	Nanocasting nanoporous inorganic and organic materials from polymeric bicontinuous microemulsion templates. <i>Polymer Journal</i> , 2012, 44, 131-146.	1.3	43
174	Thermoreversible high-temperature gelation of an ionic liquid with poly(benzyl methacrylate- <i>b</i> -methyl methacrylate) triblock copolymer. <i>Journal of Polymer Science Part B: Polymer Physics</i> , 2012, 50, 1075-1082.	1.2	58
175	ABA-triblock copolymer ion gels for CO ₂ separation applications. <i>Journal of Membrane Science</i> , 2012, 423-424, 20-26.	4.1	79
176	Multicompartment Block Polymer Micelles. <i>Macromolecules</i> , 2012, 45, 2-19.	2.2	436
177	Apparent Critical Micelle Concentrations in Block Copolymer/Ionic Liquid Solutions: Remarkably Weak Dependence on Solvophobic Block Molecular Weight. <i>Macromolecules</i> , 2012, 45, 4818-4829.	2.2	47
178	Nanoporous Poly(3,4-ethylenedioxythiophene) Derived from Polymeric Bicontinuous Microemulsion Templates. <i>Macromolecules</i> , 2012, 45, 599-601.	2.2	22
179	Synthesis and Remarkable Efficacy of Model Polyethylene- <i>g</i> -poly(methyl methacrylate) Copolymers as Compatibilizers in Polyethylene/Poly(methyl methacrylate) Blends. <i>Macromolecules</i> , 2012, 45, 9604-9610.	2.2	62
180	Unusual Lower Critical Solution Temperature Phase Behavior of Poly(ethylene oxide) in Ionic Liquids. <i>Macromolecules</i> , 2012, 45, 3627-3633.	2.2	103

#	ARTICLE	IF	CITATIONS
181	Temperature-based fluorescence measurements of pyrene in block copolymer micelles: Probing micelle core glass transition breadths. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 500-515.	2.4	30
182	Mechanical properties of glass continuous poly(cyclohexylethylene) block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 706-717.	2.4	3
183	“Cut and Stick” Rubbery Ion Gels as High Capacitance Gate Dielectrics. <i>Advanced Materials</i> , 2012, 24, 4457-4462.	11.1	383
184	Multicompartment micelles from A2-star-(B-alt-C) block terpolymers in selective solvents. <i>Soft Matter</i> , 2011, 7, 5638.	1.2	12
185	Hierarchically Structured Materials from Block Polymer Confinement within Bicontinuous Microemulsion-Derived Nanoporous Polyethylene. <i>ACS Nano</i> , 2011, 5, 8914-8927.	7.3	41
186	UCST Phase Transition of Azobenzene-Containing Random Copolymer in an Ionic Liquid. <i>Macromolecules</i> , 2011, 44, 6908-6914.	2.2	76
187	Nanoscale Mixing of Soft Solids. <i>Journal of the American Chemical Society</i> , 2011, 133, 1722-1725.	6.6	7
188	Molecular Exchange in Ordered Diblock Copolymer Micelles. <i>Macromolecules</i> , 2011, 44, 3594-3604.	2.2	94
189	Micellization and Micellar Aggregation of Poly(ethylene- <i>alt</i> -propylene)- <i>b</i> -poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Over 2011, 44, 1635-1641.	2.2	103
190	Viscoelastic Properties, Ionic Conductivity, and Materials Design Considerations for Poly(styrene- <i>b</i> -ethylene oxide- <i>b</i> -styrene)-Based Ion Gel Electrolytes. <i>Macromolecules</i> , 2011, 44, 8981-8989.	2.2	97
191	Synthesis and Gas Separation Performance of Triblock Copolymer Ion Gels with a Polymerized Ionic Liquid Mid-Block. <i>Macromolecules</i> , 2011, 44, 1732-1736.	2.2	203
192	Ionic Conductivity, Capacitance, and Viscoelastic Properties of Block Copolymer-Based Ion Gels. <i>Macromolecules</i> , 2011, 44, 940-949.	2.2	183
193	Poly(<i>n</i> -butyl methacrylate) in Ionic Liquids with Tunable Lower Critical Solution Temperatures (LCST). <i>Journal of Physical Chemistry B</i> , 2011, 115, 1971-1977.	1.2	74
194	Electrical Impedance of Spin-Coatable Ion Gel Films. <i>Journal of Physical Chemistry B</i> , 2011, 115, 3315-3321.	1.2	166
195	Large Amplitude Oscillatory Shear of Block Copolymer Spheres on a Body-Centered Cubic Lattice: Are Micelles Like Metals?. <i>Journal of Physical Chemistry B</i> , 2011, 115, 5840-5848.	1.2	16
196	Effect of Concentration on the Glass Transition and Viscoelastic Properties of Poly(methyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td 2011, 44, 1042-1047.	2.2	47
197	Thermodynamic characteristics of poly(cyclohexylethylene- <i>b</i> -ethylene- <i>co</i> -ethylene) block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 566-574.	2.4	9
198	Mechanism of Molecular Exchange in Diblock Copolymer Micelles: Hypersensitivity to Core Chain Length. <i>Physical Review Letters</i> , 2010, 104, 047802.	2.9	177

#	ARTICLE	IF	CITATIONS
199	Microphase Separation of High Grafting Density Asymmetric Mixed Homopolymer Brushes on Silica Particles. <i>Macromolecules</i> , 2010, 43, 8209-8217.	2.2	75
200	Path-Dependent Morphology and Relaxation Kinetics of Highly Amphiphilic Diblock Copolymer Micelles in Ionic Liquids. <i>Macromolecules</i> , 2010, 43, 2018-2027.	2.2	78
201	Nanoporous Materials Derived from Polymeric Bicontinuous Microemulsions. <i>Chemistry of Materials</i> , 2010, 22, 1279-1281.	3.2	48
202	Micelle/Inverse Micelle Self-Assembly of a PEO \sim PNIPAm Block Copolymer in Ionic Liquids with Double Thermoresponsivity. <i>Macromolecules</i> , 2010, 43, 9522-9528.	2.2	80
203	Polymersomes with Ionic Liquid Interiors Dispersed in Water. <i>Journal of the American Chemical Society</i> , 2010, 132, 16265-16270.	6.6	50
204	Lower Critical Solution Temperature (LCST) Phase Behavior of Poly(ethylene oxide) in Ionic Liquids. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 1962-1966.	2.1	129
205	Pluronic Micelle Shuttle between Water and an Ionic Liquid. <i>Langmuir</i> , 2010, 26, 8887-8892.	1.6	55
206	Phase behavior of polyisoprene-poly(butylene oxide) and poly(ethylene-alt-propylene)-poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 1.2	1.2	16
207	Effect of Added Homopolymer on the Hexagonal Phase Formed by Cylindrical Block Copolymer Micelles in a Selective Solvent. <i>Macromolecular Rapid Communications</i> , 2009, 30, 352-361.	2.0	2
208	Models for adhesion at weak polymer interfaces. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 2313-2319.	2.4	7
209	Equilibrium vs Metastability: High-Temperature Annealing of Spherical Block Copolymer Micelles in an Ionic Liquid. <i>Macromolecules</i> , 2009, 42, 580-583.	2.2	84
210	Phase Behavior and Ionic Conductivity of Concentrated Solutions of Polystyrene-Poly(ethylene oxide) Diblock Copolymers in an Ionic Liquid. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 2812-2820.	4.0	101
211	High-Temperature Nanoporous Ceramic Monolith Prepared from a Polymeric Bicontinuous Microemulsion Template. <i>Journal of the American Chemical Society</i> , 2009, 131, 1676-1677.	6.6	50
212	Doubly Thermosensitive Self-Assembly of Diblock Copolymers in Ionic Liquids. <i>Macromolecules</i> , 2009, 42, 1315-1320.	2.2	88
213	Thermodynamics and Mechanism of the Block Copolymer Micelle Shuttle between Water and an Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2009, 113, 14151-14157.	1.2	52
214	Structure of Poly(styrene- <i>b</i> -ethylene- <i>alt</i> -propylene) Diblock Copolymer Micelles in Squalane. <i>Journal of Physical Chemistry B</i> , 2009, 113, 13840-13848.	1.2	70
215	The O52 network by molecular design: CECD tetrablock terpolymers. <i>Soft Matter</i> , 2009, 5, 1587.	1.2	16
216	Ion Gel-Gated Polymer Thin-Film Transistors: Operating Mechanism and Characterization of Gate Dielectric Capacitance, Switching Speed, and Stability. <i>Journal of Physical Chemistry C</i> , 2009, 113, 8972-8981.	1.5	325

#	ARTICLE	IF	CITATIONS
217	Gelation Mechanism of Thermoreversible Supramacromolecular Ion Gels via Hydrogen Bonding. <i>Macromolecules</i> , 2009, 42, 5802-5810.	2.2	104
218	On the selection of FCC and BCC lattices in poly(styrene-b-isoprene) copolymer micelles. <i>Macromolecular Research</i> , 2008, 16, 51-56.	1.0	14
219	Plasticization of amorphous perfluoropolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008, 46, 516-525.	2.4	19
220	Printable ion-gel gate dielectrics for low-voltage polymer thin-film transistors. <i>Nature Materials</i> , 2008, 7, 900-906.	13.3	1,077
221	Block Copolymer Micelle Shuttles with Tunable Transfer Temperatures between Ionic Liquids and Aqueous Solutions. <i>Langmuir</i> , 2008, 24, 5284-5290.	1.6	56
222	A Unique Platform for Materials Design. <i>Science</i> , 2008, 321, 50-51.	6.0	407
223	Thermoreversible Supramacromolecular Ion Gels via Hydrogen Bonding. <i>Macromolecules</i> , 2008, 41, 5839-5844.	2.2	155
224	Depletion Interactions: Effects of Added Homopolymer on Ordered Phases Formed by Spherical Block Copolymer Micelles. <i>Macromolecules</i> , 2008, 41, 8895-8902.	2.2	17
225	Component Terminal Dynamics in Poly(ethylene oxide)/Poly(methyl methacrylate) Blends. <i>Macromolecules</i> , 2008, 41, 5033-5041.	2.2	22
226	Lyotropic Phase Behavior of Polybutadiene- <i>b</i> -Poly(ethylene oxide) Diblock Copolymers in Ionic Liquids. <i>Macromolecules</i> , 2008, 41, 1753-1759.	2.2	86
227	Thermoreversible Ion Gels with Tunable Melting Temperatures from Triblock and Pentablock Copolymers. <i>Macromolecules</i> , 2008, 41, 167-174.	2.2	178
228	Vesicle Membrane Thickness in Aqueous Dispersions of Block Copolymer Blends. <i>Macromolecules</i> , 2008, 41, 8289-8291.	2.2	25
229	Chain Dimensions in Poly(ethylene oxide)/Poly(methyl methacrylate) Blends. <i>Macromolecules</i> , 2008, 41, 1050-1052.	2.2	8
230	Two Calorimetric Glass Transitions in Miscible Blends Containing Poly(ethylene oxide). <i>Macromolecules</i> , 2008, 41, 2502-2508.	2.2	84
231	A Golden Age for Macromolecules. <i>Kobunshi</i> , 2008, 57, 23-24.	0.0	0
232	A thermoreversible ion gel by triblock copolymer self-assembly in an ionic liquid. <i>Chemical Communications</i> , 2007, , 2732.	2.2	174
233	Ion Gel Gated Polymer Thin-Film Transistors. <i>Journal of the American Chemical Society</i> , 2007, 129, 4532-4533.	6.6	422
234	Viscoelastic Synergy in Aqueous Mixtures of Wormlike Micelles and Model Amphiphilic Triblock Copolymers. <i>Macromolecules</i> , 2007, 40, 1615-1623.	2.2	39

#	ARTICLE	IF	CITATIONS
235	Block Copolymer Vesicles in Liquid CO ₂ . <i>Macromolecules</i> , 2007, 40, 4917-4923.	2.2	25
236	Depletion Interactions: A New Control Parameter for the Self-Assembly of Diblock Copolymer Micelles. <i>Physical Review Letters</i> , 2007, 99, 137802.	2.9	31
237	Ion Gels by Self-Assembly of a Triblock Copolymer in an Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2007, 111, 4645-4652.	1.2	288
238	Thermoreversible Morphology Transitions of Poly(styrene- <i>b</i> -dimethylsiloxane) Diblock Copolymer Micelles in Dilute Solution. <i>Macromolecules</i> , 2007, 40, 4048-4052.	2.2	77
239	Micellization of PS-PMMA Diblock Copolymers in an Ionic Liquid. <i>Macromolecular Chemistry and Physics</i> , 2007, 208, 339-348.	1.1	58
240	Interfacial slip reduces polymer-polymer adhesion during coextrusion. <i>Journal of Rheology</i> , 2006, 50, 41-57.	1.3	60
241	Direct Correlation Between Adhesion Promotion and Coupling Reaction at Immiscible Polymer-Polymer Interfaces. <i>Journal of Adhesion</i> , 2006, 82, 887-902.	1.8	20
242	Self-Assembly of Block Copolymer Micelles in an Ionic Liquid. <i>Journal of the American Chemical Society</i> , 2006, 128, 2745-2750.	6.6	400
243	Mesoporous Membrane Templated by a Polymeric Bicontinuous Microemulsion. <i>Nano Letters</i> , 2006, 6, 2354-2357.	4.5	104
244	Disk Micelles from Nonionic Coil-coil Diblock Copolymers. <i>Macromolecules</i> , 2006, 39, 4526-4530.	2.2	59
245	Sphere, Cylinder, and Vesicle Nanoaggregates in Poly(styrene- <i>b</i> -isoprene) Diblock Copolymer Solutions. <i>Macromolecules</i> , 2006, 39, 1199-1208.	2.2	211
246	Influence of Conformational Asymmetry on the Phase Behavior of Ternary Homopolymer/Block Copolymer Blends around the Bicontinuous Microemulsion Channel. <i>Journal of Physical Chemistry B</i> , 2006, 110, 3979-3989.	1.2	38
247	Grain shapes and growth kinetics during self-assembly of block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 481-491.	2.4	22
248	Two calorimetric glass transitions do not necessarily indicate immiscibility: The case of PEO/PMMA. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 756-763.	2.4	183
249	Kinetics of disorder-to-fcc phase transition via an intermediate bcc state. <i>Physical Review E</i> , 2006, 73, 061803.	0.8	18
250	Twinning and growth kinetics of lamellar grains in a diblock copolymer solution. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 405-412.	2.4	16
251	Synthesis and self-assembly of highly incompatible polybutadiene-poly(hexafluoropropylene oxide) diblock copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 3685-3694.	2.4	27
252	Simultaneous, Segregated Storage of Two Agents in a Multicompartment Micelle. <i>Journal of the American Chemical Society</i> , 2005, 127, 17608-17609.	6.6	249

#	ARTICLE	IF	CITATIONS
253	Introductory Lecture : Strategies for controlling intra- and intermicellar packing in block copolymer solutions: Illustrating the flexibility of the self-assembly toolbox. <i>Faraday Discussions</i> , 2005, 128, 1.	1.6	101
254	Cryogenic Transmission Electron Microscopy Imaging of Vesicles Formed by a Polystyrene- <i>b</i> -Polyisoprene Diblock Copolymer. <i>Macromolecules</i> , 2005, 38, 6779-6781.	2.2	42
255	Interfacial Morphology Development during PS/PMMA Reactive Coupling. <i>Macromolecules</i> , 2005, 38, 6586-6591.	2.2	55
256	Miscibility and Crystallization in Polycarbonate/Poly(ϵ -caprolactone) Blends: Application of the Self-Concentration Model. <i>Macromolecules</i> , 2005, 38, 5109-5117.	2.2	63
257	Origin of the Thermoreversible fcc-bcc Transition in Block Copolymer Solutions. <i>Physical Review Letters</i> , 2004, 92, 145501.	2.9	86
258	Failure of time-temperature superposition in dilute miscible polymer blends. <i>Colloid and Polymer Science</i> , 2004, 282, 793-801.	1.0	31
259	Effect of composition on the width of the calorimetric glass transition in polymer-solvent and solvent-solvent mixtures. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 1155-1163.	2.4	60
260	An Ordered Nanoporous Monolith from an Elastomeric Crosslinked Block Copolymer Precursor. <i>Macromolecular Rapid Communications</i> , 2004, 25, 704-709.	2.0	56
261	Grain Shapes and Growth Kinetics of the Cylinder Phase in a Block Copolymer Solution. <i>Macromolecules</i> , 2004, 37, 4891-4899.	2.2	33
262	Mapping Large Regions of Diblock Copolymer Phase Space by Selective Chemical Modification. <i>Macromolecules</i> , 2004, 37, 397-407.	2.2	50
263	Epitaxial Transitions among FCC, HCP, BCC, and Cylinder Phases in a Block Copolymer Solution. <i>Macromolecules</i> , 2004, 37, 9064-9075.	2.2	65
264	A framework for predicting the viscosity of miscible polymer blends. <i>Journal of Rheology</i> , 2004, 48, 463-486.	1.3	49
265	Temperature-dependent micellar structures in poly(styrene- <i>b</i> -isoprene) diblock copolymer solutions near the critical micelle temperature. <i>Journal of Chemical Physics</i> , 2004, 121, 11489.	1.2	63
266	Fluorinated Amphiphilic Block Copolymers: Combining Anionic Polymerization and Selective Polymer Modification. <i>Macromolecular Symposia</i> , 2004, 215, 51-56.	0.4	10
267	Block Copolymers: Past Successes and Future Challenges. <i>Macromolecular Chemistry and Physics</i> , 2003, 204, 265-273.	1.1	516
268	Domain size equilibration in sphere-forming block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 715-724.	2.4	21
269	Self-Diffusion and Tracer Diffusion in Sphere-Forming Block Copolymers. <i>Macromolecules</i> , 2003, 36, 7158-7164.	2.2	61
270	Measurement of Gyroid Single Grain Growth Rates in Block Copolymer Solutions. <i>Macromolecules</i> , 2003, 36, 7672-7680.	2.2	34

#	ARTICLE	IF	CITATIONS
271	Phase Behavior of Block Copolymers in a Neutral Solvent. <i>Macromolecules</i> , 2003, 36, 816-822.	2.2	143
272	Effect of Thermodynamic Interactions on Reactions at Polymer/Polymer Interfaces. <i>Macromolecules</i> , 2003, 36, 7212-7219.	2.2	59
273	Prediction of Segmental and Global Dynamics in Disordered Styrene- <i>b</i> -Isoprene Tetrablock Copolymers. <i>Macromolecules</i> , 2003, 36, 9170-9175.	2.2	17
274	Persistence of the Gyroid Morphology at Strong Segregation in Diblock Copolymers. <i>Macromolecules</i> , 2003, 36, 4682-4685.	2.2	51
275	Linear Viscoelasticity of a Polymeric Bicontinuous Microemulsion. <i>Macromolecules</i> , 2002, 35, 4210-4215.	2.2	25
276	Effect of Selective Perfluoroalkylation on the Segregation Strength of Polystyrene- <i>b</i> -1,2-Polybutadiene Block Copolymers. <i>Macromolecules</i> , 2002, 35, 3889-3894.	2.2	55
277	The Full Phase Behavior for Block Copolymers in Solvents of Varying Selectivity. <i>Macromolecules</i> , 2002, 35, 4707-4717.	2.2	359
278	The Order-Disorder Transition and the Disordered Micelle Regime for Poly(ethylenepropylene- <i>b</i> -dimethylsiloxane) Spheres. <i>Macromolecules</i> , 2002, 35, 9687-9697.	2.2	79
279	Synthesis and self-assembly of fluorinated block copolymers. <i>Journal of Polymer Science Part A</i> , 2002, 40, 1-8.	2.5	90
280	Influence of long-chain branching on the miscibility of poly(ethylene- <i>r</i> -ethylethylene) blends with different microstructures. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 466-477.	2.4	8
281	The Order-Disorder Transition and the Disordered Micelle Regime in Sphere-Forming Block Copolymer Melts. <i>Macromolecules</i> , 2001, 34, 9143-9155.	2.2	88
282	A Simple and Mild Route to Highly Fluorinated Model Polymers. <i>Macromolecules</i> , 2001, 34, 4780-4787.	2.2	50
283	Composition and Temperature Dependence of Monomer Friction in Polystyrene/Poly(methyl) Tj ETQq1 1 0.784314,rgBT /Overlock 10	2.2	35
284	Shear-Induced Nano-Macro Structural Transition in a Polymeric Bicontinuous Microemulsion. <i>Physical Review Letters</i> , 2001, 87, 098301.	2.9	46
285	Homopolymer and small-molecule tracer diffusion in a gyroid matrix. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2001, 39, 843-859.	2.4	10
286	Static and dynamic scattering from ternary polymer blends: Bicontinuous microemulsions, Lifshitz lines, and amphiphilicity. <i>Journal of Chemical Physics</i> , 2001, 114, 7247-7259.	1.2	79
287	Homopolymer and small-molecule tracer diffusion in a gyroid matrix. , 2001, 39, 843.		4
288	Entropically driven phase separation of highly branched/linear polyolefin blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2000, 38, 2965-2975.	2.4	26

#	ARTICLE	IF	CITATIONS
289	Self-Concentrations and Effective Glass Transition Temperatures in Polymer Blends. <i>Macromolecules</i> , 2000, 33, 5278-5284.	2.2	548
290	Dynamic light scattering from ternary polymer blends: critical behavior and bicontinuous microemulsions. <i>Macromolecular Symposia</i> , 2000, 149, 107-112.	0.4	2
291	Phase Behavior of a Block Copolymer in Solvents of Varying Selectivity. <i>Macromolecules</i> , 2000, 33, 5918-5931.	2.2	340
292	Synthesis, Characterization, and Interaction Strengths of Difluorocarbene-Modified Polystyrene- <i>b</i> -Polyisoprene Block Copolymers. <i>Macromolecules</i> , 2000, 33, 866-876.	2.2	76
293	Contrast Variation Small-Angle Neutron Scattering Study of the Structure of Block Copolymer Micelles in a Slightly Selective Solvent at Semidilute Concentrations. <i>Macromolecules</i> , 2000, 33, 542-550.	2.2	76
294	Diffusivity and Viscosity of Concentrated Hydrogenated Polybutadiene Solutions. <i>Macromolecules</i> , 2000, 33, 1747-1758.	2.2	105
295	Ternary Polymer Blends as Model Surfactant Systems. <i>Journal of Physical Chemistry B</i> , 2000, 104, 6987-6997.	1.2	91
296	Molecular Weight Distribution of Polystyrene Made by Anionic Polymerization. <i>Macromolecules</i> , 2000, 33, 5111-5115.	2.2	107
297	The Reactive Formation of Diblock Copolymer at a Polymer/Polymer Interface and its Effect on Interfacial Structure. <i>Materials Research Society Symposia Proceedings</i> , 2000, 629, 1.	0.1	1
298	Thermoreversible Gelation of Aqueous Methylcellulose Solutions. <i>Macromolecules</i> , 1999, 32, 7070-7077.	2.2	316
299	Reconciliation of the Molecular Weight Dependence of Diffusion and Viscosity in Entangled Polymers. <i>Physical Review Letters</i> , 1999, 83, 3218-3221.	2.9	231
300	Thermodynamic Stability and Anisotropic Fluctuations in the Cylinder-to-Sphere Transition of a Block Copolymer. <i>Macromolecules</i> , 1999, 32, 7190-7201.	2.2	78
301	Model Bicontinuous Microemulsions in Ternary Homopolymer/Block Copolymer Blends. <i>Journal of Physical Chemistry B</i> , 1999, 103, 4814-4824.	1.2	159
302	Correlation Length and Entanglement Spacing in Concentrated Hydrogenated Polybutadiene Solutions. <i>Macromolecules</i> , 1999, 32, 1212-1217.	2.2	48
303	Styrene and isoprene friction factors in styrene-isoprene matrices. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1998, 36, 3079-3086.	2.4	15
304	Effect of dilution on a block copolymer in the complex phase window. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1998, 36, 3101-3113.	2.4	96
305	Self-Consistent Calculations of Block Copolymer Solution Phase Behavior. <i>Macromolecules</i> , 1998, 31, 3556-3565.	2.2	112
306	A New Class of Fluorinated Polymers by a Mild, Selective, and Quantitative Fluorination. <i>Journal of the American Chemical Society</i> , 1998, 120, 6830-6831.	6.6	49

#	ARTICLE	IF	CITATIONS
307	Block Copolymer Self-Diffusion in the Gyroid and Cylinder Morphologies. <i>Macromolecules</i> , 1998, 31, 5363-5370.	2.2	79
308	Structure and Dynamics of Disordered Tetrablock Copolymers: A Composition and Temperature Dependence of Local Friction. <i>Macromolecules</i> , 1998, 31, 4562-4573.	2.2	50
309	Fluctuations with Cubic Symmetry in a Hexagonal Copolymer Microstructure. <i>Physical Review Letters</i> , 1998, 81, 5354-5357.	2.9	54
310	Effect of composition fluctuations on tracer diffusion in symmetric diblock copolymers. <i>Journal of Chemical Physics</i> , 1998, 108, 4634-4639.	1.2	15
311	Polymeric Bicontinuous Microemulsions. <i>Physical Review Letters</i> , 1997, 79, 849-852.	2.9	300
312	Diffusion in microstructured block copolymer melts. <i>Macromolecular Symposia</i> , 1997, 121, 219-233.	0.4	19
313	Solvent Distribution in Weakly-Ordered Block Copolymer Solutions. <i>Macromolecules</i> , 1997, 30, 6139-6149.	2.2	78
314	Fluctuation regime in the viscoelastic properties of block copolymer solutions. <i>Rheologica Acta</i> , 1997, 36, 229-238.	1.1	20
315	Asymmetric block copolymers in neutral good solvents: self-diffusion through the ordering transition. <i>Macromolecular Chemistry and Physics</i> , 1997, 198, 983-995.	1.1	23
316	Polarized and depolarized dynamic light scattering from a block copolymer melt. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1997, 35, 1643-1648.	2.4	21
317	Self-diffusion of a polystyrene-polyisoprene block copolymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1996, 34, 2899-2909.	2.4	26
318	Star-shaped polymers by living cationic polymerization. VIII. Size and shape of star poly(vinyl ether)s determined by dynamic light scattering and computer simulation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1995, 33, 527-535.	2.4	7
319	Isotropic Lifshitz Behavior in Block Copolymer-Homopolymer Blends. <i>Physical Review Letters</i> , 1995, 75, 4429-4432.	2.9	112
320	Properties of polystyrene-poly(methylmethacrylate) random and diblock copolymers in dilute and semidilute solutions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994, 32, 1927-1941.	2.4	22
321	The regional editors. <i>Macromolecular Chemistry and Physics</i> , 1994, 195, 1469-1469.	1.1	0
322	Static and dynamic crossover in a critical polymer mixture. <i>Physical Review Letters</i> , 1990, 65, 1893-1896.	2.9	137
323	Expansion factor of a part of a polymer chain in a good solvent measured by small-angle neutron scattering. <i>Macromolecules</i> , 1984, 17, 1785-1789.	2.2	27
324	Polymer Chemistry. , 0, , .		770