Alexandra S Maia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4391073/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Analysis of chiral drugs in environmental matrices: Current knowledge and trends in environmental, biodegradation and forensic fields. TrAC - Trends in Analytical Chemistry, 2020, 124, 115783.	11.4	34
2	Quantification of fluoroquinolones in wastewaters by liquid chromatography-tandem mass spectrometry. Environmental Pollution, 2020, 259, 113927.	7.5	42
3	Enantioselective degradation of ofloxacin and levofloxacin by the bacterial strains Labrys portucalensis F11 and Rhodococcus sp. FP1. Ecotoxicology and Environmental Safety, 2018, 155, 144-151.	6.0	32
4	Enantiomeric ratios: Why so many notations?. Journal of Chromatography A, 2018, 1569, 1-7.	3.7	23
5	Enantiomeric Separation of Tramadol and Its Metabolites: Method Validation and Application to Environmental Samples. Symmetry, 2017, 9, 170.	2.2	9
6	Chiral Analysis of Pesticides and Drugs of Environmental Concern: Biodegradation and Enantiomeric Fraction. Symmetry, 2017, 9, 196.	2.2	39
7	Occurrence of Chiral Bioactive Compounds in the Aquatic Environment: A Review. Symmetry, 2017, 9, 215.	2.2	31
8	Anthropogenic pressure in a Portuguese river: Endocrine-disrupting compounds, trace elements and nutrients. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2016, 51, 1043-1052.	1.7	20
9	Integrated liquid chromatography method in enantioselective studies: Biodegradation of ofloxacin by an activated sludge consortium. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1029-1030, 174-183.	2.3	29
10	Dispersive liquid–liquid microextraction and HPLC to analyse fluoxetine and metoprolol enantiomers in wastewaters. Environmental Chemistry Letters, 2015, 13, 203-210.	16.2	19
11	Biodegradation of ofloxacin, norfloxacin, and ciprofloxacin as single and mixed substrates by Labrys portucalensis F11. Applied Microbiology and Biotechnology, 2014, 98, 3181-3190.	3.6	149
12	Degradation of fluoroquinolone antibiotics and identification of metabolites/transformation products by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2014, 1333, 87-98.	3.7	96
13	Enantioselective quantification of fluoxetine and norfluoxetine by HPLC in wastewater effluents. Chemosphere, 2014, 95, 589-596.	8.2	47
14	Performance of aerobic granular sludge in a sequencing batch bioreactor exposed to ofloxacin, norfloxacin and ciprofloxacin. Water Research, 2014, 50, 101-113.	11.3	197
15	New Trends in Sample Preparation Techniques for Environmental Analysis. Critical Reviews in Analytical Chemistry, 2014, 44, 142-185.	3.5	86
16	Enantiomeric fraction evaluation of pharmaceuticals in environmental matrices by liquid chromatography-tandem mass spectrometry. Journal of Chromatography A, 2014, 1363, 226-235.	3.7	52
17	Enantioseparation of chiral pharmaceuticals in biomedical and environmental analyses by liquid chromatography: An overview. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 968, 8-21.	2.3	91
18	Microbial degradation of pharmaceuticals followed by a simple HPLC-DAD method. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2012, 47, 2151-2158.	1.7	9