
Guenther Deuschl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4395638/publications.pdf Version: 2024-02-01



CHENTHER DEUSCHL

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | MDS clinical diagnostic criteria for Parkinson's disease. Movement Disorders, 2015, 30, 1591-1601. | 3.9 | 4,389 |
| 2 | A Randomized Trial of Deep-Brain Stimulation for Parkinson's Disease. New England Journal of Medicine, 2006, 355, 896-908. | 27.0 | 2,577 |
| 3 | Genome-wide association study reveals genetic risk underlying Parkinson's disease. Nature Genetics, 2009, 41, 1308-1312. | 21.4 | 1,745 |
| 4 | Consensus Statement of the Movement Disorder Society on Tremor. Movement Disorders, 1998, 13, 2-23. | 3.9 | 1,376 |
| 5 | Neurostimulation for Parkinson's Disease with Early Motor Complications. New England Journal of Medicine, 2013, 368, 610-622. | 27.0 | 1,138 |
| 6 | Rivastigmine for Dementia Associated with Parkinson's Disease. New England Journal of Medicine, 2004, 351, 2509-2518. | 27.0 | 1,111 |
| 7 | MDS research criteria for prodromal Parkinson's disease. Movement Disorders, 2015, 30, 1600-1611. | 3.9 | 1,033 |
| 8 | Pallidal Deep-Brain Stimulation in Primary Generalized or Segmental Dystonia. New England Journal of Medicine, 2006, 355, 1978-1990. | 27.0 | 980 |
| 9 | Consensus Statement on the classification of tremors. from the task force on tremor of the International Parkinson and Movement Disorder Society. Movement Disorders, 2018, 33, 75-87. | 3.9 | 918 |
| 10 | Subthalamic nucleus deep brain stimulation: Summary and meta-analysis of outcomes. Movement Disorders, 2006, 21, S290-S304. | 3.9 | 811 |
| 11 | Past, present, and future of Parkinson's disease: A special essay on the 200th Anniversary of the Shaking Palsy. Movement Disorders, 2017, 32, 1264-1310. | 3.9 | 608 |
| 12 | Neuropsychological and psychiatric changes after deep brain stimulation for Parkinson's disease: a randomised, multicentre study. Lancet Neurology, The, 2008, 7, 605-614. | 10.2 | 582 |
| 13 | The Importance of Size. Stroke, 2011, 42, 1775-1777. | 2.0 | 526 |
| 14 | The pathophysiology of tremor. Muscle and Nerve, 2001, 24, 716-735. | 2.2 | 457 |
| 15 | The natural history of multiple system atrophy: a prospective European cohort study. Lancet Neurology, The, 2013, 12, 264-274. | 10.2 | 426 |
| 16 | Cerebral causes and consequences of parkinsonian resting tremor: a tale of two circuits?. Brain, 2012, 135, 3206-3226. | 7.6 | 421 |
| 17 | Time to redefine PD? Introductory statement of the MDS Task Force on the definition of Parkinson's disease. Movement Disorders, 2014, 29, 454-462. | 3.9 | 379 |
| 18 | The global burden of neurological disorders: translating evidence into policy. Lancet Neurology, The, 2020, 19, 255-265. | 10.2 | 377 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Treatment of patients with essential tremor. Lancet Neurology, The, 2011, 10, 148-161. | 10.2 | 354 |
| 20 | Symptomatic and essential palatal tremor. Brain, 1994, 117, 775-788. | 7.6 | 347 |
| 21 | Unbiased screen for interactors of leucine-rich repeat kinase 2 supports a common pathway for sporadic and familial Parkinson disease. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 2626-2631. | 7.1 | 342 |
| 22 | Loss of VPS13C Function in Autosomal-Recessive Parkinsonism Causes Mitochondrial Dysfunction and Increases PINK1/Parkin-Dependent Mitophagy. American Journal of Human Genetics, 2016, 98, 500-513. | 6.2 | 333 |
| 23 | Pallidal deep brain stimulation in patients with primary generalised or segmental dystonia: 5-year follow-up of a randomised trial. Lancet Neurology, The, 2012, 11, 1029-1038. | 10.2 | 329 |
| 24 | Essential tremor and cerebellar dysfunction Clinical and kinematic analysis of intention tremor. Brain, 2000, 123, 1568-1580. | 7.6 | 327 |
| 25 | Excessive burden of lysosomal storage disorder gene variants in Parkinson's disease. Brain, 2017, 140, 3191-3203. | 7.6 | 323 |
| 26 | The motor system shows adaptive changes in complex regional pain syndrome. Brain, 2007, 130, 2671-2687. | 7.6 | 316 |
| 27 | Falls in frequent neurological diseases. Journal of Neurology, 2004, 251, 79-84. | 3.6 | 309 |
| 28 | Transient global amnesia: functional anatomy and clinical implications. Lancet Neurology, The, 2010, 9, 205-214. | 10.2 | 295 |
| 29 | SYMPTOMATIC AND ESSENTIAL RHYTHMIC PALATAL MYOCLONUS. Brain, 1990, 113, 1645-1672. | 7.6 | 294 |
| 30 | Summary of the recommendations of the <scp>EFNS</scp> / <scp>MDS</scp> â€ <scp>ES</scp> review on therapeutic management of <scp>P</scp> arkinson's disease. European Journal of Neurology, 2013, 20, 5-15. | 3.3 | 290 |
| 31 | The burden of neurological diseases in Europe: an analysis for the Global Burden of Disease Study 2017. Lancet Public Health, The, 2020, 5, e551-e567. | 10.0 | 290 |
| 32 | Comparative analysis of the gait disorder of normal pressure hydrocephalus and Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2001, 70, 289-297. | 1.9 | 286 |
| 33 | Pallidal neurostimulation in patients with medication-refractory cervical dystonia: a randomised, sham-controlled trial. Lancet Neurology, The, 2014, 13, 875-884. | 10.2 | 281 |
| 34 | Activation of microglia by human neuromelanin is NFâ€̂PBâ€dependent and involves p38 mitogenâ€activated protein kinase: implications for Parkinson's disease. FASEB Journal, 2003, 17, 1-20. | 0.5 | 279 |
| 35 | Deep brain stimulation: Postoperative issues. Movement Disorders, 2006, 21, S219-S237. | 3.9 | 276 |
| 36 | Freezing of gait: a practical approach to management. Lancet Neurology, The, 2015, 14, 768-778. | 10.2 | 276 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Gut microbiota in Parkinson disease in a northern German cohort. Brain Research, 2017, 1667, 41-45. | 2.2 | 264 |
| 38 | Event-related desynchronization and movement-related cortical potentials on the ECoG and EEG. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1994, 93, 380-389. | 2.0 | 261 |
| 39 | The gait disorder of advanced essential tremor. Brain, 2001, 124, 2278-2286. | 7.6 | 261 |
| 40 | Twoâ€year followâ€up of subthalamic deep brain stimulation in Parkinson's disease. Movement Disorders, 2003, 18, 1332-1337. | 3.9 | 258 |
| 41 | Pathophysiology of Parkinson's disease: From clinical neurology to basic neuroscience and back. Movement Disorders, 2002, 17, S28-S40. | 3.9 | 256 |
| 42 | Validation of treatment strategies for enterohaemorrhagic Escherichia coli O104:H4 induced haemolytic uraemic syndrome: case-control study. BMJ, The, 2012, 345, e4565-e4565. | 6.0 | 255 |
| 43 | A Two-Stage Meta-Analysis Identifies Several New Loci for Parkinson's Disease. PLoS Genetics, 2011, 7, e1002142. | 3.5 | 247 |
| 44 | Cognitive impairment in 873 patients with idiopathic Parkinson's disease. Journal of Neurology, 2008, 255, 255-264. | 3.6 | 242 |
| 45 | Most effective stimulation site in subthalamic deep brain stimulation for Parkinson's disease. Movement Disorders, 2004, 19, 1050-1054. | 3.9 | 235 |
| 46 | CA1 neurons in the human hippocampus are critical for autobiographical memory, mental time travel, and autonoetic consciousness. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 17562-17567. | 7.1 | 230 |
| 47 | Review of the therapeutic management of Parkinson's disease. Report of a joint task force of the European Federation of Neurological Societies and the Movement Disorder Society–European Section. Part I: early (uncomplicated) Parkinson's disease. European Journal of Neurology, 2006, 13, 1170-1185. | 3.3 | 228 |
| 48 | Randomized Delayed-Start Trial of Levodopa in Parkinson's Disease. New England Journal of Medicine, 2019, 380, 315-324. | 27.0 | 225 |
| 49 | Kinematic analysis of thalamic versus subthalamic neurostimulation in postural and intention tremor. Brain, 2007, 130, 1608-1625. | 7.6 | 217 |
| 50 | Frequency of dementia, depression, and other neuropsychiatric symptoms in 1,449 outpatients with Parkinson's disease. Journal of Neurology, 2010, 257, 1073-1082. | 3.6 | 216 |
| 51 | Red flags for multiple system atrophy. Movement Disorders, 2008, 23, 1093-1099. | 3.9 | 215 |
| 52 | Gait analysis during treadmill and overground locomotion in children and adults. Electroencephalography and Clinical Neurophysiology - Electromyography and Motor Control, 1997, 105, 490-497. | 1.4 | 214 |
| 53 | Evaluation of Cognitive Deficits and Structural Hippocampal Damage in Encephalitis With Leucine-Rich, Glioma-Inactivated 1 Antibodies. JAMA Neurology, 2017, 74, 50. | 9.0 | 214 |
| 54 | Diagnostic and pathophysiological aspects of psychogenic tremors. Movement Disorders, 1998, 13, 294-302. | 3.9 | 212 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Taskâ€related changes in the effect of magnetic brain stimulation on spinal neurones in man Journal of Physiology, 1993, 471, 223-243. | 2.9 | 210 |
| 56 | Essential tremor — Neurodegenerative or nondegenerative disease towards a working definition of ET. Movement Disorders, 2009, 24, 2033-2041. | 3.9 | 205 |
| 57 | Presentation, diagnosis, and management of multiple system atrophy in Europe: Final analysis of the European multiple system atrophy registry. Movement Disorders, 2010, 25, 2604-2612. | 3.9 | 205 |
| 58 | Selective affection of hippocampal CA-1 neurons in patients with transient global amnesia without long-term sequelae. Brain, 2006, 129, 2874-2884. | 7.6 | 204 |
| 59 | From off-period dystonia to peak-dose chorea: The clinical spectrum of varying subthalamic nucleus activity. Brain, 1999, 122, 1133-1146. | 7.6 | 203 |
| 60 | Thirty days complication rate following surgery performed for deepâ€brainâ€stimulation. Movement Disorders, 2007, 22, 1486-1489. | 3.9 | 203 |
| 61 | Apomorphine subcutaneous infusion in patients with Parkinson's disease with persistent motor fluctuations (TOLEDO): a multicentre, double-blind, randomised, placebo-controlled trial. Lancet Neurology, The, 2018, 17, 749-759. | 10.2 | 203 |
| 62 | The Pathophysiology of Essential Tremor and Parkinson's Tremor. Current Neurology and Neuroscience Reports, 2013, 13, 378. | 4.2 | 202 |
| 63 | The pathophysiology of parkinsonian tremor: a review. Journal of Neurology, 2000, 247, V33-V48. | 3.6 | 200 |
| 64 | Subacute combined degeneration: clinical, electrophysiological, and magnetic resonance imaging findings. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 65, 822-827. | 1.9 | 198 |
| 65 | Coordinated reset neuromodulation for Parkinson's disease: Proofâ€ofâ€concept study. Movement Disorders, 2014, 29, 1679-1684. | 3.9 | 198 |
| 66 | Clinical Neurophysiology of Tremor. Journal of Clinical Neurophysiology, 1996, 13, 110-121. | 1.7 | 198 |
| 67 | Extracting model equations from experimental data. Physics Letters, Section A: General, Atomic and Solid State Physics, 2000, 271, 217-222. | 2.1 | 191 |
| 68 | Pains in Parkinson disease—many syndromes under one umbrella. Nature Reviews Neurology, 2012, 8, 284-294. | 10.1 | 191 |
| 69 | What is the optimal dose of botulinum toxin A in the treatment of cervical dystonia? Results of a double blind, placebo controlled, dose ranging study using DysportÂ. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 64, 13-17. | 1.9 | 190 |
| 70 | Hand coordination following capsular stroke. Brain, 2004, 128, 64-74. | 7.6 | 190 |
| 71 | Deep Brain Stimulation of the Subthalamic Nucleus Improves Cognitive Flexibility but Impairs Response Inhibition in Parkinson Disease. Archives of Neurology, 2004, 61, 697. | 4.5 | 189 |
| 72 | Treatment of severe tardive dystonia with pallidal deep brain stimulation. Neurology, 2005, 64, 344-346. | 1.1 | 187 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Inflammation in Parkinsons Diseases and Other Neurodegenerative Diseases: Cause and Therapeutic Implications. Current Pharmaceutical Design, 2007, 13, 1925-1928. | 1.9 | 187 |
| 74 | Acute Cerebrovascular Disease in the Young. Stroke, 2013, 44, 340-349. | 2.0 | 186 |
| 75 | Rituximab in the treatment of polyneuropathy associated with anti-MAG antibodies. Muscle and Nerve, 2003, 27, 611-615. | 2.2 | 185 |
| 76 | Eye movement abnormalities in essential tremor may indicate cerebellar dysfunction. Brain, 2003, 126, 1319-1332. | 7.6 | 184 |
| 77 | Multiple oscillators are causing parkinsonian and essential tremor. Movement Disorders, 2000, 15, 84-94. | 3.9 | 183 |
| 78 | Review of the therapeutic management of Parkinson's disease. Report of a joint task force of the European Federation of Neurological Societies (EFNS) and the Movement Disorder Societyâ€European Section (MDSâ€ES). Part II: late (complicated) Parkinson's disease. European Journal of Neurology, 2006, 13, 1186-1202. | 3.3 | 183 |
| 79 | Pathophysiology of chorea and bradykinesia in Huntington's disease. Movement Disorders, 1999, 14, 398-403. | 3.9 | 182 |
| 80 | Efficacy and safety of entacapone in Parkinson's disease patients with suboptimal Levodopa response: a 6-month randomized placebo-controlled double-blind study in Germany and Austria (Celomen study). Acta Neurologica Scandinavica, 2002, 105, 245-255. | 2.1 | 182 |
| 81 | Human neuromelanin induces neuroinflammation and neurodegeneration in the rat substantia nigra: implications for Parkinson's disease. Acta Neuropathologica, 2008, 116, 47-55. | 7.7 | 177 |
| 82 | Clinical and polymyographic investigation of spasmodic torticollis. Journal of Neurology, 1992, 239, 9-15. | 3.6 | 175 |
| 83 | Typical features of cerebellar ataxic gait. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 310-312. | 1.9 | 173 |
| 84 | Animal models of tremor. Movement Disorders, 1999, 14, 557-571. | 3.9 | 172 |
| 85 | Relation of lead trajectory and electrode position to neuropsychological outcomes of subthalamic neurostimulation in Parkinson's disease: results from a randomized trial. Brain, 2013, 136, 2109-2119. | 7.6 | 171 |
| 86 | Focal Lesions of Human Hippocampal CA1 Neurons in Transient Global Amnesia Impair Place Memory. Science, 2010, 328, 1412-1415. | 12.6 | 169 |
| 87 | Tremor amplitude is logarithmically related to 4- and 5-point tremor rating scales. Brain, 2006, 129, 2660-2666. | 7.6 | 167 |
| 88 | Neuronal Activity of the Human Subthalamic Nucleus in the Parkinsonian and Nonparkinsonian State. Journal of Neurophysiology, 2008, 100, 2515-2524. | 1.8 | 165 |
| 89 | Determinants of physiologic tremor in a large normal population. Clinical Neurophysiology, 2000, 111, 1825-1837. | 1.5 | 163 |
| 90 | Minocycline 1â€year therapy in multipleâ€systemâ€atrophy: Effect on clinical symptoms and [¹¹ C] <i>(R)</i> â€₽K11195 PET (MEMSAâ€trial). Movement Disorders, 2010, 25, 97-107. | 3.9 | 163 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Hypothalamic Deep Brain Stimulation for Cluster Headache: Experience From a New Multicase Series. Cephalalgia, 2008, 28, 285-295. | 3.9 | 162 |
| 92 | The oscillating central network of Essential tremor. Clinical Neurophysiology, 2012, 123, 61-64. | 1.5 | 159 |
| 93 | Pathophysiology of nonparkinsonian tremors. Movement Disorders, 2002, 17, S41-S48. | 3.9 | 157 |
| 94 | Deep brain stimulation of the subthalamic nucleus in Parkinson's disease: evaluation of active electrode contacts. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 1036-1046. | 1.9 | 156 |
| 95 | Physiological and anatomical decomposition of subthalamic neurostimulation effects in essential tremor. Brain, 2014, 137, 109-121. | 7.6 | 156 |
| 96 | Gait analysis in idiopathic normal pressure hydrocephalus – which parameters respond to the CSF tap test?. Clinical Neurophysiology, 2000, 111, 1678-1686. | 1.5 | 154 |
| 97 | The clinical use of brainstem reflexes and hand-muscle reflexes. Clinical Neurophysiology, 2000, 111, 371-387. | 1.5 | 151 |
| 98 | Movement-related cortical potentials in writer's cramp. Annals of Neurology, 1995, 38, 862-868. | 5.3 | 150 |
| 99 | Serum neuronal exosomes predict and differentiate Parkinson's disease from atypical parkinsonism. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 720-729. | 1.9 | 148 |
| 100 | Involvement of benzodiazepine receptors in neuroinflammatory and neurodegenerative diseases: evidence from activated microglial cells in vitro. Neurobiology of Disease, 2003, 14, 417-424. | 4.4 | 147 |
| 101 | Deep brain stimulation in the subthalamic area is more effective than nucleus ventralis intermedius stimulation for bilateral intention tremor. Acta Neurochirurgica, 2007, 149, 749-758. | 1.7 | 147 |
| 102 | Manic episode with psychotic symptoms induced by subthalamic nucleus stimulation in a patient with Parkinson's disease. Movement Disorders, 2003, 18, 1382-1384. | 3.9 | 145 |
| 103 | Cortical Involvement in the Generation of Essential Tremor. Journal of Neurophysiology, 2007, 97, 3219-3228. | 1.8 | 144 |
| 104 | Myoclonus-dystonia syndrome: ε-sarcoglycan mutations and phenotype. Annals of Neurology, 2002, 52, 489-492. | 5.3 | 143 |
| 105 | Effect of subthalamic deep brain stimulation on the function of the urinary bladder. Annals of Neurology, 2004, 55, 118-120. | 5.3 | 141 |
| 106 | Subthalamic stimulation modulates cortical control of urinary bladder in Parkinson's disease. Brain, 2006, 129, 3366-3375. | 7.6 | 141 |
| 107 | Stimulation site within the MRIâ€defined STN predicts postoperative motor outcome. Movement Disorders, 2012, 27, 874-879. | 3.9 | 139 |
| 108 | A genome-wide association study in multiple system atrophy. Neurology, 2016, 87, 1591-1598. | 1.1 | 139 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Deep Brain Stimulation in Movement Disorders: From Experimental Surgery to Evidenceâ€Based Therapy. Movement Disorders, 2019, 34, 1795-1810. | 3.9 | 137 |
| 110 | Pallidal deep brain stimulation improves quality of life in segmental and generalized dystonia: Results from a prospective, randomized sham ontrolled trial. Movement Disorders, 2008, 23, 131-134. | 3.9 | 131 |
| 111 | Effects of bilateral subthalamic nucleus stimulation on parkinsonian gait. Neurology, 2001, 57, 144-146. | 1.1 | 130 |
| 112 | Selecting deep brain stimulation or infusion therapies in advanced Parkinson's disease: an evidence-based review. Journal of Neurology, 2013, 260, 2701-2714. | 3.6 | 128 |
| 113 | Clinical spectrum and physiology of palatal tremor. Movement Disorders, 2002, 17, S63-S66. | 3.9 | 127 |
| 114 | Projected numbers of people with movement disorders in the years 2030 and 2050. Movement Disorders, 2011, 26, 2286-2290. | 3.9 | 127 |
| 115 | Changing the research criteria for the diagnosis of Parkinson's disease: obstacles and opportunities. Lancet Neurology, The, 2013, 12, 514-524. | 10.2 | 126 |
| 116 | Expert Consensus Group report on the use of apomorphine in the treatment of Parkinson's disease – Clinical practice recommendations. Parkinsonism and Related Disorders, 2015, 21, 1023-1030. | 2.2 | 126 |
| 117 | A pathway-based analysis provides additional support for an immune-related genetic susceptibility to Parkinson's disease. Human Molecular Genetics, 2013, 22, 1039-1049. | 2.9 | 122 |
| 118 | Criteria for the diagnosis of essential tremor. Neurology, 2000, 54, S7. | 1.1 | 122 |
| 119 | High-dose rituximab and anti-MAG–associated polyneuropathy. Neurology, 2006, 66, 742-744. | 1.1 | 121 |
| 120 | Improved sensory gating of urinary bladder afferents in Parkinson's disease following subthalamic stimulation. Brain, 2007, 131, 132-145. | 7.6 | 121 |
| 121 | Force overflow and levodopaâ€induced dyskinesias in Parkinson's disease. Brain, 2002, 125, 871-879. | 7.6 | 120 |
| 122 | High concordance for essential tremor in monozygotic twins of old age. Neurology, 2004, 62, 208-211. | 1.1 | 120 |
| 123 | Longâ€ŧerm clinical outcome in meige syndrome treated with internal pallidum deep brain stimulation. Movement Disorders, 2011, 26, 691-698. | 3.9 | 120 |
| 124 | Acute therapy for cluster headache with sumatriptan: Findings of a one-year long-term study. Neurology, 1998, 51, 908-911. | 1.1 | 119 |
| 125 | The basal ganglia are hyperactive during the discrimination of tactile stimuli in writer's cramp. Brain, 2006, 129, 2697-2708. | 7.6 | 119 |
| 126 | Quality of life and personality in essential tremor patients. Movement Disorders, 2006, 21, 1114-1118. | 3.9 | 118 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Neuroinflammation — a common thread in neurological disorders. Nature Reviews Neurology, 2019, 15, 429-430. | 10.1 | 118 |
| 128 | Gait ataxia in essential tremor is differentially modulated by thalamic stimulation. Brain, 2010, 133, 3635-3648. | 7.6 | 117 |
| 129 | Subthalamic neurostimulation for Parkinson's disease with early fluctuations: balancing the risks and benefits. Lancet Neurology, The, 2013, 12, 1025-1034. | 10.2 | 117 |
| 130 | Short- and long-term outcome of chronic pallidal neurostimulation in monogenic isolated dystonia. Neurology, 2015, 84, 895-903. | 1.1 | 117 |
| 131 | Motor reorganization in asymptomatic carriers of a single mutant Parkin allele: a human model for presymptomatic parkinsonism. Brain, 2005, 128, 2281-2290. | 7.6 | 116 |
| 132 | Oscillating central motor networks in pathological tremors and voluntary movements. What makes the difference?. NeuroImage, 2012, 60, 1331-1339. | 4.2 | 115 |
| 133 | Tremor in Reflex Sympathetic Dystrophy. Archives of Neurology, 1991, 48, 1247-1252. | 4.5 | 114 |
| 134 | Involvement of cranial muscles and high intermuscular coherence in orthostatic tremor. Annals of Neurology, 1999, 45, 384-388. | 5.3 | 114 |
| 135 | Movement disorder society criteria for clinically established early Parkinson's disease. Movement Disorders, 2018, 33, 1643-1646. | 3.9 | 114 |
| 136 | Corticomuscular coherence in the 6-15 Hz band: is the cortex involved in the generation of physiologic tremor?. Experimental Brain Research, 2002, 142, 32-40. | 1.5 | 113 |
| 137 | Analysis of blood-based gene expression in idiopathic Parkinson disease. Neurology, 2017, 89, 1676-1683. | 1.1 | 112 |
| 138 | Polymorphisms in the glial glutamate transporter <i>SLC1A2</i> are associated with essential tremor. Neurology, 2012, 79, 243-248. | 1.1 | 111 |
| 139 | Stimulation of the subthalamic nucleus at an earlier disease stage of Parkinson's disease: Concept and standards of the EARLYSTIM-study. Parkinsonism and Related Disorders, 2013, 19, 56-61. | 2.2 | 111 |
| 140 | Spontaneous and reflex activity of facial muscles in dystonia, Parkinson's disease, and in normal subjects. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 64, 320-324. | 1.9 | 110 |
| 141 | Symptomatic and essential palatal tremor. 2. Differences of palatal movements. Movement Disorders, 1994, 9, 676-678. | 3.9 | 109 |
| 142 | Prevalence of gait disorders in hospitalized neurological patients. Movement Disorders, 2005, 20, 89-94. | 3.9 | 109 |
| 143 | Selective Neuronal Vulnerability of Human Hippocampal CA1 Neurons: Lesion Evolution, Temporal Course, and Pattern of Hippocampal Damage in Diffusion-Weighted MR Imaging. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 1836-1845. | 4.3 | 109 |
| 144 | Camptocormia in idiopathic Parkinson's disease: A focal myopathy of the paravertebral muscles. Movement Disorders, 2010, 25, 542-551. | 3.9 | 108 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | MDS evidenceâ€based review of treatments for essential tremor. Movement Disorders, 2019, 34, 950-958. | 3.9 | 108 |
| 146 | Distinct pattern of enteric phospho-alpha-synuclein aggregates and gene expression profiles in patients with Parkinson's disease. Acta Neuropathologica Communications, 2017, 5, 1. | 5.2 | 107 |
| 147 | Progression of tremor in early stages of Parkinson's disease: a clinical and neuroimaging study. Brain, 2018, 141, 811-821. | 7.6 | 107 |
| 148 | Function of the cerebellum in parkinsonian rest tremor and Holmes' tremor. Annals of Neurology, 1999, 46, 126-128. | 5.3 | 106 |
| 149 | Expression pattern and localization of alpha-synuclein in the human enteric nervous system. Neurobiology of Disease, 2012, 48, 474-480. | 4.4 | 106 |
| 150 | Tremor in the elderly: Essential and agingâ€related tremor. Movement Disorders, 2015, 30, 1327-1334. | 3.9 | 106 |
| 151 | Behavioural outcomes of subthalamic stimulation and medical therapy versus medical therapy alone for Parkinson's disease with early motor complications (EARLYSTIM trial): secondary analysis of an open-label randomised trial. Lancet Neurology, The, 2018, 17, 223-231. | 10.2 | 105 |
| 152 | Probabilistic mapping of the antidystonic effect of pallidal neurostimulation: a multicentre imaging study. Brain, 2019, 142, 1386-1398. | 7.6 | 105 |
| 153 | Therapeutic Window for Use of Hyperbaric Oxygenation in Focal Transient Ischemia in Rats. Stroke, 2004, 35, 578-583. | 2.0 | 104 |
| 154 | Treatment of spasmodic torticollis with local injections of botulinum toxin. Journal of Neurology, 1992, 239, 21-25. | 3.6 | 103 |
| 155 | Characteristics of hand tremor time series. Biological Cybernetics, 1993, 70, 75-80. | 1.3 | 103 |
| 156 | Healthâ€related quality of life in multiple system atrophy. Movement Disorders, 2006, 21, 809-815. | 3.9 | 102 |
| 157 | Voxel-based morphometry shows no decreases in cerebellar gray matter volume in essential tremor. Neurology, 2006, 67, 1452-1456. | 1.1 | 102 |
| 158 | Source analysis of scalp-recorded movement-related electrical potentials. Electroencephalography and Clinical Neurophysiology, 1993, 86, 167-175. | 0.3 | 101 |
| 159 | Cross-spectral analysis of physiological tremor and muscle activity. Biological Cybernetics, 1998, 78, 349-357. | 1.3 | 100 |
| 160 | Platelet-leukocyte interaction and platelet activation in migraine: a link to ischemic stroke?. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 984-987. | 1.9 | 99 |
| 161 | Assessment of Pedophilia Using Hemodynamic Brain Response to Sexual Stimuli. Archives of General Psychiatry, 2012, 69, 187. | 12.3 | 99 |
| 162 | Effects of electric and magnetic transcranial stimulation on long latency reflexes. Experimental Brain Research, 1991, 83, 403-10. | 1.5 | 98 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Influence of alcohol on gait in patients with essential tremor. Neurology, 2005, 65, 96-101. | 1.1 | 98 |
| 164 | Essential tremor and cerebellar dysfunction: abnormal ballistic movements. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 400-405. | 1.9 | 97 |
| 165 | Cerebello-cortical network fingerprints differ between essential, Parkinson's and mimicked tremors. Brain, 2018, 141, 1770-1781. | 7.6 | 97 |
| 166 | Monosymptomatic resting tremor and Parkinson's disease: A multitracer positron emission tomographic study. Movement Disorders, 2002, 17, 782-788. | 3.9 | 96 |
| 167 | Manual activity shapes structure and function in contralateral human motor hand area. NeuroImage, 2011, 54, 32-41. | 4.2 | 95 |
| 168 | Modulation of gait coordination by subthalamic stimulation improves freezing of gait. Movement Disorders, 2011, 26, 844-851. | 3.9 | 94 |
| 169 | Effective Connectivity of Cortical Sensorimotor Networks During Finger Movement Tasks: A Simultaneous fNIRS, fMRI, EEG Study. Brain Topography, 2016, 29, 645-660. | 1.8 | 94 |
| 170 | Clinical outcome of deep brain stimulation for Parkinson's disease. Handbook of Clinical Neurology / Edited By PJ Vinken and G W Bruyn, 2013, 116, 107-128. | 1.8 | 93 |
| 171 | Cortical tremor. Neurology, 1993, 43, 2346-2346. | 1.1 | 93 |
| 172 | Milestones in tremor research. Movement Disorders, 2011, 26, 1096-1105. | 3.9 | 92 |
| 173 | Intrathecal synthesis of monocyte chemoattractant protein-1 (MCP-1) in amyotrophic lateral sclerosis: further evidence for microglial activation in neurodegeneration. Journal of Neuroimmunology, 2003, 144, 139-142. | 2.3 | 89 |
| 174 | CROSS-SPECTRAL ANALYSIS OF TREMOR TIME SERIES. International Journal of Bifurcation and Chaos in Applied Sciences and Engineering, 2000, 10, 2595-2610. | 1.7 | 87 |
| 175 | Movement-related electroencephalographic desynchronization in patients with hand cramps: Evidence for motor cortical involvement in focal dystonia. Annals of Neurology, 2000, 47, 456-461. | 5.3 | 85 |
| 176 | Hand tremor in patients with spasmodic torticollis. Movement Disorders, 1997, 12, 547-552. | 3.9 | 84 |
| 177 | Excessive Daytime Sleepiness in Multiple System Atrophy (SLEEMSA Study). Archives of Neurology, 2011, 68, 223-30. | 4.5 | 83 |
| 178 | The new definition and diagnostic criteria of Parkinson's disease. Lancet Neurology, The, 2016, 15, 546-548. | 10.2 | 82 |
| 179 | Sustained Blockade of Brain AT1 Receptors before and after Focal Cerebral Ischemia Alleviates Neurologic Deficits and Reduces Neuronal Injury, Apoptosis, and Inflammatory Responses in the Rat. Journal of Cerebral Blood Flow and Metabolism, 2004, 24, 536-547. | 4.3 | 81 |
| 180 | Effect of highâ€frequency subthalamic neurostimulation on gait and freezing of gait in Parkinson's disease: a systematic review and metaâ€analysis. European Journal of Neurology, 2017, 24, 18-26. | 3.3 | 81 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Two different pathogenetic mechanisms in psychogenic tremor. Neurology, 2004, 63, 812-815. | 1.1 | 80 |
| 182 | Evolution of hippocampal CA″ diffusion lesions in transient global amnesia. Annals of Neurology, 2007, 62, 475-480. | 5.3 | 80 |
| 183 | Can we use peripheral tissue biopsies to diagnose Parkinson's disease? A review of the literature. European Journal of Neurology, 2016, 23, 247-261. | 3.3 | 80 |
| 184 | Long-term efficacy of deep brain stimulation for essential tremor. Neurology, 2019, 92, e1378-e1386. | 1.1 | 80 |
| 185 | Quantitative analysis of tremor time series. Electroencephalography and Clinical Neurophysiology - Electromyography and Motor Control, 1996, 101, 461-468. | 1.4 | 79 |
| 186 | Costâ€effectiveness of deep brain stimulation in patients with Parkinson's disease. Movement Disorders, 2013, 28, 763-771. | 3.9 | 79 |
| 187 | Long-latency responses in human thenar muscles mediated by fast conducting muscle and cutaneous afferents. Neuroscience Letters, 1985, 55, 361-366. | 2.1 | 78 |
| 188 | Platelet-Leukocyte Interaction and Platelet Activation in Acute Stroke With and Without Preceding Infection. Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 1519-1523. | 2.4 | 78 |
| 189 | Genome-wide association study in essential tremor identifies three new loci. Brain, 2016, 139, 3163-3169. | 7.6 | 78 |
| 190 | Deep brain stimulation for trauma: Patient selection and evaluation. Movement Disorders, 2002, 17, S102-S111. | 3.9 | 76 |
| 191 | Suppression of Map Kinases Inhibits Microglial Activation and Attenuates Neuronal Cell Death Induced by 1±-Synuclein Protofibrils. International Journal of Immunopathology and Pharmacology, 2009, 22, 897-909. | 2.1 | 76 |
| 192 | Central mechanisms in human enhanced physiological tremor. Neuroscience Letters, 1998, 241, 135-138. | 2.1 | 75 |
| 193 | Side-to-side correlation of muscle activity in physiological and pathological human tremors. Clinical Neurophysiology, 1999, 110, 1774-1783. | 1.5 | 75 |
| 194 | Evaluation of healthcare utilization and health status of patients with Parkinson's disease treated with deep brain stimulation of the subthalamic nucleus. Journal of Neurology, 2002, 249, 759-766. | 3.6 | 75 |
| 195 | The European Multiple System Atrophy-Study Group (EMSA-SG). Journal of Neural Transmission, 2005, 112, 1677-1686. | 2.8 | 75 |
| 196 | Effect of medical and surgical interventions on healthâ€related quality of life in Parkinson's disease. Movement Disorders, 2007, 22, 757-765. | 3.9 | 75 |
| 197 | Autonomic dysfunction in 3414 Parkinson's disease patients enrolled in the German Network on Parkinson's disease (KNP e.V.): the effect of ageing. European Journal of Neurology, 2007, 14, 1405-1408. | 3.3 | 74 |
| 198 | Postural control and freezing of gait in Parkinson's disease. Parkinsonism and Related Disorders, 2016, 24, 107-112. | 2.2 | 74 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Reciprocal inhibition of forearm flexor muscles in spasmodic torticollis. Journal of the Neurological Sciences, 1992, 113, 85-90. | 0.6 | 73 |
| 200 | Quality of life predicts outcome of deep brain stimulation in early Parkinson disease. Neurology, 2019, 92, e1109-e1120. | 1.1 | 73 |
| 201 | Update on pathogenesis and treatment of essential tremor. Current Opinion in Neurology, 2007, 20, 447-452. | 3.6 | 72 |
| 202 | Genetics of essential tremor. Neurology, 2014, 82, 1000-1007. | 1.1 | 72 |
| 203 | Influence of deep brain stimulation and levodopa on sensory signs in Parkinson's disease. Movement Disorders, 2010, 25, 1195-1202. | 3.9 | 71 |
| 204 | Is improvement in the quality of life after subthalamic nucleus stimulation in Parkinson's disease predictable?. Movement Disorders, 2011, 26, 2516-2521. | 3.9 | 71 |
| 205 | Deep brain stimulation of the posterior hypothalamic area in intractable short-lasting unilateral neuralgiform headache with conjunctival injection and tearing (SUNCT). Cephalalgia, 2011, 31, 1405-1408. | 3.9 | 71 |
| 206 | High penetrance and pronounced variation in expressivity ofGCH1mutations in five families with dopa-responsive dystonia. Annals of Neurology, 1998, 43, 634-639. | 5.3 | 70 |
| 207 | A novel dual-site transcranial magnetic stimulation paradigm to probe fast facilitatory inputs from ipsilateral dorsal premotor cortex to primary motor cortex. NeuroImage, 2012, 62, 500-509. | 4.2 | 70 |
| 208 | The cost-effectiveness of deep brain stimulation in combination with best medical therapy, versus best medical therapy alone, in advanced Parkinson's disease. Journal of Neurology, 2014, 261, 106-116. | 3.6 | 70 |
| 209 | Adaptation motor learning of arm movements in patients with cerebellar disease Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60, 515-519. | 1.9 | 69 |
| 210 | Idiopathic restless legs syndrome:. Journal of Neurology, 2004, 251, 977-82. | 3.6 | 68 |
| 211 | Risk factors for executive dysfunction after subthalamic nucleus stimulation in Parkinson's disease. Movement Disorders, 2010, 25, 1583-1589. | 3.9 | 68 |
| 212 | Dissociation of Habit-Learning in Parkinson's and Cerebellar Disease. Journal of Cognitive Neuroscience, 2002, 14, 493-499. | 2.3 | 67 |
| 213 | Bilateral subthalamic stimulation in <i>Parkin</i> and <i>PINK1</i> parkinsonism. Neurology, 2008, 70, 1186-1191. | 1.1 | 66 |
| 214 | Tremors in Parkinson's Disease. Clinical Neuropharmacology, 1994, 17, 303-314. | 0.7 | 65 |
| 215 | The Treatment of Tremor. Neurotherapeutics, 2014, 11, 128-138. | 4.4 | 65 |
| 216 | Essential tremor: electrophysiological and pharmacological evidence for a subdivision Journal of Neurology, Neurosurgery and Psychiatry, 1987, 50, 1435-1441. | 1.9 | 64 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Detection of brain activation using oxygenation sensitive functional spectroscopy. Magnetic Resonance in Medicine, 1994, 31, 85-90. | 3.0 | 64 |
| 218 | Probable multiple system atrophy in a German family. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 924-925. | 1.9 | 64 |
| 219 | Deep brain stimulation in late stage Parkinson?s disease: a retrospective cost analysis in Germany. Journal of Neurology, 2005, 252, 218-223. | 3.6 | 64 |
| 220 | Provocation of Parkinsonian tremor. Movement Disorders, 2008, 23, 1019-1023. | 3.9 | 64 |
| 221 | Accuracy and Distortion of Deep Brain Stimulation Electrodes on Postoperative MRI and CT. Zentralblatt Fur Neurochirurgie, 2008, 69, 144-147. | 0.5 | 64 |
| 222 | Transducer-based evaluation of tremor. Movement Disorders, 2016, 31, 1327-1336. | 3.9 | 64 |
| 223 | Effects of subthalamic nucleus stimulation and levodopa on the autonomic nervous system in Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 78, 742-745. | 1.9 | 63 |
| 224 | A case of Rasmussen encephalitis treated with rituximab. Nature Reviews Neurology, 2009, 5, 458-462. | 10.1 | 63 |
| 225 | Deep brain stimulation for Parkinson's disease. Movement Disorders, 2006, 21, S168-S170. | 3.9 | 62 |
| 226 | Sleep consolidates the effector-independent representation of a motor skill. Neuroscience, 2010, 171, 227-234. | 2.3 | 62 |
| 227 | Comparing the Fullerton Advanced Balance Scale With the Mini-BESTest and Berg Balance Scale to Assess Postural Control in Patients With Parkinson Disease. Archives of Physical Medicine and Rehabilitation, 2015, 96, 218-225. | 0.9 | 62 |
| 228 | Early―and lateâ€onset essential tremor patients represent clinically distinct subgroups. Movement Disorders, 2016, 31, 1560-1566. | 3.9 | 62 |
| 229 | Rest tremor suppression may separate essential from parkinsonian rest tremor. Parkinsonism and Related Disorders, 2013, 19, 693-697. | 2.2 | 61 |
| 230 | Deep brain stimulation for movement disorders. Movement Disorders, 2002, 17, S1-S1. | 3.9 | 60 |
| 231 | Estimation of time delay by coherence analysis. Physica A: Statistical Mechanics and Its Applications, 2005, 350, 277-295. | 2.6 | 60 |
| 232 | Comparison of the Fullerton Advanced Balance Scale, Mini-BESTest, and Berg Balance Scale to Predict Falls in Parkinson Disease. Physical Therapy, 2016, 96, 494-501. | 2.4 | 60 |
| 233 | Tremor classification and tremor time series analysis. Chaos, 1995, 5, 48-51. | 2.5 | 59 |
| 234 | Intact artificial grammar learning in patients with cerebellar degeneration and advanced Parkinson's disease. Neuropsychologia, 2002, 40, 1534-1540. | 1.6 | 59 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | Scales in Parkinson's disease. Journal of Neurology, 2006, 253, iv32-iv35. | 3.6 | 59 |
| 236 | Resistance versus Balance Training to Improve Postural Control in Parkinson's Disease: A Randomized Rater Blinded Controlled Study. PLoS ONE, 2015, 10, e0140584. | 2.5 | 59 |
| 237 | Rate dependency of the human cortical network subserving executive functions during generation of random number series – a functional magnetic resonance imaging study. Neuroscience Letters, 2003, 345, 25-28. | 2.1 | 58 |
| 238 | Tremor analysis in two normal cohorts. Clinical Neurophysiology, 2004, 115, 2151-2156. | 1.5 | 58 |
| 239 | Stimulation of subthalamic fibre tracts reduces dyskinesias in STNâ€DBS. Movement Disorders, 2007, 22, 679-684. | 3.9 | 58 |
| 240 | Ear click in palatal tremor. Neurology, 1991, 41, 1677-1677. | 1.1 | 57 |
| 241 | Eye–hand coordination in essential tremor. Movement Disorders, 2006, 21, 373-379. | 3.9 | 56 |
| 242 | How to assess motor impairment in writer's cramp. Movement Disorders, 2007, 22, 1102-1109. | 3.9 | 56 |
| 243 | Essential tremor. Nature Reviews Disease Primers, 2021, 7, 83. | 30.5 | 56 |
| 244 | Gait analysis of sporadic and hereditary spastic paraplegia. Journal of Neurology, 2004, 251, 571-578. | 3.6 | 55 |
| 245 | Praying-induced oromandibular dystonia. Movement Disorders, 2005, 20, 385-386. | 3.9 | 55 |
| 246 | Deep brain stimulation of the internal globus pallidus in dystonia: target localisation under general anaesthesia. Acta Neurochirurgica, 2009, 151, 751-758. | 1.7 | 55 |
| 247 | Cortical correlates of the basic and first harmonic frequency of Parkinsonian tremor. Clinical Neurophysiology, 2009, 120, 1866-1872. | 1.5 | 55 |
| 248 | Discrimination of Parkinsonian tremor from essential tremor by implementation of a wavelet-based soft-decision technique on EMG and accelerometer signals. Biomedical Signal Processing and Control, 2010, 5, 181-188. | 5.7 | 55 |
| 249 | The psychosocial burden of essential tremor in an outpatient- and a community-based cohort. European Journal of Neurology, 2011, 18, 972-979. | 3.3 | 55 |
| 250 | Uncoupling of dopaminergic and subthalamic stimulation: Lifeâ€ŧhreatening DBS withdrawal syndrome. Movement Disorders, 2015, 30, 1407-1413. | 3.9 | 55 |
| 251 | Cortical magnetic and electric fields associated with voluntary finger movements. Brain Topography, 1994, 6, 175-183. | 1.8 | 54 |
| 252 | Inducing Homeostatic-Like Plasticity in Human Motor Cortex Through Converging Corticocortical Inputs. Journal of Neurophysiology, 2009, 102, 3180-3190. | 1.8 | 54 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Effect of controlled-release levodopa on the microstructure of sleep in Parkinson's disease. European Journal of Neurology, 2011, 18, 590-596. | 3.3 | 54 |
| 254 | Myofibrillar disorganization characterizes myopathy of camptocormia in Parkinson's disease. Acta Neuropathologica, 2012, 123, 419-432. | 7.7 | 54 |
| 255 | Representation and propagation of epileptic activity in absences and generalized photoparoxysmal responses. Human Brain Mapping, 2013, 34, 1896-1909. | 3.6 | 54 |
| 256 | Are Hypometric Anticipatory Postural Adjustments Contributing to Freezing of Gait in Parkinson's Disease?. Frontiers in Aging Neuroscience, 2018, 10, 36. | 3.4 | 54 |
| 257 | Cognitive decline in Parkinson's disease: the impact of the motor phenotype on cognition. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 171-179. | 1.9 | 54 |
| 258 | Subthalamic nucleus stimulation for Parkinson's disease preferentially improves akinesia of proximal arm movements compared to finger movements. Movement Disorders, 2003, 18, 1162-1169. | 3.9 | 53 |
| 259 | Delayed onset of "rubral tremor―23 years after brainstem trauma. Movement Disorders, 2004, 9, 240-242. | 3.9 | 53 |
| 260 | Incidental Findings Are Frequent in Young Healthy Individuals Undergoing Magnetic Resonance Imaging in Brain Research Imaging Studies. Journal of Computer Assisted Tomography, 2010, 34, 596-600. | 0.9 | 53 |
| 261 | Genomeâ€wide association study in musician's dystonia: A risk variant at the arylsulfatase G locus?. Movement Disorders, 2014, 29, 921-927. | 3.9 | 53 |
| 262 | Magnetic Resonance Imaging-Based Morphometry and Landmark Correlation of Basal Ganglia Nuclei. Acta Neurochirurgica, 2002, 144, 959-969. | 1.7 | 52 |
| 263 | Negative impact of borderline global cognitive scores on quality of life after subthalamic nucleus stimulation in Parkinson's disease. Journal of the Neurological Sciences, 2011, 310, 261-266. | 0.6 | 52 |
| 264 | Effect of neurostimulation on camptocormia in Parkinson's disease depends on symptom duration. Movement Disorders, 2015, 30, 368-372. | 3.9 | 52 |
| 265 | Subthalamic deep brain stimulation increases pallidal firing rate and regularity. Experimental Neurology, 2011, 229, 517-521. | 4.1 | 51 |
| 266 | A new diagnostic test to distinguish tremulous Parkinson's disease from advanced essential tremor. Movement Disorders, 2011, 26, 1548-1552. | 3.9 | 51 |
| 267 | Electrophysiological characteristics of lesions in facial palsies of different etiologies. A study using electrical and magnetic stimulation techniques. Electroencephalography and Clinical Neurophysiology - Electromyography and Motor Control, 1995, 97, 355-368. | 1.4 | 50 |
| 268 | The relations between long-latency reflexes in hand muscles, somatosensory evoked potentials and transcranial stimulation of motor tracts. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1989, 74, 425-430. | 2.0 | 49 |
| 269 | Effect of propofol anesthesia on pallidal neuronal discharges in generalized dystonia. Neuroscience Letters, 2005, 386, 156-159. | 2.1 | 49 |
| 270 | Consensus for the measurement of the camptocormia angle in the standing patient. Parkinsonism and Related Disorders, 2018, 52, 1-5. | 2.2 | 49 |

| # | Article | IF | CITATIONS |
|-----|--|-------|-----------|
| 271 | Cross-frequency coupling between gamma oscillations and deep brain stimulation frequency in Parkinson's disease. Brain, 2020, 143, 3393-3407. | 7.6 | 49 |
| 272 | β-adrenoreceptors and the risk of Parkinson's disease. Lancet Neurology, The, 2020, 19, 247-254. | 10.2 | 49 |
| 273 | Prolonged MRI T ₂ times of the lentiform nucleus in idiopathic spasmodic torticollis. Neurology, 1994, 44, 846-846. | 1.1 | 49 |
| 274 | European Academy of Neurology/Movement Disorder Societyâ€European Section Guideline on the Treatment of Parkinson's Disease: I. Invasive Therapies. Movement Disorders, 2022, 37, 1360-1374. | 3.9 | 49 |
| 275 | A software for recording and analysis of human tremor. Computer Methods and Programs in Biomedicine, 1999, 60, 65-77. | 4.7 | 48 |
| 276 | Kinetic tremor in a reach-to-grasp movement in Parkinson's disease. Movement Disorders, 2000, 15, 1084-1094. | 3.9 | 48 |
| 277 | Alexithymia—an independent risk factor for impulsiveâ€compulsive disorders in Parkinson's disease. Movement Disorders, 2014, 29, 214-220. | 3.9 | 48 |
| 278 | Relative absence of psychopathology in benign essential blepharospasm and hemifacial spasm. Neurology, 1996, 47, 43-45. | 1.1 | 47 |
| 279 | Deep brain stimulation of the subthalamic nucleus for Parkinson's disease: a therapy approaching evidence-based standards. Journal of Neurology, 2003, 250, i43-i46. | 3.6 | 47 |
| 280 | Differential Effects of L-Dopa and Subthalamic Stimulation on Depressive Symptoms and Hedonic Tone in Parkinson's Disease. Journal of Neuropsychiatry and Clinical Neurosciences, 2006, 18, 397-401. | 1.8 | 47 |
| 281 | Neuropsychological consequences of endarterectomy and endovascular angioplasty with stent placement for treatment of symptomatic carotid stenosis. Journal of Neurology, 2007, 254, 1524-1532. | 3.6 | 47 |
| 282 | Focal MR spectroscopy of hippocampal CA-1 lesions in transient global amnesia. Neurology, 2008, 70, 1030-1035. | 1.1 | 47 |
| 283 | <i>LINGO1</i> polymorphisms are associated with essential tremor in Europeans. Movement Disorders, 2010, 25, 717-723. | 3.9 | 47 |
| 284 | Parkinson's Disease and Dementia: A Longitudinal Study (DEMPARK). Neuroepidemiology, 2011, 37, 168-176. | . 2.3 | 47 |
| 285 | Cross-spectral analysis of physiological tremor and muscle activity. Biological Cybernetics, 1998, 78, 359-368. | 1.3 | 46 |
| 286 | Neuroprotection with Angiotensin Receptor Antagonists. American Journal of Cardiovascular Drugs, 2005, 5, 245-253. | 2.2 | 46 |
| 287 | Continuous theta-burst stimulation of the primary motor cortex in essential tremor. Clinical Neurophysiology, 2012, 123, 1010-1015. | 1.5 | 46 |
| 288 | Neuronal Networks in West Syndrome as Revealed by Source Analysis and Renormalized Partial Directed Coherence. Brain Topography, 2013, 26, 157-170. | 1.8 | 46 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Validation of the questionnaire for impulsive-compulsive disorders in Parkinson's disease (QUIP) and the QUIP-rating scale in a German speaking sample. Journal of Neurology, 2014, 261, 936-942. | 3.6 | 46 |
| 290 | Rating Scales for Pain in Parkinson's Disease: Critique and Recommendations. Movement Disorders Clinical Practice, 2016, 3, 527-537. | 1.5 | 46 |
| 291 | Knowledge gaps and research recommendations for essential tremor. Parkinsonism and Related Disorders, 2016, 33, 27-35. | 2.2 | 46 |
| 292 | Deep brain stimulation for tardive syndromes: Systematic review and meta-analysis. Journal of the Neurological Sciences, 2018, 389, 55-60. | 0.6 | 46 |
| 293 | Surgical treatment of Parkinson's disease. Current Opinion in Neurology, 1999, 12, 417-425. | 3.6 | 46 |
| 294 | Progressive neurologic dysfunction in a psoriasis patient treated with dimethyl fumarate. Annals of Neurology, 2015, 78, 501-514. | 5.3 | 45 |
| 295 | Targeting of the Subthalamic Nucleus for Deep Brain Stimulation: A Survey Among Parkinson Disease Specialists. World Neurosurgery, 2017, 99, 41-46. | 1.3 | 45 |
| 296 | Cytoarchitectonic organization of lumbar preganglionic sympathetic neurons in the cat. Journal of the Autonomic Nervous System, 1981, 3, 193-213. | 1.9 | 44 |
| 297 | No evidence for differential methylation of î±â€synuclein in leukocyte DNA of Parkinson's disease patients. Movement Disorders, 2012, 27, 590-591. | 3.9 | 44 |
| 298 | Amitriptyline enhances the central component of physiological tremor. Journal of Neurology, Neurosurgery and Psychiatry, 2001, 70, 78-82. | 1.9 | 43 |
| 299 | Acquired stuttering after pallidal deep brain stimulation for dystonia. Journal of Neural Transmission, 2009, 116, 167-169. | 2.8 | 43 |
| 300 | The Val158Met COMT polymorphism is a modifier of the age at onset in Parkinson's disease with a sexual dimorphism. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 666-673. | 1.9 | 43 |
| 301 | Beamformer Source Analysis and Connectivity on Concurrent EEG and MEG Data during Voluntary Movements. PLoS ONE, 2014, 9, e91441. | 2.5 | 43 |
| 302 | Abolishing the 1â€year rule: How much evidence will be enough?. Movement Disorders, 2016, 31, 1623-1627. | 3.9 | 43 |
| 303 | Is essential tremor a single entity?. European Journal of Neurology, 2018, 25, 71-82. | 3.3 | 43 |
| 304 | The spectrum of progressive multifocal leukoencephalopathy: a practical approach. European Journal of Neurology, 2019, 26, 566. | 3.3 | 43 |
| 305 | Deep Brain Stimulation for Freezing of Gait in Parkinson's Disease With Early Motor Complications. Movement Disorders, 2020, 35, 82-90. | 3.9 | 43 |
| 306 | Subthalamic and pallidal deep brain stimulation for Parkinson's disease—meta-analysis of outcomes. Npj Parkinson's Disease, 2021, 7, 77. | 5.3 | 43 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Deep brain stimulation in Parkinson's disease following fetal nigral transplantation. Movement Disorders, 2008, 23, 1293-1296. | 3.9 | 42 |
| 308 | Location of lumbar preganglionic sympathetic neurones in the cat. Neuroscience Letters, 1978, 10, 49-54. | 2.1 | 41 |
| 309 | Topography and sources of electromagnetic cerebral responses to electrical and air-puff stimulation of the hand. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1996, 100, 229-239. | 2.0 | 41 |
| 310 | Spontaneous oscillations of arterial blood pressure, cerebral and peripheral blood flow in healthy and comatose subjects. Neurological Research, 1999, 21, 665-669. | 1.3 | 41 |
| 311 | An update on essential tremor. Current Neurology and Neuroscience Reports, 2009, 9, 273-277. | 4.2 | 41 |
| 312 | Locus coeruleus dysfunction: A feature of essential or senile tremor?. Movement Disorders, 2012, 27, 1-2. | 3.9 | 41 |
| 313 | The central oscillatory network of orthostatic tremor. Movement Disorders, 2013, 28, 1424-1430. | 3.9 | 41 |
| 314 | Myths and facts about the EARLYSTIM study. Movement Disorders, 2014, 29, 1742-1750. | 3.9 | 41 |
| 315 | Essential and aging-related tremor: Differences of central control. Movement Disorders, 2015, 30, 1673-1680. | 3.9 | 41 |
| 316 | Split-belt locomotion in Parkinson's disease links asymmetry, dyscoordination and sequence effect. Gait and Posture, 2016, 48, 6-12. | 1.4 | 41 |
| 317 | Orthostatic myoclonus associated with Caspr2 antibodies. Neurology, 2016, 86, 1353-1355. | 1.1 | 41 |
| 318 | Motor reâ€ŧraining does not need to be task specific to improve writer's cramp. Movement Disorders, 2008, 23, 2319-2327. | 3.9 | 40 |
| 319 | Lewy Body and Parkinsonian Dementia. Deutsches Ärzteblatt International, 2010, 107, 684-91. | 0.9 | 40 |
| 320 | Differential effect of dopa and subthalamic stimulation on vestibular activity in Parkinson's disease. Movement Disorders, 2012, 27, 1268-1275. | 3.9 | 40 |
| 321 | Practical recommendations for the process of proposing, planning and writing a neurological management guideline by <scp>EAN</scp> task forces. European Journal of Neurology, 2015, 22, 1505-1510. | 3.3 | 40 |
| 322 | Pathophysiological Concepts and Treatment of Camptocormia. Journal of Parkinson's Disease, 2016, 6, 485-501. | 2.8 | 40 |
| 323 | Dystonic tremor. Revue Neurologique, 2003, 159, 900-5. | 1.5 | 40 |
| 324 | Fast corticospinal system and motor performance in children: conduction proceeds skill. Pediatric Neurology, 1998, 19, 217-221. | 2.1 | 39 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Dyskinesias and grip control in Parkinson's disease are normalized by chronic stimulation of the subthalamic nucleus. Annals of Neurology, 2002, 52, 240-243. | 5.3 | 39 |
| 326 | Costâ€effectiveness of neurostimulation in Parkinson's disease with early motor complications. Movement Disorders, 2016, 31, 1183-1191. | 3.9 | 39 |
| 327 | Long-term safety and efficacy of apomorphine infusion in Parkinson's disease patients with persistent motor fluctuations: Results of the open-label phase of the TOLEDO study. Parkinsonism and Related Disorders, 2021, 83, 79-85. | 2.2 | 39 |
| 328 | Involvement of the mitochondrial ATP-sensitive potassium channel in the neuroprotective effect of hyperbaric oxygenation after cerebral ischemia. Brain Research Bulletin, 2006, 69, 109-116. | 3.0 | 38 |
| 329 | Effects of DBS in parkinsonian patients depend on the structural integrity of frontal cortex. Scientific Reports, 2017, 7, 43571. | 3.3 | 38 |
| 330 | Echo Contrast–Enhanced Transcranial Ultrasound. Stroke, 2002, 33, 2600-2603. | 2.0 | 37 |
| 331 | Neuroprotection by Oxygen in Acute Transient Focal Cerebral Ischemia Is Dose Dependent and Shows Superiority of Hyperbaric Oxygenation. Cerebrovascular Diseases, 2008, 25, 193-201. | 1.7 | 37 |
| 332 | Tremor. Current Opinion in Neurology, 2009, 22, 400-405. | 3.6 | 37 |
| 333 | The phenomenology of Parkinsonian tremor. Parkinsonism and Related Disorders, 2012, 18, S87-S89. | 2.2 | 37 |
| 334 | The olfactory bulb volume in patients with idiopathic Parkinson's disease. European Journal of Neurology, 2015, 22, 1068-1073. | 3.3 | 37 |
| 335 | Rare Variants in Specific Lysosomal Genes Are Associated With Parkinson's Disease. Movement Disorders, 2020, 35, 1245-1248. | 3.9 | 37 |
| 336 | The phenylalanine loading test in the differential diagnosis of dystonia. Neurology, 2003, 60, 700-702. | 1.1 | 36 |
| 337 | The effect of subthalamic nucleus stimulation on autogenic inhibition in Parkinson disease. Neurology, 2004, 63, 1234-1239. | 1.1 | 36 |
| 338 | Therapeutic advances in tremor. Movement Disorders, 2015, 30, 1557-1565. | 3.9 | 36 |
| 339 | The c-Jun N-terminal kinase (JNK) inhibitor XG-102 enhances the neuroprotection of hyperbaric oxygen after cerebral ischaemia in adult rats. Neuropathology and Applied Neurobiology, 2010, 36, 211-224. | 3.2 | 35 |
| 340 | Multimodal integration of fNIRS, fMRI and EEG neuroimaging. Clinical Neurophysiology, 2013, 124, 2060-2062. | 1.5 | 35 |
| 341 | Frontal Lobe Connectivity and Network Community Characteristics areÂAssociated with the Outcome of Subthalamic Nucleus Deep Brain Stimulation in Patients with Parkinson's Disease. Brain Topography, 2018, 31, 311-321. | 1.8 | 35 |
| 342 | Neurostimulation in tardive dystonia/dyskinesia: A delayed start, sham stimulation-controlled randomized trial. Brain Stimulation, 2018, 11, 1368-1377. | 1.6 | 35 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Hand muscle reflexes following electrical stimulation in choreatic movement disorders Journal of Neurology, Neurosurgery and Psychiatry, 1989, 52, 755-762. | 1.9 | 34 |
| 344 | Platelet Activation and Platelet-Leucocyte Interaction in Patients with Migraine. Subtype Differences and Influence of Triptans. Cephalalgia, 2005, 25, 536-541. | 3.9 | 34 |
| 345 | Parkinsonian action tremor: Interference with object manipulation and lacking levodopa response. Experimental Neurology, 2005, 194, 151-160. | 4.1 | 34 |
| 346 | Time Delay and Partial Coherence Analyses to Identify Cortical Connectivities. Biological Cybernetics, 2006, 94, 262-275. | 1.3 | 34 |
| 347 | Feedback-based versus observational classification learning in healthy aging and Parkinson's disease. Brain Research, 2007, 1142, 178-188. | 2.2 | 34 |
| 348 | Electrode Implantation for Deep Brain Stimulation in Dystonia: A Fast Spin-Echo Inversion-Recovery Sequence Technique for Direct Stereotactic Targeting of the Gpi. Zentralblatt Fur Neurochirurgie, 2008, 69, 71-75. | 0.5 | 34 |
| 349 | An update on tremors. Current Opinion in Neurology, 2012, 25, 475-482. | 3.6 | 34 |
| 350 | MRI of lumbar trunk muscles in patients with Parkinson's disease and camptocormia. Journal of Neurology, 2015, 262, 1655-1664. | 3.6 | 34 |
| 351 | Frontal and parietal components of enhanced somatosensory evoked potentials: a comparison between pathological and pharmacologically induced conditions. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1988, 71, 170-179. | 2.0 | 33 |
| 352 | Physiology and Clinical Applications of Hand Muscle Reflexes. , 1990, 41, 84-101. | | 33 |
| 353 | From theory to therapy: Implications from an in vitro model of ramified microglia. Microscopy Research and Technique, 2001, 54, 18-25. | 2.2 | 33 |
| 354 | Cortical representation of rhythmic foot movements. Brain Research, 2008, 1236, 79-84. | 2.2 | 33 |
| 355 | The impact of age and disease duration on the long term outcome of neurostimulation of the subthalamic nucleus. Parkinsonism and Related Disorders, 2014, 20, 47-52. | 2.2 | 33 |
| 356 | Rest tremor revisited: Parkinson's disease and other disorders. Translational Neurodegeneration, 2017, 6, 16. | 8.0 | 33 |
| 357 | Neural Correlates of Hypokinetic Dysarthria and Mechanisms of Effective Voice Treatment in Parkinson Disease. Neurorehabilitation and Neural Repair, 2018, 32, 1055-1066. | 2.9 | 33 |
| 358 | Mechanism of action of botulinum toxin. Annals of Neurology, 1994, 36, 449-450. | 5.3 | 32 |
| 359 | Subthalamic Nucleus Stimulation in Parkinson's Disease: Correlation of Active Electrode Contacts with Intraoperative Microrecordings. Stereotactic and Functional Neurosurgery, 2003, 80, 37-42. | 1.5 | 32 |
| 360 | Testing for alcohol sensitivity of tremor amplitude in a large cohort with essential tremor. Parkinsonism and Related Disorders, 2015, 21, 848-851. | 2.2 | 32 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Differential diagnosis of tremor. Journal of Neural Transmission Supplementum, 1999, 56, 211-220. | 0.5 | 32 |
| 362 | Generalised motor neuron disease as an unusual manifestation of Borrelia burgdorferi infection. Journal of Neurology, Neurosurgery and Psychiatry, 1997, 63, 257-258. | 1.9 | 32 |
| 363 | Patients with Parkinson's disease learn to control complex systems—an indication for intact implicit cognitive skill learning. Neuropsychologia, 2006, 44, 2445-2451. | 1.6 | 31 |
| 364 | Dopamine receptor D3 gene and essential tremor in large series of German, Danish and French patients. European Journal of Human Genetics, 2009, 17, 766-773. | 2.8 | 31 |
| 365 | Are we making progress in the understanding of tremor in Parkinson's disease?. Annals of Neurology, 2010, 68, 780-781. | 5.3 | 31 |
| 366 | Prevalence of <i>THAP1</i> sequence variants in German patients with primary dystonia. Movement Disorders, 2010, 25, 1982-1986. | 3.9 | 31 |
| 367 | Subcortical substrates of TMS induced modulation of the cortico-cortical connectivity. Brain Stimulation, 2013, 6, 138-146. | 1.6 | 31 |
| 368 | Bilateral staged magnetic resonance-guided focused ultrasound thalamotomy for the treatment of essential tremor: a case series study. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 927-931. | 1.9 | 31 |
| 369 | Neuroleptic Malignant Syndrome: Observations on Altered Consciousness. Pharmacopsychiatry, 1987, 20, 168-170. | 3.3 | 30 |
| 370 | Technical Complication in Deep Brain Stimulation. Zentralblatt Fur Neurochirurgie, 2002, 63, 124-127. | 0.5 | 30 |
| 371 | Efficacy and tolerability of entacapone versus cabergoline in parkinsonian patients suffering from wearing-off. Movement Disorders, 2007, 22, 1550-1555. | 3.9 | 30 |
| 372 | Tremor entities and their classification. Current Opinion in Neurology, 2015, 28, 393-399. | 3.6 | 30 |
| 373 | Increased volume and impaired function: the role of the basal ganglia in writer's cramp. Brain and Behavior, 2015, 5, e00301. | 2.2 | 30 |
| 374 | Subthalamic nucleus stimulation improves Parkinsonian gait via brainstem locomotor centers. Movement Disorders, 2015, 30, 1121-1125. | 3.9 | 30 |
| 375 | Topography of essential tremor. Parkinsonism and Related Disorders, 2017, 40, 58-63. | 2.2 | 30 |
| 376 | Thalamic deep brain stimulation for orthostatic tremor: A multicenter international registry. Movement Disorders, 2017, 32, 1240-1244. | 3.9 | 30 |
| 377 | Clinical Definition of Camptocormia in Parkinson's Disease. Movement Disorders Clinical Practice, 2017, 4, 349-357. | 1.5 | 30 |
| 378 | Idiopathic Lambert-Eaton myasthenic syndrome associated with minimal-change glomerulonephritis and psoriatic arthritis. Journal of Neurology, 2001, 248, 145-147. | 3.6 | 29 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Author responsibilities and compliance with data source agreements. Movement Disorders, 2007, 22, 449-449. | 3.9 | 29 |
| 380 | Dynamic Imaging of Coherent Sources Reveals Different Network Connectivity Underlying the Generation and Perpetuation of Epileptic Seizures. PLoS ONE, 2013, 8, e78422. | 2.5 | 29 |
| 381 | <i>ALS2</i> mutations. Neurology, 2014, 82, 1065-1067. | 1.1 | 29 |
| 382 | Selective changes of ocular vestibular myogenic potentials in Parkinson's disease. Movement Disorders, 2015, 30, 584-589. | 3.9 | 29 |
| 383 | Determinants of Platelet-Leukocyte Aggregation and Platelet Activation in Stroke. Cerebrovascular Diseases, 2015, 39, 176-180. | 1.7 | 29 |
| 384 | Use of β2-adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. Neurology, 2019, 93, e135-e142. | 1.1 | 29 |
| 385 | Symptomatic and essential palatal tremor. 3. Abnormal motor learning Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60, 520-525. | 1.9 | 28 |
| 386 | Neurologic outcome of controlled compressed-air diving. Neurology, 2000, 55, 1743-1746. | 1.1 | 28 |
| 387 | Activated protein C resistance and acute ischaemic stroke: Relation to stroke causation and age. Journal of Neurology, 2001, 248, 701-704. | 3.6 | 28 |
| 388 | Post-partum cerebral angiopathy: Repetitive TCD, MRI, MRA, and EEG examinations. Neurological Research, 2002, 24, 570-572. | 1.3 | 28 |
| 389 | Deep-brain stimulation for Parkinson's disease. Journal of Neurology, 2002, 249, 1-1. | 3.6 | 28 |
| 390 | Dynamical correlation of non-stationary signals in time domain—A comparative study. Biomedical Signal Processing and Control, 2010, 5, 205-213. | 5.7 | 28 |
| 391 | GABAA receptor- and GABA transporter polymorphisms and risk for essential tremor. European Journal of Neurology, 2011, 18, 1098-1100. | 3.3 | 28 |
| 392 | Effects of lacosamide and carbamazepine on human motor cortex excitability: A double-blind, placebo-controlled transcranial magnetic stimulation study. Seizure: the Journal of the British Epilepsy Association, 2013, 22, 726-730. | 2.0 | 28 |
| 393 | Neuronal Networks during Burst Suppression as Revealed by Source Analysis. PLoS ONE, 2015, 10, e0123807. | 2.5 | 28 |
| 394 | German registry of paediatric deep brain stimulation in patients with childhood-onset dystonia (GEPESTIM). European Journal of Paediatric Neurology, 2017, 21, 136-146. | 1.6 | 28 |
| 395 | Change in artistic expression related to subthalamic stimulation. Journal of Neurology, 2006, 253, 955-956. | 3.6 | 27 |
| 396 | The impact of normal aging and Parkinson's disease on response preparation in task-switching behavior. Brain Research, 2006, 1114, 173-182. | 2.2 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Reversible Posterior Encephalopathy Syndrome in Systemic Lupus Erythematosus and Lupus Nephritis. Internal Medicine, 2008, 47, 867-875. | 0.7 | 27 |
| 398 | White matter microstructural changes of thalamocortical networks in photosensitivity and idiopathic generalized epilepsy. Epilepsia, 2012, 53, 668-676. | 5.1 | 27 |
| 399 | Managing Essential Tremor. Neurotherapeutics, 2020, 17, 1603-1621. | 4.4 | 27 |
| 400 | The diagnostic significance of long-latency reflexes in multiple sclerosis. Electroencephalography and Clinical Neurophysiology, 1988, 70, 56-61. | 0.3 | 26 |
| 401 | Restless legs syndrome after a borrelia-induced myelitis. Movement Disorders, 1995, 10, 521-522. | 3.9 | 26 |
| 402 | Hand muscle reflexes following air puff stimulation. Experimental Brain Research, 1995, 105, 138-46. | 1.5 | 26 |
| 403 | Two previously unrecognized splicing mutations of GCH1 in Dopa-responsive dystonia: exon skipping and one base insertion. Neurogenetics, 1997, 1, 125-127. | 1.4 | 26 |
| 404 | Subthalamic nucleus stimulation restores corticospinal facilitation in Parkinson's disease. Movement Disorders, 2008, 23, 2210-2215. | 3.9 | 26 |
| 405 | Regulation of activin A synthesis in microglial cells: Pathophysiological implications for bacterial meningitis. Journal of Neuroscience Research, 2010, 88, 16-23. | 2.9 | 26 |
| 406 | Discrimination of Parkinsonian tremor from essential tremor using statistical signal characterization of the spectrum of accelerometer signal. Bio-Medical Materials and Engineering, 2013, 23, 513-531. | 0.6 | 26 |
| 407 | Motor outcome of dystonic camptocormia treated with pallidal neurostimulation. Parkinsonism and Related Disorders, 2014, 20, 176-179. | 2.2 | 26 |
| 408 | Assessment of Head Tremor with Accelerometers Versus Gyroscopic Transducers. Movement Disorders Clinical Practice, 2017, 4, 205-211. | 1.5 | 26 |
| 409 | Optimal deep brain stimulation sites and networks for cervical vs. generalized dystonia. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2114985119. | 7.1 | 26 |
| 410 | Effects of local injections of botulinum toxin on electrophysiological parameters in patients with hemifacial spasm: role of synaptic activity and size of motor units. Neuroscience Letters, 1995, 187, 161-164. | 2.1 | 25 |
| 411 | Geste device in tardive dystonia with retrocollis and opisthotonic posturing. Movement Disorders, 1998, 13, 155-157. | 3.9 | 25 |
| 412 | Delay estimation for cortico-peripheral relations. Journal of Neuroscience Methods, 2001, 111, 127-139. | 2.5 | 25 |
| 413 | Evaluation of a screening instrument for essential tremor. Movement Disorders, 2008, 23, 1006-1012. | 3.9 | 25 |
| 414 | Lower limb joints kinematics in essential tremor and the effect of thalamic stimulation. Gait and Posture, 2012, 36, 187-193. | 1.4 | 25 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 415 | Neurostimulation for Parkinson's Disease with Early Motor Complications. New England Journal of Medicine, 2013, 368, 2037-2038. | 27.0 | 25 |
| 416 | Functional tremor. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2016, 139, 229-233. | 1.8 | 25 |
| 417 | A clinical test for the alcohol sensitivity of essential tremor. Movement Disorders, 2011, 26, 2291-2295. | 3.9 | 24 |
| 418 | Depression and care-dependency in Parkinson's disease: Results from a nationwide study of 1449 outpatients. Parkinsonism and Related Disorders, 2012, 18, 598-601. | 2.2 | 24 |
| 419 | Split-belt treadmill walking in patients with Parkinson's disease: A systematic review. Gait and Posture, 2019, 69, 187-194. | 1.4 | 24 |
| 420 | Spasmodic Torticollis—A Multicentre Study on Behavioural Aspects IV: Psychopathology. Behavioural Neurology, 1996, 9, 97-103. | 2.1 | 23 |
| 421 | New Treatment Options for Tremors. New England Journal of Medicine, 2000, 342, 505-507. | 27.0 | 23 |
| 422 | Comparison of causality analysis on simultaneously measured fMRI and NIRS signals during motor tasks. , 2013, 2013, 2628-31. | | 23 |
| 423 | The (in)consistency of changes in brain macrostructure in male paedophiles: A combined T1-weighted and diffusion tensor imaging study. Journal of Psychiatric Research, 2015, 68, 246-253. | 3.1 | 23 |
| 424 | Mapping of subthalamic nucleus using microelectrode recordings during deep brain stimulation. Scientific Reports, 2020, 10, 19241. | 3.3 | 23 |
| 425 | Parkinson's disease patient's behaviour in a covered maze learning task. Neuropsychologia, 1990, 28, 839-849. | 1.6 | 22 |
| 426 | Bilateral myoclonus of the trapezius muscles after distal lesion of an accessory nerve. Movement Disorders, 1996, 11, 571-575. | 3.9 | 22 |
| 427 | Objective assessment of gait after intrathecal baclofen in hereditary spastic paraplegia. Journal of Neurology, 2005, 252, 991-993. | 3.6 | 22 |
| 428 | Levetiracetam in primary orthostatic tremor: A doubleâ€blind placeboâ€controlled crossover study. Movement Disorders, 2011, 26, 2431-2434. | 3.9 | 22 |
| 429 | Idiopathic delayed-onset edema surrounding deep brain stimulation leads: Insights from a case series and systematic literature review. Parkinsonism and Related Disorders, 2016, 32, 108-115. | 2.2 | 22 |
| 430 | Motor skill learning and offline-changes in TGA patients with acute hippocampal CA1 lesions. Cortex, 2017, 89, 156-168. | 2.4 | 22 |
| 431 | Pallidal dopaminergic denervation and rest tremor in early Parkinson's disease: PPMI cohort analysis. Parkinsonism and Related Disorders, 2018, 51, 101-104. | 2.2 | 22 |
| 432 | Changing Gears – <scp>DBS</scp> For Dopaminergic Desensitization in Parkinson's Disease?. Annals of Neurology, 2021, 90, 699-710. | 5.3 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | European Academy of Neurology/Movement Disorder Society ―European Section guideline on the treatment of Parkinson's disease: I. Invasive therapies. European Journal of Neurology, 2022, 29, 2580-2595. | 3.3 | 22 |
| 434 | Letters to the Editor. Movement Disorders, 1998, 13, 749-753. | 3.9 | 21 |
| 435 | MRI- and skull x-ray-based approaches to evaluate the position of deep brain stimulation electrode contacts - a technical note. Zentralblatt Fur Neurochirurgie, 2002, 63, 65-69. | 0.5 | 21 |
| 436 | Is the rhythm of physiological tremor involved in cortico-cortical interactions?. Movement Disorders, 2004, 19, 458-465. | 3.9 | 21 |
| 437 | Preserved micturition after intradetrusor onabotulinumtoxinA injection for treatment of neurogenic bladder dysfunction in Parkinson's disease. BMC Urology, 2016, 16, 55. | 1.4 | 21 |
| 438 | Startle Stimuli Exert Opposite Effects on Human Cortical and Spinal Motor System Excitability in Leg Muscles. Physiological Research, 2011, 60, S101-S106. | 0.9 | 21 |
| 439 | Palatal tremor: the clinical spectrum and physiology of a rhythmic movement disorder. Advances in Neurology, 2002, 89, 115-30. | 0.8 | 21 |
| 440 | Linkage studies in alcohol-responsive myoclonic dystonia. Movement Disorders, 1996, 11, 363-370. | 3.9 | 20 |
| 441 | Standard guidelines for publication of deep brain stimulation studies in Parkinson's disease (Guide4DBSâ€PD). Movement Disorders, 2010, 25, 1530-1537. | 3.9 | 20 |
| 442 | Neuronal networks in epileptic encephalopathies with <scp>CSWS</scp> . Epilepsia, 2016, 57, 1245-1255. | 5.1 | 20 |
| 443 | Adverse events associated with deep brain stimulation in patients with childhood-onset dystonia. Brain Stimulation, 2019, 12, 1111-1120. | 1.6 | 20 |
| 444 | Quantitative analysis of tremor time series. Electroencephalography and Clinical Neurophysiology - Electromyography and Motor Control, 1996, 101, 461-468. | 1.4 | 20 |
| 445 | The clinical and electrophysiological investigation of tremor. Clinical Neurophysiology, 2022, 136, 93-129. | 1.5 | 20 |
| 446 | Subthalamic nucleus influences spatial orientation in extrapersonal space. Movement Disorders, 2006, 21, 354-361. | 3.9 | 19 |
| 447 | Lp(a) Lipoprotein and Plasminogen Activity in Patients with Different Etiology of Ischemic Stroke. Cerebrovascular Diseases, 2007, 23, 188-193. | 1.7 | 19 |
| 448 | Somatosensory processing in a German family with PINK1 mutations: its potential role in Parkinson disease. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 571-574. | 1.9 | 19 |
| 449 | Internal carotid artery dissection and stroke after SCUBA diving: a case report and review of the literature. Journal of Neurology, 2009, 256, 1916-1919. | 3.6 | 19 |
| 450 | EEG-MEG Integration Enhances the Characterization of Functional and Effective Connectivity in the Resting State Network. PLoS ONE, 2015, 10, e0140832. | 2.5 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 451 | Differences in neurology residency training programmes across Europe – a survey among the Residents and Research Fellow Section of the European Academy of Neurology national representatives. European Journal of Neurology, 2020, 27, 1356-1363. | 3.3 | 19 |
| 452 | Hemifacial spasm due to posterior fossa tumors: The impact of tumor location on electrophysiological findings. Clinical Neurology and Neurosurgery, 1998, 100, 104-111. | 1.4 | 18 |
| 453 | Imaging coherent sources of tremor related EEG activity in patients with Parkinson's disease. , 2008, 2008, 4716-9. | | 18 |
| 454 | Failure of Deep Brain Stimulation of the Posterior Inferior Hypothalamus in Chronic Cluster Headache - Report of Two Cases and Review of the Literature. Zentralblatt Fur Neurochirurgie, 2008, 69, 76-79. | 0.5 | 18 |
| 455 | Successful deep brain stimulation in a case of posttraumatic tremor and hemiparkinsonism. Movement Disorders, 2011, 26, 1954-1955. | 3.9 | 18 |
| 456 | Subthreshold depression in Parkinson's disease. Movement Disorders, 2011, 26, 1740-1743. | 3.9 | 18 |
| 457 | Mapping the EQ-5D index by UPDRS and PDQ-8 in patients with Parkinson's disease. Health and Quality of Life Outcomes, 2013, 11, 35. | 2.4 | 18 |
| 458 | The Subthalamic Nucleus Influences Visuospatial Attention in Humans. Journal of Cognitive Neuroscience, 2014, 26, 543-550. | 2.3 | 18 |
| 459 | <scp>A</scp> lpha synuclein and crystallin expression in human lens in <scp>P</scp> arkinson's disease. Movement Disorders, 2016, 31, 600-601. | 3.9 | 18 |
| 460 | Life-threatening DBS withdrawal syndrome in Parkinson's disease can be treated with early reimplantation. Parkinsonism and Related Disorders, 2018, 56, 88-92. | 2.2 | 18 |
| 461 | Alterations in White Matter Network and Microstructural Integrity Differentiate Parkinson's Disease Patients and Healthy Subjects. Frontiers in Aging Neuroscience, 2019, 11, 191. | 3.4 | 18 |
| 462 | Recruitment gain of spinal motor neuron pools in cat and human. Experimental Brain Research, 2019, 237, 2897-2909. | 1.5 | 18 |
| 463 | The Effect of Medication and Deep Brain Stimulation on Posture in Parkinson's Disease. Frontiers in Neurology, 2019, 10, 1254. | 2.4 | 18 |
| 464 | Quantitative assessment of posture in healthy controls and patients with Parkinson's disease. Parkinsonism and Related Disorders, 2020, 76, 85-90. | 2.2 | 18 |
| 465 | Comparing two randomized deep brain stimulation trials for Parkinson's disease. Journal of Neurosurgery, 2020, 132, 1376-1384. | 1.6 | 18 |
| 466 | Long-latency reflexes following electrical nerve stimulation. The Inter national Federation of Clinical Neurophysiology. Electroencephalography and Clinical Neurophysiology Supplement, 1999, 52, 263-8. | 0.0 | 18 |
| 467 | Differentiating phase shift and delay in narrow band coherent signals. Clinical Neurophysiology, 2008, 119, 1062-1070. | 1.5 | 17 |
| 468 | Subthalamic nucleus stimulation modulates audiospinal reactions in Parkinson disease. Neurology, 2008, 70, 1445-1451. | 1.1 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | The central oscillatory network of essential tremor. , 2010, 2010, 154-7. | | 17 |
| 470 | Alpha-synuclein is associated with the synaptic vesicle apparatus in the human and rat enteric nervous system. Brain Research, 2015, 1614, 51-59. | 2.2 | 17 |
| 471 | Postoperative rehabilitation after deep brain stimulation surgery for movement disorders. Clinical Neurophysiology, 2018, 129, 592-601. | 1.5 | 17 |
| 472 | Comparison of the Battery Life of Nonrechargeable Generators for Deep Brain Stimulation. Neuromodulation, 2018, 21, 593-596. | 0.8 | 17 |
| 473 | Temporal Discrimination is Altered in Patients With Isolated Asymmetric and Jerky Upper Limb Tremor. Movement Disorders, 2020, 35, 306-315. | 3.9 | 17 |
| 474 | Association of Essential Tremor With Novel Risk Loci. JAMA Neurology, 2022, 79, 185. | 9.0 | 17 |
| 475 | Effects of deep brain stimulation of the cerebellothalamic pathways on the sense of smell. Experimental Neurology, 2010, 222, 144-152. | 4.1 | 16 |
| 476 | Source Analysis of Beta-Synchronisation and Cortico-Muscular Coherence after Movement Termination Based on High Resolution Electroencephalography. PLoS ONE, 2012, 7, e33928. | 2.5 | 16 |
| 477 | Human face processing is tuned to sexual age preferences. Biology Letters, 2014, 10, 20140200. | 2.3 | 16 |
| 478 | Medical and Surgical Treatment of Tremors. Neurologic Clinics, 2015, 33, 57-75. | 1.8 | 16 |
| 479 | Cortical network fingerprints predict deep brain stimulation outcome in dystonia. Movement Disorders, 2019, 34, 1537-1546. | 3.9 | 16 |
| 480 | Single preganglionic sympathetic neurons of the cat branch intraspinally and project through different rami communicantes ALBI — A retrograde double labelling study with fluorescent tracers. Neuroscience Letters, 1981, 21, 1-5. | 2.1 | 15 |
| 481 | Early-onset Alzheimer's disease due to mutations of the presenilin-1 gene on chromosome 14: a 7-year follow-up of a patient with a mutation at codon 139. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 123-129. | 3.2 | 15 |
| 482 | Impaired Cerebral Glucose Metabolism in Eclampsia: A New Finding in Two Cases. Fetal Diagnosis and Therapy, 2003, 18, 41-46. | 1.4 | 15 |
| 483 | Thrombectomy vs. Systemic Thrombolysis in Acute Embolic Stroke with High Clot Burden: A Retrospective Analysis. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2015, 187, 555-560. | 1.3 | 15 |
| 484 | Movement-Related Activity of Human Subthalamic Neurons during a Reach-to-Grasp Task. Frontiers in Human Neuroscience, 2017, 11, 436. | 2.0 | 15 |
| 485 | Patient Evaluation and Selection for Movement Disorders Surgery: The Changing Spectrum of Indications. Progress in Neurological Surgery, 2018, 33, 80-93. | 1.3 | 15 |
| 486 | Exploring Interrater Disagreement on Essential Tremor Using a Standardized Tremor Elements Assessment. Movement Disorders Clinical Practice, 2021, 8, 371-376. | 1.5 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | New mutation to Huntington's disease Journal of Medical Genetics, 1989, 26, 18-27. | 3.2 | 14 |
| 488 | Tremor. Current Opinion in Neurology, 2000, 13, 437-443. | 3.6 | 14 |
| 489 | The stiff limb syndrome - a new case and a literature review. Journal of Neurology, 2003, 250, 488-490. | 3.6 | 14 |
| 490 | Effect of Cabergoline on Parkinsonian Tremor Assessed by Long-Term Actigraphy. European Neurology, 2009, 61, 149-153. | 1.4 | 14 |
| 491 | Associative Stimulation of the Supraorbital Nerve Fails to Induce Timing-Specific Plasticity in the Human Blink Reflex. PLoS ONE, 2010, 5, e13602. | 2.5 | 14 |
| 492 | Cortical representation of different motor rhythms during bimanual movements. Experimental Brain Research, 2012, 223, 489-504. | 1.5 | 14 |
| 493 | Protocol of a randomised delayed-start double-blind placebo-controlled multi-centre trial for Levodopa in EArly Parkinson's disease: the LEAP-study. BMC Neurology, 2015, 15, 236. | 1.8 | 14 |
| 494 | Proposing a Parkinson's disease–specific tremor scale from the MDSâ€UPDRS. Movement Disorders, 2015, 30, 1139-1143. | 3.9 | 14 |
| 495 | Primary Sensorimotor Cortex Drives the Common Cortical Network for Gamma Synchronization in Voluntary Hand Movements. Frontiers in Human Neuroscience, 2018, 12, 130. | 2.0 | 14 |
| 496 | Structural brain network fingerprints of focal dystonia. Therapeutic Advances in Neurological Disorders, 2019, 12, 175628641988066. | 3.5 | 14 |
| 497 | Mental retardation, acromegalic face, and megalotestes in two half-brothers: A specific form of X-linked mental retardation without fra(X) (q)?. American Journal of Medical Genetics Part A, 1991, 38, 208-211. | 2.4 | 13 |
| 498 | Dystonic Posture of Lower Extremities Associated with Myelomeningocele: Successful Treatment with Botulinum A Toxin in a Six-Month-Old Child. Neuropediatrics, 1995, 26, 214-216. | 0.6 | 13 |
| 499 | No benefit of 3,4-diaminopyridine in essential tremor: A placebo-controlled crossover study. Neurology, 2006, 66, 1753-1755. | 1.1 | 13 |
| 500 | Impact of Subthalamic Stimulation and Medication on Proximal and Distal Bradykinesia in Parkinson's Disease. European Neurology, 2009, 62, 114-119. | 1.4 | 13 |
| 501 | Somatosensory function in asymptomatic <i>Parkinâ€</i> mutation carriers. European Journal of Neurology, 2010, 17, 513-517. | 3.3 | 13 |
| 502 | Benign tremulous <scp>P</scp> arkinson's disease: A misnomer?. Movement Disorders, 2013, 28, 117-119. | 3.9 | 13 |
| 503 | Full Parkinsonian Triad Induced by Pallidal Highâ€Frequency Stimulation in Cervical Dystonia. Movement Disorders Clinical Practice, 2015, 2, 99-101. | 1.5 | 13 |
| 504 | Grey Matter Microstructural Integrity Alterations in Blepharospasm Are Partially Reversed by Botulinum Neurotoxin Therapy. PLoS ONE, 2016, 11, e0168652. | 2.5 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 505 | Altered brain activation in a reversal learning task unmasks adaptive changes in cognitive control in writer's cramp. Neurolmage: Clinical, 2016, 10, 63-70. | 2.7 | 13 |
| 506 | A call from the European Academy of Neurology on COVID-19. Lancet Neurology, The, 2020, 19, 482. | 10.2 | 13 |
| 507 | The medical treatment of patients with Parkinson's disease receiving subthalamic neurostimulation. Parkinsonism and Related Disorders, 2015, 21, 555-560. | 2.2 | 12 |
| 508 | The effect of unilateral balance training on postural control of the contralateral limb. Journal of Sports Sciences, 2017, 35, 2265-2271. | 2.0 | 12 |
| 509 | Functional impact of different muscle localization techniques for Botulinum neurotoxin A injections in clinical routine management of post-stroke spasticity. Brain Injury, 2017, 31, 75-82. | 1.2 | 12 |
| 510 | Clinical patterns of gait freezing in Parkinson's disease and their response to interventions: An observer-blinded study. Parkinsonism and Related Disorders, 2020, 80, 175-180. | 2.2 | 12 |
| 511 | Evaluation of the 2020 European Academy of Neurology virtual congress: transition from a faceâ€ŧoâ€face to a virtual meeting. European Journal of Neurology, 2021, 28, 2523-2532. | 3.3 | 12 |
| 512 | Myelitis after immunisation against tick-borne encephalitis. Lancet, The, 1993, 342, 239-240. | 13.7 | 11 |
| 513 | Chapter 50 Pain in Parkinson's disease. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2006, 81, 747-760. | 1.8 | 11 |
| 514 | Monitoring of CBFV and time characteristics of oxygenâ€induced acute CNS toxicity in humans. European Journal of Neurology, 2008, 15, 746-748. | 3.3 | 11 |
| 515 | <i>LINGO1</i> is not associated with Parkinson's disease in German patients. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1173-1178. | 1.7 | 11 |
| 516 | Axonal integrity of corticospinal projections to the upper limbs in patients with pure hereditary spastic paraplegia. Clinical Neurophysiology, 2011, 122, 1417-1420. | 1.5 | 11 |
| 517 | The impact of rare variants in <i>FUS</i> in essential tremor. Movement Disorders, 2015, 30, 721-724. | 3.9 | 11 |
| 518 | Current concepts of essential tremor. Revue Neurologique, 2016, 172, 416-422. | 1.5 | 11 |
| 519 | Movement disorders in multiple sclerosis and their treatment. Neurodegenerative Disease Management, 2016, 6, 31-35. | 2.2 | 11 |
| 520 | Trunk muscle activation pattern in parkinsonian camptocormia as revealed with surface electromyography. Parkinsonism and Related Disorders, 2017, 44, 44-50. | 2.2 | 11 |
| 521 | Multiomics Analyses Identify Genes and Pathways Relevant to Essential Tremor. Movement Disorders, 2020, 35, 1153-1162. | 3.9 | 11 |
| 522 | Tremor and electrically elicited long-latency reflexes in early stages of Parkinson's disease. Key Topics in Brain Research, 1989, , 103-110. | 0.2 | 11 |

| # | Article | lF | CITATIONS |
|-----|--|-----|-----------|
| 523 | The Contribution of Subthalamic Nucleus Deep Brain Stimulation to the Improvement in Motor Functions and Quality of Life. Movement Disorders, 2022, 37, 291-301. | 3.9 | 11 |
| 524 | Chapter 24 Clinical neurophysiology and pathophysiology of Parkinsonian tremor. Handbook of Clinical Neurophysiology, 2003, 1, 377-396. | 0.0 | 10 |
| 525 | Impact of Incidental Findings on Neuroimaging Research Using Functional MR Imaging. American Journal of Neuroradiology, 2009, 30, e55-e55. | 2.4 | 10 |
| 526 | No association between <i>NOD2</i> variants and Parkinson's disease. Movement Disorders, 2012, 27, 1191-1192. | 3.9 | 10 |
| 527 | HTLV-1 associated myelopathy after renal transplantation. Journal of Clinical Virology, 2015, 72, 102-105. | 3.1 | 10 |
| 528 | Cortical Thickness Changes Associated with Photoparoxysmal Response. Brain Topography, 2015, 28, 702-709. | 1.8 | 10 |
| 529 | c.207C>G mutation in sepiapterin reductase causes autosomal dominant dopa-responsive dystonia. Neurology: Genetics, 2017, 3, e197. | 1.9 | 10 |
| 530 | <scp>R</scp> eduction of <scp>GAPDH</scp> in lenses of <scp>P</scp> arkinson's disease patients: <scp>A</scp> possible new biomarker. Movement Disorders, 2017, 32, 459-462. | 3.9 | 10 |
| 531 | No association between Parkinson disease and autoantibodies against NMDA-type glutamate receptors. Translational Neurodegeneration, 2019, 8, 11. | 8.0 | 10 |
| 532 | Sensitivity and specificity of different hand positions to assess upper limb rest tremor. Movement Disorders, 2019, 34, 575-579. | 3.9 | 10 |
| 533 | Discrimination of physiological tremor from pathological tremor using accelerometer and surface EMG signals. Technology and Health Care, 2020, 28, 461-476. | 1.2 | 10 |
| 534 | Neurogeriatrics—aÂvision for improved care and research for geriatric patients with predominating neurological disabilities. Zeitschrift Fur Gerontologie Und Geriatrie, 2020, 53, 340-346. | 1.8 | 10 |
| 535 | The MDS consensus tremor classification: The best way to classify patients with tremor at present. Journal of the Neurological Sciences, 2022, 435, 120191. | 0.6 | 10 |
| 536 | Differences of cortical activation in spontaneous and reflex myoclonias. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1991, 80, 326-328. | 2.0 | 9 |
| 537 | Inability to close eyelids as a feature of palpebral dystonia. Movement Disorders, 1997, 12, 251-252. | 3.9 | 9 |
| 538 | Methylphenidate fails to improve gait and muscle tone in patients with sporadic and hereditary spastic paraplegia. Movement Disorders, 2006, 21, 1468-1471. | 3.9 | 9 |
| 539 | The correlation between quantitative T2′ and regional cerebral blood flow after acute brain ischemia in early reperfusion as demonstrated in a middle cerebral artery occlusion/reperfusion model of the rat. Journal of Neuroscience Methods, 2009, 178, 55-58. | 2.5 | 9 |
| 540 | Network effects and pathways in Deep brain stimulation in Parkinson's disease. , 2016, 2016, 5533-5536. | | 9 |

31

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 541 | Development and validation of the deep brain stimulation impairment scale (DBS-IS). Parkinsonism and Related Disorders, 2017, 36, 69-75. | 2.2 | 9 |
| 542 | Pupillary response to light and tasks in early and late onset essential tremor patients. Parkinsonism and Related Disorders, 2019, 66, 62-67. | 2.2 | 9 |
| 543 | A case of CLIPPERS syndrome responsive to tocilizumab. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e545. | 6.0 | 9 |
| 544 | Insufficiency of trunk extension and impaired control of muscle force in Parkinson's disease with camptocormia. Clinical Neurophysiology, 2020, 131, 2621-2629. | 1.5 | 9 |
| 545 | Guidelines should be guidelines: Time to leave the terms "consensus―and "position―for other purposes. European Journal of Neurology, 2021, 28, 2461-2466. | 3.3 | 9 |
| 546 | Cerebrospinal fluid from patients with neurodegenerative and neuroninflammatory diseases: no evidence for rat glial activation in vitro. Neuroscience Letters, 2001, 314, 107-110. | 2.1 | 8 |
| 547 | Unusual presentation of carcinomatous meningitis: Case report and review of typical CSF findings. Neurological Research, 2002, 24, 652-654. | 1.3 | 8 |
| 548 | Influence of subthalamic deep brain stimulation versus levodopa on motor perseverations in Parkinson's disease. Movement Disorders, 2009, 24, 1206-1210. | 3.9 | 8 |
| 549 | Transient filament occlusion of the middle cerebral artery in rats: does the reperfusion method matter 24 hours after perfusion?. BMC Neuroscience, 2012, 13, 154. | 1.9 | 8 |
| 550 | Kinematic effects of subthalamic stimulation on reach-to-grasp movements in Parkinson's disease. Parkinsonism and Related Disorders, 2013, 19, 32-36. | 2.2 | 8 |
| 551 | Cerebello-cortical networks in orthostatic tremor. Brain, 2016, 139, 2104-2106. | 7.6 | 8 |
| 552 | Moderate Frequency Resistance and Balance Training Do Not Improve Freezing of Gait in Parkinson's Disease: A Pilot Study. Frontiers in Neurology, 2018, 9, 1084. | 2.4 | 8 |
| 553 | Decoding Pedophilia: Increased Anterior Insula Response to Infant Animal Pictures. Frontiers in Human Neuroscience, 2017, 11, 645. | 2.0 | 8 |
| 554 | Urinary symptoms, quality of life, and patient satisfaction in genetic and sporadic hereditary spastic paraplegia. Journal of Neurology, 2019, 266, 207-211. | 3.6 | 8 |
| 555 | The Magnetic Properties of Electrical Pulses Delivered by Deep-Brain Stimulation Systems. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 4303-4313. | 4.7 | 8 |
| 556 | Neurophysiological tests for the assessment of tremors. Advances in Neurology, 1999, 80, 57-65. | 0.8 | 8 |
| 557 | Prevalence of patent foramen ovale (PFO) and MRI-lesions in mild neurological decompression sickness (type B-DCS/ACE). Undersea and Hyperbaric Medicine, 2008, 35, 197-205. | 0.3 | 8 |
| 558 | Spasmodic Torticollis—A Multicentre Study on Behavioural Aspects II: Signs, Symptoms and Course. Behavioural Neurology, 1996, 9, 81-88. | 2.1 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 559 | Symptomatic palatal tremor is associated with signs of cerebellar dysfunction. Journal of Neurology, 1996, 243, 553-556. | 3.6 | 7 |
| 560 | Cervico-thoracic disc protrusions in controlled compressed-air diving: clinical and MRI findings. Journal of Neurology, 2001, 248, 514-516. | 3.6 | 7 |
| 561 | Codon 101 of <i>PRKCG</i> , a preferential mutation site in SCA14. Movement Disorders, 2007, 22, 1831-1832. | 3.9 | 7 |
| 562 | Highâ€frequency stimulation of the subthalamic nucleus increases pallidal neuronal firing rate in a patient with Parkinson's disease. Movement Disorders, 2008, 23, 1945-1947. | 3.9 | 7 |
| 563 | Slow pre-movement cortical potentials do not reflect individual response to therapy in writer's cramp. Clinical Neurophysiology, 2009, 120, 1213-1219. | 1.5 | 7 |
| 564 | Source analysis of median nerve stimulated somatosensory evoked potentials and fields using simultaneously measured EEG and MEG signals. , 2012, 2012, 4903-6. | | 7 |
| 565 | Patients and DBS targets: Is there any rationale for selecting them?. Basal Ganglia, 2012, 2, 211-219. | 0.3 | 7 |
| 566 | Botulinum neurotoxin treatment improves force regulation in writer's cramp. Parkinsonism and Related Disorders, 2013, 19, 611-616. | 2.2 | 7 |
| 567 | New hope for severe essential tremor?. Lancet Neurology, The, 2013, 12, 420-422. | 10.2 | 7 |
| 568 | Reduced Empathy Scores in Patients with Parkinson's Disease: A Non-Motor Symptom Associated with Advanced Disease Stages. Journal of Parkinson's Disease, 2017, 7, 713-718. | 2.8 | 7 |
| 569 | Evaluation of a programming algorithm for deep brain stimulation in dystonia used in a double-blind, sham-controlled multicenter study. Neurological Research and Practice, 2019, 1, 25. | 2.0 | 7 |
| 570 | Development of evidence-based quality indicators for deep brain stimulation in patients with Parkinson's disease and first year experience of implementation of a nation-wide registry. Parkinsonism and Related Disorders, 2019, 60, 3-9. | 2.2 | 7 |
| 571 | New therapeutic developments for Parkinson disease. Nature Reviews Neurology, 2019, 15, 68-69. | 10.1 | 7 |
| 572 | Deep Brain Stimulation Impact on Social and Occupational Functioning in <scp>Parkinson's Disease</scp> with Early Motor Complications. Movement Disorders Clinical Practice, 2020, 7, 672-680. | 1.5 | 7 |
| 573 | Development and Validation of the Orthostatic Tremor Severity and Disability Scale (<scp>OT</scp> â€10). Movement Disorders, 2020, 35, 1796-1801. | 3.9 | 7 |
| 574 | Dipole Fit Localization of the Deep Brain Stimulation Electrode Using 3D Magnetic Field Measurements. IEEE Sensors Journal, 2020, 20, 9550-9557. | 4.7 | 7 |
| 575 | DBS electrode localization and rotational orientation detection using SQUID-based magnetoencephalography. Journal of Neural Engineering, 2021, 18, 026021. | 3.5 | 7 |
| 576 | Management of Impulse Control Disorders with Subthalamic Nucleus Deep Brain Stimulation in Parkinson's Disease. CNS and Neurological Disorders - Drug Targets, 2020, 19, 611-617. | 1.4 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 577 | Long-Term Cognitive Decline Related to the Motor Phenotype in Parkinson's Disease. Journal of Parkinson's Disease, 2022, 12, 905-916. | 2.8 | 7 |
| 578 | Spasmodic Torticollis—A Multicentre Study on Behavioural Aspects III: Psychosocial Changes and Coping. Behavioural Neurology, 1996, 9, 89-95. | 2.1 | 6 |
| 579 | Letters to the editor. Muscle and Nerve, 1996, 19, 1227-1231. | 2.2 | 6 |
| 580 | Eclampsia and postpartal cerebral angiopathy. Journal of the Neurological Sciences, 2000, 178, 75-76. | 0.6 | 6 |
| 581 | Pathophysiology of Pre-eclampsia/eclampsia Syndrome. Journal of Neurology, 2001, 248, 437-438. | 3.6 | 6 |
| 582 | Klassifikation des Tremors. Aktuelle Neurologie, 2002, 29, 273-281. | 0.1 | 6 |
| 583 | Die tiefe Hirnstimulation zur Behandlung von M. Parkinson, Tremor und Dystonie. Der Nervenarzt, 2003, 74, 709-725. | 5.0 | 6 |
| 584 | Camptocormia and myopathy. Movement Disorders, 2010, 25, 2689-2690. | 3.9 | 6 |
| 585 | Mutations in <i>HTRA2</i> are not a common cause of familial classic ET. Movement Disorders, 2015, 30, 1149-1150. | 3.9 | 6 |
| 586 | Movement disorders: discoveries in pathophysiology and therapy. Lancet Neurology, The, 2015, 14, 9-11. | 10.2 | 6 |
| 587 | Orthostatic myoclonus associated with Caspr2 antibodies. Neurology, 2016, 87, 1187-1188. | 1.1 | 6 |
| 588 | Complex network analysis of resting-state fMRI of the brain. , 2016, 2016, 3598-3601. | | 6 |
| 589 | Early-onset parkinsonism due to compound heterozygous POLG mutations. Parkinsonism and Related Disorders, 2016, 29, 135-137. | 2.2 | 6 |
| 590 | Assessing paedophilia based on the haemodynamic brain response to face images. World Journal of Biological Psychiatry, 2016, 17, 39-46. | 2.6 | 6 |
| 591 | Intraoperative Thresholds for Capsular Stimulation Are Reliable for Chronic Pallidal Deep Brain Stimulation in Dystonia. Stereotactic and Functional Neurosurgery, 2017, 95, 79-85. | 1.5 | 6 |
| 592 | Understanding the new tremor classification. Movement Disorders, 2018, 33, 1267-1268. | 3.9 | 6 |
| 593 | Programming parameters of subthalamic deep brain stimulators in Parkinson's disease from a controlled trial. Parkinsonism and Related Disorders, 2019, 65, 217-223. | 2.2 | 6 |
| 594 | Prediction of the effect of deep brain stimulation on gait freezing of Parkinson's disease. Parkinsonism and Related Disorders, 2021, 87, 82-86. | 2.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 595 | Machine learning aided classification of tremor in multiple sclerosis. EBioMedicine, 2022, 82, 104152. | 6.1 | 6 |
| 596 | Severe bilateral tremor in a liver transplant recipient taking cyclosporine. Movement Disorders, 1998, 13, 589-596. | 3.9 | 5 |
| 597 | Classical conditioning of the electrically elicited blink reflex in humans: a new method of data analysis. Journal of Neuroscience Methods, 1999, 89, 133-140. | 2.5 | 5 |
| 598 | Directionality analysis on functional magnetic resonance imaging during motor task using Granger Causality. , 2012, 2012, 2287-90. | | 5 |
| 599 | The atypical subthalamic nucleus—An anatomical variant relevant for stereotactic targeting. Movement Disorders, 2012, 27, 544-548. | 3.9 | 5 |
| 600 | Corticomuscular coherence in asymptomatic firstâ€degree relatives of patients with essential tremor. Movement Disorders, 2013, 28, 679-682. | 3.9 | 5 |
| 601 | No association between polymorphisms in the glutamate transporter <i>SLC1A2</i> and Parkinson's disease. Movement Disorders, 2013, 28, 1305-1306. | 3.9 | 5 |
| 602 | Multi-modal causality analysis of eyes-open and eyes-closed data from simultaneously recorded EEG and MEG. , 2014, 2014, 2825-8. | | 5 |
| 603 | Rare variants in ANO3 are not a susceptibility factor in essential tremor. Parkinsonism and Related Disorders, 2014, 20, 134-135. | 2.2 | 5 |
| 604 | Interpretation of health-related quality of life outcomes in Parkinson's disease from the EARLYSTIM Study. PLoS ONE, 2020, 15, e0237498. | 2.5 | 5 |
| 605 | Screening for Platelet Dysfunction and Use of Prophylactic Tranexamic Acid in Patients Undergoing Deep Brain Stimulation: A Retrospective Analysis of Incidence and Outcome of Intracranial Hemorrhage. Stereotactic and Functional Neurosurgery, 2020, 98, 176-181. | 1.5 | 5 |
| 606 | The economic benefit of timely, adequate, and adherence to Parkinson's disease treatment: the Value of Treatment Project 2. European Journal of Neurology, 2021, 28, 707-716. | 3.3 | 5 |
| 607 | Investigation of Magnetoelectric Sensor Requirements for Deep Brain Stimulation Electrode Localization and Rotational Orientation Detection. Sensors, 2021, 21, 2527. | 3.8 | 5 |
| 608 | White Matter Hyperintensities Are Associated With Severity of Essential Tremor in the Elderly. Frontiers in Neurology, 2021, 12, 694286. | 2.4 | 5 |
| 609 | Intrepidly studying deep brain stimulation in patients with Parkinson's disease. Lancet Neurology, The, 2020, 19, 472-473. | 10.2 | 5 |
| 610 | Frequency-specific network activity predicts bradykinesia severity in Parkinson's disease. NeuroImage: Clinical, 2021, 32, 102857. | 2.7 | 5 |
| 611 | Viewpoint: the type A- and the type B-variants of Decompression Sickness. Undersea and Hyperbaric Medicine, 2008, 35, 91-7. | 0.3 | 5 |
| 612 | Converging on a Neuromodulation Target for Tremor. Annals of Neurology, 2022, 91, 581-584. | 5.3 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 613 | European Academy of Neurology guidance for developing and reporting clinical practice guidelines on rare neurological diseases. European Journal of Neurology, 2022, 29, 1571-1586. | 3.3 | 5 |
| 614 | Chapter 19 Long-latency reflexes following stretch and nerve stimulation. Handbook of Clinical Neurophysiology, 2003, 1, 285-294. | 0.0 | 4 |
| 615 | Chapter 10 Reflex responses, silent period and long latency reflexes. Handbook of Clinical Neurophysiology, 2006, , 237-262. | 0.0 | 4 |
| 616 | Neurostimulation for Parkinson Disease. JAMA - Journal of the American Medical Association, 2009, 301, 104. | 7.4 | 4 |
| 617 | Coherent source and connectivity analysis on simultaneously measured EEG and MEG data during isometric contraction. , 2014, 2014, 6365-8. | | 4 |
| 618 | Comparison of EEG and MEG in source localization of induced human gamma-band oscillations during visual stimulus. , 2015, 2015, 8119-22. | | 4 |
| 619 | Detection of steering direction using EEG recordings based on sample entropy and time-frequency analysis. , 2016, 2016, 833-836. | | 4 |
| 620 | Scientific publications of European neurologists: a survey commissioned by the European Academy of Neurology. European Journal of Neurology, 2018, 25, 1128-1133. | 3.3 | 4 |
| 621 | Essential Tremor Is a Useful Concept: Yes. Movement Disorders Clinical Practice, 2017, 4, 666-668. | 1.5 | 4 |
| 622 | Deep brain stimulation for idiopathic or secondary movement disorders. Acta Neurochirurgica Supplementum, 2005, 93, 105-111. | 1.0 | 4 |
| 623 | Private variants in PRKN are associated with late-onset Parkinson's disease. Parkinsonism and Related Disorders, 2020, 75, 24-26. | 2.2 | 4 |
| 624 | Deciphering the Network Effects of Deep Brain Stimulation in Parkinson's Disease. Neurology and Therapy, 2022, 11, 265-282. | 3.2 | 4 |
| 625 | Spasmodic torticollis - a multicentre study on behavioural aspects IV: psychopathology. Behavioural Neurology, 1996, 9, 97-103. | 2.1 | 4 |
| 626 | Benefits and Risks of a <scp>Stagedâ€Bilateral VIM</scp> Versus Unilateral <scp>VIM DBS</scp> for Essential Tremor. Movement Disorders Clinical Practice, 2022, 9, 775-784. | 1.5 | 4 |
| 627 | Cerebral Occlusive Artery Disease in Noonan Syndrome. Cerebrovascular Diseases, 2002, 14, 133-135. | 1.7 | 3 |
| 628 | Authors' responsibilities: No ghost writing. Movement Disorders, 2005, 20, 1536-1536. | 3.9 | 3 |
| 629 | TREMOR. , 2007, , 417-433. | | 3 |
| 630 | Fitting the scientific tools of our speciality: The new <i>Movement</i> Disorder Society Unified Parkinson's Disease Rating Scale. Movement Disorders, 2008, 23, 2109-2110. | 3.9 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 631 | Essential Tremor and Other Tremors. Blue Books of Neurology, 2010, , 506-557. | 0.1 | 3 |
| 632 | Tremor Syndromes. CONTINUUM Lifelong Learning in Neurology, 2013, 19, 1213-1224. | 0.8 | 3 |
| 633 | Examination of Patients with Essential Tremor. Movement Disorders Clinical Practice, 2014, 1, 87-87. | 1.5 | 3 |
| 634 | Central hemodynamics and arterial stiffness in idiopathic and multiple system atrophy. Journal of Neurology, 2017, 264, 327-332. | 3.6 | 3 |
| 635 | The future of neurology in Europe. Clinical and Translational Neuroscience, 2017, 1, 2514183X1771409. | 0.9 | 3 |
| 636 | White Matter Changes Along the Electrode Lead in Patients Treated With Deep Brain Stimulation. Frontiers in Neurology, 2018, 9, 983. | 2.4 | 3 |
| 637 | Spin turns in advanced Parkinson's disease: A new clinical gait sign?. Parkinsonism and Related Disorders, 2019, 69, 19-22. | 2.2 | 3 |
| 638 | Candidate variants in TUB are associated with familial tremor. PLoS Genetics, 2020, 16, e1009010. | 3.5 | 3 |
| 639 | How many gait initiation trials are necessary to reliably detect anticipatory postural adjustments and first step characteristics in healthy elderly and people with Parkinson's disease?. Gait and Posture, 2021, 88, 126-131. | 1.4 | 3 |
| 640 | Validation of the German Version of the New Freezing of Gait Questionnaire for People with Parkinsonâ€~̃s Disease. Parkinson's Disease, 2021, 2021, 1-5. | 1.1 | 3 |
| 641 | MaDoPO: Magnetic Detection of Positions and Orientations of Segmented Deep Brain Stimulation Electrodes: A Radiation-Free Method Based on Magnetoencephalography. Brain Sciences, 2022, 12, 86. | 2.3 | 3 |
| 642 | Spasmodic torticollis - a multicentre study on behavioural aspects II: signs, symptoms and course. Behavioural Neurology, 1996, 9, 81-8. | 2.1 | 3 |
| 643 | Spasmodic torticollis - a multicentre study on behavioural aspects III: psychosocial changes and coping. Behavioural Neurology, 1996, 9, 89-95. | 2.1 | 3 |
| 644 | 510 ABNORMAL SOMATOSENSORY PROCESSING IN PINK1 (PARK6) MUTATION CARRIERS. European Journal of Pain, 2006, 10, S135-S135. | 2.8 | 2 |
| 645 | Deep brain stimulation. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2007, 84, 261-277. | 1.8 | 2 |
| 646 | Disturbed post-movement beta synchronization in Wilson's disease with neurological manifestation. Neuroscience Letters, 2011, 494, 240-244. | 2.1 | 2 |
| 647 | A Neural Network Approach to Distinguish Parkinsonian Tremor from Advanced Essential Tremor. Advances in Intelligent and Soft Computing, 2012, , 1051-1060. | 0.2 | 2 |
| 648 | Submandibular gland biopsy for the diagnosis of Parkinson's disease. Movement Disorders, 2013, 28, 734-734. | 3.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 649 | Impact of head modeling and sensor types in localizing human gamma-band oscillations. , 2014, 2014, 2217-20. | | 2 |
| 650 | Reply: Cognitive declines after deep brain stimulation are likely to be attributable to more than caudate penetration and lead location. Brain, 2014, 137, e275-e275. | 7.6 | 2 |
| 651 | Comparison of imaging modalities and source-localization algorithms in locating the induced activity during deep brain stimulation of the STN. , 2016, 2016, 105-108. | | 2 |
| 652 | Pharmacokinetics and pharmacodynamics of incobotulinumtoxinA influencing the clinical efficacy in post-stroke spasticity. Expert Opinion on Drug Metabolism and Toxicology, 2016, 12, 457-466. | 3.3 | 2 |
| 653 | The deep brain stimulation impairment scale (DBS-IS) - response to Jahanshahi. Parkinsonism and Related Disorders, 2017, 41, 133-134. | 2.2 | 2 |
| 654 | Author response: Quality of life predicts outcome of deep brain stimulation in early Parkinson disease. Neurology, 2020, 94, 413-413. | 1.1 | 2 |
| 655 | Movementâ€related electroencephalographic desynchronization in patients with hand cramps: Evidence for motor cortical involvement in focal dystonia. Annals of Neurology, 2000, 47, 456-461. | 5.3 | 2 |
| 656 | Comparison of monosynaptic and polysynaptic Ia reflexes in the evaluation of hyporeflexia. Neurology, 1988, 38, 1810. | 1.1 | 2 |
| 657 | Validation of the QUEST for German-speaking countries. International Journal of Neuroscience, 2016, 126, 127-34. | 1.6 | 2 |
| 658 | Effect of stereoencephalotomy on long-latency EMG responses and motor control of arm movements in Parkinson's syndrome. Advances in Neurology, 1984, 40, 437-45. | 0.8 | 2 |
| 659 | Inhibitory framing in hypersexual patients with Parkinson's disease. An fMRI pilot study. Experimental Brain Research, 2022, 240, 2097-2107. | 1.5 | 2 |
| 660 | Adaptation of arm movements in cerebellar and olivary diseases. Electroencephalography and Clinical Neurophysiology, 1993, 87, S67-S68. | 0.3 | 1 |
| 661 | Clinical Application of Detecting Platelet Activation Markers in Cerebrovascular Disease. Transfusion Medicine and Hemotherapy, 2000, 27, 250-255. | 1.6 | 1 |
| 662 | Spinal and long-latency reflexes. Handbook of Clinical Neurophysiology, 2004, , 337-348. | 0.0 | 1 |
| 663 | Tremor. , 2009, , 375-389. | | 1 |
| 664 | Essential constraints for detecting deep sources in EEG - application to orthostatic tremor. , 2011, , . | | 1 |
| 665 | Locating the STN-DBS electrodes and resolving their subsequent networks using coherent source analysis on EEG. , 2012, 2012, 3970-3. | | 1 |
| 666 | Dipole source analysis for readiness potential and field using simultaneously measured EEG and MEG signals. , 2013, 2013, 1362-5. | | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 667 | Cortico-muscular coherence on artifact corrected EEG-EMG data recorded with a MRI scanner. , 2013, 2013, 4811-4. | | 1 |
| 668 | The Coâ€Occurrence of Trichoâ€Rhinoâ€Phalangeal Syndrome and Earlyâ€Onset Levodopaâ€6ensitive Parkinsonism. Movement Disorders Clinical Practice, 2014, 1, 379-380. | 1.5 | 1 |
| 669 | Multiple nonâ€parkinsonian rest tremors: dystonic rest tremor is the next candidate. European Journal of Neurology, 2016, 23, 837-838. | 3.3 | 1 |
| 670 | Do Adaptors Shorten the Battery Life of Nonrechargeable Generators for Deep Brain Stimulation?. World Neurosurgery, 2019, 127, e65-e68. | 1.3 | 1 |
| 671 | Two cases with postural axial tremor: Consider a genetic origin. Expert commentary. Parkinsonism and Related Disorders, 2020, 77, 155-156. | 2.2 | 1 |
| 672 | Determining the rotational orientation of directional deep brain stimulation electrodes using magnetoencephalography. Journal of Neural Engineering, 2021, 18, . | 3.5 | 1 |
| 673 | S3-Leitlinie »Demenzen« — Kurzversion. , 2010, , 73-123. | | 1 |
| 674 | Tremor. , 2005, , 259-263. | | 1 |
| 675 | Pathophysiology of Essential Tremo. Neurological Disease and Therapy, 2005, , 27-49. | 0.0 | 1 |
| 676 | Electrophysiological methods in the early diagnosis of Parkinson's disease. New Vistas in Drug Research, 1990, , 49-57. | 0.1 | 1 |
| 677 | Real-time classification of movement patterns of tremor patients. Biomedizinische Technik, 2022, 67, 119-130. | 0.8 | 1 |
| 678 | Single-unit (SU) activity in long latency responses of stereotactically treated Parkinsonian patients. Electroencephalography and Clinical Neurophysiology, 1983, 56, S66-S67. | 0.3 | 0 |
| 679 | Motor Habits in Visuo-manual Tracking: Manifestation of an Unconscious Short-Term Motor Memory?. Behavioural Neurology, 1990, 3, 217-232. | 2.1 | Ο |
| 680 | Chapter 56 Mathematical principles and physiologic applications of coherence analysis. Supplements To Clinical Neurophysiology, 2002, , 375-381. | 2.1 | 0 |
| 681 | Movement disorders offers electronic manuscript submission. Movement Disorders, 2003, 18, 1101-1101. | 3.9 | 0 |
| 682 | Chapter 44 Future clinical applications of clinical neurophysiology in movement disorders. Handbook of Clinical Neurophysiology, 2003, 1, 727-729. | 0.0 | 0 |
| 683 | Greeting from the new editors. Movement Disorders, 2004, 19, 1-1. | 3.9 | 0 |
| 684 | Re: Hypothyroidism and Parkinson's disease. Movement Disorders, 2004, 19, 1117-1117. | 3.9 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 685 | Tremor analysis in two normal cohorts. Clinical Neurophysiology, 2004, 115, 2151-2151. | 1.5 | Ο |
| 686 | Das Kompetenznetz Parkinson. E-Neuroforum, 2005, 11, 130-133. | 0.1 | 0 |
| 687 | A grateful thank you. Movement Disorders, 2006, 21, 133-135. | 3.9 | 0 |
| 688 | New Journal Continuing Medical Education (CME) Program. Movement Disorders, 2006, 21, 1793-1793. | 3.9 | 0 |
| 689 | Other Tremor Disorders. , 2008, , 193-202. | | 0 |
| 690 | 9229 POSTER Severe Central Nervous System (CNS) Graft Versus Host Disease (GVHD) in a Patient Without Any Other GvHD Symptoms After Allogeneic Stem Cell Transplantation. European Journal of Cancer, 2011, 47, S647-S648. | 2.8 | 0 |
| 691 | Reply to letter: Projected numbers of people with movement disorders in the years 2030 and 2050: Implications for sub-Saharan Africa, using essential tremor and Parkinson's disease in Tanzania as an example. Movement Disorders, 2012, 27, 1207-1207. | 3.9 | 0 |
| 692 | The cortical and sub-cortical network of sensory evoked response in healthy subjects. , 2013, 2013, 5369-72. | | 0 |
| 693 | Validating the effect of muscle artifact suppression in localizing focal epilepsy. , 2014, 2014, 3841-4. | | 0 |
| 694 | Differentiating tremor patients using spiral analyses. , 2015, 2015, 6227-30. | | 0 |
| 695 | Voxel seed coherent source analysis on transient global amnesia patients. , 2015, 2015, 638-41. | | 0 |
| 696 | Testing the effects of pre-processing on voxel based morphometry analysis. , 2015, 2015, 4302-5. | | 0 |
| 697 | European Academy of Neurology: The first steps. Revue Neurologique, 2015, 171, 201-202. | 1.5 | 0 |
| 698 | Carl Hermann Lücking, 1938–2016. Clinical Neurophysiology, 2017, 128, 391-392. | 1.5 | 0 |
| 699 | Franz Gerstenbrand - Obituary. European Journal of Neurology, 2017, 24, 1089-1090. | 3.3 | 0 |
| 700 | Tremor with congenital mirror movements: evidence of involvement of the primary motor cortex in tremor. European Journal of Neurology, 2019, 26, e66-e67. | 3.3 | 0 |
| 701 | Author response: Use of β2-adrenoreceptor agonist and antagonist drugs and risk of Parkinson disease. Neurology, 2020, 94, 899-899. | 1.1 | 0 |
| 702 | Encouraging a Generation of Tremor Researchers: Macdonald Critchley's Paper on Essential Tremor. Movement Disorders Clinical Practice, 2022, 9, 38-41. | 1.5 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 703 | An Application for the Analysis of Human Tremor Time-Series. , 2003, , 554-569. | | 0 |
| 704 | Role of Functional Magnetic Neuroimaging in Diagnosis and Research. , 2005, , 451-458. | | 0 |
| 705 | BewegungsstĶrungen. , 2005, , 251-258. | | 0 |
| 706 | Leitliniensynopse zur S3-Leitlinie »Demenzen« (November 2009). , 2010, , 125-226. | | 0 |
| 707 | Klinische Differenzialdiagnostik Klinische Differenzialdiagnostik bei akuten Bewusstseinsstörungen. , 2013, , 53-83. | | 0 |
| 708 | Neumutation bei Huntingtonscher Krankheit — Neurologische und humangenetische Kriterien zur Diagnosestellung. Verhandlungen Der Deutschen Gesellschaft Für Neurologie, 1989, , 806-811. | 0.0 | 0 |
| 709 | Klinische Symptomatologie und neurophysiologische Diagnostik des Torticollis spasmodicus. , 1993, , 1-10. | | 0 |
| 710 | Bereitschaftspotentiale bei Schreibkrampf. Verhandlungen Der Deutschen Gesellschaft Für Neurologie, 1995, , 445-449. | 0.0 | 0 |
| 711 | Prim2r- und Sekund2rbehandlung des isch2mischen zerebralen Insultes. Intensivmedizin Und Notfallmedizin, 1997, 34, 675-695. | 0.2 | 0 |
| 712 | Diagnose und Therapie des Parkinson-Tremors. , 1999, , 54-67. | | 0 |
| 713 | Primary Orthostatic Tremorâ~†. , 2017, , . | | 0 |
| 714 | Real world clinical outcomes using a novel directional lead from a multicenter registry of deep brain stimulation for Parkinson's Disease. Parkinsonism and Related Disorders, 2020, 79, e50. | 2.2 | 0 |
| 715 | Outcomes of a prospective, multicenter, international registry of Deep Brain Stimulation for Parkinson's Disease. Parkinsonism and Related Disorders, 2020, 79, e49-e50. | 2.2 | 0 |
| 716 | Dissection of the cerebello-olivary projection does not induce neuronal hypertrophy in the inferior olive in the rat. Advances in Neurology, 2002, 89, 131-6. | 0.8 | 0 |
| 717 | 3.1-kb deletion of mitochondrial DNA in a patient with Kearns-Sayre syndrome. Acta Neuropathologica, 1995, 90, 126-129. | 7.7 | 0 |
| 718 | Motor Habits in Visuo-manual Tracking: Manifestation of an Unconscious Short-term Motor Memory?. Behavioural Neurology, 1990, 3, 217-32. | 2.1 | 0 |
| 719 | The Deep Brain Stimulation Impairment Scale: A useful complement in assessment of well-being and functioning in DBS-patients – Results from a large multicentre survey in patients with Parkinson's disease. Parkinsonism and Related Disorders, 2022, 99, 8-15. | 2.2 | 0 |
| | | | |

720 Bewegungsstörungen – Morbus Parkinson. , 2021, , 64-79.

| # | Article | IF | CITATIONS |
|-----|--|----|-----------|
| 721 | Bewegungsstörungen – Essenzieller Tremor. , 2021, , 84-86. | | Ο |