## Camille E Short

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4395871/publications.pdf

Version: 2024-02-01

159585 144013 4,117 91 30 57 citations h-index g-index papers 102 102 102 6141 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Acceptability, usefulness, and satisfaction with a web-based video-tailored physical activity intervention: The TaylorActive randomized controlled trial. Journal of Sport and Health Science, 2022, 11, 133-144.	6.5	8
2	Experiences and needs of people with haematological cancers during the COVIDâ€19 pandemic: A qualitative study. Psycho-Oncology, 2022, 31, 416-424.	2.3	23
3	Combining Farmers' Preferences With Evidence-Based Strategies to Prevent and Lower Farmers' Distress: Co-design and Acceptability Testing of ifarmwell. JMIR Human Factors, 2022, 9, e27631.	2.0	8
4	Telehealth access among hematology patients during the COVID-19 pandemic in Australia: a cross-sectional survey. Leukemia and Lymphoma, 2022, 63, 1488-1491.	1.3	3
5	Why do men with prostate cancer discontinue active surveillance for definitive treatment? A mixed methods investigation. Psycho-Oncology, 2022, 31, 1420-1430.	2.3	5
6	Are web-based personally tailored physical activity videos more effective than personally tailored text-based interventions? Results from the three-arm randomised controlled TaylorActive trial. British Journal of Sports Medicine, 2021, 55, 336-343.	6.7	20
7	How do people with knee pain from osteoarthritis respond to a brief video delivering empowering education about the condition and its management?. Patient Education and Counseling, 2021, 104, 2018-2027.	2.2	8
8	The Role of Behavioral Science in Personalized Multimodal Prehabilitation in Cancer. Frontiers in Psychology, 2021, 12, 634223.	2.1	28
9	What do cancer survivors and their health care providers want from a healthy living program? Results from the first round of a co-design project. Supportive Care in Cancer, 2021, 29, 4847-4858.	2.2	7
10	Barriers and facilitators to the availability of efficacious self-directed digital health tools for adults living with cancer and their caregivers: A systematic literature review and author survey study. Patient Education and Counseling, 2021, 104, 2480-2489.	2.2	12
11	Quality, Features, and Presence of Behavior Change Techniques in Mobile Apps Designed to Improve Physical Activity in Pregnant Women: Systematic Search and Content Analysis. JMIR MHealth and UHealth, 2021, 9, e23649.	3.7	26
12	Acceptability of digital health interventions: embracing the complexity. Translational Behavioral Medicine, 2021, 11, 1473-1480.	2.4	87
13	eHealth interventions targeting nutrition, physical activity, sedentary behavior, or obesity in adults: A scoping review of systematic reviews. Obesity Reviews, 2021, 22, e13295.	6.5	33
14	Examining moderators of the effectiveness of a web- and video-based computer-tailored physical activity intervention. Preventive Medicine Reports, 2021, 22, 101336.	1.8	3
15	Prevalence and correlates of psychological distress, unmet supportive care needs, and fear of cancer recurrence among haematological cancer patients during the COVID-19 pandemic. Supportive Care in Cancer, 2021, 29, 7755-7764.	2.2	33
16	Usability, Acceptability, and Safety Analysis of a Computer-Tailored Web-Based Exercise Intervention (ExerciseGuide) for Individuals With Metastatic Prostate Cancer: Multi-Methods Laboratory-Based Study. JMIR Cancer, 2021, 7, e28370.	2.4	5
17	What farmers want from mental health and wellbeing-focused websites and online interventions. Journal of Rural Studies, 2021, 86, 298-308.	4.7	22
18	Eâ€&mHealth interventions targeting nutrition, physical activity, sedentary behavior, and/or obesity among children: A scoping review of systematic reviews and metaâ€analyses. Obesity Reviews, 2021, 22, e13331.	6.5	17

#	Article	IF	CITATIONS
19	Evaluating a web- and telephone-based personalised exercise intervention for individuals living with metastatic prostate cancer (ExerciseGuide): protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2021, 7, 21.	1.2	12
20	Exploring changes, and factors associated with changes, in behavioural determinants from a low-cost, scalable education intervention about knee osteoarthritis: An observational cohort study. BMC Musculoskeletal Disorders, 2021, 22, 862.	1.9	4
21	Acceptability and Preliminary Efficacy of a Web- and Telephone-Based Personalised Exercise Intervention for Individuals with Metastatic Prostate Cancer: The ExerciseGuide Pilot Randomised Controlled Trial. Cancers, 2021, 13, 5925.	3.7	5
22	Using behaviour change theory to inform an innovative digital recruitment strategy in a mental health research setting. Journal of Psychiatric Research, 2020, 120, 1-13.	3.1	4
23	What exercise advice are women receiving from their healthcare practitioners during pregnancy?. Women and Birth, 2020, 33, e357-e362.	2.0	35
24	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. Medicine and Science in Sports and Exercise, 2020, 52, 303-314.	0.4	50
25	Patterns of physical activity, sitting time, and sleep in Australian adults: A latent class analysis. Sleep Health, 2020, 6, 828-834.	2.5	10
26	Examining the Priorities, Needs and Preferences of Men with Metastatic Prostate Cancer in Designing a Personalised eHealth Exercise Intervention. International Journal of Behavioral Medicine, 2020, 28, 431-443.	1.7	7
27	Optimising Web-Based Computer-Tailored Physical Activity Interventions for Prostate Cancer Survivors: A Randomised Controlled Trial Examining the Impact of Website Architecture on User Engagement. International Journal of Environmental Research and Public Health, 2020, 17, 7920.	2.6	13
28	A Physical Activity and Diet Program Delivered by Artificially Intelligent Virtual Health Coach: Proof-of-Concept Study. JMIR MHealth and UHealth, 2020, 8, e17558.	3.7	56
29	Evidence Regarding Automatic Processing Computerized Tasks Designed For Health Interventions in Real-World Settings Among Adults: Systematic Scoping Review. Journal of Medical Internet Research, 2020, 22, e17915.	4.3	1
30	Insight into the exercise advice pregnant women receive from their medical practitioners. Australian Journal of Rural Health, 2019, 27, 264-265.	1.5	3
31	Identifying the exercise-based support needs and exercise programme preferences among men with prostate cancer during active surveillance: A qualitative study. European Journal of Oncology Nursing, 2019, 41, 135-142.	2.1	9
32	A systematic review of the unmet supportive care needs of men on active surveillance for prostate cancer. Psycho-Oncology, 2019, 28, 2307-2322.	2.3	20
33	Effective Technology-based Behaviour Change Interventions in Prostate Cancer Supportive Care: Are We There Yet?. European Urology, 2019, 75, 959-960.	1.9	4
34	A systematic review of the feasibility, acceptability, and efficacy of online supportive care interventions targeting men with a history of prostate cancer. Journal of Cancer Survivorship, 2019, 13, 75-96.	2.9	34
35	Challenges and solutions for N-of-1 design studies in health psychology. Health Psychology Review, 2019, 13, 163-178.	8.6	95
36	A Test of How Australian Adults Allocate Time for Physical Activity. Behavioral Medicine, 2019, 45, 1-6.	1.9	10

#	Article	IF	CITATIONS
37	Characteristics of Adopters of an Online Social Networking Physical Activity Mobile Phone App: Cluster Analysis. JMIR MHealth and UHealth, 2019, 7, e12484.	3.7	14
38	Examining the Correlates of Online Health Information–Seeking Behavior Among Men Compared With Women. American Journal of Men's Health, 2018, 12, 1358-1367.	1.6	42
39	Examining the accessibility of high-quality physical activity behaviour change support freely available online for men with prostate cancer. Journal of Cancer Survivorship, 2018, 12, 10-17.	2.9	8
40	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. Journal of the National Cancer Institute, 2018, 110, 1190-1200.	6.3	72
41	Reflective and Non-conscious Responses to Exercise Images. Frontiers in Psychology, 2018, 8, 2272.	2.1	8
42	Development and pilot evaluation of a clinic-based mHealth app referral service to support adult cancer survivors increase their participation in physical activity using publicly available mobile apps. BMC Health Services Research, 2018, 18, 27.	2.2	24
43	The Effectiveness of a Web-Based Computer-Tailored Physical Activity Intervention Using Fitbit Activity Trackers: Randomized Trial. Journal of Medical Internet Research, 2018, 20, e11321.	4.3	57
44	Physical Activity, Sedentary Behavior, and Diet-Related eHealth and mHealth Research: Bibliometric Analysis. Journal of Medical Internet Research, 2018, 20, e122.	4.3	131
45	Measuring Engagement in eHealth and mHealth Behavior Change Interventions: Viewpoint of Methodologies. Journal of Medical Internet Research, 2018, 20, e292.	4.3	263
46	Regionally based medical practitioners may need support when prescribing exercise to pregnant women. Australian Journal of Rural Health, 2017, 25, 62-63.	1.5	5
47	Designing more engaging computer-tailored physical activity behaviour change interventions for breast cancer survivors: lessons from the iMove More for Life study. Supportive Care in Cancer, 2017, 25, 3569-3585.	2.2	10
48	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	7.7	398
49	Impact of increasing social media use on sitting time and body mass index. Health Promotion Journal of Australia, 2017, 28, 91-95.	1.2	27
50	An investigation into regional medical practitioners' knowledge of exercise during pregnancy guidelines. Australian Journal of Rural Health, 2017, 25, 382-383.	1.5	4
51	Comparing motivational, self-regulatory and habitual processes in a computer-tailored physical activity intervention in hospital employees - protocol for the PATHS randomised controlled trial. BMC Public Health, 2017, 17, 518.	2.9	15
52	Feasibility, acceptability and efficacy of a web-based computer-tailored physical activity intervention for pregnant women - the Fit4Two randomised controlled trial. BMC Pregnancy and Childbirth, 2017, 17, 96.	2.4	28
53	How do different delivery schedules of tailored web-based physical activity advice for breast cancer survivors influence intervention use and efficacy?. Journal of Cancer Survivorship, 2017, 11, 80-91.	2.9	50
54	Activity Trackers Implement Different Behavior Change Techniques for Activity, Sleep, and Sedentary Behaviors. Interactive Journal of Medical Research, 2017, 6, e13.	1.4	51

#	Article	IF	CITATIONS
55	Web-Based Intervention Preferences and Physical Activity Motivation of People with Depressive Symptoms. Health Psychology Bulletin, 2017, $1$ , .	0.3	2
56	Automatic Evaluation Stimuli – The Most Frequently Used Words to Describe Physical Activity and the Pleasantness of Physical Activity. Frontiers in Psychology, 2016, 7, 1277.	2.1	12
57	Is preference for mHealth intervention delivery platform associated with delivery platform familiarity?. BMC Public Health, 2016, 16, 619.	2.9	25
58	Physical activity recommendations from general practitioners in Australia. Results from a national survey. Australian and New Zealand Journal of Public Health, 2016, 40, 83-90.	1.8	42
59	Healthy mind, healthy body: A randomized trial testing the efficacy of a computer-tailored vs. interactive web-based intervention for increasing physical activity and reducing depressive symptoms. Mental Health and Physical Activity, 2016, 11, 29-37.	1.8	12
60	Demographic, clinical, psychosocial, and environmental correlates of objectively assessed physical activity among breast cancer survivors. Supportive Care in Cancer, 2016, 24, 3333-3342.	2.2	40
61	Comparative efficacy of simultaneous versus sequential multiple health behavior change interventions among adults: A systematic review of randomised trials. Preventive Medicine, 2016, 89, 211-223.	3.4	69
62	How is adults' screen time behaviour influencing their views on screen time restrictions for children? A cross-sectional study. BMC Public Health, 2016, 16, 201.	2.9	31
63	Greater bed- and wake-time variability is associated with less healthy lifestyle behaviors: a cross-sectional study. Zeitschrift Fur Gesundheitswissenschaften, 2016, 24, 31-40.	1.6	32
64	Past, Present, and Future of eHealth and mHealth Research toÂlmprove Physical Activity and Dietary Behaviors. Journal of Nutrition Education and Behavior, 2016, 48, 219-228.e1.	0.7	340
65	Enjoyment: A Conceptual Exploration and Overview of Experimental Evidence in the Context of Games for Health. Games for Health Journal, 2016, 5, 15-20.	2.0	29
66	Cue Consistency Associated with Physical Activity Automaticity and Behavior. Behavioral Medicine, 2016, 42, 248-253.	1.9	35
67	An investigation into the exercise behaviours of regionally based Australian pregnant women. Journal of Science and Medicine in Sport, 2016, 19, 664-668.	1.3	22
68	Identifying correlates of breaks in occupational sitting: a cross-sectional study. Building Research and Information, 2015, 43, 646-658.	3.9	27
69	Confusion surrounds physical activity prescription for pregnant women. Health Promotion Journal of Australia, 2015, 26, 163-164.	1.2	0
70	How Do Different Occupational Factors Influence Total, Occupational, and Leisure-Time Physical Activity?. Journal of Physical Activity and Health, 2015, 12, 200-207.	2.0	48
71	Main outcomes of the <i>Move More for Life</i> Trial: a randomised controlled trial examining the effects of tailoredâ€print and targetedâ€print materials for promoting physical activity among postâ€treatment breast cancer survivors. Psycho-Oncology, 2015, 24, 771-778.	2.3	52
72	Factors Associated with Higher Sitting Time in General, Chronic Disease, and Psychologically-Distressed, Adult Populations: Findings from the 45 & Eamp; Up Study. PLoS ONE, 2015, 10, e0127689.	2.5	10

#	Article	IF	Citations
73	The Association Between Physical Activity, Sitting Time, Sleep Duration, and Sleep Quality as Correlates of Presenteeism. Journal of Occupational and Environmental Medicine, 2015, 57, 321-328.	1.7	45
74	A meta-meta-analysis of the effect of physical activity on depression and anxiety in non-clinical adult populations. Health Psychology Review, 2015, 9, 366-378.	8.6	745
75	Do personalised e-mail invitations increase the response rates of breast cancer survivors invited to participate in a web-based behaviour change intervention? A quasi-randomised 2-arm controlled trial. BMC Medical Research Methodology, 2015, 15, 66.	3.1	11
76	Depressive symptoms associated with psychological correlates of physical activity and perceived helpfulness of intervention features. Mental Health and Physical Activity, 2015, 9, 16-23.	1.8	5
77	How Do Different Occupational Factors Influence Total, Occupational, and Leisure-Time Physical Activity?. Journal of Physical Activity and Health, 2015, 12, 200-207.	2.0	2
78	Differences in health-related quality of life between three clusters of physical activity, sitting time, depression, anxiety, and stress. BMC Public Health, 2014, 14, 1088.	2.9	34
79	Associations of overall sitting time and sitting time in different contexts with depression, anxiety, and stress symptoms. Mental Health and Physical Activity, 2014, 7, 105-110.	1.8	54
80	Examining the use of evidence-based and social media supported tools in freely accessible physical activity intervention websites. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 105.	4.6	37
81	Correlates of resistance training in post-treatment breast cancer survivors. Supportive Care in Cancer, 2014, 22, 2757-2766.	2.2	16
82	Individual characteristics associated with physical activity intervention delivery mode preferences among adults. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 25.	4.6	42
83	Understanding occupational sitting: Prevalence, correlates and moderating effects in Australian employees. Preventive Medicine, 2014, 67, 288-294.	3.4	<b>7</b> 5
84	A comparison of correlates associated with adult physical activity behavior in major cities and regional settings Health Psychology, 2014, 33, 1319-1327.	1.6	6
85	Examining Participant Engagement in an Information Technology-Based Physical Activity and Nutrition Intervention for Men: The Manup Randomized Controlled Trial. JMIR Research Protocols, 2014, 3, e2.	1.0	47
86	A qualitative synthesis of trials promoting physical activity behaviour change among post-treatment breast cancer survivors. Journal of Cancer Survivorship, 2013, 7, 570-581.	2.9	60
87	Associations between occupational indicators and total, work-based and leisure-time sitting: a cross-sectional study. BMC Public Health, 2013, 13, 1110.	2.9	51
88	Theory-and evidence-based development and process evaluation of the Move More for Life program: a tailored-print intervention designed to promote physical activity among post-treatment breast cancer survivors. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 124.	4.6	29
89	Move more for life: the protocol for a randomised efficacy trial of a tailored-print physical activity intervention for post-treatment breast cancer survivors. BMC Cancer, 2012, 12, 172.	2.6	27
90	Efficacy of tailored-print interventions to promote physical activity: a systematic review of randomised trials. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 113.	4.6	73

#	ARTICLE	IF	CITATIONS
91	Exploring the Interplay Between Message Format, Need for Cognition and Personal Relevance on Processing Messages About Physical Activity: a Two-Arm Randomized Experimental Trial. International Journal of Behavioral Medicine, 0, , .	1.7	1