

M Sanni Ali

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4403179/publications.pdf>

Version: 2024-02-01

34
papers

1,016
citations

430874

18
h-index

434195

31
g-index

37
all docs

37
docs citations

37
times ranked

1735
citing authors

#	ARTICLE	IF	CITATIONS
1	Framework for the synthesis of non-randomised studies and randomised controlled trials: a guidance on conducting a systematic review and meta-analysis for healthcare decision making. <i>BMJ Evidence-Based Medicine</i> , 2022, 27, 109-119.	3.5	52
2	Estimation of HIV incidence from analysis of HIV prevalence patterns by age and years since starting sex work among female sex workers in Zimbabwe. <i>Aids</i> , 2022, Publish Ahead of Print, .	2.2	5
3	Differentiated prevention and care to reduce the risk of HIV acquisition and transmission among female sex workers in Zimbabwe: study protocol for the "AMETHIST"™ cluster randomised trial. <i>Trials</i> , 2022, 23, 209.	1.6	2
4	Evaluating the effect of Bolsa Familia, Brazil's conditional cash transfer programme, on maternal and child health: A study protocol. <i>PLoS ONE</i> , 2022, 17, e0268500.	2.5	7
5	Evaluating the health effect of a Social Housing programme, Minha Casa Minha Vida, using the 100 million Brazilian Cohort: a natural experiment study protocol. <i>BMJ Open</i> , 2021, 11, e041722.	1.9	2
6	Bisphosphonates to reduce bone fractures in stage 3B+ chronic kidney disease: a propensity score-matched cohort study. <i>Health Technology Assessment</i> , 2021, 25, 1-106.	2.8	3
7	Conditional cash transfer program and child mortality: A cross-sectional analysis nested within the 100 Million Brazilian Cohort. <i>PLoS Medicine</i> , 2021, 18, e1003509.	8.4	23
8	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. <i>Health Technology Assessment</i> , 2021, 25, 1-126.	2.8	6
9	Impact of risk minimisation measures on the use of strontium ranelate in Europe: a multi-national cohort study in 5 EU countries by the EU-ADR Alliance. <i>Osteoporosis International</i> , 2020, 31, 721-755.	3.1	9
10	CIDACS-RL: a novel indexing search and scoring-based record linkage system for huge datasets with high accuracy and scalability. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 289.	3.0	37
11	Comparative cardiovascular safety of strontium ranelate and bisphosphonates: a multi-database study in 5 EU countries by the EU-ADR Alliance. <i>Osteoporosis International</i> , 2020, 31, 2425-2438.	3.1	9
12	Alendronate use and bone mineral density gains in women with moderate-severe (stages 3B-5) chronic kidney disease: an open cohort multivariable and propensity score analysis from Funen, Denmark. <i>Archives of Osteoporosis</i> , 2020, 15, 81.	2.4	2
13	Oral Bisphosphonate Use and All-Cause Mortality in Patients With Moderate-to-Severe (Grade 3-5D) Chronic Kidney Disease: A Population-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 894-900.	2.8	8
14	Safety of Oral Bisphosphonates in Moderate-to-Severe Chronic Kidney Disease: A Binational Cohort Analysis. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 820-832.	2.8	46
15	The Brazilian conditional cash transfer program and cardiovascular mortality: a data linkage study. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
16	Propensity Score Methods in Health Technology Assessment: Principles, Extended Applications, and Recent Advances. <i>Frontiers in Pharmacology</i> , 2019, 10, 973.	3.5	124
17	Sample size and power considerations for ordinary least squares interrupted time series analysis: a simulation study. <i>Clinical Epidemiology</i> , 2019, Volume 11, 197-205.	3.0	59
18	Administrative Data Linkage in Brazil: Potentials for Health Technology Assessment. <i>Frontiers in Pharmacology</i> , 2019, 10, 984.	3.5	38

#	ARTICLE	IF	CITATIONS
19	Impact of TNF inhibitor therapy on joint replacement rates in rheumatoid arthritis: a matched cohort analysis of BSRBR-RA UK registry data. <i>Rheumatology</i> , 2019, 58, 1168-1175.	1.9	13
20	The Center for Data and Knowledge Integration for Health (CIDACS). <i>International Journal of Population Data Science</i> , 2019, 4, 1140.	0.1	30
21	Real-world antidiabetic drug use and fracture risk in 12,277 patients with type 2 diabetes mellitus: a nested case-control study. <i>Osteoporosis International</i> , 2018, 29, 2079-2086.	3.1	37
22	Real-World Evidence: What It Is and What It Can Tell Us According to the International Society for Pharmacoepidemiology (ISPE) Comparative Effectiveness Research (CER) Special Interest Group (SIG). <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 239-241.	4.7	26
23	Comparative effectiveness of recommended versus less intensive drug combinations in secondary prevention of acute coronary syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 285-293.	1.9	18
24	One and two-year persistence with different anti-osteoporosis medications: a retrospective cohort study. <i>Osteoporosis International</i> , 2017, 28, 2997-3004.	3.1	47
25	A systematic literature review on the efficacy–effectiveness gap: comparison of randomized controlled trials and observational studies of glucose-lowering drugs. <i>Clinical Epidemiology</i> , 2017, Volume 9, 41-51.	3.0	27
26	Assessment of channeling bias among initiators of glucose-lowering drugs: A UK cohort study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 19-30.	3.0	8
27	Case-only designs for studying the association of antidepressants and hip or femur fracture. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 103-113.	1.9	11
28	Methodological comparison of marginal structural model, time-varying Cox regression, and propensity score methods: the example of antidepressant use and the risk of hip fracture. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 114-121.	1.9	24
29	Best (but oft-forgotten) practices: propensity score methods in clinical nutrition research. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 247-258.	4.7	42
30	Reporting of covariate selection and balance assessment in propensity score analysis is suboptimal: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 122-131.	5.0	221
31	Quantitative Falsification of Instrumental Variables Assumption Using Balance Measures. <i>Epidemiology</i> , 2014, 25, 770-772.	2.7	10
32	Propensity score balance measures in pharmacoepidemiology: a simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 802-811.	1.9	37
33	Propensity Score Methods and Unobserved Covariate Imbalance: Comments on "Squeezing the Balloon". <i>Health Services Research</i> , 2014, 49, 1074-1082.	2.0	18
34	Time-dependent propensity score and collider-stratification bias: an example of beta2-agonist use and the risk of coronary heart disease. <i>European Journal of Epidemiology</i> , 2013, 28, 291-299.	5.7	15