

Kim Newton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4405203/publications.pdf>

Version: 2024-02-01

44
papers

13,028
citations

117625

34
h-index

243625

44
g-index

46
all docs

46
docs citations

46
times ranked

19987
citing authors

#	ARTICLE	IF	CITATIONS
1	Deubiquitinases in cell death and inflammation. <i>Biochemical Journal</i> , 2022, 479, 1103-1119.	3.7	7
2	Impaired RIPK1 ubiquitination sensitizes mice to TNF toxicity and inflammatory cell death. <i>Cell Death and Differentiation</i> , 2021, 28, 985-1000.	11.2	41
3	Selective activation of PFKL suppresses the phagocytic oxidative burst. <i>Cell</i> , 2021, 184, 4480-4494.e15.	28.9	61
4	Shigella ubiquitin ligase IpaH7.8 targets gasdermin D for degradation to prevent pyroptosis and enable infection. <i>Cell Host and Microbe</i> , 2021, 29, 1521-1530.e10.	11.0	91
5	Dying cells fan the flames of inflammation. <i>Science</i> , 2021, 374, 1076-1080.	12.6	117
6	RIP1 inhibition blocks inflammatory diseases but not tumor growth or metastases. <i>Cell Death and Differentiation</i> , 2020, 27, 161-175.	11.2	100
7	Multitasking Kinase RIPK1 Regulates Cell Death and Inflammation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2020, 12, a036368.	5.5	56
8	Ubiquitin Ligase COP1 Suppresses Neuroinflammation by Degrading c/EBP β in Microglia. <i>Cell</i> , 2020, 182, 1156-1169.e12.	28.9	77
9	Integration of innate immune signalling by caspase-8 cleavage of N4BP1. <i>Nature</i> , 2020, 587, 275-280.	27.8	67
10	Activity of caspase-8 determines plasticity between cell death pathways. <i>Nature</i> , 2019, 575, 679-682.	27.8	215
11	Cleavage of RIPK1 by caspase-8 is crucial for limiting apoptosis and necroptosis. <i>Nature</i> , 2019, 574, 428-431.	27.8	310
12	The RIPK1-IRF6 signalling axis safeguards epidermal differentiation and barrier function. <i>Nature</i> , 2019, 574, 249-253.	27.8	51
13	Ubiquitin Ligases cIAP1 and cIAP2 Limit Cell Death to Prevent Inflammation. <i>Cell Reports</i> , 2019, 27, 2679-2689.e3.	6.4	44
14	The Gag protein PEG10 binds to RNA and regulates trophoblast stem cell lineage specification. <i>PLoS ONE</i> , 2019, 14, e0214110.	2.5	48
15	Intrinsic apoptosis shapes the tumor spectrum linked to inactivation of the deubiquitinase BAP1. <i>Science</i> , 2019, 364, 283-285.	12.6	71
16	Autophagy regulates inflammatory programmed cell death via turnover of RHIM-domain proteins. <i>ELife</i> , 2019, 8, .	6.0	73
17	CRISPR whole-genome screening identifies new necroptosis regulators and RIPK1 alternative splicing. <i>Cell Death and Disease</i> , 2018, 9, 261.	6.3	24
18	Ubiquitin ligase COP1 coordinates transcriptional programs that control cell type specification in the developing mouse brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 11244-11249.	7.1	22

#	ARTICLE	IF	CITATIONS
19	OTULIN limits cell death and inflammation by deubiquitinating LUBAC. <i>Nature</i> , 2018, 559, 120-124.	27.8	151
20	Detection of Necroptosis by Phospho-RIPK3 Immunohistochemical Labeling. <i>Methods in Molecular Biology</i> , 2018, 1857, 153-160.	0.9	16
21	Kinase domain dimerization drives RIPK3-dependent necroptosis. <i>Science Signaling</i> , 2018, 11, .	3.6	29
22	Transcription factor Etv5 is essential for the maintenance of alveolar type II cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3903-3908.	7.1	94
23	Coordinated ubiquitination and phosphorylation of RIP1 regulates necroptotic cell death. <i>Cell Death and Differentiation</i> , 2017, 24, 26-37.	11.2	95
24	RIPK1 inhibits ZBP1-driven necroptosis during development. <i>Nature</i> , 2016, 540, 129-133.	27.8	285
25	Necroptosis and Inflammation. <i>Annual Review of Biochemistry</i> , 2016, 85, 743-763.	11.1	291
26	Phosphorylation and linear ubiquitin direct A20 inhibition of inflammation. <i>Nature</i> , 2015, 528, 370-375.	27.8	227
27	RIPK1 and RIPK3: critical regulators of inflammation and cell death. <i>Trends in Cell Biology</i> , 2015, 25, 347-353.	7.9	249
28	Structural Insights into WD-Repeat 48 Activation of Ubiquitin-Specific Protease 46. <i>Structure</i> , 2015, 23, 2043-2054.	3.3	61
29	Immunohistochemical Detection of FLAG-Tagged Endogenous Proteins in Knock-In Mice. <i>Journal of Histochemistry and Cytochemistry</i> , 2015, 63, 244-255.	2.5	10
30	Î²-Cell Insulin Secretion Requires the Ubiquitin Ligase COP1. <i>Cell</i> , 2015, 163, 1457-1467.	28.9	43
31	Deubiquitinase DUBA is a post-translational brake on interleukin-17 production in T cells. <i>Nature</i> , 2015, 518, 417-421.	27.8	110
32	Activity of Protein Kinase RIPK3 Determines Whether Cells Die by Necroptosis or Apoptosis. <i>Science</i> , 2014, 343, 1357-1360.	12.6	545
33	Signaling in Innate Immunity and Inflammation. <i>Cold Spring Harbor Perspectives in Biology</i> , 2012, 4, a006049-a006049.	5.5	1,206
34	Loss of the Tumor Suppressor BAP1 Causes Myeloid Transformation. <i>Science</i> , 2012, 337, 1541-1546.	12.6	355
35	Using Linkage-Specific Monoclonal Antibodies to Analyze Cellular Ubiquitylation. <i>Methods in Molecular Biology</i> , 2012, 832, 185-196.	0.9	24
36	COP1 is a tumour suppressor that causes degradation of ETS transcription factors. <i>Nature</i> , 2011, 474, 403-406.	27.8	143

#	ARTICLE	IF	CITATIONS
37	Non-canonical inflammasome activation targets caspase-11. <i>Nature</i> , 2011, 479, 117-121.	27.8	2,072
38	Ubiquitin Chain Editing Revealed by Polyubiquitin Linkage-Specific Antibodies. <i>Cell</i> , 2008, 134, 668-678.	28.9	514
39	Ubiquitin Ligases in Cancer: Ushers for Degradation. <i>Cancer Investigation</i> , 2007, 25, 502-513.	1.3	21
40	Cryopyrin activates the inflammasome in response to toxins and ATP. <i>Nature</i> , 2006, 440, 228-232.	27.8	2,663
41	Myodegeneration in EDA-A2 Transgenic Mice Is Prevented by XEDAR Deficiency. <i>Molecular and Cellular Biology</i> , 2004, 24, 1608-1613.	2.3	70
42	Kinase RIP3 Is Dispensable for Normal NF- κ Bs, Signaling by the B-Cell and T-Cell Receptors, Tumor Necrosis Factor Receptor 1, and Toll-Like Receptors 2 and 4. <i>Molecular and Cellular Biology</i> , 2004, 24, 1464-1469.	2.3	503
43	Differential activation of the inflammasome by caspase-1 adaptors ASC and Ipaf. <i>Nature</i> , 2004, 430, 213-218.	27.8	1,627
44	Mice Lacking the CARD of CARMA1 Exhibit Defective B Lymphocyte Development and Impaired Proliferation of Their B and T Lymphocytes. <i>Current Biology</i> , 2003, 13, 1247-1251.	3.9	143