BoÅ¹/₄ena Boimska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4406730/publications.pdf

Version: 2024-02-01

554 papers 22,830 citations

73 h-index

9786

118 g-index

571 all docs

571 docs citations

571 times ranked

10092 citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Energy dependence of pion and kaon production in central Pb+Pb collisions. Physical Review C, 2002, 66, .	2.9	487
4	Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	369
5	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
6	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
7	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ sqrt{s}=7 $\$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
8	Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
9	display="inline"> <mml:mrow><mml:mi mathvariant="normal">Pb<mml:mo>+</mml:mo><mml:mi mathvariant="normal">Pb</mml:mi </mml:mi </mml:mrow> collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"</mml:math 	2.9	302
10	display="inline"> <mml:mrow><mml:mn>20</mml:mn><mml:mi>A</mml:mi></mml:mrow> and <m Directed and elliptic flow of charged pions and protons inPb+Pbcollisions at40Aand158AGeV. Physical Review C, 2003, 68, .</m 	ıml:math 2.9	282
11	Evidence for an ExoticS=â^2,Q=â^2Baryon Resonance in Proton-Proton Collisions at the CERN SPS. Physical Review Letters, 2004, 92, 042003.	7.8	252
12	Baryon Stopping and Charged Particle Distributions in CentralPb+PbCollisions at 158 GeV per Nucleon. Physical Review Letters, 1999, 82, 2471-2475.	7.8	250
13	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
14	Suppression of non-prompt J/\tilde{l} , prompt J/\tilde{l} , and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}\} = 2.76$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
15	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
16	Measurement of the differential cross section for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
17	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at \$sqrt{s_{NN}}= 2.76 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	181
18	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in protonâ€"proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179

#	Article	IF	CITATIONS
19			

#	Article	IF	CITATIONS
37	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{N}}}= $5.02 \$\$$ TeV. Journal of High Energy Physics, 2017 , 2017 , 1 .	4.7	103
38	Inclusive production of charged pions in p + C collisions at 158 GeV/c beam momentum. European Physical Journal C, 2007, 49, 897-917.	3.9	101
39	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
40	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
41	Search for new phenomena with the M_{T2} M T 2 variable in the all-hadronic final state produced in protonâ "proton collisions at $s = 13$ s, ext {TeV} TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
42	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
43	Searches for invisible decays of the Higgs boson in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
44	ĵ∍andĵ∍Â⁻Production in Central Pb-Pb Collisions at 40, 80, and158A  GeV. Physical Review Letters, 2004, 9 022302.	³ 7.8	93
45	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
46	Transverse momentum fluctuations in nuclear collisions at 158AGeV. Physical Review C, 2004, 70, .	2.9	88
47	Measurements of differential and double-differential Drell–Yan cross sections in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
48	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
49	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $q=1.76$ sqrt $q=1.76$ s	4.7	85
50	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
51	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
52	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ qrt{s_{NN}} =; \$\$ s N N = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
53	Performance of the CMS Level-1 trigger in proton-proton collisions at \hat{a} ' \hat{s} (i) = 13 TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	1,2	84
54	Event-by-Event Fluctuations of the Kaon-to-Pion Ratio in CentralPb+PbCollisions at 158 GeV per Nucleon. Physical Review Letters, 2001, 86, 1965-1969.	7.8	83

#	Article	IF	Citations
55	Measurement of the single-top-quark t-channel cross section in pp collisions at $q = 7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
56	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{smathrm } \{p\}$ ightarrow mathrm $\{W\}^{pm} + X$ pp \hat{a}^{t} W $\hat{A}^{t} + X$ production at $\{q\}^{pm} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
57	Measurement of prompt and nonprompt charmonium suppression in $\$$ ext {PbPb} $\$$ collisions at 5.02 $\$$,ext {Te}ext {V} $\$$. European Physical Journal C, 2018, 78, 509.	3.9	83
58	Suppression and azimuthal anisotropy of prompt and nonprompt $f(J)^{r}$ production in PbPb collisions at $f(L)^{r}$ production Physical Journal C, 2017, 77, 252.	3.9	82
59	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
60	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
61	Search for a charged Higgs boson in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
62	Ωâ^'andΩ¯+Production in CentralPb+Pbcollisions at 40 and158A  GeV. Physical Review Letters, 2005, 192301.	, 94 7.8	80
63	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
64	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
65	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\$ sqrt{{ $s_{NN}}$ } \$ =2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
66	Inclusive production of protons, anti-protons and neutrons inÂp+pÂcollisions at 158ÂGeV/c beam momentum. European Physical Journal C, 2010, 65, 9.	3.9	76
67	Study of exclusive two-photon production of W+W \hat{a} in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
68	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at \$\$\$qrt{s_{mathrm{NN}}} = 5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74; 1.v dependence of smml:math xmlns;mml="http://www.w3.org/1998/Math/MathML"	3.9	75
69	display="inline"> <mml:mrow><mml:mi>l•</mml:mi></mml:mrow> meson production in central <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">display="inline"><mml:mrow><mml:mi mathvariant="normal">Pb<mml:mo>+</mml:mo><mml:mi< td=""><td>2.9</td><td>74</td></mml:mi<></mml:mi </mml:mrow></mml:math>	2.9	74
70	Measurement of the $\$$ {{mathrm{W}}^{+}} mathrm{W}^{-}} $\$$ W + W - cross section in pp collisions at $\$$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
71	Measurement of the X(3872) production cross section via decays to J/l̈́lє + l∈ â° in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
72	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73

#	Article	IF	Citations
73	Search for additional neutral MSSM Higgs bosons in the Ï,, Ï,, final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
74	Ξâ^' and production in central Pb+Pb collisions at 158ÂGeV/c per nucleon. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 538, 275-281.	4.1	70
75	Recent results on spectra and yields from NA49. Nuclear Physics A, 2003, 715, 161c-170c.	1.5	70
76	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
77	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
78	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ $\frac{1}{2}$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
79	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
80	Search for anomalous production of multilepton events in pp collisions at sqrt s = 7,TeV 5. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
81	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
82	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at sqrts= 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
83	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
84	Measurement of the f {mathrm f }overline{mathrm f }}\$\$ t t \hat{A}^- production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368. and antiproton spectra in Physical Journal C.	3.9	68
85	xmins:mmi="http://www.w3.org/1998/Math/Math/ML" display="inline"> <mml:mrow><mml:mo>+</mml:mo></mml:mrow> Pb collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mn>40</mml:mn><mml:mi>A</mml:mi>Aml:mrow></mml:math> GeV	2.9	66
86	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	66
87	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
88	Energy dependence of particle ratio fluctuations in centralPb+Pbcollisions fromsNN=6.3to 17.3 GeV. Physical Review C, 2009, 79, .	2.9	64
89	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$, European Physical Journal C, 2013, 73, 2283. Production of deuterium, tritium, and small math	3.9	64
90	xmlns:mml="http://www.w3.org/1998/Math/MathML"> <mml:mmultiscripts><mml:mi mathvariant="bold">He</mml:mi><mml:mprescripts></mml:mprescripts><mml:none></mml:none><mml:mn>3</mml:mn></mml:mmultiscripts> in central Pb + Pb collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mn>20</mml:mn><mml:mi>A<mml:mrow><mml:mn>30</mml:mn><mml:mi>A</mml:mi></mml:mrow><mml:mo>,<td>2.9 :mi><td>64 :mrow><mml< td=""></mml<></td></td></mml:mo></mml:mi></mml:mrow></mml:math>	2.9 :mi> <td>64 :mrow><mml< td=""></mml<></td>	64 :mrow> <mml< td=""></mml<>

#	Article	IF	CITATIONS
91	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
92	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
93	Measurement of the W+Wâ $^{\circ}$ cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WWÎ 3 and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
94	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\frac{5}{8}=8$, ext TeV \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
95	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
96	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
97	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $\$\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	62
98	Measurement of prompt J/ $\ddot{\Gamma}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
99	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
100	Inclusive production of charged kaons in p+p collisions at $\hat{A}158\hat{A}$ GeV/c \hat{A} beam momentum and a new evaluation of the energy dependence of kaon production up to collider energies. European Physical Journal C, 2010, 68, 1-73.	3.9	59
101	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
102	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
103	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{5}{5}$ TeV. European Physical Journal C, 2015, 75, 237.	3.9	58
104	Measurement of the weak mixing angle using the forwardâ€"backward asymmetry of Drellâ€"Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
105			

#	Article	IF	CITATIONS
109	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
110	System-Size Dependence of Strangeness Production in Nucleus-Nucleus Collisions atsNN=17.3   GeV. Physical Review Letters, 2005, 94, 052301.	7.8	56
111	Event activity dependence of $Y \ (nS)$ production in $q = 1.76$ FeV pPb and $q = 1.76$ FeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56
112	Measurement of masses in the $mathrm{t}$ overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at $q=0$ 0, 2013, 73, 2494.	3.9	55
113	Measurement of associated W + charm production in pp collisions at	4.7	55
114	Measurement of the double-differential inclusive jet cross section in proton $\hat{a} \in \text{``proton collisions at $\$ sqrt\{s\} = 13,ext \{TeV\} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.}$	3.9	55
115	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$\$qrt{s} = 7\$$ s = 7 $\$\$,ext{TeV}\$$ TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
116	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
117	Search for charged Higgs bosons in the H± → τ±ντ decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
118	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
119	Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, 2021, 2021, 1.	4.7	54
120	Measurement of prompt and nonprompt $\frac{J}{{psi}}$ production in $\frac{p}{mathrm {p}}$ p p and $\frac{p}{mathrm {p}}$ =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
121	Measurement of the \$ toverline{t} \$ production cross section in the dilepton channel in pp collisions at \$ $q = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
122	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
123	Measurements of the $\$ mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p â†' Z Z production cross section and the $\$ mathrm{Z}ightarrow 4ell \$\$ Z â†' 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
124	Search for exclusive or semi-exclusive $\hat{1}^3\hat{1}^3$ production and observation of exclusive and semi-exclusive e+e \hat{a}^2 production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
125	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
126	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50

#	Article	IF	Citations
127	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ qrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2019, 79, 564.	3.9	50
128	Electric charge fluctuations in centralPb+Pbcollisions at20A,30A,40A,80A, and158AGeV. Physical Review C, 2004, 70, .	2.9	49
129	Energy dependence of multiplicity fluctuations in heavy ion collisions at20Ato158AGeV. Physical Review C, 2008, 78, . Energy dependence of transverse momentum fluctuations in <mml:math< td=""><td>2.9</td><td>49</td></mml:math<>	2.9	49
130	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mrow><mml:mi mathvariant="normal">Pb</mml:mi><mml:mo>+</mml:mo><mml:mi mathvariant="normal">Pb</mml:mi></mml:mrow> collisions at the CERN Super Proton Synchrotron (SPS) at <mml:math <="" td="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>2.9</td><td>49</td></mml:math>	2.9	49
131	display="inline"> <mml:mrow><mml:mn>20</mml:mn><mml:mi>A</mml:mi></mml:mrow> to <mml \$="" 1.<="" 2012,="" at="" bosons="" collisions="" decays="" energy="" for="" high="" in="" journal="" leptonic="" of="" physics,="" pp="" search="" sqrt="" td="" tev.="" w′="" {s}="{7}"><td>:math 4.7</td><td>49</td></mml>	:math 4.7	49
132	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
133	Bose-Einstein correlations of mill: http://www.w3.org/1998/Math/Math/ML">mill: display="inline"><mml:mmo><mml:msup><mml:mi>ie</mml:mi></mml:msup></mml:mmo> /mml:mi> <mml:mrow><mml:mo></mml:mo>mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"">mml:mi>entral Pb+Pb collisions at mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML">mml:mi>entral pi</mml:mrow>	2.9	48
134	Search for new physics in events with same-sign dileptons and jets in pp collisions at $\$ \sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
135	Observation of Y(1S) pair production in proton-proton collisions at s = 8 $\$$ sqrt{s}=8 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
136	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
137	Centrality and system size dependence of multiplicity fluctuations in nuclear collisions at 158AGeV. Physical Review C, 2007, 75, .	2.9	47
138	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $ = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
139	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
140	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
141	Search for third-generation scalar leptoquarks decaying to a top quark and a π up to at \$\square\$ sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
142	Search for heavy bottom-like quarks in 4.9 fbâ^'1 of pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
143	Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
144	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44

#	Article	IF	CITATIONS
145	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
146	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
147	Measurement of top quark \hat{a} antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
148	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
149	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
150	Search for natural and split supersymmetry in proton-proton collisions at $\$\$ $ sqrt $\{\$\}=13 $ $\$\$ $ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
151	Strangeness from 20AGeV to 158AGeV. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S119-S128.	3.6	42
152	Measurement of the top-quark mass in $mathrm{t}$ overline $mathrm{t}$ events with dilepton final states in pp collisions at $q=0$ mbox $q=0$. European Physical Journal C, 2012, 72, 1.	3.9	42
153	Evidence for exclusive $\hat{l}^3\hat{l}^3$ \hat{a}^* \hat{b}^* \hat{b}^* production and constraints on anomalous quartic gauge couplings in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
154	Search for vector-like T and B quark pairs in final states with leptons at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
155	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
156	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\$$ sqrt $\{s\}=7$ $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
157	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
158	Measurement of the $\mbox{mathrm{t}}$ overline{{mathrm{t}}}\$ t t \hat{A}^- production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
159	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$ sqrt $\{s\}=13 \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
160	Measurement of properties of \$\$ {mathrm{B}}_{mathrm{s}}^0 \$\$a†' $1^{1/4}+1^{1/4}$ a^' decays and search for B0a†' $1^{1/4}+1^{1/4}$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	μâ^' 4.7	41
161	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
162	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t $\mbox{$\hat{A}^{-}$}$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\mbox{$\hat{I}_{4}$}$ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40

#	Article	IF	Citations
163	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
164	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
165	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
166	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2021, 81, 378.	3.9	40
167	Inclusive b-jet production in pp collisions at \$sqrt {s} = 7TeV\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
168	Measurement of the $Z/\hat{I}^3*\hat{a}$ €‰+ \hat{a} €‰b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
169	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
170	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,, "2â,, "′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
171	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt $\{s\}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
172	Critical fluctuations of the proton density in A+A collisions at 158A GeV. European Physical Journal C, 2015, 75, 1.	3.9	39
173	Measurement of differential cross sections for $\$ ext {Z}}\$\$ Z boson production in association with jets in proton-proton collisions at \$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
174	Measurement of the top-quark mass in $\mbox{mathrm}\{t\}$ verline{mathrm $\{t\}$ } verline with lepton+jets final states in pp collisions at $\mbox{quark} = 7 \mbox{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
175	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
176	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\}$ = 13 $\$$ s = 13 $\$$ s,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
177	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying i, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
178	Centrality dependence of directed and elliptic flow at the SPS. Nuclear Physics A, 1999, 661, 341-344.	1.5	37
179	dísplay="inline"> <mml:mrow><mml:mi>i></mml:mi></mml:mrow> and <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi>i²</mml:mi></mml:mrow></mml:math> production in nucleus-nucleus collisions at <mml:math <="" td="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>2.9</td><td>37</td></mml:math>	2.9	37
180		ml:math 4.7	37

#	Article	IF	Citations
181	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 and 8 $\$$,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
182	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
183	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	37
184	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " \hat{l} /2 \hat{a} ," \hat{l} /2 \hat{s} \$ mathrm{b}overline{mathrm{b}}mathit{ell u ell u } \$\$ final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	36
185	Search for the QCD critical point in nuclear collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mn>158</mml:mn><mml:mi>A</mml:mi></mml:mrow></mml:math> ÂGeV at the CERN Super Proton Synchrotron (SPS). Physical Review C. 2010. 81	2.9	35
186	Measurement of the top-quark mass in all-jets $\frac{t}{ar}{mathrm\{t\}}$ tt \hat{A}^- events in pp collisions at $\frac{\hat{A}^-}{s}$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.	3.9	35
187	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm +$ jets and $e\hat{A}\pm \hat{1}\frac{1}{4}\hat{A}\pm +$ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
188	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{ s }=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
189	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
190	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
191	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
192	Energy dependence of \hat{i} and production at CERN-SPS energies. Nuclear Physics A, 2003, 715, 453c-457c.	1.5	34
193	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
194	Search for microscopic black holes in pp collisions at $\$\$$ sqrt $\{\$\} = \{ext\{7TeV\}\} \$\$$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
195	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3% 43 b-quark jets in 7 TeV pp collisions using the variable $1\pm$ T. Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
196	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
197	Measurement of \$\$mathrm $\{t\}$ overline $\{t\}$ \$\$ t t \hat{A}^- production with additional jet activity, including \$\$mathrm $\{b\}$ \$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
198	Measurements of the $\frac{t}{\sigma}$ mathrm{t}overline{mathrm{t}}\$\$ t t \hat{A}^{-} production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34

#	Article	IF	Citations
199	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \ddot{l}_n leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
200	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ \$mathrm {p} $\$$ \$mathrm {p} $\$$ \$ collisions at $\$$ \$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2018, 78, 891.	3.9	34
201	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
202	Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in protonâ \in "proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
203	System size and centrality dependence of the balance function inA+Acollisions atsNN=17.2GeV. Physical Review C, 2005, 71, .	2.9	33
204	Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
205	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
206	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
207	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
208	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:	3.9	33
209	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
210	Search for top squark pair production using dilepton final states in $\$\{ext \{p\}\}\$ collision data collected at $\$\$qrt\{s\}=13$, ext $TeV\}$ \$. European Physical Journal C, 2021, 81, 3.	3.9	33
211	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$\$ normalised multi-differential cross sections in \$\${ext {p}}{ext {p}}\$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution high reasons processes at a minimath pole mass, and parton distribution with the process of the proce	3.9	33
212	display="inline"> <mml:mrow><mml:msqrt><mml:mrow><mml:msub><mml:mi>s</mml:mi><mml:mrow><mml:msub></mml:msub></mml:mrow></mml:msub></mml:mrow></mml:msqrt><mml:msow><mml:msqrt><mml:msqrt><mml:msqrt><mml:msub>=</mml:msub></mml:msqrt><mml:msqrt><mml:msqrt><mml:msub>=</mml:msub></mml:msqrt><mml:msqrt><mml:msqrt><mml:msub>=</mml:msub></mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msub></mml:msub></mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt><mml:msqrt< td=""><td>ni o>2.99ml:m</td><td>ın 3½7</td></mml:msqrt<></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msqrt></mml:msow></mml:mrow>	ni o> 2.9 9ml:m	ın 3½ 7
213	display="inline"> <mml:mrow><mml:mi mathvariant="normal">Pb</mml:mi><mml:mo>+<td>4.7</td><td>32</td></mml:mo></mml:mrow>	4.7	32
214	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
215	Measurements of the $\mbox{\$mathrm}{Z}$ \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 2 $\mbox{$1/2}$ channel in protonâ $\mbox{\$"}$ proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
216	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32

#	Article	IF	Citations
217	Production of multi-strange hyperons and strange resonances in the NA49 experiment. Journal of Physics G: Nuclear and Particle Physics, 2001, 27, 367-374.	3.6	31
218	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\ \sqrt{s}=7$; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
219	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
220	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
221	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
222	Search for top squark pair production in pp collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
223	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
224	A multi-dimensional search for new heavy resonances decaying to boosted $\$ w \{\}{\}\$\$ \$\\$ext{ W \}{\}\$\$ \$\\$ext{ Z \}{\}\$\$, or \$\\$ext{ Z \}{\}\$\$ \$\\$ext{ Z \}{\}\$\$ boson pairs in the dijet final state at 13Â\$\\$ext{Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237.	3.9	31
225	Lambda production in central Pb \$plus\$ Pb collisions at CERN-SPS energies. Journal of Physics G: Nuclear and Particle Physics, 2002, 28, 1761-1768.	3.6	30
226	Results on correlations and fluctuations from NA49. Nuclear Physics A, 2003, 715, 55c-64c.	1.5	30
227	display="inline"> <mml:msup><mml:mi>K</mml:mi><mml:mo>*</mml:mo></mml:msup> (892) <mml display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msup><mml:mrow></mml:mrow><mml:mn>0</mml:mn></mml:msup>and<mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msup><mml:mover< td=""><td>:math 2.9</td><td>30</td></mml:mover<></mml:msup></mml:math></mml>	:math 2.9	30
228	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	th>(892) <n 30</n
229	Search for a Higgs boson in the decay channel H \hat{a} † $ZZ(*)$ \hat{a} † \hat{q} overline {ext{q}} \$ \hat{a} ," \hat{a} " \hat{a} " + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
230	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}\$ mathrm{t}-overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
231	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
232	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,, $\hat{l}/2$ b b \hat{A} final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
233	Measurements of the associated production of a Z boson and b jets in pp collisions at $f(s) = 8$, ext $f(s) = 8$ feV. European Physical Journal C, 2017, 77, 751.	3.9	30
234	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$sqrt{s_{mathrm {NN}}} = 5.02, mathrm{TeV} \$$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29

#	Article	IF	CITATIONS
235	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt{s_{mathrm{NN}}}= $2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
236	A search for new phenomena in pp collisions at $\$\$qrt\{s\} = 13$,ext TeV $\$\$ s = 13$ TeV in final states with missing transverse momentum and at least one jet using the $\$\$alpha _{mathrm {T}}\$\$ î \pm T$ variable. European Physical Journal C, 2017, 77, 294.	3.9	29
237	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
238	Search for lepton flavour violating decays of the Higgs boson to $\hat{l}/\!\!/ \hat{l}$, and \hat{e} , in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
239	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
240	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
241	Measurements of \$\$ mathrm{t}overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
242	Search for $\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
243	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	28
244	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
245	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$ $ sqrt $\{s_{mathrm{NN}}\}=2.76 \$\$ $ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
246	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
247	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $$$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
248	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ \in "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
249	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \cdot \hat{s} < i > s < i > s $ = 13 TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
250	Search for new neutral Higgs bosons through the $\$ mathrm{H}o mathrm{ZA}o {ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	27
251	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
252	Search for resonant $\mbox{mathrm{t}}$ overline{mathrm{t}} $\mbox{production}$ in lepton+jets events in pp collisions at $\mbox{qrt{s}=7 TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26

#	Article	IF	Citations
253	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in protonâ \in "proton collisions at $q=7 \text{ mathrm} = 7 \text{ mathrm}$. European Physical Journal C, 2012, 72, 1.	3.9	26
254	Search for the standard model Higgs boson in the H â†' ZZ â†' 2â,,"2ν channel in pp collision = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	s at \$ sqrt	{ext{s}}
255	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7;TeV \\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
256	Search for $W\hat{a}\in 2$ \hat{a} \hat{a} to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
257	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
258	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$, ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
259	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
260	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	26
261	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26
262	Forwardâ€"backward asymmetry of Drellâ€"Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
263	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
264	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
265	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\$\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
266	Measurement of the $mathrm{t}$ ar{mathrm{t}}\$ production cross section in the \ddot{l} ,+jets channel in pp collisions at $q=1$ mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	24
267	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
268	Search for third-generation scalar leptoquarks in the $t\ddot{l}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 1.	4.7	24
269	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
270	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24

#	Article	IF	Citations
271	Measurements of $f^{p}} {\mathbf{p}} {\mathbf{p}$	3.9	24
272	Deuteron production in central Pb+Pb collisions at 158A GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 486, 22-28.	4.1	23
273	Multiplicity fluctuations in nuclear collisions at 158AGeV. Journal of Physics: Conference Series, 2005, 5, 74-85. Energy dependence of kaon-to-proton ratio fluctuations in central <mml:math< td=""><td>0.4</td><td>23</td></mml:math<>	0.4	23
274	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mrow><mml:mtext>Pb</mml:mtext><mml:mo>+</mml:mo><mml:mtext>Pb</mml:mtext><mml:mrow><mml:msqrt><mml:mrow><mml:msub><mml:mi>s</mml:mi><mml:mrow><mml:mrow><mml:mrow><mml:msub><mml:mi>s</mml:mi><mml:mrow><mml:mrow><mml:msub><mml:mi>s</mml:mi></mml:msub></mml:mrow><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub><mml:msub< td=""><td>2.7</td><td>nrow></td></mml:msub<></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:msub></mml:mrow></mml:msub></mml:mrow></mml:mrow></mml:mrow></mml:msub></mml:mrow></mml:msqrt></mml:mrow></mml:mrow>	2.7	nrow>
275	mathvariant="normal">NN <mml:mo>=<td>mo><mm 3.9</mm </td><td>l:mn>623</td></mml:mo>	mo> <mm 3.9</mm 	l:mn>623
276	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
277	Measurement of the jet mass in highly boosted \$\${mathrm{t}}overline{mathrm{t}}\$\$ events from pp collisions at \$\$sqrt{s}=8\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2017, 77, 467.	3.9	23
278	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
279	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
280	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ are $s=8$ for $s=8$ and $s=8$ are $s=8$ for $s=8$ and $s=8$ for	3.9	23
281	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.00$ % so 0.00 % so 0.00 Measurement of the triple-differential dijet cross section in proton-proton functions. European Physical Journal C, 2017, 77, 746.	3.9	23
282	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
283	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at sqrt $s=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
284	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
285	Search for a light pseudoscalar Higgs boson in the boosted $1\frac{1}{4}1\frac{1}{4}$, final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	23
286	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13,\{ext \{TeV\}\} \$$. European Physical Journal C, 2020, 80, 752.	3.9	23
287	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
288	Two-proton correlations from 158 A GeV Pb + Pb central collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 467, 21-28.	4.1	22

#	Article	IF	CITATIONS
289	System-size and centrality dependence of charged Raon and pion production in nucleus-nucleus collisions at 40 <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>A</mml:mi></mml:math> GeV and 158 <mml:math 1998="" control="" http:="" in="" math="" mathml"="" of="" td="" the="" the<="" www.w3.org=""><td>2.9</td><td>22</td></mml:math>	2.9	22
290	Search for physics beyond the standard model in events with I, leptons, jets, and large transverse momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	3.9	22
291	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
292	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
293	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 $ \$\$ $sqrt{s}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
294	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
295	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{}\$\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
296	Measurement of differential cross sections and charge ratios for t-channel single top quark production in protonâ \in "proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	3.9	22
297	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$\$ sqrt $s=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
298	Search for supersymmetry in events with a \ddot{l} , lepton pair and missing transverse momentum in proton-proton collisions at \$\$ $qt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
299	Search for beyond the standard model Higgs bosons decaying into a $$$ mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
300	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
301	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment, lournal of High Energy Physics, 2020, 2020, 1. Rapidity and energy dependence of the charge correlations in xmm. math	4.7	21
302	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>A</mml:mi> A>A>A>AA>AA <td>2.9</td> <td>h>collisions 20</td>	2.9	h>collisions 20
303	xmlns:mml="http://www.w3.org/1998/Math/MathML" Antideuteron and deuteron production in In Recentral Pb+Pb collisions at 158 <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>A</mml:mi></mml:math> GeV. Physical Review C, 2012, 85, .	2.9	20
304	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
305	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
306	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20

#	Article	IF	Citations
307	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
308	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
309	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
310	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
311	Search for rare decays of $\mbox{mathrm } \{Z\}$ and Higgs bosons to $\mbox{mathrm } \{J\}/psi\}$ \$\$ J / $\mbox{"}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
312	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
313	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $$$ sqrt{mathrm{s}} $$$ = 13 TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
314	A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
315	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
316	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
317	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
318	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in protonâ \in proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
319	Bose–Einstein correlations of charged kaons in central Pb+Pb collisions at Ebeam=158 GeV per nucleon. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 557, 157-166.	4.1	18
320	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
321	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{N};mathrm{N}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
322	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
323	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
324	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18

#	Article	IF	CITATIONS
325	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
326	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
327	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
328	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
329	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
330	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
331	Search for stopped long-lived particles produced in pp collisions at sqrt s} = ext7TeV} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
332	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qrt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
333	Phase-space dependence of particle-ratio fluctuations in Pb + Pb collisions from 20 <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>A</mml:mi></mml:math> to 158 <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>A</mml:mi></mml:math> ÂGeV beam	2.9	17
334	Search for standard model production of four top quarks in the lepton $+$ jets channel in pp collisions at $s = 8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
335	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901. Measurement of the ratio of the production cross sections times branching fractions of B c ± â€‱→ Jj¨ï€	3.9 ₹Â+	17
336	and B± â†' J/ÏrK ± and â,,¬ B c ± â†' J / Ïr Ï€ ± Ï€ ± Ï€ â*" / â,,¬ B c ± â†' J / Ïr Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm} o mathrm{J}/psi {pi}^{pm} }{pi}^{pm} Tj ETQq0 0 0 0		lock 10 Tf 50
337	2015, 1. Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
338	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
339	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
340	Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
341	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
342	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	Article	IF	Citations
343	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
344	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ $qrt{s}=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
345	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
346	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} ," \hat{a} channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
347	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
348	Electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
349	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
350	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	4.7	16
351	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ $\frac{1}{s}=7$ \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
352	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
353	Measurement of jet multiplicity distributions in $\frac{t}{v}$ mathrm $t}$ where t is the production in pp collisions at $\frac{s}{v}$ at t is the production in pp collisions at t is the production in t is the production in t in t is the production in t in t is the production in t in t in t in t is the production in t in	3.9	16
354	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm $\{e\}$ mu \$\$ e ν pair in proton–proton collisions at \$\$sqrt $\{s\}=8$ ~ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
355	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
356	Search for excited leptons in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
357	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
358	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$, mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
359	Measurement of associated Z + charm production in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
360	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16

#	Article	IF	CITATIONS
361	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	3.9	16
362	Search for a fermiophobic Higgs boson in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
363	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
364	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
365	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
366	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
367	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
368	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
369	Search for new physics with dijet angular distributions in proton-proton collisions at s = 13 $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
370	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{l} , lepton and a bottom quark in proton-proton collisions at \$\$ $\frac{1}{s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
371	Measurement of b hadron lifetimes in pp collisions at $\$\$qrt\{s\} = 8\$\$ s = 8\$\$,ext \{Te\}ext \{V\}\$\$$ TeV. European Physical Journal C, 2018, 78, 457.	3.9	15
372	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
373	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $1\frac{1}{4}$, and e, in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	15
374	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	15
375	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
376	Construction, test and operation in a high intensity beam of a small system of micro-strip gas chambers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 403, 31-56.	1.6	14
377	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
378	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14

#	Article	IF	Citations
379	Search for supersymmetry in pp collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
380	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
381	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
382	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
383	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 \$ sqrt{s}=13 \\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
384	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $s=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
385	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	Citations
397	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton $+$ jets events in pp collisions at $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	13
398	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
399	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
400	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 $ sqrt $\{s\}=13 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
401	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
402	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
403	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
404	Jet properties in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm}N\}$; mathrm $\{N\}\}$ =5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
405	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
406	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
407	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
408	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
409	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	13
410	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1	4.7	13
411	intensive measures <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi mathvariant="normal">1"</mml:mi><mml:mo>[</mml:mo><mml:msub><mml:mi>P</mml:mi><mml:mi>T<mml:mrow><mml:mi< td=""><td>mi>?/mml</td><td>:msub><m< td=""></m<></td></mml:mi<></mml:mrow></mml:mi></mml:msub></mml:mrow></mml:math>	mi>?/mml	:msub> <m< td=""></m<>
412	$\frac{\text{mathvariant='normal's l& (numlimis c mml:mos) c/mml:mos c mml:msubs c mml:. Physical Review C, 2015, 92, search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at s = 8 $$ sqrt{s}=8 $$ TeV. Journal of High Energy Physics, 2015, 2015, 1.}$	4.7	12
413	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
414	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12

#	Article	IF	Citations
415	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
416	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
417	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \hat{I}_3 , \hat{I}_3 , \hat{I}_3 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
418	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
419	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
420	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ \$\$. European Physical Journal C, 2019, 79, 893.	3.9	12
421	Investigation into the event-activity dependence of \ddot{l} (nS) relative production in proton-proton collisions at \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
422	Search for new physics in top quark production with additional leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
423	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
424	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
425	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\$ sqrt $\{s\}=7\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
426	Search for the standard model Higgs boson in the H \hat{a} †' ZZ \hat{a} †' \hat{a} ,"+ \hat{a} ","+ \hat{a} "," decay channel in pp collisions at \hat{s} = $\{7\}$; $\{\text{ext}\{\text{TeV}\}\}$ \$. Journal of High Energy Physics, 2012, 2012, 1.	S şart 4.9	11
427	Measurement of the $Z\hat{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
428	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
429	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
430	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
431	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
432	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11

#	Article	IF	CITATIONS
433	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
434	Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} mathrm{b}overline{mathrm{b}} athrm{b}overline{mathrm{b}} \$\$ final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
435	Study of the underlying event in top quark pair production in $\$$ mathrm $\{p\}$ mathrm $\{p\}$ \$\$ p p collisions at 13 $\$$ ext $\{Te\}$ ext $\{V\}$ \$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
436	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
437	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
438	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11
439	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. Journal of High Energy Physics, 2021, 2021, 1.	4.7	11
440	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
441	Measurements of the pp \hat{a}^{\dagger} $\hat{W}^{\hat{j}\hat{l}^3}$ and pp \hat{a}^{\dagger} $\hat{Z}^{\hat{l}^3\hat{l}^3}$ cross sections and limits on anomalous quartic gauge couplings at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	\$ 4.7	10
442	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
443	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
444	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
445	Measurement of the \$\$mathrm $\{Z\}$ /gamma * ightarrow au au \$\$ Z / \hat{I} 3 \hat{a} — \hat{a} †' \hat{I} ,, \hat{I} ,, cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	3.9	10
446	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
447	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$a€™â,,"ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	10
448	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
449	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
450	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9

#	Article	IF	CITATIONS
451	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e1¼ final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
452	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
453	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
454	Search for a low-mass \ddot{l} , $\hat{a}^{\ddot{l}}$, + resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
455	Angular analysis of the decay B+ â†' Kâ^—(892)+ν+ν4° in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = TeV. Journal of High Energy Physics, 2021, 2021, 1.	8 _{4.7}	9
456	Search for a heavy vector resonance decaying to a $\frac{T}{T} = 13,ext Te}ext V$ \$\$. European Physical Journal C, 2021, 81, 688.	3.9	9
457	Elliptic flow of \hat{I}_{i} hyperons in Pb+Pb collisions at 158AGeV. Physical Review C, 2007, 75, .	2.9	8
458	System-size dependence of particle-ratio fluctuations in Pb + Pb collisions at 158AGeV. Physical Review C, 2013, 87, .	2.9	8
459	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
460	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{NN}}}= $5.02 $ \$ and $8.16 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
461	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,,"2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
462	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
463	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $\{p\}$ {ext $\{p\}$ } {ext $\{p\}$ } \$\$ collisions at $\{p\}$ =13,ext $\{Te\}$ ext $\{V\}$ \$\$. European Physical Journal C, 2019, 79, 773.	3.9	8
464	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
465	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
466	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb \hat{a} °1 of proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
467	xmins:mmi="http://www.w3.org/1998/Math/Math/ML" altimg="si1.gif" overflow="scroll"> <mmi:mi mathvariant="normal">Pb<mml:mo>+</mml:mo><mml:mi mathvariant="normal">Pb collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si2.gif"</mml:math </mml:mi </mmi:mi 	4.1	7
468	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7

#	Article	lF	CITATIONS
469	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 $ \$\$ sqrt{ s }= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
470	Search for high-mass $Z\hat{l}^3$ resonances in e+eâ ⁻ ' \hat{l}^3 and $\hat{l}^1\!/_4 + \hat{l}^1\!/_4$ â ⁻ ' \hat{l}^3 final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	; 4.7	7
471	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to \ddot{I} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
472	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt{s} = 5.02\$\$ and 13TeV. European Physical Journal C, 2020, 80, 718.	3.9	7
473	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
474	Measurements of the pp \hat{a}^{\dagger} ' $\hat{WA} \pm \hat{I}^{3}\hat{I}^{3}$ and pp \hat{a}^{\dagger} ' $\hat{ZI}^{3}\hat{I}^{3}$ cross sections at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and limits anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1.	9n 4.7	7
475	Operation of high rate microstrip gas chambers. Nuclear Physics, Section B, Proceedings Supplements, 1998, 61, 264-269.	0.4	6
476	Progress with diamond over-coated microstrip gas chambers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 404, 57-70.	1.6	6
477	display="inline"> <mml:mrow><mml:mi>î></mml:mi> </mml:mrow> correlations in central Pb <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mo>+</mml:mo></mml:mrow></mml:math> Pb collisions at <mml:math <="" td="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>2.9</td><td>6</td></mml:math>	2.9	6
478	display='inline''s complements complements complements and the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
479	Comparison of the Z/\hat{I}^3 \hat{a} + jets to \hat{I}^3 + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
480	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
481	Measurement of the mass of the top quark in decays with a J/ \hat{l} meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
482	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13 $ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
483	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
484	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in ${\rm p}_p^{\ }\ {\rm collisions\ at\ }\ = 8,ext\ {\rm TeV}\ $$. European Physical Journal C, 2019, 79, 969.	3.9	6
485	Search for decays of the 125 GeV Higgs boson into a Z boson and a ï•or ï• meson. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
486	Determination of the strong coupling constant $\hat{l}\pm S(mZ)$ from measurements of inclusive W± and Z boson production cross sections in proton-proton collisions at \$\$ $q\pm 8$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6

#	Article	IF	Citations
487	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
488	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
489	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
490	Upper limit of DOproduction in central Pb-Pb collisions at 158AGeV. Physical Review C, 2006, 73, .	2.9	5
491	Evidence for the onset of deconfinement and quest for the critical point by NA49 at the CERN SPS. Physics of Atomic Nuclei, 2012, 75, 556-566.	0.4	5
492	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
493	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$\$ sqrt s =8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
494	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
495	Measurement of the inclusive $\mbox{mathrm{t}}$ werline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
496	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
497	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
498	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{1}/4\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
499	Measurement of the cross section for $\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	5
500	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
501	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
502	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
503	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
504	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5

#	Article	IF	Citations
505	"Diamond―over-coated microstrip gas chambers for high rate operation. Nuclear Physics, Section B, Proceedings Supplements, 1998, 61, 315-320.	0.4	4
506	NA49 Collaboration. Nuclear Physics A, 2006, 774, 943-944.	1.5	4
507	The NA49 Collaboration. Nuclear Physics A, 2009, 830, 959c.	1.5	4
508	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
509	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
510	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
511	Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
512	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
513	Event shape variables measured using multijet final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
514	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
515	The production of isolated photons in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
516	Search for supersymmetry in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
517	Measurement of b jet shapes in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
518	Search for supersymmetry using Higgs boson to diphoton decays at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
519	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
520	Operation of microstrip gas chambers manufactured on glass coated with high-resistivity diamond-like layers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 400, 9-16.	1.6	3
521	Correlations and fluctuations in Pb+Pb collisons. Nuclear Physics, Section B, Proceedings Supplements, 2001, 92, 7-15.	0.4	3
522	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3

#	Article	IF	CITATIONS
523	Search for Wâ \in 2 → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
524	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
525	Inclusive search for supersymmetry in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
526	Search for excited leptons in \hat{a} , " \hat{a} ," \hat{a} final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
527	Calibration of the CMS hadron calorimeters using proton-proton collision data at â´šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
528	Search for the lepton flavor violating decay \ddot{l} , $\hat{a}\dagger$ 3 $\hat{l}\frac{1}{4}$ in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
529	Study of Drell-Yan dimuon production in proton-lead collisions at $\$$ sqrt $\{s_{n}\}$ shows a square study of Drell-Yan dimuon production in proton-lead collisions at $\$$ sqrt $\{s_{n}\}$ square	4.7	3
530	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV., 2014, 2014, 1.		3
531	Study of the $\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
532	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV}). , 2018, 78, 1.		3
533	Search for the Critical Point of Strongly Interacting Matter at the CERN SPS. Nuclear Physics, Section B, Proceedings Supplements, 2011, 219-220, 102-110.	0.4	2
534	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
535	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
536	Measurement of the top quark pair production cross section in dilepton final states containing one \ddot{l} , lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
537	Measurements of the differential cross sections of the production of Z + jets and \hat{I}^3 + jets and of Z boson emission collinear with a jet in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
538	Measurement of the Z boson differential production cross section using its invisible decay mode (Z \hat{a} †') Tj ETQq0 Physics, 2021, 2021, 1.	0 0 rgBT / 4.7	Overlock 10 2
539	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
540	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. , 2013, 2013, 1.		2

#	Article	IF	Citations
541	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
542	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
543	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
544	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$ sqrt $\{s\}=8$ \$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
545	CMS Collaboration. Nuclear Physics A, 2016, 956, 945-963.	1.5	1
546	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	1
547	Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
548	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
549	Title is missing!. Acta Physica Polonica B, 2013, 44, 1363.	0.8	0
550	Heavy-Ion Results from the CMS Experiment. Acta Physica Polonica B, 2014, 45, 1291.	0.8	0
551	Probing heavy-ion collisions with jets in the CMS experiment. Proceedings of SPIE, $2014, \ldots$	0.8	0
552	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0
553	Recent Results from the NA49 Experiment. , 2004, , 53-60.		0
554	Heavy-ion Results of the CMS Experiment. Acta Physica Polonica B, 2016, 47, 1397.	0.8	0