## Randah R Hamadeh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4409100/publications.pdf

Version: 2024-02-01

111 98,394 55 108
papers citations h-index g-index

114 114 114 118352

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
2	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
3	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
4	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
5	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
6	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
7	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934
8	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	2.8	4,468
9	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
10	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
11	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
12	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
13	The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505.	7.1	2,269
14	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
15	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
16	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
17	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
18	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	7.1	1,691

#	Article	IF	CITATIONS
19	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
20	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
21	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
22	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	10.2	1,521
23	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	13.7	1,281
24	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016. JAMA Oncology, 2018, 4, 1553.	7.1	1,260
25	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	13.7	1,230
26	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064
27	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	27.0	959
28	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	2.4	898
29	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
30	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	13.7	786
31	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	13.7	740
32	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. JAMA Oncology, 2022, 8, 420.	7.1	719
33	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
34	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
35	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	13.7	609
36	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609

#	Article	IF	CITATIONS
37	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
38	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	13.7	571
39	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
40	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	4.7	461
41	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	13.7	413
42	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
43	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
44	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
45	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
46	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
47	The state of health in the Arab world, 1990–2010: an analysis of the burden of diseases, injuries, and risk factors. Lancet, The, 2014, 383, 309-320.	13.7	281
48	Health in times of uncertainty in the eastern Mediterranean region, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. The Lancet Global Health, 2016, 4, e704-e713.	6.3	147
49	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
50	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575.	2.5	102
51	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
52	Measuring the availability of human resources for health and its relationship to universal health coverage for 204 countries and territories from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2022, 399, 2129-2154.	13.7	91
53	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990–2013: findings from the Global Burden of Disease Study 2013. Annals of the Rheumatic Diseases, 2017, 76, 1365-1373.	0.9	81
54	Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. Neuroepidemiology, 2017, 49, 45-61.	2.3	81

#	Article	IF	CITATIONS
55	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 151-159.	2.8	64
56	Mapping disparities in education across low- and middle-income countries. Nature, 2020, 577, 235-238.	27.8	58
57	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	2.8	56
58	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
59	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
60	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
61	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	10.0	38
62	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e657-e669.	10.0	34
63	Cancer Research in the Arab World: A review of publications from seven countries between 2000–2013. Sultan Qaboos University Medical Journal, 2017, 17, e147-154.	1.0	31
64	Knowledge of and attitudes towards tobacco control among smoking and non-smoking physicians in 2 Gulf Arab states. Journal of King Abdulaziz University, Islamic Economics, 2004, 25, 585-91.	1.1	31
65	Suicide in Bahrain in the Last Decade. Crisis, 2007, 28, 11-15.	1.2	30
66	Waterpipe Tobacco Smoking among University Students in Three Eastern Mediterranean Countries: Patterns, Place, and Price. Substance Use and Misuse, 2019, 54, 2275-2283.	1.4	29
67	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1319-1329.	1.4	27
68	Harm perceptions of waterpipe tobacco smoking among university students in five Eastern Mediterranean Region countries: A cross-sectional study. Tobacco Induced Diseases, 2018, 16, 20.	0.6	24
69	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
70	Assaults and Nonpatient-Induced Injuries Among Psychiatric Nursing Staff in Bahrain. Issues in Mental Health Nursing, 2003, 24, 409-417.	1.2	21
71	Policy-Relevant Context of Waterpipe Tobacco Smoking among University Students in Six Countries Across the Eastern Mediterranean Region: A Qualitative Study. Asian Pacific Journal of Cancer Prevention, 2017, 18, 2533-2540.	1.2	21
72	Risk Factors Associated with Overdose Among Bahraini Youth. Suicide and Life-Threatening Behavior, 2001, 31, 197-206.	1.9	18

#	Article	IF	CITATIONS
73	Individual-level determinants of waterpipe smoking demand in four Eastern-Mediterranean countries. Health Promotion International, 2019, 34, 1157-1166.	1.8	17
74	The Knowledge Translation Status in Selected Eastern-Mediterranean Universities and Research Institutes. PLoS ONE, 2014, 9, e103732.	2.5	17
75	Gender differences in waterpipe tobacco smoking among university students in four Eastern Mediterranean countries. Tobacco Induced Diseases, 2020, 18, 1-12.	0.6	16
76	Smoking prevalence in the Eastern Mediterranean Region. Eastern Mediterranean Health Journal, 2020, 26, 94-101.	0.8	14
77	Cigarette and waterpipe smoking among adult patients with severe and persistent mental illness in Bahrain: a comparison with the National Non-communicable Diseases Risk Factors Survey. BMC Research Notes, 2016, 9, 77.	1.4	12
78	Quit tobacco clinics in Bahrain: smoking cessation rates and patient satisfaction. Tobacco Induced Diseases, 2017, 15, 7.	0.6	12
79	Epidemiology of Breast Cancer among Bahraini Women: Data from the Bahrain Cancer Registry. Sultan Qaboos University Medical Journal, 2014, 14, e176-82.	1.0	12
80	Cancer incidence among the Bahraini population: a five-year (1998–2002) experience. Annals of Saudi Medicine, 2007, 27, 251-258.	1.1	11
81	Cancer incidence among the Bahraini population: a five-year (1998–2002) experience. Hematology/ Oncology and Stem Cell Therapy, 2008, 1, 175-182.	0.9	11
82	Estimated and projected prevalence of tobacco smoking in males, Eastern Mediterranean Region, 2000–2025. Eastern Mediterranean Health Journal, 2021, 27, 76-82.	0.8	11
83	Overdose among youth in Bahrain: psycho-social characteristics, contact with helping agencies and problems. Journal of the Royal Society of Health, 1997, 117, 366-371.	0.2	10
84	Smoking behavior of males attending the quit tobacco clinics in Bahrain and their knowledge on tobacco smoking health hazards. BMC Public Health, 2018, 18, 199.	2.9	9
85	An institutional approach to support the conduct and use of health policy and systems research: The Nodal Institute in the Eastern Mediterranean Region. Health Research Policy and Systems, 2015, 13, 40.	2.8	8
86	Determinants of family size in a Gulf Arab state: a comparison between two areas. Perspectives in Public Health, 2008, 128, 226-232.	0.4	7
87	Association of Overweight and Obesity with High Fast Food Consumption by Gulf Cooperation Council Medical Students. Ecology of Food and Nutrition, 2019, 58, 495-510.	1.6	7
88	Association of health warning labels and motivation to quit waterpipe tobacco smoking among university students in the Eastern Mediterranean Region. Tobacco Prevention and Cessation, 2021, 7, 1-10.	0.4	7
89	Outcomes of children with attention deficit/hyperactivity disorder: global functioning and symptoms persistence. Eastern Mediterranean Health Journal, 2017, 23, 589-593.	0.8	7
90	Quality, safety and performance management in primary health care: from scoping review to research priority setting and implementation plan in the Eastern Mediterranean Region. BMJ Global Health, 2019, 4, e001477.	4.7	6

#	Article	IF	CITATIONS
91	Tobacco Research in the Eastern Mediterranean Region: A Scoping Review of Published Studies from Seven Countries. Journal of Community Health, 2021, 46, 225-231.	3.8	6
92	Injury burden in individuals aged 50 years or older in the Eastern Mediterranean region, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. The Lancet Healthy Longevity, 2022, 3, e253-e262.e4.	4.6	6
93	Knowledge of health professional students on waterpipe tobacco smoking: curricula implications. BMC Medical Education, 2018, 18, 300.	2.4	5
94	Cancer incidence among the Bahraini population : A five-year (1998-2002) experience. Annals of Saudi Medicine, 2007, 27, 251.	1.1	5
95	Risk factors of major noncommunicable diseases in Bahrain. The need for a surveillance system. Journal of King Abdulaziz University, Islamic Economics, 2004, 25, 1147-52.	1.1	4
96	Public knowledge and attitudes towards passive smoking. Journal of King Abdulaziz University, Islamic Economics, 2005, 26, 2004-6.	1.1	4
97	Tobacco control in the Eastern Mediterranean region: implementation progress and persisting challenges. Tobacco Control, 2022, 31, 150-152.	3.2	4
98	Tobacco Consumption and Chemical Analysis of Cigarettes in Bahrain. Substance Use and Misuse, 1994, 29, 325-337.	0.6	3
99	The association between the initial outcomes of COVID-19 and the human development index: An ecological study. Human Systems Management, 2022, 41, 303-313.	1.1	3
100	A study of ill-defined causes of death in Bahrain. Determinants and health policy issues. Journal of King Abdulaziz University, Islamic Economics, 2010, 31, 545-9.	1.1	3
101	Knowledge and attitudes of medical students in Bahrain towards smoking. Health Education Research, 1995, 10, 479-486.	1.9	2
102	Burden of Transport-Related Injuries in the Eastern Mediterranean Region: A Systematic Analysis for the Global Burden of Disease Study 2017. Archives of Iranian Medicine, 2021, 24, 512-525.	0.6	2
103	Breast Cancer Risk Assessment among Bahraini Women. Bahrain Medical Bulletin, 2013, 35, 7-9.	0.1	2
104	Improving the Accuracy of Death Certification among Secondary Care Physicians. Bahrain Medical Bulletin, 2013, 35, 56-59.	0.1	2
105	Evaluation of health warnings for waterpipe tobacco smoking among university students in the Eastern Mediterranean region. Tobacco Induced Diseases, $2018, 16, \ldots$	0.6	2
106	Fatalities from road traffic accidents among the young in Bahrain. Eastern Mediterranean Health Journal, 2013, 19, 854-60.	0.8	2
107	Lung cancer epidemiology among the Bahraini population, 1998-2011. gulf journal of oncology, The, 2018, 1, 18-22.	0.2	1
108	P1.01-059 Lung Cancer Epidemiology among the Bahraini Population, 2000-2011. Journal of Thoracic Oncology, 2017, 12, S485-S486.	1.1	0

#	Article	IF	CITATIONS
109	Cochlear implantation in Bahrain: promising results. Annals of Saudi Medicine, 2007, 27, 445-447.	1.1	0
110	Using discrete choice experiments to characterize demand for waterpipe tobacco smoking among university students in the Eastern Mediterranean region. Tobacco Induced Diseases, 2018, 16, .	0.6	0
111	Promoting Research through an Inter-Institutional Collaboration Model in Bahrain. MedEdPublish, 2020, 9, .	0.3	0