
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4409100/publications.pdf Version: 2024-02-01



<u>Ρανίσα</u>μ Ρ. Ηλμάσεμ

#	Article	IF	CITATIONS
1	The association between the initial outcomes of COVID-19 and the human development index: An ecological study. Human Systems Management, 2022, 41, 303-313.	1.1	3
2	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. JAMA Oncology, 2022, 8, 420.	7.1	719
3	Tobacco control in the Eastern Mediterranean region: implementation progress and persisting challenges. Tobacco Control, 2022, 31, 150-152.	3.2	4
4	Injury burden in individuals aged 50 years or older in the Eastern Mediterranean region, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. The Lancet Healthy Longevity, 2022, 3, e253-e262.e4.	4.6	6
5	Measuring the availability of human resources for health and its relationship to universal health coverage for 204 countries and territories from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2022, 399, 2129-2154.	13.7	91
6	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e657-e669.	10.0	34
7	Tobacco Research in the Eastern Mediterranean Region: A Scoping Review of Published Studies from Seven Countries. Journal of Community Health, 2021, 46, 225-231.	3.8	6
8	Estimated and projected prevalence of tobacco smoking in males, Eastern Mediterranean Region, 2000–2025. Eastern Mediterranean Health Journal, 2021, 27, 76-82.	0.8	11
9	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	10.0	38
10	Association of health warning labels and motivation to quit waterpipe tobacco smoking among university students in the Eastern Mediterranean Region. Tobacco Prevention and Cessation, 2021, 7, 1-10.	0.4	7
11	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	13.7	609
12	Burden of Transport-Related Injuries in the Eastern Mediterranean Region: A Systematic Analysis for the Global Burden of Disease Study 2017. Archives of Iranian Medicine, 2021, 24, 512-525.	0.6	2
13	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
14	Mapping disparities in education across low- and middle-income countries. Nature, 2020, 577, 235-238.	27.8	58
15	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
16	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
17	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	13.7	890
18	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335

#	Article	IF	CITATIONS
19	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	6.3	23
20	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	2.4	44
21	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
22	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	2.4	103
23	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	2.8	4,468
24	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	30.7	47
25	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
26	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 133-141.	2.8	56
27	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 151-159.	2.8	64
28	Gender differences in waterpipe tobacco smoking among university students in four Eastern Mediterranean countries. Tobacco Induced Diseases, 2020, 18, 1-12.	0.6	16
29	Smoking prevalence in the Eastern Mediterranean Region. Eastern Mediterranean Health Journal, 2020, 26, 94-101.	0.8	14
30	Promoting Research through an Inter-Institutional Collaboration Model in Bahrain. MedEdPublish, 2020, 9, .	0.3	0
31	Waterpipe Tobacco Smoking among University Students in Three Eastern Mediterranean Countries: Patterns, Place, and Price. Substance Use and Misuse, 2019, 54, 2275-2283.	1.4	29
32	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	7.1	1,691
33	Association of Overweight and Obesity with High Fast Food Consumption by Gulf Cooperation Council Medical Students. Ecology of Food and Nutrition, 2019, 58, 495-510.	1.6	7
34	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	10.2	2,625
35	Quality, safety and performance management in primary health care: from scoping review to research priority setting and implementation plan in the Eastern Mediterranean Region. BMJ Global Health, 2019, 4, e001477.	4.7	6
36	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	10.2	1,064

#	Article	IF	CITATIONS
37	Individual-level determinants of waterpipe smoking demand in four Eastern-Mediterranean countries. Health Promotion International, 2019, 34, 1157-1166.	1.8	17
38	Knowledge of health professional students on waterpipe tobacco smoking: curricula implications. BMC Medical Education, 2018, 18, 300.	2.4	5
39	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
40	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
41	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
42	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
43	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
44	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	27.0	959
45	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	13.7	638
46	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016. JAMA Oncology, 2018, 4, 1553.	7.1	1,260
47	Smoking behavior of males attending the quit tobacco clinics in Bahrain and their knowledge on tobacco smoking health hazards. BMC Public Health, 2018, 18, 199.	2.9	9
48	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
49	Harm perceptions of waterpipe tobacco smoking among university students in five Eastern Mediterranean Region countries: A cross-sectional study. Tobacco Induced Diseases, 2018, 16, 20.	0.6	24
50	Using discrete choice experiments to characterize demand for waterpipe tobacco smoking among university students in the Eastern Mediterranean region. Tobacco Induced Diseases, 2018, 16, .	0.6	0
51	Evaluation of health warnings for waterpipe tobacco smoking among university students in the Eastern Mediterranean region. Tobacco Induced Diseases, 2018, 16, .	0.6	2
52	Lung cancer epidemiology among the Bahraini population, 1998-2011. gulf journal of oncology, The, 2018, 1, 18-22.	0.2	1
53	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990–2013: findings from the Global Burden of Disease Study 2013. Annals of the Rheumatic Diseases, 2017, 76, 1365-1373.	0.9	81
54	Quit tobacco clinics in Bahrain: smoking cessation rates and patient satisfaction. Tobacco Induced Diseases, 2017, 15, 7.	0.6	12

#	Article	IF	CITATIONS
55	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
56	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	13.7	1,281
57	P1.01-059 Lung Cancer Epidemiology among the Bahraini Population, 2000-2011. Journal of Thoracic Oncology, 2017, 12, S485-S486.	1.1	0
58	Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. Neuroepidemiology, 2017, 49, 45-61.	2.3	81
59	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
60	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
61	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
62	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
63	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
64	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	10.2	1,521
65	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
66	Cancer Research in the Arab World: A review of publications from seven countries between 2000–2013. Sultan Qaboos University Medical Journal, 2017, 17, e147-154.	1.0	31
67	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575.	2.5	102
68	Policy-Relevant Context of Waterpipe Tobacco Smoking among University Students in Six Countries Across the Eastern Mediterranean Region: A Qualitative Study. Asian Pacific Journal of Cancer Prevention, 2017, 18, 2533-2540.	1.2	21
69	Outcomes of children with attention deficit/hyperactivity disorder: global functioning and symptoms persistence. Eastern Mediterranean Health Journal, 2017, 23, 589-593.	0.8	7
70	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	13.7	740
71	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
72	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934

#	Article	IF	CITATIONS
73	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
74	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
75	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	13.7	571
76	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	13.7	413
77	Health in times of uncertainty in the eastern Mediterranean region, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. The Lancet Global Health, 2016, 4, e704-e713.	6.3	147
78	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	4.7	461
79	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1319-1329.	1.4	27
80	Cigarette and waterpipe smoking among adult patients with severe and persistent mental illness in Bahrain: a comparison with the National Non-communicable Diseases Risk Factors Survey. BMC Research Notes, 2016, 9, 77.	1.4	12
81	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Clobal Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	2.4	898
82	An institutional approach to support the conduct and use of health policy and systems research: The Nodal Institute in the Eastern Mediterranean Region. Health Research Policy and Systems, 2015, 13, 40.	2.8	8
83	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
84	The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505.	7.1	2,269
85	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
86	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
87	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
88	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	13.7	609
89	The state of health in the Arab world, 1990–2010: an analysis of the burden of diseases, injuries, and risk factors. Lancet, The, 2014, 383, 309-320.	13.7	281
90	Clobal, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Clobal Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	13.7	786

#	Article	IF	CITATIONS
91	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	13.7	1,230
92	The Knowledge Translation Status in Selected Eastern-Mediterranean Universities and Research Institutes. PLoS ONE, 2014, 9, e103732.	2.5	17
93	Epidemiology of Breast Cancer among Bahraini Women: Data from the Bahrain Cancer Registry. Sultan Qaboos University Medical Journal, 2014, 14, e176-82.	1.0	12
94	Breast Cancer Risk Assessment among Bahraini Women. Bahrain Medical Bulletin, 2013, 35, 7-9.	0.1	2
95	Improving the Accuracy of Death Certification among Secondary Care Physicians. Bahrain Medical Bulletin, 2013, 35, 56-59.	0.1	2
96	Fatalities from road traffic accidents among the young in Bahrain. Eastern Mediterranean Health Journal, 2013, 19, 854-60.	0.8	2
97	A study of ill-defined causes of death in Bahrain. Determinants and health policy issues. Journal of King Abdulaziz University, Islamic Economics, 2010, 31, 545-9.	1.1	3
98	Determinants of family size in a Gulf Arab state: a comparison between two areas. Perspectives in Public Health, 2008, 128, 226-232.	0.4	7
99	Cancer incidence among the Bahraini population: a five-year (1998–2002) experience. Hematology/ Oncology and Stem Cell Therapy, 2008, 1, 175-182.	0.9	11
100	Cancer incidence among the Bahraini population: a five-year (1998–2002) experience. Annals of Saudi Medicine, 2007, 27, 251-258.	1.1	11
101	Suicide in Bahrain in the Last Decade. Crisis, 2007, 28, 11-15.	1.2	30
102	Cancer incidence among the Bahraini population : A five-year (1998-2002) experience. Annals of Saudi Medicine, 2007, 27, 251.	1.1	5
103	Cochlear implantation in Bahrain: promising results. Annals of Saudi Medicine, 2007, 27, 445-447.	1.1	0
104	Public knowledge and attitudes towards passive smoking. Journal of King Abdulaziz University, Islamic Economics, 2005, 26, 2004-6.	1.1	4
105	Knowledge of and attitudes towards tobacco control among smoking and non-smoking physicians in 2 Gulf Arab states. Journal of King Abdulaziz University, Islamic Economics, 2004, 25, 585-91.	1.1	31
106	Risk factors of major noncommunicable diseases in Bahrain. The need for a surveillance system. Journal of King Abdulaziz University, Islamic Economics, 2004, 25, 1147-52.	1.1	4
107	Assaults and Nonpatient-Induced Injuries Among Psychiatric Nursing Staff in Bahrain. Issues in Mental Health Nursing, 2003, 24, 409-417.	1.2	21
108	Risk Factors Associated with Overdose Among Bahraini Youth. Suicide and Life-Threatening Behavior, 2001, 31, 197-206.	1.9	18

#	ARTICLE	IF	CITATIONS
109	Overdose among youth in Bahrain: psycho-social characteristics, contact with helping agencies and problems. Journal of the Royal Society of Health, 1997, 117, 366-371.	0.2	10
110	Knowledge and attitudes of medical students in Bahrain towards smoking. Health Education Research, 1995, 10, 479-486.	1.9	2
111	Tobacco Consumption and Chemical Analysis of Cigarettes in Bahrain. Substance Use and Misuse, 1994, 29, 325-337.	0.6	3