Dieter Riethmacher

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4409786/publications.pdf

Version: 2024-02-01

62 papers 10,318 citations

39 h-index 56 g-index

62 all docs

62 docs citations

62 times ranked 13694 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Essential role for the c-met receptor in the migration of myogenic precursor cells into the limb bud. Nature, 1995, 376, 768-771. | 27.8 | 1,202 |
| 2 | Somatic Sex Reprogramming of Adult Ovaries to Testes by FOXL2 Ablation. Cell, 2009, 139, 1130-1142. | 28.9 | 815 |
| 3 | The transcription factor Sox10 is a key regulator of peripheral glial development. Genes and Development, 2001, 15, 66-78. | 5.9 | 797 |
| 4 | A defined commensal consortium elicits CD8 T cells and anti-cancer immunity. Nature, 2019, 565, 600-605. | 27.8 | 741 |
| 5 | Severe neuropathies in mice with targeted mutations in the ErbB3 receptor. Nature, 1997, 389, 725-730. | 27.8 | 659 |
| 6 | Terminal differentiation of myelin-forming oligodendrocytes depends on the transcription factor Sox10. Genes and Development, 2002, 16, 165-170. | 5.9 | 561 |
| 7 | In vivo equilibrium of proinflammatory IL-17+ and regulatory IL-10+ Foxp3+ RORγt+ T cells. Journal of Experimental Medicine, 2008, 205, 1381-1393. | 8.5 | 491 |
| 8 | A targeted mutation in the mouse E-cadherin gene results in defective preimplantation development Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 855-859. | 7.1 | 459 |
| 9 | V1 spinal neurons regulate the speed of vertebrate locomotor outputs. Nature, 2006, 440, 215-219. | 27.8 | 348 |
| 10 | The ErbB2 and ErbB3 receptors and their ligand, neuregulin-1, are essential for development of the sympathetic nervous system. Genes and Development, 1998, 12, 1825-1836. | 5.9 | 295 |
| 11 | Progenitor cells of the testosterone-producing Leydig cells revealed. Journal of Cell Biology, 2004, 167, 935-944. | 5.2 | 228 |
| 12 | A stomatin-domain protein essential for touch sensation in the mouse. Nature, 2007, 445, 206-209. | 27.8 | 225 |
| 13 | Peripheral nervous system defects in erbB2 mutants following genetic rescue of heart development. Genes and Development, 1999, 13, 2538-2548. | 5.9 | 217 |
| 14 | Protein Zero Gene Expression Is Regulated by the Glial Transcription Factor Sox10. Molecular and Cellular Biology, 2000, 20, 3198-3209. | 2.3 | 210 |
| 15 | Lack of Conventional Dendritic Cells Is Compatible with Normal Development and T Cell Homeostasis, but Causes Myeloid Proliferative Syndrome. Immunity, 2008, 29, 986-997. | 14.3 | 198 |
| 16 | The c-ros tyrosine kinase receptor controls regionalization and differentiation of epithelial cells in the epididymis Genes and Development, 1996, 10, 1184-1193. | 5.9 | 196 |
| 17 | Requirements for FGF3 and FGF10 during inner ear formation. Development (Cambridge), 2003, 130, 6329-6338. | 2.5 | 184 |
| 18 | Dendritic Cells Ameliorate Autoimmunity in the CNS by Controlling the Homeostasis of PD-1 Receptor+ Regulatory T Cells. Immunity, 2012, 37, 264-275. | 14.3 | 184 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Placental Failure in Mice Lacking the Mammalian Homolog of Glial Cells Missing, GCMa. Molecular and Cellular Biology, 2000, 20, 2466-2474. | 2.3 | 180 |
| 20 | DeltaNp73 regulates neuronal survival in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 16871-16876. | 7.1 | 145 |
| 21 | Genetically Induced Adult Oligodendrocyte Cell Death Is Associated with Poor Myelin Clearance, Reduced Remyelination, and Axonal Damage. Journal of Neuroscience, 2011, 31, 1069-1080. | 3.6 | 124 |
| 22 | Sertoli cells control peritubular myoid cell fate and support adult Leydig cell development in the prepubertal testis. Development (Cambridge), 2014, 141, 2139-2149. | 2.5 | 110 |
| 23 | Mutation of juxtamembrane tyrosine residue 1001 suppresses loss-of-function mutations of the met receptor in epithelial cells Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 2597-2601. | 7.1 | 109 |
| 24 | Platelets Play an Essential Role in Separating the Blood and Lymphatic Vasculatures During Embryonic Angiogenesis. Circulation Research, 2010, 106, 1197-1201. | 4.5 | 109 |
| 25 | Cell Depletion Due to Diphtheria Toxin Fragment A after Cre-Mediated Recombination. Molecular and Cellular Biology, 2004, 24, 7636-7642. | 2.3 | 106 |
| 26 | Loss of Caspase-8 Protects Mice Against Inflammation-Related Hepatocarcinogenesis but Induces Non-Apoptotic Liver Injury. Gastroenterology, 2011, 141, 2176-2187. | 1.3 | 105 |
| 27 | Anticancer activity of metformin: a systematic review of the literature. Future Science OA, 2019, 5, FSO410. | 1.9 | 105 |
| 28 | Ermin, A Myelinating Oligodendrocyte-Specific Protein That Regulates Cell Morphology. Journal of Neuroscience, 2006, 26, 757-762. | 3.6 | 104 |
| 29 | An improved mouse line for Cre-induced cell ablation due to diphtheria toxin A, expressed from the Rosa26 locus. Genesis, 2006, 44, 322-327. | 1.6 | 98 |
| 30 | Development and degeneration of dorsal root ganglia in the absence of the HMG-domain transcription factor Sox10. Mechanisms of Development, 2001, 109, 253-265. | 1.7 | 93 |
| 31 | Different autonomous myogenic cell populations revealed by ablation of Myf5-expressing cells during mouse embryogenesis. Development (Cambridge), 2008, 135, 1597-1604. | 2.5 | 93 |
| 32 | Functional characterization of bitter-taste receptors expressed in mammalian testis. Molecular Human Reproduction, 2013, 19, 17-28. | 2.8 | 86 |
| 33 | Hepatocyte-specific NEMO deletion promotes NK/NKT cell– and TRAIL-dependent liver damage. Journal of Experimental Medicine, 2009, 206, 1727-1737. | 8.5 | 83 |
| 34 | Conditional Depletion of Airway Progenitor Cells Induces Peribronchiolar Fibrosis. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 511-521. | 5.6 | 68 |
| 35 | Epibranchial ganglia orchestrate the development of the cranial neurogenic crest. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 2066-2071. | 7.1 | 51 |
| 36 | The extracellular-matrix protein matrilin 2 participates in peripheral nerve regeneration. Journal of Cell Science, 2009, 122, 995-1004. | 2.0 | 47 |

3

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 37 | Stress-Induced Anxiety- and Depressive-Like Phenotype Associated with Transient Reduction in Neurogenesis in Adult Nestin-CreERT2/Diphtheria Toxin Fragment A Transgenic Mice. PLoS ONE, 2016, 11, e0147256. | 2.5 | 46 |
| 38 | Reallocation of Olfactory Cajal-Retzius Cells Shapes Neocortex Architecture. Neuron, 2016, 92, 435-448. | 8.1 | 43 |
| 39 | Factors Controlling Growth, Motility, and Morphogenesis of Normal and Malignant Epithelial Cells. International Review of Cytology, 1995, 160, 221-266. | 6.2 | 42 |
| 40 | Downregulation of protein kinase $C-\hat{l}^3$ is independent of a functional kinase domain. FEBS Letters, 1991, 280, 262-266. | 2.8 | 40 |
| 41 | erbB3 is dispensable for oligodendrocyte development in vitro and in vivo. Glia, 2003, 44, 67-75. | 4.9 | 35 |
| 42 | Periostin in Allergy and Inflammation. Frontiers in Immunology, 2021, 12, 722170. | 4.8 | 34 |
| 43 | Chronicles of a switch hunt: gcm genes in development. Trends in Genetics, 2001, 17, 286-290. | 6.7 | 33 |
| 44 | Sebaceous lipids are essential for water repulsion, protection against UVB-induced apoptosis, and ocular integrity in mice. Development (Cambridge), 2016, 143, 1823-31. | 2.5 | 29 |
| 45 | Ultraviolet B–Induced Maturation of CD11b-Type Langerinâ^' Dendritic Cells Controls the Expansion of Foxp3+ Regulatory T Cells in the Skin. Journal of Immunology, 2018, 200, 119-129. | 0.8 | 29 |
| 46 | Loss of caspase-8 in hepatocytes accelerates the onset of liver regeneration in mice through premature nuclear factor kappa B activation. Hepatology, 2013, 58, 1779-1789. | 7.3 | 28 |
| 47 | Knowledge, attitude, and practice toward COVID-19 vaccination in Kazakhstan: a cross-sectional study. Human Vaccines and Immunotherapeutics, 2021, 17, 3394-3400. | 3 . 3 | 28 |
| 48 | Neurofibromin Modulates Adult Hippocampal Neurogenesis and Behavioral Effects of Antidepressants. Journal of Neuroscience, 2012, 32, 3529-3539. | 3.6 | 25 |
| 49 | Promotion of periostin expression contributes to the migration of Schwann cells. Journal of Cell Science, 2015, 128, 3345-55. | 2.0 | 19 |
| 50 | Maid (GCIP) is involved in cell cycle control of hepatocytes. Hepatology, 2007, 45, 404-411. | 7.3 | 18 |
| 51 | MRI signature in a novel mouse model of genetically induced adult oligodendrocyte cell death. Neurolmage, 2012, 59, 1028-1036. | 4.2 | 14 |
| 52 | Vaccine adherence: the rate of hesitancy toward childhood immunization in Kazakhstan. Expert Review of Vaccines, 2020, 19, 579-584. | 4.4 | 11 |
| 53 | Expression profile of the matricellular protein periostin in paediatric inflammatory bowel disease. Scientific Reports, 2021, 11, 6194. | 3. 3 | 7 |
| 54 | Efficient Transfer of HSV-1 Amplicon Vectors Into Embryonic Stem Cells and Their Derivatives., 2006, 329, 265-272. | | 4 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 55 | Congenital Deficiency of Conventional Dendritic Cells Promotes the Development of Atopic Dermatitis-Like Inflammation. Frontiers in Immunology, 2021, 12, 712676. | 4.8 | 4 |
| 56 | The extracellular-matrix protein matrilin 2 participates in peripheral nerve regeneration. Journal of Cell Science, 2009, 122, 1471-1471. | 2.0 | 2 |
| 57 | Identification of protein tyrosine phosphatase 1B and casein as substrates for 124-v-Mos. BMC Biochemistry, 2002, 3, 6. | 4.4 | 1 |
| 58 | [45] HEPATOCYTE-SPECIFIC DEPLETION OF CASPASE-8 ACCELERATES THE ONSET OF LIVER REGENERATION IN MICE. Journal of Hepatology, 2007, 46, S21. | 3.7 | 0 |
| 59 | 40 DEPLETION OF CASPASE-8 PROTECTS FROM FAS- AND LPS-MEDIATED LIVER INJURY BUT NOT FROM CONCANAVALIN A INDUCED HEPATITIS IN MICE. Journal of Hepatology, 2008, 48, S18. | 3.7 | 0 |
| 60 | 109 DEPLETION OF CASPASE-8 IN MICE MODULATES TNF-INDUCED COMPLEX FORMATION AND CELL CYCLE SIGNALING IN HEPATOCYTES FOLLOWING PARTIAL HEPATECTOMY. Journal of Hepatology, 2009, 50, S45. | 3.7 | 0 |
| 61 | 130 CASPASE-8 ABLATION RESCUES SPONTANEOUS APOPTOSIS AND HEPATOCARCINOGENESIS IN NEMO-DEFICIENT MICE BUT TRIGGERS NON-APOPTOTIC LIVER INJURY. Journal of Hepatology, 2011, 54, S57-S58. | 3.7 | 0 |
| 62 | 35 LOSS OF CASPASE-8 IN HEPATOCYTES ACCELERATES THE ONSET OF LIVER REGENERATION IN MICE THROUGH PREMATURE NF-κB ACTIVATION. Journal of Hepatology, 2013, 58, S15. | 3.7 | 0 |